
Barbara A Qurollo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7108718/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	DETECTION OF VECTOR-BORNE INFECTIONS IN LIONS AND TIGERS AT TWO ZOOS IN TENNESSEE AND OKLAHOMA, USA. Journal of Zoo and Wildlife Medicine, 2022, 53, 50-59.	0.3	5
2	Demographics and travel history of imported and autochthonous cases of leishmaniosis in dogs in the United States and Canada, 2006 to 2019. Journal of Veterinary Internal Medicine, 2021, 35, 954-964.	0.6	4
3	Evaluation of a commercial microbial enrichment kit used prior DNA extraction to improve the molecular detection of vector-borne pathogens from naturally infected dogs. Journal of Microbiological Methods, 2021, 188, 106163.	0.7	3
4	Comparison of Anaplasma and Ehrlichia species–specific peptide ELISAs with whole organism–based immunofluorescent assays for serologic diagnosis of anaplasmosis and ehrlichiosis in dogs. American Journal of Veterinary Research, 2021, 82, 71-80.	0.3	9
5	Development of a Multiplex Droplet Digital PCR Assay for the Detection of Babesia, Bartonella, and Borrelia Species. Pathogens, 2021, 10, 1462.	1.2	9
6	Genetic diversity of Anaplasma and Ehrlichia bacteria found in Dermacentor and Ixodes ticks in Mongolia. Ticks and Tick-borne Diseases, 2020, 11, 101316.	1.1	17
7	Molecular Characteristics of Rickettsia in Ticks Collected along the Southern Border of Mongolia. Pathogens, 2020, 9, 943.	1.2	7
8	<i>Bartonella rochalimae, a</i> newly recognized pathogen in dogs. Journal of Veterinary Internal Medicine, 2020, 34, 1447-1453.	0.6	12
9	MOLECULAR PREVALENCE OF SELECTED VECTOR-BORNE ORGANISMS IN CAPTIVE RED WOLVES (CANIS) TJ E	[Qq1_1_0.78	34314 rgBT (
10	Prevalence of <i>Babesia</i> spp. and clinical characteristics of <i>Babesia vulpes</i> infections in North American dogs. Journal of Veterinary Internal Medicine, 2019, 33, 2075-2081.	0.6	36
11	Evidence for vertical transmission of <i>Mycoplasma haemocanis</i> , but not <i>Ehrlichia ewingii</i> , in a dog. Journal of Veterinary Internal Medicine, 2019, 33, 1747-1752.	0.6	18
12	Molecular identification of vector-borne organisms in Ehrlichia seropositive Nicaraguan horses and first report of Rickettsia felis infection in the horse. Acta Tropica, 2019, 200, 105170.	0.9	15
13	Feline Vector-Borne Diseases in North America. Veterinary Clinics of North America - Small Animal Practice, 2019, 49, 687-702.	0.5	19
14	Clinicopathological findings in 41 dogs (2008â€2018) naturally infected with <i>Ehrlichia ewingii</i> . Journal of Veterinary Internal Medicine, 2019, 33, 618-629.	0.6	23
15	Molecular surveillance of novel tick-borne organisms in Madagascar's lemurs. Ticks and Tick-borne Diseases, 2018, 9, 672-677.	1.1	3
16	<i>Babesia gibsoni</i> cytochrome b mutations in canine blood samples submitted to a US veterinary diagnostic laboratory. Journal of Veterinary Internal Medicine, 2018, 32, 1965-1969.	0.6	9
17	The microbiome of Haemaphysalis lemuris (Acari: Ixodidae), a possible vector of pathogens of endangered lemur species in Madagascar. Ticks and Tick-borne Diseases, 2018, 9, 1252-1260.	1.1	15
18	Potentially Same Novel <i>Ehrlichia</i> Species in Horses in Nicaragua and Brazil. Emerging Infectious Diseases, 2018, 24, 953-953.	2.0	12

Barbara A Qurollo

#	Article	IF	CITATIONS
19	Improved molecular detection of Babesia infections in animals using a novel quantitative real-time PCR diagnostic assay targeting mitochondrial DNA. Parasites and Vectors, 2017, 10, 128.	1.0	49
20	A putative marker for human pathogenic strains of Anaplasma phagocytophilum correlates with geography and host, but not human tropism. Ticks and Tick-borne Diseases, 2016, 7, 390-393.	1.1	5
21	Serological and molecular analysis of feline vector-borne anaplasmosis and ehrlichiosis using species-specific peptides and PCR. Parasites and Vectors, 2015, 8, 320.	1.0	41
22	Potentially Novel <i>Ehrlichia</i> Species in Horses, Nicaragua. Emerging Infectious Diseases, 2015, 21, 335-338.	2.0	25
23	Regional Seroreactivity and Vector-Borne Disease Co-Exposures in Dogs in the United States from 2004–2010: Utility of Canine Surveillance. Vector-Borne and Zoonotic Diseases, 2014, 14, 724-732.	0.6	40
24	Co-infection with Anaplasma platys, Bartonella henselae, Bartonella koehlerae and †Candidatus Mycoplasma haemominutum' in a cat diagnosed with splenic plasmacytosis and multiple myeloma. Journal of Feline Medicine and Surgery, 2014, 16, 713-720.	0.6	30
25	Molecular Evidence of Anaplasma platys Infection in Two Women from Venezuela. American Journal of Tropical Medicine and Hygiene, 2014, 91, 1161-1165.	0.6	149
26	Development and Validation of a Sensitive and Specific sodB-Based Quantitative PCR Assay for Molecular Detection of Ehrlichia Species. Journal of Clinical Microbiology, 2014, 52, 4030-4032.	1.8	23
27	Intravascular persistence of Anaplasma platys, Ehrlichia chaffeensis, and Ehrlichia ewingii DNA in the blood of a dog and two family members. Parasites and Vectors, 2014, 7, 298.	1.0	87
28	A serological survey of tick-borne pathogens in dogs in North America and the Caribbean as assessed by <i>Anaplasma phagocytophilum, A. platys, Ehrlichia canis, E. chaffeensis, E. ewingii, and Borrelia burgdorferi</i> species-specific peptides. Infection Ecology and Epidemiology, 2014, 4, 24699.	0.5	45
29	Vectorâ€borne disease and its relationship to hematologic abnormalities and microalbuminuria in retired racing and showâ€bred greyhounds. Journal of Veterinary Internal Medicine, 0, , .	0.6	3