## GiosuÃ" Caliano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7109424/publications.pdf

Version: 2024-02-01

91 papers 1,756 citations

<sup>394286</sup>
19
h-index

330025 37 g-index

94 all docs 94 docs citations

times ranked

94

1045 citing authors

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 1  | The Delay Multiply and Sum Beamforming Algorithm in Ultrasound B-Mode Medical Imaging. IEEE Transactions on Medical Imaging, 2015, 34, 940-949.   | 5.4 | 352       |
| 2  | A CMUT probe for medical ultrasonography: from microfabrication to system integration. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2012, 59, 1127-1138.  | 1.7 | 116       |
| 3  | Capacitive micromachined ultrasonic transducer (CMUT) arrays for medical imaging.<br>Microelectronics Journal, 2006, 37, 770-777.   | 1.1 | 92        |
| 4  | An accurate model for capacitive micromachined ultrasonic transducers. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2002, 49, 159-168.  | 1.7 | 91        |
| 5  | Acoustic coupling in capacitive microfabricated ultrasonic transducers: modeling and experiments. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2005, 52, 2220-2234.                                       | 1.7 | 59        |
| 6  | Design, fabrication and characterization of a capacitive micromachined ultrasonic probe for medical imaging. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2005, 52, 2259-2269.                            | 1.7 | 57        |
| 7  | A high frequency cMUT probe for ultrasound imaging of fingerprints. Sensors and Actuators A: Physical, 2011, 172, 561-569.  | 2.0 | 51        |
| 8  | Quantitative comparison of PZT and CMUT probes for photoacoustic imaging: Experimental validation. Photoacoustics, 2017, 8, 48-58.  | 4.4 | 46        |
| 9  | A volumetric CMUT-based ultrasound imaging system simulator with integrated reception and & amp; #x003BC;-beamforming electronics models. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2014, 61, 792-804. | 1.7 | 44        |
| 10 | PECVD low stress silicon nitride analysis and optimization for the fabrication of CMUT devices. Journal of Micromechanics and Microengineering, 2015, 25, 015012.   | 1.5 | 40        |
| 11 | Depth-of-field enhancement in Filtered-Delay Multiply and Sum beamformed images using Synthetic Aperture Focusing. Ultrasonics, 2017, 75, 216-225.  | 2.1 | 39        |
| 12 | A piezoelectric bimorph static pressure sensor. Sensors and Actuators A: Physical, 1995, 46, 176-178.   | 2.0 | 34        |
| 13 | A CMUT transceiver front-end with 100-V TX driver and 1-mW low-noise capacitive feedback RX amplifier in BCD-SOI technology. , 2014, , .  |     | 34        |
| 14 | Ultrasound plane-wave imaging with delay multiply and sum beamforming and coherent compounding. , 2016, 2016, 3223-3226.  |     | 34        |
| 15 | A Comparative Analysis of CMUT Receiving Architectures for the Design Optimization of Integrated Transceiver Front Ends. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2017, 64, 826-838.                  | 1.7 | 33        |
| 16 | Capacitive micro-fabricated ultrasonic transducers for biometric applications. Microelectronic Engineering, 2011, 88, 2278-2280.  | 1.1 | 29        |
| 17 | 3D Ultrasound palm vein pattern for biometric recognition. , 2012, , .  |     | 27        |
| 18 | An ultrasound technique for 3D palmprint extraction. Sensors and Actuators A: Physical, 2014, 212, 18-24.   | 2.0 | 26        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Fabrication of capacitive micromechanical ultrasonic transducers by low-temperature process. Sensors and Actuators A: Physical, 2002, 99, 85-91.  | 2.0 | 24        |
| 20 | P2B-4 Crisscross 2D cMUT Array: Beamforming Strategy and Synthetic 3D Imaging Results. Proceedings IEEE Ultrasonics Symposium, 2007, , .  | 0.0 | 24        |
| 21 | A new approach for the design of ultrasono-therapy transducers. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 1997, 44, 77-84.   | 1.7 | 23        |
| 22 | Vibration maps of capacitive micromachined ultrasonic transducers by laser interferometry. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2002, 49, 289-292.  | 1.7 | 23        |
| 23 | Performance optimization of a high frequency CMUT probe for medical imaging. , 2011, , .  |     | 23        |
| 24 | An enhanced ultrasound technique for 3D palmprint recognition. , 2013, , .  |     | 23        |
| 25 | Micromachined Ultrasonic Transducers. , 2008, , 453-478.  |     | 23        |
| 26 | Design and fabrication of a cMUT probe for ultrasound imaging of fingerprints. , 2010, , .  |     | 22        |
| 27 | Enhanced echographic images obtained improving the membrane structural layer of the cMUT probe. , 0, , .  |     | 19        |
| 28 | Element shape design of 2-D CMUT arrays for reducing grating lobes. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2008, 55, 308-318.   | 1.7 | 18        |
| 29 | Micromachined capacitive ultrasonic transducers fabricated using silicon on insulator wafers. Microelectronic Engineering, 2002, 61-62, 1025-1029.  | 1.1 | 17        |
| 30 | Capacitive micromachined ultrasonic transducer (cMUT) made by a novel "reverse fabrication process". , 0, , .   |     | 17        |
| 31 | Fabrication of capacitive ultrasonic transducers by a low temperature and fully surface-micromachined process. Precision Engineering, 2002, 26, 347-354.  | 1.8 | 15        |
| 32 | Acoustic reflectivity minimization in Capacitive Micromachined Ultrasonic Transducers (CMUTs). Ultrasonics, 2017, 73, 130-139.  | 2.1 | 15        |
| 33 | A silicon microfabricated electrostatic transducer: 1 MHz transmission in air and in water.<br>Microelectronic Engineering, 2000, 53, 573-576.  | 1.1 | 14        |
| 34 | A volumetric CMUT-based ultrasound imaging system simulator with integrated reception and $\hat{1}$ 4-beamforming electronics models. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2014, 61, 792-804. | 1.7 | 13        |
| 35 | Improvements towards a reliable fabrication process for cMUT. Microelectronic Engineering, 2003, 67-68, 602-608.  | 1.1 | 12        |
| 36 | The effects of membrane metallization in capacitive microfabricated ultrasonic transducers. Journal of the Acoustical Society of America, 2004, 115, 651-657.   | 0.5 | 12        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 37 | An automatic compact Schlieren imaging system for ultrasound transducer testing. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2012, 59, 2102-10.            | 1.7 | 12        |
| 38 | A Low Frequency Broadband Flextensional Ultrasonic Transducer Array. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2016, 63, 128-138.                        | 1.7 | 12        |
| 39 | Second-harmonic reduction in CMUTs using unipolar pulsers. , 2015, , .  |     | 11        |
| 40 | cMUT sensor for applications as a wide-band acoustic receiver in the MHz range. , 2010, , .   |     | 10        |
| 41 | Flexible piezoelectric motor based on an acoustic fiber. Applied Physics Letters, 2000, 77, 1905.   | 1.5 | 9         |
| 42 | A power transducer system for the ultrasonic lubrication of the continuous steel casting. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2003, 50, 1501-1508. | 1.7 | 9         |
| 43 | Curvilinear capacitive micromachined ultrasonic transducer (CMUT) array fabricated using a reverse process. , 2008, , .   |     | 9         |
| 44 | An ultra-low-power fully integrated ultrasound imaging CMUT transceiver featuring a high-voltage unipolar pulser and a low-noise charge amplifier. , 2014, , .                          |     | 9         |
| 45 | Ultrasound Synthetic Aperture Focusing with the Delay Multiply and sum beamforming algorithm. , 2015, 2015, 137-40.   |     | 9         |
| 46 | PSpice modeling of capacitive microfabricated ultrasonic transducers. Ultrasonics, 2002, 40, 449-455.   | 2.1 | 8         |
| 47 | Fast scanning probe for ophthalmic echography using an ultrasound motor. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2005, 52, 2039-2046.                  | 1.7 | 8         |
| 48 | Building CMUTs for imaging applications from top to bottom. Microelectronic Engineering, 2007, 84, 1312-1315.   | 1.1 | 8         |
| 49 | ACUPAD: A track-pad device based on a piezoelectric bimorph. Sensors and Actuators A: Physical, 2015, 222, 130-139.   | 2.0 | 7         |
| 50 | Langevin flexural piezoelectric motor based on stator precessional motion. Sensors and Actuators A: Physical, 2004, 113, 189-197.   | 2.0 | 6         |
| 51 | Reverberation Reduction in Capacitive Micromachined Ultrasonic Transducers (CMUTs) by Front-face Reflectivity Minimization. Physics Procedia, 2015, 70, 941-944.                        | 1.2 | 6         |
| 52 | Improved lateral resolution and contrast in ultrasound imaging using a sidelobe masking technique. , 2014, , .  |     | 5         |
| 53 | A 256-Element Spiral CMUT Array with Integrated Analog Front End and Transmit Beamforming Circuits. , 2018, , .   |     | 5         |
| 54 | An innovative method for in situ monitoring of the detachments in architectural coverings of ancient structures. Journal of Cultural Heritage, 2020, 42, 139-146.                       | 1.5 | 5         |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 55 | A low-noise, wideband electronic system for pulse-echo ultrasound imaging with CMUT arrays. , 0, , .   |     | 4         |
| 56 | Capacitive micromachined ultrasonic transducer with an open-cells structure. Sensors and Actuators A: Physical, 2005, 121, 382-387.                                  | 2.0 | 4         |
| 57 | Experimental evaluation of the moving linear array technique applied to livescan biometrics. , 2009, , .   |     | 4         |
| 58 | A resonant sensor for liquid density measurement based on a piezoelectric bimorph. , 2015, , .   |     | 4         |
| 59 | Biasing of Capacitive Micromachined Ultrasonic Transducers. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2017, 64, 402-413.              | 1.7 | 4         |
| 60 | 3D Ultrasonic imaging of the human hand for biometric purposes. , 2010, , .  |     | 3         |
| 61 | A track-pad device based on a piezoelectric bimorph. , 2011, , .   |     | 3         |
| 62 | A low frequency broadband flexural mode ultrasonic transducer for immersion applications. , 2014, , .  |     | 3         |
| 63 | Nonlinear ultrasound imaging experiments using a CMUT probe. , 2016, , .   |     | 3         |
| 64 | PICUS: A Pocket-Sized System for Simple and Fast Non-Destructive Evaluation of the Detachments in Ancient Artifacts. Applied Sciences (Switzerland), 2021, 11, 3382. | 1.3 | 3         |
| 65 | MEMS-based Transducers (CMUT) For Medical Ultrasound Imaging. , 2014, , 445-464.   |     | 3         |
| 66 | <title>Development of silicon ultrasonic transducer using micromachining</title> ., 2000, 4176, 244.   |     | 2         |
| 67 | An ultrasound system simulation tool for advanced front-end electronics design. , 2012, , .  |     | 2         |
| 68 | Improved array beam steering by compensation of inter-element cross-talk. , 2015, , .  |     | 2         |
| 69 | Optimization of the efficiency and reliability of reverse-fabricated CMUT arrays., 2017,,.   |     | 2         |
| 70 | A 3D packaging technology for acoustically optimized integration of 2D CMUT arrays and front end circuits. , 2017, , .   |     | 2         |
| 71 | A 120+ 120- Element Crisscross CMUT Probe's with Real-Time Switchable Electronic and Fresnel Focusing Capabilities. , 2018, , .                                      |     | 2         |
| 72 | An energetic definition of the electromechanical coupling coefficient for CMUTs., 0,,.   |     | 1         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Calibrated tomographic schlieren system for characterization of medical probes., 0,,.  |     | 1         |
| 74 | Flexible acoustic fiber ultrasound motor modeling using impedance and transmission matrices. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2006, 53, 1381-1386. | 1.7 | 1         |
| 75 | 3D locating system for Augmented Reality glasses using coded ultrasound. , 2013, , .   |     | 1         |
| 76 | Phase shift micro-beamforming of CMUT arrays using the spring-softening effect., 2013,,.   |     | 1         |
| 77 | An active acoustic back cover based on piezoelectric elements. , 2014, , .   |     | 1         |
| 78 | A resonant sensor for liquid density measurement based on a piezoelectric bimorph., 2015,,.  |     | 1         |
| 79 | Optimization of the efficiency and reliability of reverse-fabricated CMUT arrays. , 2017, , .  |     | 1         |
| 80 | A 3D packaging technology for acoustically optimized integration of 2D CMUT arrays and front end circuits. , 2017, , .   |     | 1         |
| 81 | Accurate evaluation of the electro-mechanical and parasitic parameters of CMUTs through electrical impedance characterization., 2017,,.  |     | 1         |
| 82 | An acoustic fiber based piezoelectric motor., 0,,.   |     | 0         |
| 83 | A New Technique for the Design of Acoustic Matching Layers for Piezocomposite Transducers. , 2002, , 505-515.  |     | 0         |
| 84 | A method for the measurement of the k factor in lossy piezoelectric materials: fem and experimental results. , $0$ , , .   |     | 0         |
| 85 | Fluid film force control in lubricated journal bearings by means of a travelling wave generated with a piezoelectric actuators' system. , 2012, , .  |     | 0         |
| 86 | A vibrating stylus as two-dimensional PC input device. , 2013, , .   |     | 0         |
| 87 | Design and performance of an active acoustic back cover based on piezoelectric elements. , 2015, , .   |     | 0         |
| 88 | Advancements on Silicon Ultrasound Probes (CMUT) for Medical Imaging Applications. Lecture Notes in Electrical Engineering, 2016, , 51-57.   | 0.3 | 0         |
| 89 | Accurate evaluation of the electro-mechanical and parasitic parameters of CMUTs through electrical impedance characterization. , 2017, , .   |     | 0         |
| 90 | An Ultrasonic Flextensional Array for Acoustic Emission Techniques on Concrete Structures. , 2018, , .   |     | 0         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 91 | Resolution Enhancement of Experimental Echographic Images Using Luminance Extrapolation. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2004, 51, 364-367. | 1.7 | O         |