

# Xin Hu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7109600/publications.pdf>

Version: 2024-02-01

75  
papers

6,039  
citations

44042

48  
h-index

76872

74  
g-index

75  
all docs

75  
docs citations

75  
times ranked

4344  
citing authors

#	ARTICLE	IF	CITATIONS
1	High piezo/photocatalytic efficiency of Ag/Bi <sub>5</sub> O <sub>7</sub> I nanocomposite using mechanical and solar energy for N <sub>2</sub> fixation and methyl orange degradation. <i>Green Energy and Environment</i> , 2023, 8, 283-295.	4.7	139
2	Effective nitrogen and sulfur co-doped porous carbonaceous CO <sub>2</sub> adsorbents derived from amino acid. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 632, 127750.	2.3	69
3	Biomass derived nitrogen and sulfur co-doped porous carbons for efficient CO <sub>2</sub> adsorption. <i>Separation and Purification Technology</i> , 2022, 281, 119899.	3.9	143
4	Thiophene insertion and lanthanum molybdate modification of g-C <sub>3</sub> N <sub>4</sub> for enhanced visible-light-driven photoactivity in tetracycline degradation. <i>Applied Surface Science</i> , 2022, 592, 153337.	3.1	21
5	A novel Z-scheme Bi-Bi <sub>2</sub> O <sub>3</sub> /KTa <sub>0.5</sub> Nb <sub>0.5</sub> O <sub>3</sub> heterojunction for efficient photocatalytic conversion of N <sub>2</sub> to NH <sub>3</sub> . <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 2714-2724.	3.0	53
6	Facile synthesis of strontium molybdate coupled g-C <sub>3</sub> N <sub>4</sub> composite for effective tetracycline and dyes degradation under visible light. <i>Advanced Powder Technology</i> , 2022, 33, 103573.	2.0	4
7	Efficient N-Doped Porous Carbonaceous CO <sub>2</sub> Adsorbents Derived from Commercial Urea-Formaldehyde Resin. <i>Energy &amp; Fuels</i> , 2022, 36, 5825-5832.	2.5	54
8	Synthesis of potassium Bitartrate-derived porous carbon via a facile and Self-Activating strategy for CO <sub>2</sub> adsorption application. <i>Separation and Purification Technology</i> , 2022, 296, 121368.	3.9	56
9	Water chestnut shell-derived N/S-doped porous carbons and their applications in CO <sub>2</sub> adsorption and supercapacitor. <i>Fuel</i> , 2022, 326, 125119.	3.4	104
10	Efficient nitrogen doped porous carbonaceous CO <sub>2</sub> adsorbents based on lotus leaf. <i>Journal of Environmental Sciences</i> , 2021, 103, 268-278.	3.2	92
11	Coupling CsPbBr <sub>3</sub> Quantum Dots with Covalent Triazine Frameworks for Visible-Light-Driven CO <sub>2</sub> Reduction. <i>ChemSusChem</i> , 2021, 14, 1131-1139.	3.6	52
12	A novel Bi <sub>2</sub> S <sub>3</sub> /KTa <sub>0.75</sub> Nb <sub>0.25</sub> O <sub>3</sub> nanocomposite with high efficiency for photocatalytic and piezocatalytic N <sub>2</sub> fixation. <i>Journal of Materials Chemistry A</i> , 2021, 9, 13344-13354.	5.2	109
13	Water caltrop shell-derived nitrogen-doped porous carbons with high CO <sub>2</sub> adsorption capacity. <i>Biomass and Bioenergy</i> , 2021, 145, 105969.	2.9	87
14	Analysis of the Effect of Conditions of Preparation of Nitrogen-Doped Activated Carbons Derived from Lotus Leaves by Activation with Sodium Amide on the Formation of Their Porous Structure. <i>Materials</i> , 2021, 14, 1540.	1.3	5
15	Facile preparation of novel nickel sulfide modified KNbO <sub>3</sub> heterojunction composite and its enhanced performance in photocatalytic nitrogen fixation. <i>Journal of Colloid and Interface Science</i> , 2021, 590, 548-560.	5.0	97
16	Nitrogen and sulfur co-doped porous carbons from polyacrylonitrile fibers for CO <sub>2</sub> adsorption. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2021, 128, 148-155.	2.7	19
17	Biomass based N-doped porous carbons as efficient CO <sub>2</sub> adsorbents and high-performance supercapacitor electrodes. <i>Separation and Purification Technology</i> , 2021, 275, 119204.	3.9	49
18	CuS/KTa <sub>0.75</sub> Nb <sub>0.25</sub> O <sub>3</sub> nanocomposite utilizing solar and mechanical energy for catalytic N <sub>2</sub> fixation. <i>Journal of Colloid and Interface Science</i> , 2021, 603, 220-232.	5.0	90

#	ARTICLE	IF	CITATIONS
19	Highly Efficient Nitrogen-Doped Porous Carbonaceous CO <sub>2</sub> Adsorbents Derived from Biomass. <i>Energy &amp; Fuels</i> , 2021, 35, 1620-1628.	2.5	67
20	CO <sub>2</sub> Adsorption on Hazelnut-Shell-Derived Nitrogen-Doped Porous Carbons Synthesized by Single-Step Sodium Amide Activation. <i>Industrial &amp; Engineering Chemistry Research</i> , 2020, 59, 7046-7053.	1.8	88
21	Preparation of biomass-derived porous carbons by a facile method and application to CO <sub>2</sub> adsorption. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2020, 116, 128-136.	2.7	46
22	Superior CO <sub>2</sub> uptake on nitrogen doped carbonaceous adsorbents from commercial phenolic resin. <i>Journal of Environmental Sciences</i> , 2020, 93, 109-116.	3.2	105
23	Porous Carbons Derived from Sustainable Biomass via a Facile One-Step Synthesis Strategy as Efficient CO <sub>2</sub> Adsorbents. <i>Industrial &amp; Engineering Chemistry Research</i> , 2020, 59, 6194-6201.	1.8	92
24	Facile Single-Step Synthesis of Porous Carbons as Efficient CO <sub>2</sub> Adsorbents. <i>Energy &amp; Fuels</i> , 2019, 33, 11544-11551.	2.5	6
25	Fabrication of a Z-scheme AgBr/Bi <sub>4</sub> O <sub>5</sub> Br <sub>2</sub> nanocomposite and its high efficiency in photocatalytic N <sub>2</sub> fixation and dye degradation. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 3083-3092.	3.0	71
26	Novel Nitrogen-Doped Porous Carbons Derived from Graphene for Effective CO <sub>2</sub> Capture. <i>Industrial &amp; Engineering Chemistry Research</i> , 2019, 58, 3349-3358.	1.8	130
27	Nitrogen-Doped Porous Carbons from Lotus Leaf for CO <sub>2</sub> Capture and Supercapacitor Electrodes. <i>Energy &amp; Fuels</i> , 2019, 33, 6568-6576.	2.5	84
28	In-situ synthesis of AgNbO <sub>3</sub> /g-C <sub>3</sub> N <sub>4</sub> photocatalyst via microwave heating method for efficiently photocatalytic H <sub>2</sub> generation. <i>Journal of Colloid and Interface Science</i> , 2019, 534, 163-171.	5.0	174
29	Preparation of interstitial carbon doped BiOI for enhanced performance in photocatalytic nitrogen fixation and methyl orange degradation. <i>Journal of Colloid and Interface Science</i> , 2019, 539, 563-574.	5.0	205
30	N-doped porous carbons from low-temperature and single-step sodium amide activation of carbonized water chestnut shell with excellent CO <sub>2</sub> capture performance. <i>Chemical Engineering Journal</i> , 2019, 359, 428-435.	6.6	176
31	Nitrogen enriched porous carbons from d-glucose with excellent CO <sub>2</sub> capture performance. <i>Chemical Engineering Journal</i> , 2019, 362, 794-801.	6.6	140
32	Formation and properties of bioactive barium titanate coatings produced by plasma electrolytic oxidation. <i>Ceramics International</i> , 2018, 44, 12978-12986.	2.3	20
33	Enhanced CO <sub>2</sub> Adsorption on Nitrogen-Doped Porous Carbons Derived from Commercial Phenolic Resin. <i>Energy &amp; Fuels</i> , 2018, 32, 2081-2088.	2.5	40
34	Highly efficient CO <sub>2</sub> adsorption by nitrogen-doped porous carbons synthesized with low-temperature sodium amide activation. <i>Carbon</i> , 2018, 130, 31-40.	5.4	133
35	Giant enhancement of photocatalytic H <sub>2</sub> production over KNbO <sub>3</sub> photocatalyst obtained via carbon doping and MoS <sub>2</sub> decoration. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 4347-4354.	3.8	91
36	CO <sub>2</sub> adsorption at nitrogen-doped carbons prepared by K <sub>2</sub> CO <sub>3</sub> activation of urea-modified coconut shell. <i>Journal of Colloid and Interface Science</i> , 2018, 511, 259-267.	5.0	252

#	ARTICLE	IF	CITATIONS
37	Single-Step Synthesis of Nitrogen-Doped Porous Carbons for CO <sub>2</sub> Capture by Low-Temperature Sodium Amide Activation of Petroleum Coke. <i>Energy &amp; Fuels</i> , 2018, 32, 12787-12794.	2.5	18
38	Low-Temperature and Single-Step Synthesis of N-Doped Porous Carbons with a High CO <sub>2</sub> Adsorption Performance by Sodium Amide Activation. <i>Energy &amp; Fuels</i> , 2018, 32, 10830-10837.	2.5	38
39	Novel Ternary MoS <sub>2</sub> /C-ZnO Composite with Efficient Performance in Photocatalytic NH <sub>3</sub> Synthesis under Simulated Sunlight. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 14866-14879.	3.2	67
40	Efficient CO <sub>2</sub> Adsorption on Nitrogen-Doped Porous Carbons Derived from $\alpha$ -D-Glucose. <i>Energy &amp; Fuels</i> , 2018, 32, 6955-6963.	2.5	96
41	Novel carbon modified KTa <sub>0.75</sub> Nb <sub>0.25</sub> O <sub>3</sub> nanocubes with excellent efficiency in photocatalytic H <sub>2</sub> evolution. <i>Fuel</i> , 2018, 233, 486-496.	3.4	33
42	The construction and online/offline blended learning of small private online courses of <i>Principles of Chemical Engineering</i> . <i>Computer Applications in Engineering Education</i> , 2018, 26, 1519-1526.	2.2	18
43	In Situ Synthesis of Nitrogen-Enriched Activated Carbons from <i>Procambarus clarkii</i> Shells with Enhanced CO <sub>2</sub> Adsorption Performance. <i>Energy &amp; Fuels</i> , 2018, 32, 9701-9710.	2.5	23
44	Borate's effects on coatings by PEO on AZ91D alloy. <i>Surface Engineering</i> , 2017, 33, 773-778.	1.1	10
45	Efficient CO <sub>2</sub> Capture by Porous Carbons Derived from Coconut Shell. <i>Energy &amp; Fuels</i> , 2017, 31, 4287-4293.	2.5	111
46	CO <sub>2</sub> Adsorption of Nitrogen-Doped Carbons Prepared from Nitric Acid Preoxidized Petroleum Coke. <i>Energy &amp; Fuels</i> , 2017, 31, 11060-11068.	2.5	40
47	Efficient CO <sub>2</sub> Capture by Nitrogen-Doped Biocarbons Derived from Rotten Strawberries. <i>Industrial &amp; Engineering Chemistry Research</i> , 2017, 56, 14115-14122.	1.8	62
48	A Hierarchical Bipyridine-Constructed Framework for Highly Efficient Carbon Dioxide Capture and Catalytic Conversion. <i>ChemSusChem</i> , 2017, 10, 1186-1192.	3.6	94
49	Role of Hydrogen Peroxide Preoxidizing on CO <sub>2</sub> Adsorption of Nitrogen-Doped Carbons Produced from Coconut Shell. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 2806-2813.	3.2	92
50	CO <sub>2</sub> removal from flue gas with amine-impregnated titanate nanotubes. <i>Nano Energy</i> , 2016, 25, 1-8.	8.2	69
51	Enhanced CO <sub>2</sub> Capture Capacity of Nitrogen-Doped Biomass-Derived Porous Carbons. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 1439-1445.	3.2	313
52	Adsorption of CO <sub>2</sub> by Petroleum Coke Nitrogen-Doped Porous Carbons Synthesized by Combining Ammoxidation with KOH Activation. <i>Industrial &amp; Engineering Chemistry Research</i> , 2016, 55, 757-765.	1.8	75
53	Highly Cost-Effective Nitrogen-Doped Porous Coconut Shell-Based CO <sub>2</sub> Sorbent Synthesized by Combining Ammoxidation with KOH Activation. <i>Environmental Science &amp; Technology</i> , 2015, 49, 7063-7070.	4.6	173
54	A new mesoporous amine-TiO <sub>2</sub> based pre-combustion CO <sub>2</sub> capture technology. <i>Applied Energy</i> , 2015, 147, 214-223.	5.1	41

#	ARTICLE	IF	CITATIONS
55	Single and bicomponent anionic dyes adsorption equilibrium studies on magnolia-leaf-based porous carbons. <i>RSC Advances</i> , 2015, 5, 63970-63977.	1.7	15
56	Nitrogen-doped porous carbon spheres derived from $\alpha$ -D-glucose as highly-efficient $\text{CO}_2$ sorbents. <i>RSC Advances</i> , 2015, 5, 37964-37969.	1.7	57
57	Tetraethylenepentamine modified protonated titanate nanotubes for $\text{CO}_2$ capture. <i>Fuel Processing Technology</i> , 2015, 138, 663-669.	3.7	39
58	Synthesis of nitrogen-doped carbon with three-dimensional mesostructures for $\text{CO}_2$ capture. <i>Journal of Materials Science</i> , 2015, 50, 1221-1227.	1.7	19
59	A new nanoporous nitrogen-doped highly-efficient carbonaceous $\text{CO}_2$ sorbent synthesized with inexpensive urea and petroleum coke. <i>Carbon</i> , 2015, 81, 465-473.	5.4	158
60	Enhanced adsorptive removal of hazardous anionic dye Congo red by a Ni/Cu mixed-component metal-organic porous material. <i>RSC Advances</i> , 2014, 4, 35124-35130.	1.7	102
61	Capturing $\text{CO}_2$ with Amine-Impregnated Titanium Oxides. <i>Energy &amp; Fuels</i> , 2013, 27, 5433-5439.	2.5	57
62	Effect of Thermal Annealing on Tribological and Corrosion Properties of DLC Coatings. <i>Journal of Materials Engineering and Performance</i> , 2013, 22, 3093-3100.	1.2	16
63	Adsorptive Removal of Methyl Orange and Methylene Blue from Aqueous Solution with Finger-Citron-Residue-Based Activated Carbon. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 14297-14303.	1.8	267
64	$\text{CO}_2$ Capture with Activated Carbons Prepared by Petroleum Coke and KOH at Low Pressure. <i>Water, Air, and Soil Pollution</i> , 2013, 224, 1.	1.1	36
65	Tetraethylenepentamine-Modified Silica Nanotubes for Low-Temperature $\text{CO}_2$ Capture. <i>Energy &amp; Fuels</i> , 2013, 27, 7673-7680.	2.5	36
66	Removal of Dibenzothiophene with Composite Adsorbent MOF-5/Cu(I). <i>Energy &amp; Fuels</i> , 2013, 27, 816-821.	2.5	87
67	Enhancement of $\text{CO}_2$ adsorption and amine efficiency of titania modified by moderate loading of diethylenetriamine. <i>Journal of Materials Chemistry A</i> , 2013, 1, 6208.	5.2	63
68	Deposition and properties of zirconia coatings on a zirconium alloy produced by pulsed DC plasma electrolytic oxidation. <i>Surface and Coatings Technology</i> , 2013, 221, 150-157.	2.2	54
69	Tetraethylenepentamine-Modified Siliceous Mesocellular Foam (MCF) for $\text{CO}_2$ Capture. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 4221-4228.	1.8	120
70	Preparation and $\text{CO}_2$ Sorption of a High Surface Area Activated Carbon Obtained from the KOH Activation of Finger Citron Residue. <i>Adsorption Science and Technology</i> , 2012, 30, 183-191.	1.5	15
71	$\text{CO}_2$ -Filling Capacity and Selectivity of Carbon Nanopores: Synthesis, Texture, and Pore-Size Distribution from Quenched-Solid Density Functional Theory (QSDF). <i>Environmental Science &amp; Technology</i> , 2011, 45, 7068-7074.	4.6	189
72	Hydrogen Storage in Mesoporous Titanium Oxide-Alkali Fulleride Composites. <i>Inorganic Chemistry</i> , 2008, 47, 2477-2484.	1.9	13

#	ARTICLE	IF	CITATIONS
73	Hydrogen Storage in Microporous Titanium Oxides Reduced by Early Transition Metal Organometallic Sandwich Compounds. <i>Chemistry of Materials</i> , 2007, 19, 1388-1395.	3.2	35
74	Hydrogen Storage in Chemically Reducible Mesoporous and Microporous Ti Oxides. <i>Journal of the American Chemical Society</i> , 2006, 128, 11740-11741.	6.6	108
75	New Application and Excellent Performance of Ag/ $\text{KNbO}_3$ Nanocomposite in Photocatalytic $\text{NH}_3$ Synthesis. <i>ACS Sustainable Chemistry and Engineering</i> , 0, , .	3.2	17