

# Di Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7111399/publications.pdf>

Version: 2024-02-01

144  
papers

11,290  
citations

44444

50  
h-index

36203

101  
g-index

148  
all docs

148  
docs citations

148  
times ranked

13940  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Molecular signaling in temporomandibular joint osteoarthritis. <i>Journal of Orthopaedic Translation</i> , 2022, 32, 21-27.   | 1.9 | 34        |
| 2  | Oral administration of berberine limits post-traumatic osteoarthritis development and associated pain via AMP-activated protein kinase (AMPK) in mice. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 160-171.                                   | 0.6 | 21        |
| 3  | Kindlin-2 preserves integrity of the articular cartilage to protect against osteoarthritis. <i>Nature Aging</i> , 2022, 2, 332-347.   | 5.3 | 21        |
| 4  | Osteoarthritis Pain. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4642.   | 1.8 | 43        |
| 5  | A novel approach to establishing a temporomandibular joint fibrocartilage cell line. <i>Journal of Dental Sciences</i> , 2022, , .  | 1.2 | 2         |
| 6  | Proteomic characteristics of bronchoalveolar lavage fluid in critical COVID-19 patients. <i>FEBS Journal</i> , 2021, 288, 5190-5200.  | 2.2 | 63        |
| 7  | Morroniside attenuates apoptosis and pyroptosis of chondrocytes and ameliorates osteoarthritic development by inhibiting NF- $\kappa$ B signaling. <i>Journal of Ethnopharmacology</i> , 2021, 266, 113447.                                       | 2.0 | 61        |
| 8  | Aberrant spinal mechanical loading stress triggers intervertebral disc degeneration by inducing pyroptosis and nerve ingrowth. <i>Scientific Reports</i> , 2021, 11, 772.   | 1.6 | 29        |
| 9  | AMPK Signaling in Energy Control, Cartilage Biology, and Osteoarthritis. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 696602.  | 1.8 | 28        |
| 10 | Loganin ameliorates cartilage degeneration and osteoarthritis development in an osteoarthritis mouse model through inhibition of NF- $\kappa$ B activity and pyroptosis in chondrocytes. <i>Journal of Ethnopharmacology</i> , 2020, 247, 112261. | 2.0 | 80        |
| 11 | The E3 ubiquitin ligase CHIP in normal cell function and in disease conditions. <i>Annals of the New York Academy of Sciences</i> , 2020, 1460, 3-10.   | 1.8 | 29        |
| 12 | FGFR3 deficiency enhances CXCL12-dependent chemotaxis of macrophages via upregulating CXCR7 and aggravates joint destruction in mice. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 112-122.  | 0.5 | 41        |
| 13 | Peripheral Blood Stem Cell Therapy Does Not Improve Outcomes of Femoral Head Osteonecrosis With Cap-shaped Separated Cartilage Defect. <i>Journal of Orthopaedic Research</i> , 2020, 38, 269-276.  | 1.2 | 8         |
| 14 | Runx2 plays a central role in Osteoarthritis development. <i>Journal of Orthopaedic Translation</i> , 2020, 23, 132-139.  | 1.9 | 56        |
| 15 | CHIP regulates skeletal development and postnatal bone growth. <i>Journal of Cellular Physiology</i> , 2020, 235, 5378-5385.  | 2.0 | 6         |
| 16 | TGF $\beta$ <sup>2</sup> /Smad2 signalling regulates enchondral bone formation of Gli1 <sup>+</sup> periosteal cells during fracture healing. <i>Cell Proliferation</i> , 2020, 53, e12904.   | 2.4 | 18        |
| 17 | LIM domain proteins Pinch1/2 regulate chondrogenesis and bone mass in mice. <i>Bone Research</i> , 2020, 8, 37.   | 5.4 | 24        |
| 18 | Nociceptive behavioural assessments in mouse models of temporomandibular joint disorders. <i>International Journal of Oral Science</i> , 2020, 12, 26.  | 3.6 | 11        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Amygdalin Promotes Fracture Healing through TGF- $\beta$ 2/Smad Signaling in Mesenchymal Stem Cells. Stem Cells International, 2020, 2020, 1-13.  | 1.2 | 10        |
| 20 | Inhibition of Axin1 in osteoblast precursor cells leads to defects in postnatal bone growth through suppressing osteoclast formation. Bone Research, 2020, 8, 31.   | 5.4 | 16        |
| 21 | Moderate Fluid Shear Stress Regulates Heme Oxygenase-1 Expression to Promote Autophagy and ECM Homeostasis in the Nucleus Pulposus Cells. Frontiers in Cell and Developmental Biology, 2020, 8, 127.                            | 1.8 | 18        |
| 22 | Prognosis after autologous peripheral blood stem cell transplantation for osteonecrosis of the femoral head in the pre-collapse stage: a retrospective cohort study. Stem Cell Research and Therapy, 2020, 11, 83.              | 2.4 | 7         |
| 23 | Acute Synovitis after Trauma Precedes and is Associated with Osteoarthritis Onset and Progression. International Journal of Biological Sciences, 2020, 16, 970-980.   | 2.6 | 30        |
| 24 | Dstyk mutation leads to congenital scoliosis-like vertebral malformations in zebrafish via dysregulated mTORC1/TFEB pathway. Nature Communications, 2020, 11, 479.  | 5.8 | 31        |
| 25 | Phenotypic characterization of <i>Slc26a2</i> mutant mice reveals a multifactorial etiology of spondylolysis. FASEB Journal, 2020, 34, 720-734.   | 0.2 | 5         |
| 26 | Metformin limits osteoarthritis development and progression through activation of AMPK signalling. Annals of the Rheumatic Diseases, 2020, 79, 635-645.   | 0.5 | 124       |
| 27 | Kindlin-2 regulates skeletal homeostasis by modulating PTH1R in mice. Signal Transduction and Targeted Therapy, 2020, 5, 297.   | 7.1 | 31        |
| 28 | Focal adhesion protein Kindlin-2 regulates bone homeostasis in mice. Bone Research, 2020, 8, 2.   | 5.4 | 50        |
| 29 | Kindlin-2 modulates MafA and $\beta$ -catenin expression to regulate $\beta$ -cell function and mass in mice. Nature Communications, 2020, 11, 484.   | 5.8 | 38        |
| 30 | Functional Deficits in Mice Expressing Human Interleukin 8. Comparative Medicine, 2020, 70, 205-215.  | 0.4 | 5         |
| 31 | Growth Factors and Osteoarthritis. , 2020, , 632-640.   |     | 1         |
| 32 | Comparative intra-articular gene transfer of seven adeno-associated virus serotypes reveals that AAV2 mediates the most efficient transduction to mouse arthritic chondrocytes. PLoS ONE, 2020, 15, e0243359.                   | 1.1 | 9         |
| 33 | Regulation of Cartilage Matrix Protein by Transcription Factors, SOX9 and $\beta$ -Catenin. , 2020, , 609-620.  |     | 0         |
| 34 | Deletion of <i>Axin1</i> in condylar chondrocytes leads to osteoarthritis-like phenotype in temporomandibular joint via activation of $\beta$ -catenin and FGF signaling. Journal of Cellular Physiology, 2019, 234, 1720-1729. | 2.0 | 21        |
| 35 | Postnatal deletion of <i>Alk5</i> gene in meniscal cartilage accelerates age-dependent meniscal degeneration in mice. Journal of Cellular Physiology, 2019, 234, 595-605.   | 2.0 | 6         |
| 36 | Wnt signaling in bone, kidney, intestine, and adipose tissue and interorgan interaction in aging. Annals of the New York Academy of Sciences, 2019, 1442, 48-60.  | 1.8 | 49        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Inhibition of <i>Ihh</i> Reverses Temporomandibular Joint Osteoarthritis via a PTH1R Signaling Dependent Mechanism. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3797.   | 1.8 | 35        |
| 38 | Ankylosing spondylitis: etiology, pathogenesis, and treatments. <i>Bone Research</i> , 2019, 7, 22.  | 5.4 | 229       |
| 39 | Serum miRNAs are potential biomarkers for the detection of disc degeneration, among which <i>miR-26a-5p</i> suppresses <i>Smad1</i> to regulate disc homeostasis. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 6679-6689. | 1.6 | 11        |
| 40 | The microRNAs <i>miR-204</i> and <i>miR-211</i> maintain joint homeostasis and protect against osteoarthritis progression. <i>Nature Communications</i> , 2019, 10, 2876.  | 5.8 | 112       |
| 41 | Kartogenin hydrolysis product 4-aminobiphenyl distributes to cartilage and mediates cartilage regeneration. <i>Theranostics</i> , 2019, 9, 7108-7121.  | 4.6 | 25        |
| 42 | Characterization of <i>Cre</i> recombinase mouse lines enabling cell type-specific targeting of postnatal intervertebral discs. <i>Journal of Cellular Physiology</i> , 2019, 234, 14422-14431.  | 2.0 | 21        |
| 43 | Degenerative musculoskeletal diseases: Pathology and treatments. <i>Journal of Orthopaedic Translation</i> , 2019, 17, 1-2.  | 1.9 | 6         |
| 44 | Genome-wide microRNA screening reveals <i>miR-582-5p</i> as a mesenchymal stem cell-specific microRNA in subchondral bone of the human knee joint. <i>Journal of Cellular Physiology</i> , 2019, 234, 21877-21888.                         | 2.0 | 22        |
| 45 | Activation of $\beta$ -catenin in <i>Col2</i> -expressing chondrocytes leads to osteoarthritis-like defects in hip joint. <i>Journal of Cellular Physiology</i> , 2019, 234, 18535-18543.  | 2.0 | 16        |
| 46 | Exploration of CRISPR/Cas9-based gene editing as therapy for osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 676-682.  | 0.5 | 86        |
| 47 | Excessive mechanical loading promotes osteoarthritis through the gremlin-1-NF- $\kappa$ B pathway. <i>Nature Communications</i> , 2019, 10, 1442.  | 5.8 | 179       |
| 48 | Core regulatory RNA molecules identified in articular cartilage stem/progenitor cells during osteoarthritis progression. <i>Epigenomics</i> , 2019, 11, 669-684.   | 1.0 | 23        |
| 49 | IFT20 is required for the maintenance of cartilaginous matrix in condylar cartilage. <i>Biochemical and Biophysical Research Communications</i> , 2019, 509, 222-226.  | 1.0 | 16        |
| 50 | <i>Runx2</i> is required for postnatal intervertebral disc tissue growth and development. <i>Journal of Cellular Physiology</i> , 2019, 234, 6679-6687.  | 2.0 | 19        |
| 51 | Deletion of <i>Runx2</i> in condylar chondrocytes disrupts TMJ tissue homeostasis. <i>Journal of Cellular Physiology</i> , 2019, 234, 3436-3444.   | 2.0 | 21        |
| 52 | Lipoatrophy and metabolic disturbance in mice with adipose-specific deletion of <i>kindlin-2</i> . <i>JCI Insight</i> , 2019, 4, .   | 2.3 | 43        |
| 53 | Focal adhesion proteins <i>Pinch1</i> and <i>Pinch2</i> regulate bone homeostasis in mice. <i>JCI Insight</i> , 2019, 4, .   | 2.3 | 28        |
| 54 | CHIP regulates bone mass by targeting multiple TRAF family members in bone marrow stromal cells. <i>Bone Research</i> , 2018, 6, 10.   | 5.4 | 18        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Activation of $\beta$ -catenin signaling in aggrecan-expressing cells in temporomandibular joint causes osteoarthritis-like defects. <i>International Journal of Oral Science</i> , 2018, 10, 13.                       | 3.6 | 27        |
| 56 | Cell type-specific effects of Notch signaling activation on intervertebral discs: Implications for intervertebral disc degeneration. <i>Journal of Cellular Physiology</i> , 2018, 233, 5431-5440.                      | 2.0 | 26        |
| 57 | Endogenous glucocorticoid signaling in chondrocytes attenuates joint inflammation and damage. <i>FASEB Journal</i> , 2018, 32, 478-487.   | 0.2 | 18        |
| 58 | Growth factor signalling in osteoarthritis. <i>Growth Factors</i> , 2018, 36, 187-195.  | 0.5 | 34        |
| 59 | Role of Forkhead Box O Transcription Factors in Oxidative Stress-Induced Chondrocyte Dysfunction: Possible Therapeutic Target for Osteoarthritis?. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3794. | 1.8 | 17        |
| 60 | Cartilage regeneration using arthroscopic flushing fluid-derived mesenchymal stem cells encapsulated in a one-step rapid cross-linked hydrogel. <i>Acta Biomaterialia</i> , 2018, 79, 202-215.                          | 4.1 | 65        |
| 61 | Cysteine-rich protein 61 regulates adipocyte differentiation from mesenchymal stem cells through mammalian target of rapamycin complex 1 and canonical Wnt signaling. <i>FASEB Journal</i> , 2018, 32, 3096-3107.       | 0.2 | 10        |
| 62 | Osteoblast derived-neurotrophin-3 induces cartilage removal proteases and osteoclast-mediated function at injured growth plate in rats. <i>Bone</i> , 2018, 116, 232-247.   | 1.4 | 15        |
| 63 | Osteoarthritis: toward a comprehensive understanding of pathological mechanism. <i>Bone Research</i> , 2017, 5, 16044.  | 5.4 | 731       |
| 64 | Annulus fibrosus cells express and utilize C-C chemokine receptor 5 (CCR5) for migration. <i>Spine Journal</i> , 2017, 17, 720-726.   | 0.6 | 22        |
| 65 | Deletion of Runx2 in Articular Chondrocytes Decelerates the Progression of DMM-Induced Osteoarthritis in Adult Mice. <i>Scientific Reports</i> , 2017, 7, 2371.   | 1.6 | 74        |
| 66 | Postaxial limb hypoplasia (PALH): the classification, clinical features, and related developmental biology. <i>Annals of the New York Academy of Sciences</i> , 2017, 1409, 67-78.                                      | 1.8 | 5         |
| 67 | Wnt/ $\beta$ -catenin Signaling in Osteoarthritis and in Other Forms of Arthritis. <i>Current Rheumatology Reports</i> , 2017, 19, 53.  | 2.1 | 141       |
| 68 | A Novel Regulatory Mechanism of Type II Collagen Expression via a SOX9-dependent Enhancer in Intron 6. <i>Journal of Biological Chemistry</i> , 2017, 292, 528-538.   | 1.6 | 34        |
| 69 | Osthole Promotes Bone Fracture Healing through Activation of BMP Signaling in Chondrocytes. <i>International Journal of Biological Sciences</i> , 2017, 13, 996-1007.   | 2.6 | 28        |
| 70 | Specific Deletion of $\beta$ -Catenin in <i>Col2</i> -Expressing Cells Leads to Defects in Epiphyseal Bone. <i>International Journal of Biological Sciences</i> , 2017, 13, 1540-1546.                                  | 2.6 | 6         |
| 71 | Baicalin prevents the apoptosis of endplate chondrocytes by inhibiting the oxidative stress induced by H <sub>2</sub> O <sub>2</sub> . <i>Molecular Medicine Reports</i> , 2017, 16, 2985-2991.                         | 1.1 | 34        |
| 72 | Differential roles of TGF- $\beta$ signalling in joint tissues during osteoarthritis development. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, e72-e72.  | 0.5 | 18        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | <i>PKC<math>\delta</math></i> null mutations in a mouse model of osteoarthritis alter osteoarthritic pain independently of joint pathology by augmenting NGF/TrkA-induced axonal outgrowth. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 2133-2141. | 0.5 | 45        |
| 74 | Wnt/ $\beta$ -catenin signaling plays a key role in the development of spondyloarthritis. <i>Annals of the New York Academy of Sciences</i> , 2016, 1364, 25-31.   | 1.8 | 46        |
| 75 | Targeting VEGF and Its Receptors for the Treatment of Osteoarthritis and Associated Pain. <i>Journal of Bone and Mineral Research</i> , 2016, 31, 911-924.   | 3.1 | 181       |
| 76 | Runx2 and microRNA regulation in bone and cartilage diseases. <i>Annals of the New York Academy of Sciences</i> , 2016, 1383, 80-87.   | 1.8 | 29        |
| 77 | SOX9 directly Regulates CTGF/CCN2 Transcription in Growth Plate Chondrocytes and in Nucleus Pulposus Cells of Intervertebral Disc. <i>Scientific Reports</i> , 2016, 6, 29916.   | 1.6 | 24        |
| 78 | Systemic administration of strontium or NBD peptide ameliorates early stage cartilage degradation of mouse mandibular condyles. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 178-187.   | 0.6 | 19        |
| 79 | Chondrocytes-Specific Expression of Osteoprotegerin Modulates Osteoclast Formation in Metaphyseal Bone. <i>Scientific Reports</i> , 2015, 5, 13667.  | 1.6 | 23        |
| 80 | SHP2-Deficiency in Chondrocytes Deforms Orofacial Cartilage and Ciliogenesis in Mice. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 2028-2032.   | 3.1 | 13        |
| 81 | FGFR3 Deficiency Causes Multiple Chondroma-like Lesions by Upregulating Hedgehog Signaling. <i>PLoS Genetics</i> , 2015, 11, e1005214.   | 1.5 | 44        |
| 82 | Environmental Disruption of Circadian Rhythm Predisposes Mice to Osteoarthritis-Like Changes in Knee Joint. <i>Journal of Cellular Physiology</i> , 2015, 230, 2174-2183.  | 2.0 | 47        |
| 83 | BMPs and Wnts in Bone and Cartilage Regeneration. <i>Mechanical Engineering Series</i> , 2015, , 17-37.  | 0.1 | 0         |
| 84 | Kindlin-2 controls TGF- $\beta$ signalling and Sox9 expression to regulate chondrogenesis. <i>Nature Communications</i> , 2015, 6, 7531.   | 5.8 | 93        |
| 85 | Effects of oxidized low density lipoprotein on transformation of valvular myofibroblasts to osteoblast-like phenotype. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2015, 35, 362-367.                             | 1.0 | 1         |
| 86 | HIV Infection Leads to Redistribution of Leaky Claudin-2 in the Intestine of Humanized SCID IL-2R <sup>sup</sup> Hu-PBMC Mice. <i>AIDS Research and Human Retroviruses</i> , 2015, 31, 774-775.  | 0.5 | 3         |
| 87 | FGFR3/fibroblast growth factor receptor 3 inhibits autophagy through decreasing the ATG12-ATG5 conjugate, leading to the delay of cartilage development in achondroplasia. <i>Autophagy</i> , 2015, 11, 1998-2013.   | 4.3 | 51        |
| 88 | Characterization of degenerative human facet joints and facet joint capsular tissues. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 2242-2251.   | 0.6 | 54        |
| 89 | MicroRNA-146a reduces IL-1 dependent inflammatory responses in the intervertebral disc. <i>Gene</i> , 2015, 555, 80-87.  | 1.0 | 91        |
| 90 | Anti-DKK1 antibody promotes bone fracture healing through activation of $\beta$ -catenin signaling. <i>Bone</i> , 2015, 71, 63-75.   | 1.4 | 80        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Epigenetic and microRNA regulation during osteoarthritis development. <i>F1000Research</i> , 2015, 4, 1092.   | 0.8 | 11        |
| 92  | SOX9 Regulates Multiple Genes in Chondrocytes, Including Genes Encoding ECM Proteins, ECM Modification Enzymes, Receptors, and Transporters. <i>PLoS ONE</i> , 2014, 9, e107577.  | 1.1 | 86        |
| 93  | Serum osteocalcin levels are inversely associated with plasma glucose and body mass index in healthy Chinese women. <i>Acta Pharmacologica Sinica</i> , 2014, 35, 1521-1526.  | 2.8 | 28        |
| 94  | Chondrocyte $\beta$ -Catenin Signaling Regulates Postnatal Bone Remodeling Through Modulation of Osteoclast Formation in a Murine Model. <i>Arthritis and Rheumatology</i> , 2014, 66, 107-120.   | 2.9 | 50        |
| 95  | Distribution and Alteration of Lymphatic Vessels in Knee Joints of Normal and Osteoarthritic Mice. <i>Arthritis and Rheumatology</i> , 2014, 66, 657-666.   | 2.9 | 42        |
| 96  | Carboxyl Terminus of Hsp70-Interacting Protein Regulation of Osteoclast Formation in Mice Through Promotion of Tumor Necrosis Factor Receptor-Associated Factor 6 Protein Degradation. <i>Arthritis and Rheumatology</i> , 2014, 66, 1854-1863. | 2.9 | 20        |
| 97  | miRNAs in Circulation: Mirroring Bone Conditions?. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 1715-1717.   | 3.1 | 4         |
| 98  | Osteoarthritis Pathogenesis: A Review of Molecular Mechanisms. <i>Calcified Tissue International</i> , 2014, 95, 495-505.   | 1.5 | 311       |
| 99  | Disruption of glucocorticoid signaling in chondrocytes delays metaphyseal fracture healing but does not affect normal cartilage and bone development. <i>Bone</i> , 2014, 69, 12-22.  | 1.4 | 27        |
| 100 | Protective and biogenesis effects of sodium hydrosulfide on brain mitochondria after cardiac arrest and resuscitation. <i>European Journal of Pharmacology</i> , 2014, 741, 74-82.  | 1.7 | 29        |
| 101 | TGF- $\beta$ signaling and the development of osteoarthritis. <i>Bone Research</i> , 2014, 2, .   | 5.4 | 184       |
| 102 | MMP13 is a critical target gene during the progression of osteoarthritis. <i>Arthritis Research and Therapy</i> , 2013, 15, R5.   | 1.6 | 385       |
| 103 | Bovine lactoferricin induces TIMP-3 via the ERK1/2-Sp1 axis in human articular chondrocytes. <i>Gene</i> , 2013, 517, 12-18.  | 1.0 | 19        |
| 104 | Effects of sodium hydrosulfide on intestinal mucosal injury in a rat model of cardiac arrest and cardiopulmonary resuscitation. <i>Life Sciences</i> , 2013, 93, 24-29.   | 2.0 | 18        |
| 105 | Chondrocyte BMP2 signaling plays an essential role in bone fracture healing. <i>Gene</i> , 2013, 512, 211-218.  | 1.0 | 62        |
| 106 | Chondrocyte-Specific Inhibition of $\beta$ -Catenin Signaling Leads to Dysplasia of the Caudal Vertebrae in Mice. <i>Spine</i> , 2013, 38, 2079-2084.   | 1.0 | 7         |
| 107 | Deletion of the Transforming Growth Factor $\beta$ Receptor Type II Gene in Articular Chondrocytes Leads to a Progressive Osteoarthritis-like Phenotype in Mice. <i>Arthritis and Rheumatism</i> , 2013, 65, 3107-3119.                         | 6.7 | 159       |
| 108 | ATF4 promotes bone angiogenesis by increasing vegf expression and release in the bone environment. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 1870-1884.   | 3.1 | 57        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Mice Deficient in NF- $\kappa$ B p50 and p52 or RANK Have Defective Growth Plate Formation and Post-natal Dwarfism. <i>Bone Research</i> , 2013, 1, 336-345.   | 5.4 | 23        |
| 110 | Genetic inhibition of fibroblast growth factor receptor 1 in knee cartilage attenuates the degeneration of articular cartilage in adult mice. <i>Arthritis and Rheumatism</i> , 2012, 64, 3982-3992.   | 6.7 | 81        |
| 111 | Cartilage-specific $\beta$ -catenin signaling regulates chondrocyte maturation, generation of ossification centers, and perichondrial bone formation during skeletal development. <i>Journal of Bone and Mineral Research</i> , 2012, 27, 1680-1694. | 3.1 | 116       |
| 112 | Species-specific biological effects of FGF2 in articular cartilage: Implication for distinct roles within the FGF receptor family. <i>Journal of Cellular Biochemistry</i> , 2012, 113, 2532-2542.   | 1.2 | 63        |
| 113 | Conditional activation of $\beta$ -catenin signaling in mice leads to severe defects in intervertebral disc tissue. <i>Arthritis and Rheumatism</i> , 2012, 64, 2611-2623.   | 6.7 | 92        |
| 114 | Fibroblast growth factor receptor 1 is principally responsible for fibroblast growth factor 2-induced catabolic activities in human articular chondrocytes. <i>Arthritis Research and Therapy</i> , 2011, 13, R130.                                  | 1.6 | 124       |
| 115 | Recent progress in understanding molecular mechanisms of cartilage degeneration during osteoarthritis. <i>Annals of the New York Academy of Sciences</i> , 2011, 1240, 61-69.  | 1.8 | 160       |
| 116 | TGF- $\beta$ 2 signaling plays an essential role in the growth and maintenance of intervertebral disc tissue. <i>FEBS Letters</i> , 2011, 585, 1209-1215.  | 1.3 | 83        |
| 117 | Effects of hydrogen sulfide on a rat model of sepsis-associated encephalopathy. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2011, 31, 632-636.  | 1.0 | 6         |
| 118 | Tumor necrosis factor inhibits mesenchymal stem cell differentiation into osteoblasts via the ubiquitin E3 ligase Wwp1. <i>Stem Cells</i> , 2011, 29, 1601-1610.   | 1.4 | 120       |
| 119 | Establishment of an index with increased sensitivity for assessing murine arthritis. <i>Journal of Orthopaedic Research</i> , 2011, 29, 1145-1151.   | 1.2 | 45        |
| 120 | Generation of Axin1 conditional mutant mice. <i>Genesis</i> , 2011, 49, 98-102.  | 0.8 | 25        |
| 121 | BMP2, but not BMP4, is crucial for chondrocyte proliferation and maturation during endochondral bone development. <i>Journal of Cell Science</i> , 2011, 124, 3428-3440.   | 1.2 | 211       |
| 122 | Teriparatide as a Chondroregenerative Therapy for Injury-Induced Osteoarthritis. <i>Science Translational Medicine</i> , 2011, 3, 101ra93.   | 5.8 | 145       |
| 123 | Axin2 regulates chondrocyte maturation and axial skeletal development. <i>Journal of Orthopaedic Research</i> , 2010, 28, 89-95.   | 1.2 | 38        |
| 124 | MicroRNA-204 Regulates Runx2 Protein Expression and Mesenchymal Progenitor Cell Differentiation. <i>Stem Cells</i> , 2010, 28, 357-364.  | 1.4 | 525       |
| 125 | Smurf1 inhibits mesenchymal stem cell proliferation and differentiation into osteoblasts through JunB degradation. <i>Journal of Bone and Mineral Research</i> , 2010, 25, 1246-1256.  | 3.1 | 73        |
| 126 | $\beta$ -catenin, cartilage, and osteoarthritis. <i>Annals of the New York Academy of Sciences</i> , 2010, 1192, 344-350.  | 1.8 | 52        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | PTHrP prevents chondrocyte premature hypertrophy by inducing cyclin-D1-dependent Runx2 and Runx3 phosphorylation, ubiquitylation and proteasomal degradation. <i>Journal of Cell Science</i> , 2009, 122, 1382-1389.                  | 1.2 | 89        |
| 128 | Axin2 controls bone remodeling through the $\beta$ -catenin-BMP signaling pathway in adult mice. <i>Journal of Cell Science</i> , 2009, 122, 3566-3578.   | 1.2 | 101       |
| 129 | Smurf2 induces degradation of GSK-3 $\beta$ and upregulates $\beta$ -catenin in chondrocytes: A potential mechanism for Smurf2-induced degeneration of articular cartilage. <i>Experimental Cell Research</i> , 2009, 315, 2386-2398. | 1.2 | 59        |
| 130 | Activation of $\beta$ -Catenin Signaling in Articular Chondrocytes Leads to Osteoarthritis-Like Phenotype in Adult $\beta$ -Catenin Conditional Activation Mice. <i>Journal of Bone and Mineral Research</i> , 2009, 24, 12-21.       | 3.1 | 414       |
| 131 | Murine and Chicken Chondrocytes Regulate Osteoclastogenesis by Producing RANKL in Response to BMP2. <i>Journal of Bone and Mineral Research</i> , 2008, 23, 314-325.  | 3.1 | 113       |
| 132 | Inhibition of $\beta$ -catenin signaling in articular chondrocytes results in articular cartilage destruction. <i>Arthritis and Rheumatism</i> , 2008, 58, 2053-2064.   | 6.7 | 230       |
| 133 | Induction of an osteoarthritis-like phenotype and degradation of phosphorylated Smad3 by Smurf2 in transgenic mice. <i>Arthritis and Rheumatism</i> , 2008, 58, 3132-3144.  | 6.7 | 112       |
| 134 | CHIP promotes Runx2 degradation and negatively regulates osteoblast differentiation. <i>Journal of Cell Biology</i> , 2008, 181, 959-972.   | 2.3 | 104       |
| 135 | VEGF-C, a Lymphatic Growth Factor, Is a RANKL Target Gene in Osteoclasts That Enhances Osteoclastic Bone Resorption through an Autocrine Mechanism. <i>Journal of Biological Chemistry</i> , 2008, 283, 13491-13499.                  | 1.6 | 70        |
| 136 | Inhibition of $\beta$ -catenin signaling causes defects in postnatal cartilage development. <i>Journal of Cell Science</i> , 2008, 121, 1455-1465.  | 1.2 | 129       |
| 137 | Bone Morphogenetic Protein 2 Activates Smad6 Gene Transcription through Bone-specific Transcription Factor Runx2. <i>Journal of Biological Chemistry</i> , 2007, 282, 10742-10748.  | 1.6 | 57        |
| 138 | Generation of a transgenic mouse model with chondrocyte-specific and tamoxifen-inducible expression of Cre recombinase. <i>Genesis</i> , 2007, 45, 44-50.   | 0.8 | 132       |
| 139 | Smad6 Interacts with Runx2 and Mediates Smad Ubiquitin Regulatory Factor 1-induced Runx2 Degradation. <i>Journal of Biological Chemistry</i> , 2006, 281, 3569-3576.  | 1.6 | 142       |
| 140 | TGFB IN CHONDROCYTE BIOLOGY AND CARTILAGE PATHOLOGY. , 2005, , 299-311.   |     | 0         |
| 141 | Smad3-Deficient Chondrocytes Have Enhanced BMP Signaling and Accelerated Differentiation. <i>Journal of Bone and Mineral Research</i> , 2005, 21, 4-16.   | 3.1 | 121       |
| 142 | Wnt-mediated regulation of chondrocyte maturation: Modulation by TGF- $\beta$ . <i>Journal of Cellular Biochemistry</i> , 2005, 95, 1057-1068.  | 1.2 | 63        |
| 143 | RECENT ADVANCES IN BONE BIOLOGY RESEARCH. , 2005, , 497-511.  |     | 0         |
| 144 | Bone Morphogenetic Proteins. <i>Growth Factors</i> , 2004, 22, 233-241.   | 0.5 | 1,787     |