## Monique van Dijk

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7111970/publications.pdf

Version: 2024-02-01

211 papers

7,898 citations

50276 46 h-index 82 g-index

215 all docs

215 docs citations

215 times ranked 5145 citing authors

#	Article	IF	CITATIONS
1	Prevalence and determinants of medication administration errors in clinical wards: A twoâ€eentre prospective observational study. Journal of Clinical Nursing, 2023, 32, 208-220.	3.0	6
2	Prevalence and determinants of intravenous admixture preparation errors: A prospective observational study in a university hospital. International Journal of Clinical Pharmacy, 2022, 44, 44-52.	2.1	4
3	Quantifying the Pharmacodynamics of Morphine in the Treatment of Postoperative Pain in Preverbal Children. Journal of Clinical Pharmacology, 2022, 62, 99-109.	2.0	3
4	COVID-19 lockdown impacts the wellbeing of parents with infants on a Dutch neonatal intensive care unit. Journal of Pediatric Nursing, 2022, 62, 106-112.	1.5	20
5	Quality of life of locally advanced pancreatic cancer patients after FOLFIRINOX treatment. Supportive Care in Cancer, 2022, 30, 2407-2415.	2.2	2
6	Nurse-led self-management support after organ transplantationâ€"protocol of a multicentre, stepped-wedge randomized controlled trial. Trials, 2022, 23, 14.	1.6	3
7	Aromatherapy massage seems effective in critically ill children: an observational beforeâ€after study. Paediatric and Neonatal Pain, 2022, 4, 61-68.	1.7	2
8	Quality improvement intervention to stimulate early mobilization of critically ill children. Nursing in Critical Care, 2022, , .	2.3	2
9	Neonatal Pain, Opioid, and Anesthetic Exposure; What Remains in the Human Brain After the Wheels of Time?. Frontiers in Pediatrics, 2022, $10$ , .	1.9	2
10	Development of a nonâ€pharmacologic delirium management bundle in paediatric intensive care units. Nursing in Critical Care, 2022, 27, 867-876.	2.3	11
11	Effect of a Pharmacy-based Centralized Intravenous Admixture Service on the Prevalence of Medication Errors: A Before-and-After Study. Journal of Patient Safety, 2022, 18, e1181-e1188.	1.7	6
12	Cost-effectiveness of central automated unit dose dispensing with barcode-assisted medication administration in a hospital setting. Research in Social and Administrative Pharmacy, 2022, 18, 3980-3987.	3.0	1
13	Measuring process indicators and adverse events to assess the quality of care for inpatients with psychosis. Journal of Mental Health, 2021, 30, 564-570.	1.9	O
14	Postoperative breakthrough pain in paediatric cardiac surgery not reduced by increased morphine concentrations. Pediatric Research, 2021, 90, 1201-1206.	2.3	3
15	Validity of the Rotterdam Elderly Pain Observation Scale for institutionalised cognitively impaired Dutch adults. Journal of Intellectual Disability Research, 2021, 65, 675-687.	2.0	4
16	Towards Evidence-Based Weaning: a Mechanism-Based Pharmacometric Model to Characterize latrogenic Withdrawal Syndrome in Critically Ill Children. AAPS Journal, 2021, 23, 71.	4.4	3
17	Effectiveness of Simulation Training and Assessment of PICU Nurses' Resuscitation Skills: A Mixed Methods Study from the Netherlands. Journal of Pediatric Nursing, 2021, 59, e52-e60.	1.5	8
18	Sedation With Midazolam After Cardiac Surgery in Children With and Without Down Syndrome: A Pharmacokinetic-Pharmacodynamic Study. Pediatric Critical Care Medicine, 2021, 22, e259-e269.	0.5	1

#	Article	IF	Citations
19	Effect of Automated Unit Dose Dispensing With Barcode Scanning on Medication Administration Errors: An Uncontrolled Before-and-After Study. International Journal for Quality in Health Care, 2021, 33, .	1.8	8
20	Integrating Placebo Effects in General Practice: A Cross-Sectional Survey to Investigate Perspectives From Health Care Professionals in the Netherlands. Frontiers in Psychiatry, 2021, 12, 768135.	2.6	1
21	Implementation of a nurse-driven ventilation weaning protocol in critically ill children: Can it improve patient outcome?. Australian Critical Care, 2020, 33, 80-88.	1.3	7
22	The fragile spirituality of parents whose children died in the pediatric intensive care unit. Journal of Health Care Chaplaincy, 2020, 26, 117-130.	1.1	9
23	Music Interventions in Pediatric Surgery (The Music Under Surgery In Children Study): A Randomized Clinical Trial. Anesthesia and Analgesia, 2020, 130, 991-1001.	2.2	25
24	Implementation strategies used to implement nursing guidelines in daily practice: A systematic review. International Journal of Nursing Studies, 2020, 111, 103748.	5.6	37
25	Perspectives of patients, relatives and nurses on rooming-in for adult patients: A scoping review of the literature. Applied Nursing Research, 2020, 55, 151320.	2.2	3
26	A cross-sectional investigation of communication in Do-Not-Resuscitate orders in Dutch hospitals. Resuscitation, 2020, 154, 52-60.	3.0	10
27	Feasibility of Dried Blood Spots in Children with Behavioral Problems. Therapeutic Drug Monitoring, 2020, 42, 648-651.	2.0	6
28	Exploring the Relationship Between Morphine Concentration and Oversedation in Children After Cardiac Surgery. Journal of Clinical Pharmacology, 2020, 60, 1231-1236.	2.0	3
29	The impact of introducing nurse-led analgesia and sedation guidelines in ventilated infants following cardiac surgery. Intensive and Critical Care Nursing, 2020, 60, 102879.	2.9	6
30	Rolontwikkeling en persoonlijke ontwikkeling. , 2020, , 33-59.		0
31	How often do we perform painful and stressful procedures in the paediatric intensive care unit? A prospective observational study. Australian Critical Care, 2019, 32, 4-10.	1.3	33
32	Children Listening to Music or Watching Cartoons During ER Procedures: A RCT. Journal of Pediatric Psychology, 2019, 44, 1151-1162.	2.1	12
33	Supervised Multidimensional Item Response Theory Modeling of Pediatric Iatrogenic Withdrawal Symptoms. CPT: Pharmacometrics and Systems Pharmacology, 2019, 8, 904-912.	2.5	4
34	O33â€Towards personalised weaning of sedatives and analgesics using mechanism-based modelling of iatrogenic withdrawal in critically ill children. Archives of Disease in Childhood, 2019, 104, e14.3-e15.	1.9	2
35	O34â€ltem response theory modeling; old kid on the block to improve pediatric drug dosing. Archives of Disease in Childhood, 2019, 104, e15.1-e15.	1.9	0
36	Acute Pain Assessment in Prematurely Born Infants Below 29 Weeks. Clinical Journal of Pain, 2019, 35, 975-982.	1.9	7

#	Article	IF	CITATIONS
37	Do Pain Measurement Instruments Detect the Effect of Pain-Reducing Interventions in Neonates? A Systematic Review on Responsiveness. Journal of Pain, 2019, 20, 760-770.	1.4	7
38	Validation of the Rotterdam Elderly Pain Observation Scale in the Hospital Setting. Pain Practice, 2019, 19, 407-417.	1.9	4
39	Cross-cultural validation of the Itch Man Scale in pediatric burn survivors in a South African setting. Burns, 2019, 45, 725-731.	1.9	3
40	What are the validity and reliability of the modified Yale Preoperative Anxiety Scaleâ€Short Form in children less than 2Âyears old?. Paediatric Anaesthesia, 2019, 29, 137-143.	1.1	14
41	Efficacy of Epidural Analgesia after Laparotomy in Children. European Journal of Pediatric Surgery, 2019, 29, 209-214.	1.3	3
42	Does the Incidence of Postoperative Complications After Inguinal Hernia Repair Justify Hospital Admission in Prematurely and Term Born Infants?. Anesthesia and Analgesia, 2019, 128, 525-532.	2.2	11
43	Meta-analysis evaluating music interventions for anxiety and pain in surgery. British Journal of Surgery, 2018, 105, 773-783.	0.3	187
44	Post burn pruritus in pediatric burn patients. Burns, 2018, 44, 1151-1158.	1.9	16
45	Can live music therapy reduce distress and pain in children with burns after wound care procedures? A randomized controlled trial. Burns, 2018, 44, 823-833.	1.9	23
46	The Importance of Parental Connectedness and Relationships With Healthcare Professionals in End-of-Life Care in the PICU*. Pediatric Critical Care Medicine, 2018, 19, e157-e163.	0.5	24
47	Sophia Observation withdrawal Symptoms-Paediatric Delirium scale: A tool for early screening of delirium in the PICU. Australian Critical Care, 2018, 31, 266-273.	1.3	29
48	Massage has no observable effect on distress in children with burns: A randomized, observer-blinded trial. Burns, 2018, 44, 99-107.	1.9	11
49	Population pharmacodynamic modelling of midazolam induced sedation in terminally ill adult patients. British Journal of Clinical Pharmacology, 2018, 84, 320-330.	2.4	16
50	Acute flaccid paralysis in South African children: Causes, respiratory complications and neurological outcome. Journal of Paediatrics and Child Health, 2018, 54, 247-253.	0.8	10
51	Assessing and addressing the problem of pain and distress during wound care procedures in paediatric patients with burns. Burns, 2018, 44, 175-182.	1.9	17
52	Parents' Soothing of Critically III Children. Pediatric Critical Care Medicine, 2018, 19, 690-691.	0.5	1
53	Validation of the SOS-PD scale for assessment of pediatric delirium: a multicenter study. Critical Care, 2018, 22, 309.	5.8	39
54	Intravenous morphine versus intravenous paracetamol after cardiac surgery in neonates and infants: a study protocol for a randomized controlled trial. Trials, 2018, 19, 318.	1.6	6

#	Article	IF	CITATIONS
55	Clinically effective implementation of intravenous paracetamol as primary analgesia after major surgery in neonates and young infants. Archives of Disease in Childhood, 2018, 103, 1168-1169.	1.9	5
56	The Rotterdam Elderly Pain Observation Scale (REPOS) is reliable and valid for non-communicative end-of-life patients. BMC Palliative Care, 2018, 17, 34.	1.8	9
57	Implementation and evaluation of a follow-up programme after intensive care treatment: A practice development project. Intensive and Critical Care Nursing, 2018, 49, 6-13.	2.9	3
58	Long-term Effects of Early Exposure to Stress, Pain, Opioids and Anaesthetics on Pain Sensitivity and Neurocognition. Current Pharmaceutical Design, 2018, 23, 5879-5886.	1.9	20
59	Morphine Pharmacodynamics in Mechanically Ventilated Preterm Neonates Undergoing Endotracheal Suctioning. CPT: Pharmacometrics and Systems Pharmacology, 2017, 6, 239-248.	2.5	11
60	Retrospective study shows that doxapram therapy avoided the need for endotracheal intubation in most premature neonates. Acta Paediatrica, International Journal of Paediatrics, 2017, 106, 733-739.	1.5	15
61	Total body and hand surface area: Measurements, calculations, and comparisons in ethnically diverse children in South Africa. Burns, 2017, 43, 1567-1574.	1.9	5
62	We Can Not Compartmentalize Our Patients! Overlapping Symptoms of latrogenic Withdrawal Syndrome, Pediatric Delirium, and Anticholinergic Toxidrome*. Pediatric Critical Care Medicine, 2017, 18, 603-604.	0.5	12
63	Randomized Controlled Trial Comparing Different Single Doses of Intravenous Paracetamol for Placement of Peripherally Inserted Central Catheters in Preterm Infants. Neonatology, 2017, 112, 150-158.	2.0	18
64	Towards personalized treatment of pain using a quantitative systems pharmacology approach. European Journal of Pharmaceutical Sciences, 2017, 109, S32-S38.	4.0	17
65	Knowing Risk Factors for latrogenic Withdrawal Syndrome in Children May Still Leave Us Empty-Handed*. Critical Care Medicine, 2017, 45, 141-142.	0.9	5
66	Exposure to acetaminophen and all its metabolites upon 10, 15, and 20 mg/kg intravenous acetaminophen in very-preterm infants. Pediatric Research, 2017, 82, 678-684.	2.3	29
67	Children's outcomes at 2-year follow-up after 4 years of structured multi-professional medical-ethical decision-making in a neonatal intensive care unit. Journal of Perinatology, 2017, 37, 869-874.	2.0	2
68	The CLOSED trial; CLOnidine compared with midazolam for SEDation of paediatric patients in the intensive care unit: study protocol for a multicentre randomised controlled trial. BMJ Open, 2017, 7, e016031.	1.9	12
69	A National Survey on Peri-interventional Management of Percutaneous Transhepatic Biliary Drainage. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2017, 27, 253-256.	0.8	3
70	Thermal quantitative sensory testing in healthy Dutch children and adolescents standardized test paradigm and Dutch reference values. BMC Pediatrics, 2017, 17, 77.	1.7	21
71	Paracetamol and morphine for infant and neonatal pain; still a long way to go?. Expert Review of Clinical Pharmacology, 2017, 10, 111-126.	3.1	23
72	Pharmacological sedation management in the paediatric intensive care unit. Journal of Pharmacy and Pharmacology, 2017, 69, 498-513.	2.4	20

#	Article	IF	Citations
73	An international survey of management of pain and sedation after paediatric cardiac surgery. BMJ Paediatrics Open, 2017, 1, e000046.	1.4	19
74	Home Ventilation in South African Children: Do Socioeconomic Factors Matter?. Pediatric, Allergy, Immunology, and Pulmonology, 2017, 30, 163-170.	0.8	12
75	A review of blood transfusions in a trauma unit for young children. South African Medical Journal, 2017, 107, 227.	0.6	5
76	Adherence to All Steps of a Pain Management Protocol in Intensive Care Patients after Cardiac Surgery Is Hard to Achieve. Pain Research and Management, 2017, 2017, 1-7.	1.8	8
77	The hospital costs associated with acute paediatric burn injuries. South African Medical Journal, 2016, 106, 1120.	0.6	9
78	Treatment and outcome of unusual animal bite injuries in young children. South African Medical Journal, 2016, 106, 206.	0.6	8
79	Peripheral Intravenous Cannulation: Complication Rates in the Neonatal Population: A Multicenter Observational Study. Journal of Vascular Access, 2016, 17, 360-365.	0.9	73
80	Do Hospitalized Premature Infants Benefit from Music Interventions? A Systematic Review of Randomized Controlled Trials. PLoS ONE, 2016, 11, e0161848.	2.5	58
81	Procedural Pain does not raise Plasma Levels of Cortisol or Catecholamines in Adult Intensive Care Patients after Cardiac Surgery. Anaesthesia and Intensive Care, 2016, 44, 52-56.	0.7	5
82	Parental Physical Proximity in End-of-Life Care in the PICU. Pediatric Critical Care Medicine, 2016, 17, e212-e217.	0.5	19
83	Pain and distress caused by endotracheal suctioning in neonates is better quantified by behavioural than physiological items: a comparison based on item response theory modelling. Pain, 2016, 157, 1611-1617.	4.2	38
84	Appropriateness of care and moral distress among neonatal intensive care unit staff: repeated measurements. Nursing in Critical Care, 2016, 21, e19-e27.	2.3	32
85	A Comparative Analysis of Preemptive Versus Targeted Sedation on Cardiovascular Stability After High-Risk Cardiac Surgery in Infants*. Pediatric Critical Care Medicine, 2016, 17, 321-331.	0.5	8
86	Is the Glass Half Full or Half Empty?. Neonatology, 2016, 109, 122-123.	2.0	1
87	Bispectral Index Monitoring in Terminally III Patients: A Validation Study. Journal of Pain and Symptom Management, 2016, 52, 212-220.e3.	1.2	23
88	Paediatric tracheostomy and ventilation home care with challenging socio-economic circumstances in South Africa. International Journal of Pediatric Otorhinolaryngology, 2016, 84, 161-165.	1.0	21
89	Clinical recommendations for pain, sedation, withdrawal and delirium assessment in critically ill infants and children: an ESPNIC position statement for healthcare professionals. Intensive Care Medicine, 2016, 42, 972-986.	8.2	290
90	Prevalence and Implications of Abnormal Laboratory Results in Patients in the Terminal Phase of Life. Journal of Palliative Medicine, 2016, 19, 822-829.	1.1	8

#	Article	IF	Citations
91	Pain coping strategies: Neonatal intensive care unit survivors in adolescence. Early Human Development, 2016, 103, 27-32.	1.8	8
92	Infants Operated on for Necrotizing Enterocolitis: Towards Evidence-Based Pain Guidelines. Neonatology, 2016, 110, 190-197.	2.0	12
93	533â€Fracture patterns in young children after motor vehicle crashes. Injury Prevention, 2016, 22, A192.2-A192.	2.4	0
94	Pharmacodynamics and Pharmacokinetics of Morphine After Cardiac Surgery in Children With and Without Down Syndrome. Pediatric Critical Care Medicine, 2016, 17, 930-938.	0.5	26
95	Analgosedation in PICUs. Pediatric Critical Care Medicine, 2016, 17, 885-886.	0.5	1
96	How to Sustain Quality Improvements in Sedation Practice?*. Pediatric Critical Care Medicine, 2016, 17, 792-794.	0.5	0
97	Impaired Neurodevelopmental Outcomes in Very Preterm Infants: Much Too Easy to Blame It Just on Morphine!. Journal of Pediatrics, 2016, 172, 7-8.	1.8	12
98	Pain Management in Neonatal Intensive Care. Clinical Journal of Pain, 2015, 31, 830-835.	1.9	7
99	Pain sensitivity of children with Down syndrome and their siblings: quantitative sensory testing versus parental reports. Developmental Medicine and Child Neurology, 2015, 57, 1049-1055.	2.1	30
100	How to achieve adherence to a ventilation algorithm for critically ill children?. Nursing in Critical Care, 2015, 20, 299-307.	2.3	4
101	Neuroimaging, Pain Sensitivity, and Neuropsychological Functioning in School-Age Neonatal Extracorporeal Membrane Oxygenation Survivors Exposed to Opioids and Sedatives. Pediatric Critical Care Medicine, 2015, 16, 652-662.	0.5	18
102	The Effects of Perioperative Music Interventions in Pediatric Surgery: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. PLoS ONE, 2015, 10, e0133608.	2.5	87
103	Pain in Intellectually Disabled Children: Towards Evidence-Based Pharmacotherapy?. Paediatric Drugs, 2015, 17, 339-348.	3.1	9
104	Medication use during end-of-life care in a palliative care centre. International Journal of Clinical Pharmacy, 2015, 37, 767-775.	2.1	67
105	Prematurity, Opioid Exposure and Neonatal Pain: Do They Affect the Developing Brain?. Neonatology, 2015, 108, 8-15.	2.0	33
106	Limited effects of intravenous paracetamol on patent ductus arteriosus in very low birth weight infants with contraindications for ibuprofen or after ibuprofen failure. European Journal of Pediatrics, 2015, 174, 1433-1440.	2.7	29
107	Opioid and Benzodiazepine Withdrawal Syndrome. Pediatric Critical Care Medicine, 2015, 16, 195-196.	0.5	3
108	Long-Term Effects of Neonatal Morphine Infusion on Pain Sensitivity: Follow-Up of a Randomized Controlled Trial. Journal of Pain, 2015, 16, 926-933.	1.4	29

#	Article	IF	Citations
109	Pain Indicators for Persisting Pain in Hospitalized Infants in a South African Setting: An Explorative Study. Journal of Pain and Palliative Care Pharmacotherapy, 2015, 29, 125-132.	0.8	2
110	Childhood drowning in South Africa: local data should inform prevention strategies. Pediatric Surgery International, 2015, 31, 123-130.	1.4	23
111	The <scp>COMFORT</scp> behaviour scale detects clinically meaningful effects of analgesic and sedative treatment. European Journal of Pain, 2015, 19, 473-479.	2.8	65
112	Patiëntveiligheid vanuit de patiënt. Tijdschrift Voor Kindergeneeskunde, 2014, 82, 184-188.	0.0	1
113	Remifentanil to Relieve Pain Associated With Peripherally Inserted Central Catheters in Preterm Infants. Pediatric Critical Care Medicine, 2014, 15, 495-497.	0.5	1
114	Patient Safety in South Africa. Pediatric Critical Care Medicine, 2014, 15, 464-470.	0.5	14
115	Evidence-Based Morphine Dosing for Postoperative Neonates and Infants. Clinical Pharmacokinetics, 2014, 53, 553-563.	3.5	70
116	Five-Year Follow-Up of Effects of Neonatal Intensive Care and Morphine Infusion during Mechanical Ventilation on Diurnal Cortisol Rhythm. Journal of Pediatrics, 2014, 165, 459-463.e2.	1.8	13
117	Eight Years Later, Are We Still Hurting Newborn Infants?. Neonatology, 2014, 105, 218-226.	2.0	171
118	Paediatric critical incident analysis: lessons learnt on analysis, recommendations and implementation. European Journal of Pediatrics, 2014, 173, 1449-1457.	2.7	8
119	PO-0660â€Pain Management Around Necrotizing Enterocolitis Surgery:towards Evidence-based Guidelines. Archives of Disease in Childhood, 2014, 99, A470.1-A470.	1.9	0
120	Article Commentary: The Management of Pediatric Polytrauma: Review. Clinical Medicine Insights: Trauma and Intensive Medicine, 2014, 5, CMTIM.S12260.	0.2	1
121	Optimal sedation in pediatric intensive care patients: a systematic review. Intensive Care Medicine, 2013, 39, 1524-1534.	8.2	117
122	Functional MRI pain studies in children? Yes, we (s)can!. Pediatric Radiology, 2013, 43, 1235-1236.	2.0	6
123	Prevalence of pain in institutionalized adults with intellectual disabilities: A cross-sectional approach. Research in Developmental Disabilities, 2013, 34, 2399-2406.	2.2	24
124	Nursing protocol violations: detect, correct and communicate. Nursing in Critical Care, 2013, 18, 79-85.	2.3	3
125	Do implementation strategies increase adherence to pain assessment in hospitals? A systematic review. International Journal of Nursing Studies, 2013, 50, 552-568.	5.6	46
126	Is Pain Assessment Feasible as a Performance Indicator for Dutch Nursing Homes? A Cross-Sectional Approach. Pain Management Nursing, 2013, 14, 36-40.	0.9	9

#	Article	IF	CITATIONS
127	Does neonatal morphine use affect neuropsychological outcomes at 8 to 9 years of age?. Pain, 2013, 154, 449-458.	4.2	122
128	Management of physical child abuse in South Africa: literature review and children's hospital data analysis. Paediatrics and International Child Health, 2013, 33, 216-227.	1.0	9
129	Psychometric Evaluation of the Sophia Observation Withdrawal Symptoms Scale in Critically III Children. Pediatric Critical Care Medicine, 2013, 14, 761-769.	0.5	77
130	Effect of Intravenous Paracetamol on Postoperative Morphine Requirements in Neonates and Infants Undergoing Major Noncardiac Surgery. JAMA - Journal of the American Medical Association, 2013, 309, 149.	7.4	193
131	Childhood unintentional injuries: Supervision and first aid provided. African Journal of Paediatric Surgery, 2013, 10, 339.	0.6	8
132	Percutaneous Transhepatic Biliary Drainage in Patients with Postsurgical Bile Leakage and Nondilated Intrahepatic Bile Ducts. Digestive Surgery, 2013, 30, 444-450.	1.2	46
133	How Health Professionals Rate Painfulness of Childhood Injuries and Illnesses: A Survey Study. Journal of Pain and Palliative Care Pharmacotherapy, 2012, 26, 105-110.	0.8	1
134	The Microcirculation Is Unchanged in Neonates with Severe Respiratory Failure after the Initiation of ECMO Treatment. Critical Care Research and Practice, 2012, 2012, 1-7.	1.1	19
135	Anaesthesia and postoperative analgesia in surgical neonates with or without Down's syndrome: is it really different?. British Journal of Anaesthesia, 2012, 108, 295-301.	3.4	23
136	33 The Black Box of Pain Assessment in Extremely Premature Newborns Remains Closed. Archives of Disease in Childhood, 2012, 97, A9-A9.	1.9	0
137	Foreign Bodies in a Pediatric Emergency Department in South Africa. Pediatric Emergency Care, 2012, 28, 1348-1352.	0.9	16
138	The COMFORT behavior scale. Pediatric Critical Care Medicine, 2012, 13, e124-e125.	0.5	27
139	Validation of the COMFORT Behavior Scale and the FLACC Scale for Pain Assessment in Chinese Children after Cardiac Surgery. Pain Management Nursing, 2012, 13, 18-26.	0.9	58
140	Protocolized postâ€operative pain management in infants; do we stick to it?. European Journal of Pain, 2012, 16, 760-766.	2.8	20
141	Aromatherapy massage seems to enhance relaxation in children with burns: An observational pilot study. Burns, 2012, 38, 840-845.	1.9	29
142	Update on Pain Assessment in Sick Neonates and Infants. Pediatric Clinics of North America, 2012, 59, 1167-1181.	1.8	40
143	Skin conductance peaks could result from changes in vital parameters unrelated to pain. Pediatric Research, 2012, 71, 375-379.	2.3	29
144	Pain management in intellectually disabled children: a survey of perceptions and current practices among Dutch anesthesiologists. Paediatric Anaesthesia, 2012, 22, 682-689.	1.1	10

#	Article	IF	CITATIONS
145	Does postoperative †M†technique < sup > ® < /sup > massage with or without mandarin oil reduce infants†distress after major craniofacial surgery?. Journal of Advanced Nursing, 2012, 68, 1748-1757.	л 3.3	20
146	Thermal detection thresholds in 5-year-old preterm born children;. Early Human Development, 2012, 88, 487-491.	1.8	9
147	Screening pediatric delirium with an adapted version of the Sophia Observation withdrawal Symptoms scale (SOS). Intensive Care Medicine, 2012, 38, 531-532.	8.2	26
148	Real-time registration of adverse events in Dutch hospitalized children in general pediatric units: first experiences. European Journal of Pediatrics, 2012, 171, 553-558.	2.7	2
149	Persistent low microcirculatory vessel density in nonsurvivors of sepsis in pediatric intensive care*. Critical Care Medicine, 2011, 39, 8-13.	0.9	126
150	Patient safety culture in a Dutch pediatric surgical intensive care unit: An evaluation using the Safety Attitudes Questionnaire. Pediatric Critical Care Medicine, 2011, 12, e310-e316.	0.5	40
151	Long-term effects of routine morphine infusion in mechanically ventilated neonates on children's functioning: Five-year follow-up of a randomized controlled trial. Pain, 2011, 152, 1391-1397.	4.2	168
152	The COMFORT-Behavior scale is useful to assess pain and distress in 0- to 3-year-old children with Down syndrome. Pain, 2011, 152, 2059-2064.	4.2	61
153	Endpoints in pediatric pain studies. European Journal of Clinical Pharmacology, 2011, 67, 61-66.	1.9	13
154	Does minimal access major surgery in the newborn hurt less? An evaluation of cumulative opioid doses. European Journal of Pain, 2011, 15, 615-620.	2.8	15
155	Evaluation of pain incidence and pain management in a South African paediatric trauma unit. South African Medical Journal, 2011, 101, 533-6.	0.6	7
156	The Use of the Behavioral Pain Scale to Assess Pain in Conscious Sedated Patients. Anesthesia and Analgesia, 2010, 110, 127-133.	2,2	101
157	Motor-function and exercise capacity in children with major anatomical congenital anomalies: An evaluation at 5years of age. Early Human Development, 2010, 86, 523-528.	1.8	52
158	Pain management in intellectually disabled children: Assessment, treatment, and translational research. Developmental Disabilities Research Reviews, 2010, 16, 248-257.	2.9	23
159	Early developmental assessment of children with major nonâ€cardiac congenital anomalies predicts development at the age of 5â€fyears. Developmental Medicine and Child Neurology, 2010, 52, 1154-1159.	2.1	42
160	Parental satisfaction with followâ€up services for children with major anatomical congenital anomalies. Child: Care, Health and Development, 2010, 36, 101-109.	1.7	7
161	An evaluation of nutritional practice in a paediatric burns unit. South African Medical Journal, 2010, 100, 383.	0.6	5
162	Weaning of opioids and benzodiazepines at home after critical illness in infants: A cost-effective approach. Journal of Opioid Management, 2010, 6, 55-62.	0.5	15

#	Article	IF	Citations
163	Intraoperative awareness during paediatric anaesthesia. British Journal of Anaesthesia, 2009, 102, 104-110.	3.4	43
164	Construction of the Sophia Observation withdrawal Symptoms-scale (SOS) for critically ill children. Intensive Care Medicine, 2009, 35, 1075-1081.	8.2	103
165	124 IS PAIN MEASUREMENT A FEASIBLE PERFORMANCE INDICATOR FOR DUTCH NURSING HOMES? A CROSS‧ECTIONAL APPROACH. European Journal of Pain, 2009, 13, S45a.	2.8	0
166	Assessment of pain: can caregivers or relatives rate pain in nursing home residents?. Journal of Clinical Nursing, 2009, 18, 2478-2485.	3.0	22
167	Implementation of standard sedation management in paediatric intensive care: effective and feasible?. Journal of Clinical Nursing, 2009, 18, 2511-2520.	3.0	51
168	Pain Management in Dutch Nursing Homes Leaves Much to Be Desired. Pain Management Nursing, 2009, 10, 32-39.	0.9	29
169	A prospective comparative evaluation of persistent respiratory morbidity in esophageal atresia and congenital diaphragmatic hernia survivors. Journal of Pediatric Surgery, 2009, 44, 1683-1690.	1.6	91
170	Interdisciplinary structural follow-up of surgical newborns: a prospective evaluation. Journal of Pediatric Surgery, 2009, 44, 1382-1389.	1.6	103
171	Morphine Glucuronidation in Preterm Neonates, Infants and Children Younger than 3 Years. Clinical Pharmacokinetics, 2009, 48, 371-385.	3.5	129
172	Children with intellectual disabilities and pain perception: A review and suggestions for future assessment protocols. European Archives of Paediatric Dentistry: Official Journal of the European Academy of Paediatric Dentistry, 2009, 10, 57-60.	1.9	8
173	Minor Painful Procedures in the NICU: Improved Care or Too Soon for Cheering?. Journal of Pain, 2009, 10, 661-662.	1.4	1
174	Changes in buccal microcirculation following extracorporeal membrane oxygenation in term neonates with severe respiratory failure*. Critical Care Medicine, 2009, 37, 1121-1124.	0.9	71
175	Taking Up the Challenge of Measuring Prolonged Pain in (Premature) Neonates. Clinical Journal of Pain, 2009, 25, 607-616.	1.9	165
176	Pain prevalence and characteristics in three Dutch residential homes. European Journal of Pain, 2008, 12, 910-916.	2.8	59
177	Pharmacokinetics and analgesic effects of intravenous propacetamol vs rectal paracetamol in children after major craniofacial surgery. Paediatric Anaesthesia, 2008, 18, 582-592.	1.1	52
178	Telephone helpline for parents of children with congenital anomalies. Journal of Advanced Nursing, 2008, 64, 625-631.	3.3	13
179	Withdrawal symptoms in critically ill children after long-term administration of sedatives and/or analgesics: A first evaluation*. Critical Care Medicine, 2008, 36, 2427-2432.	0.9	149
180	Observation Scales for Pain Assessment in Older Adults With Cognitive Impairments or Communication Difficulties. Nursing Research, 2007, 56, 34-43.	1.7	80

#	Article	lF	Citations
181	Is topical local anaesthesia necessary when performing paediatric flexible nasendoscopy? A double-blind randomized controlled trial. International Journal of Pediatric Otorhinolaryngology, 2007, 71, 1687-1692.	1.0	16
182	Effects of low-dose naloxone on opioid therapy in pediatric patients: aÂretrospective case-control study. Intensive Care Medicine, 2007, 33, 190-194.	8.2	24
183	Withdrawal symptoms in children after long-term administration of sedatives and/or analgesics: aÂliterature review. "Assessment remains troublesome― Intensive Care Medicine, 2007, 33, 1396-1406.	8.2	134
184	Pain assessment: Current status and challenges. Seminars in Fetal and Neonatal Medicine, 2006, $11$ , $237-245$ .	2.3	112
185	Pain assessment in profound cognitive impaired children using the Checklist Pain Behavior; is item reduction valid?. Pain, 2006, 126, 147-154.	4.2	29
186	491 NURSES' COMPLIANCE WITH PAIN REGISTRATION IN DUTCH NURSING HOMES. European Journal of Pain, 2006, 10, S130a-S130.	2.8	0
187	498 PERCEPTIONS OF PAIN IN A GERIATRIC IN-HOSPITAL POPULATION. European Journal of Pain, 2006, 10, \$132-\$132.	2.8	1
188	899 INTRODUCING THE RELIABLE AND VALID ROTTERDAM ELDERLY PAIN OBSERVATION SCALE (REPOS). European Journal of Pain, 2006, 10, S233-S233.	2.8	1
189	Sedation and analgesia in the PICU: many questions remain. Intensive Care Medicine, 2006, 32, 1103-1105.	8.2	13
190	Commentary on  EMLA and Amethocaine for reduction of children's pain associated with needle insertion'. Evidence-Based Child Health: A Cochrane Review Journal, 2006, 1, 928-929.	2.0	0
191	Assessment of sedation levels in pediatric intensive care patients can be improved by using the COMFORT ???behavior??? scale*. Pediatric Critical Care Medicine, 2005, 6, 58-63.	0.5	257
192	Pharmacodynamics of Midazolam in Pediatric Intensive Care Patients. Therapeutic Drug Monitoring, 2005, 27, 98-102.	2.0	42
193	The COMFORT Behavior Scale. American Journal of Nursing, 2005, 105, 33-36.	0.4	147
194	USEFULNESS OF A SEDATION ALGORITHM FOR CRITICALLY ILL CHILDREN. Pediatric Critical Care Medicine, 2005, 6, 242.	0.5	0
195	Randomised controlled trial evaluating effects of morphine on plasma adrenaline/noradrenaline concentrations in newborns. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2005, 90, F36-F40.	2.8	49
196	Morphine in ventilated neonates: its effects on arterial blood pressure. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2005, 91, F46-F51.	2.8	35
197	Propofol 6% as sedative in children under 2 years of age following major craniofacial surgery. British Journal of Anaesthesia, 2005, 94, 630-635.	3.4	14
198	Does neonatal surgery lead to increased pain sensitivity in later childhood?. Pain, 2005, 114, 444-454.	4.2	218

#	Article	IF	CITATIONS
199	Newborn Babies: More Pain Than Thatâ€"Reply. JAMA Pediatrics, 2004, 158, 600.	3.0	0
200	Systematic evaluation of pain in neonates: effect on the number of intravenous analgesics prescribed. European Journal of Clinical Pharmacology, 2003, 59, 87-90.	1.9	63
201	Postoperative pain in the neonate: age-related differences in morphine requirements and metabolism. Intensive Care Medicine, 2003, 29, 2009-2015.	8.2	120
202	Routine Morphine Infusion in Preterm Newborns Who Received Ventilatory Support. JAMA - Journal of the American Medical Association, 2003, 290, 2419.	7.4	261
203	Do We Still Hurt Newborn Babies?. JAMA Pediatrics, 2003, 157, 1058.	3.0	481
204	Observational Visual Analog Scale in Pediatric Pain Assessment: Useful Tool or Good Riddance?. Clinical Journal of Pain, 2002, 18, 310-316.	1.9	79
205	Efficacy of continuous versus intermittent morphine administration after major surgery in O–3-year-old infants; a double-blind randomized controlled trial. Pain, 2002, 98, 305-313.	4.2	81
206	Are postoperative pain instruments useful for specific groups of vulnerable infants?. Clinics in Perinatology, 2002, 29, 469-491.	2.1	26
207	Analgesic efficacy of rectal versus oral acetaminophen in children after major craniofacial surgery. Clinical Pharmacology and Therapeutics, 2001, 70, 82-90.	4.7	60
208	The Association Between Physiological and Behavioral Pain Measures in 0- to 3-Year-Old Infants after Major Surgery. Journal of Pain and Symptom Management, 2001, 22, 600-609.	1.2	72
209	Hormonal and metabolic stress responses after major surgery in children aged 0–3 years: a double-blind, randomized trial comparing the effects of continuous versus intermittent morphine â€. British Journal of Anaesthesia, 2001, 87, 390-399.	3.4	95
210	The reliability and validity of the COMFORT scale as a postoperative pain instrument in 0 to 3-year-old infants. Pain, 2000, 84, 367-377.	4.2	344
211	Four-in-One: A Comprehensive Checklist for the Assessment of Pain, Undersedation, latrogenic Withdrawal and Delirium in the PICU: A Delphi Study. Frontiers in Pediatrics, 0, 10, .	1.9	4