

Monika Migdalska-Säk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7111988/publications.pdf>

Version: 2024-02-01

28
papers

321
citations

840728

11
h-index

940516

16
g-index

29
all docs

29
docs citations

29
times ranked

558
citing authors

#	ARTICLE	IF	CITATIONS
1	Altered miRNA expression in pulmonary sarcoidosis. <i>BMC Medical Genetics</i> , 2016, 17, 2.	2.1	29
2	Evaluation of Selected MicroRNAs Expression in Remission Phase of Multiple Sclerosis and Their Potential Link to Cognition, Depression, and Disability. <i>Journal of Molecular Neuroscience</i> , 2017, 63, 275-282.	2.3	27
3	Expression level and methylation status of three tumor suppressor genes, DLEC1, ITGA9 and MLH1, in non-small cell lung cancer. <i>Medical Oncology</i> , 2016, 33, 75.	2.5	22
4	The Expression Levels of IL-4/IL-13/STAT6 Signaling Pathway Genes and SOCS3 Could Help to Differentiate the Histopathological Subtypes of Non-Small Cell Lung Carcinoma. <i>Molecular Diagnosis and Therapy</i> , 2018, 22, 621-629.	3.8	22
5	An assessment of the relationship between the expression of CCR7/CCL19 axis and selected regulatory miRNAs in non-small cell lung cancer. <i>Molecular Biology Reports</i> , 2019, 46, 5389-5396.	2.3	22
6	FHIT promoter methylation status, low protein and high mRNA levels in patients with non-small cell lung cancer. <i>International Journal of Oncology</i> , 2016, 49, 1175-1184.	3.3	18
7	Diagnostic value of DNA alteration: loss of heterozygosity or allelic imbalance – promising for molecular staging of prostate cancers. <i>Medical Oncology</i> , 2013, 30, 391.	2.5	15
8	Immunoexpression of TGF- β 2/Smad and VEGF-A proteins in serum and BAL fluid of sarcoidosis patients. <i>BMC Immunology</i> , 2015, 16, 58.	2.2	15
9	Quantitative analysis of mRNA expression levels and DNA methylation profiles of three neighboring genes: FUS1, NPRL2/G21 and RASSF1A in non-small cell lung cancer patients. <i>Respiratory Research</i> , 2015, 16, 76.	3.6	15
10	HPV16 E6*II gene expression in intraepithelial cervical lesions as an indicator of neoplastic grade: a pilot study. <i>Medical Oncology</i> , 2014, 31, 842.	2.5	13
11	Serum Extracellular Vesicle-Derived miRNAs in Patients with Non-Small Cell Lung Cancer – Search for Non-Invasive Diagnostic Biomarkers. <i>Diagnostics</i> , 2021, 11, 425.	2.6	13
12	Expression of STAT5, COX-2 and PIAS3 in Correlation with NSCLC Histopathological Features. <i>PLoS ONE</i> , 2014, 9, e104265.	2.5	12
13	An Analysis of IL-10, IL-17A, IL-17RA, IL-23A and IL-23R Expression and Their Correlation with Clinical Course in Patients with Psoriasis. <i>Journal of Clinical Medicine</i> , 2021, 10, 5834.	2.4	11
14	Aberrant methylation as a main mechanism of TSGs silencing in PTC. <i>Frontiers in Bioscience - Elite</i> , 2011, E3, 137-157.	1.8	10
15	Significant frequency of allelic imbalance in 3p region covering RAR β 2 and MLH1 loci seems to be essential in molecular non-small cell lung cancer diagnosis. <i>Medical Oncology</i> , 2013, 30, 532.	2.5	10
16	Clinicopathological Significance of Overall Frequency of Allelic Loss (OFAL) in Lesions Derived from Thyroid Follicular Cell. <i>Molecular Diagnosis and Therapy</i> , 2019, 23, 369-382.	3.8	9
17	Assessment of the frequency of genetic alterations (LOH/MSI) in patients with intraepithelial cervical lesions with HPV infection: a pilot study. <i>Medical Oncology</i> , 2016, 33, 51.	2.5	8
18	Analysis of molecular markers as IL-12, IL-22 and IFN- γ 3 in correlation with a clinical course in patients with psoriasis. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2020, 33, 635-647.	1.3	7

#	ARTICLE	IF	CITATIONS
19	Diagnostic value of PPAR γ and miRNA-17 expression levels in patients with non-small cell lung cancer. <i>Scientific Reports</i> , 2021, 11, 24136.	3.3	7
20	Investigation of Cervical Tumor Biopsies for Chromosomal Loss of Heterozygosity (LOH) and Microsatellite Instability (MSI) at the HLA II Locus in HIV-1/HPV Co-infected Women. <i>Frontiers in Oncology</i> , 2019, 9, 951.	2.8	6
21	Evaluation of the relationship between the IL-17A gene expression level and regulatory miRNA-9 in relation to tumor progression in patients with non-small cell lung cancer: a pilot study. <i>Molecular Biology Reports</i> , 2020, 47, 583-592.	2.3	6
22	Circulating miRNAs Related to Epithelial \rightarrow Mesenchymal Transitions (EMT) as the New Molecular Markers in Endometriosis. <i>Current Issues in Molecular Biology</i> , 2021, 43, 900-916.	2.4	6
23	CTLA-4 polymorphisms (+49 A/G and -318 C/T) are important genetic determinants of AITD susceptibility and predisposition to high levels of thyroid autoantibodies in Polish children - preliminary study. <i>Acta Biochimica Polonica</i> , 2013, 60, 641-6.	0.5	5
24	Correlation between the Positive Effect of Vitamin D Supplementation and Physical Performance in Young Male Soccer Players. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5138.	2.6	5
25	MSI and LOH in the development and prognosis of follicular cell-derived thyroid tumours. <i>Endokrynologia Polska</i> , 2012, 63, 126-36.	1.0	4
26	Assessment of Wnt pathway selected gene expression levels in peripheral blood mononuclear cells (PBMCs) of postmenopausal patients with low bone mass. <i>Bosnian Journal of Basic Medical Sciences</i> , 2021, 21, 461-470.	1.0	2
27	Altered Cyclooxygenase-2 Expression in Pulmonary Sarcoidosis is not Related to Clinical Classifications. <i>Inflammation</i> , 2016, 39, 1302-1309.	3.8	1
28	Type of training has a significant influence on the GH/IGF-1 axis but not on regulating miRNAs. <i>Biology of Sport</i> , 2020, 37, 217-228.	3.2	1