

Kaatje Lenaerts

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7112966/kaatje-lenaerts-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73 papers	2,887 citations	29 h-index	53 g-index
79 ext. papers	3,569 ext. citations	4.9 avg, IF	4.96 L-index

#	Paper	IF	Citations
73	Intestinal permeability before and after albendazole treatment in low and high socioeconomic status schoolchildren in Makassar, Indonesia.. <i>Scientific Reports</i> , 2022 , 12, 3394	4.9	0
72	Temporal Transcript Profiling Identifies a Role for Unfolded Protein Stress in Human Gut Ischemia-Reperfusion Injury. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021 ,	7.9	1
71	Chorioamnionitis induces hepatic inflammation and time-dependent changes of the enterohepatic circulation in the ovine fetus. <i>Scientific Reports</i> , 2021 , 11, 10331	4.9	
70	Evaluating the safety of two human experimental intestinal ischemia reperfusion models: A retrospective observational study. <i>PLoS ONE</i> , 2021 , 16, e0253506	3.7	
69	Prevention of intra-abdominal adhesions by a hyaluronic acid gel; an experimental study in rats. <i>Journal of Biomaterials Applications</i> , 2021 , 35, 887-897	2.9	6
68	Proteomics analysis of human intestinal organoids during hypoxia and reoxygenation as a model to study ischemia-reperfusion injury. <i>Cell Death and Disease</i> , 2021 , 12, 95	9.8	5
67	Combined Quantitative (Phospho)proteomics and Mass Spectrometry Imaging Reveal Temporal and Spatial Protein Changes in Human Intestinal Ischemia-Reperfusion. <i>Journal of Proteome Research</i> , 2021 ,	5.6	3
66	Prophylactic Intra-Uterine β -Cyclodextrin Administration during Intra-Uterine Infection Partly Prevents Liver Inflammation without Interfering with the Enterohepatic Circulation of the Fetal Sheep. <i>Nutrients</i> , 2020 , 12,	6.7	2
65	Effect of wheat bran derived prebiotic supplementation on gastrointestinal transit, gut microbiota, and metabolic health: a randomized controlled trial in healthy adults with a slow gut transit. <i>Gut Microbes</i> , 2020 , 12, 1704141	8.8	18
64	Females Are More Resistant to Ischemia-Reperfusion-induced Intestinal Injury Than Males: A Human Study. <i>Annals of Surgery</i> , 2020 , 272, 1070-1079	7.8	9
63	Paneth Cell Alterations During Ischemia-reperfusion, Follow-up, and Graft Rejection After Intestinal Transplantation. <i>Transplantation</i> , 2020 , 104, 1952-1958	1.8	0
62	Chronic Intra-Uterine Infection Induces Injury of the Enteric Nervous System in Ovine Fetuses. <i>Frontiers in Immunology</i> , 2020 , 11, 189	8.4	8
61	Near-infrared fluorescence image-guidance in anastomotic colorectal cancer surgery and its relation to serum markers of anastomotic leakage: a clinical pilot study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019 , 33, 3766-3774	5.2	15
60	Comparing Five New Polymer Barriers for the Prevention of Intra-abdominal Adhesions in a Rat Model. <i>Journal of Surgical Research</i> , 2019 , 243, 453-459	2.5	2
59	Sucrose but Not Nitrate Ingestion Reduces Strenuous Cycling-induced Intestinal Injury. <i>Medicine and Science in Sports and Exercise</i> , 2019 , 51, 436-444	1.2	12
58	Beneficial Effects of Vitamin D Treatment in an Obese Mouse Model of Non-Alcoholic Steatohepatitis. <i>Nutrients</i> , 2019 , 11,	6.7	12
57	Distal versus proximal intestinal short-chain fatty acid release in man. <i>Gut</i> , 2019 , 68, 764-765	19.2	29

56	Histopathology of human small intestinal and colonic ischemia-reperfusion: Experiences from human IR-models. <i>Histology and Histopathology</i> , 2019 , 34, 711-722	1.4	
55	FXR agonism protects against liver injury in a rat model of intestinal failure-associated liver disease. <i>Journal of Clinical and Translational Research</i> , 2018 , 3, 318-327	1.1	3
54	SM22 a Plasma Biomarker for Human Transmural Intestinal Ischemia. <i>Annals of Surgery</i> , 2018 , 268, 120-126	1.4	14
53	Increased Small Intestinal Permeability during Severe Acute Exacerbations of COPD. <i>Respiration</i> , 2018 , 95, 334-342	3.7	29
52	The prebiotic inulin improves substrate metabolism and promotes short-chain fatty acid production in overweight to obese men. <i>Metabolism: Clinical and Experimental</i> , 2018 , 87, 25-35	12.7	96
51	Food ingestion in an upright sitting position increases postprandial amino acid availability when compared with food ingestion in a lying down position. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017 , 42, 738-743	3	5
50	Role of short-chain fatty acids in colonic inflammation, carcinogenesis, and mucosal protection and healing. <i>Nutrition Reviews</i> , 2017 , 75, 286-305	6.4	156
49	Colonic infusions of short-chain fatty acid mixtures promote energy metabolism in overweight/obese men: a randomized crossover trial. <i>Scientific Reports</i> , 2017 , 7, 2360	4.9	144
48	Supplementation of Diet With Galacto-oligosaccharides Increases Bifidobacteria, but Not Insulin Sensitivity, in Obese Prediabetic Individuals. <i>Gastroenterology</i> , 2017 , 153, 87-97.e3	13.3	108
47	Enteroendocrine L Cells Sense LPS after Gut Barrier Injury to Enhance GLP-1 Secretion. <i>Cell Reports</i> , 2017 , 21, 1160-1168	10.6	85
46	Fructose and Sucrose Ingestion Increase Exogenous Carbohydrate Oxidation Rates During Exercise in Trained Cyclists. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 188	1.2	
45	Paneth Cell Alterations After Intestinal Transplantation and During Graft Rejection. <i>Transplantation</i> , 2017 , 101, S64	1.8	
44	Villin-1 Is a Novel Serological Biomarker for Intestinal Ischemia and Reperfusion Injury in Rats and Humans. <i>Transplantation</i> , 2017 , 101, S91	1.8	
43	Adaptation of exercise-induced stress in well-trained healthy young men. <i>Experimental Physiology</i> , 2017 , 102, 86-99	2.4	21
42	Parenteral nutrition dysregulates bile salt homeostasis in a rat model of parenteral nutrition-associated liver disease. <i>Clinical Nutrition</i> , 2017 , 36, 1403-1410	5.9	10
41	Fructose and Sucrose Intake Increase Exogenous Carbohydrate Oxidation during Exercise. <i>Nutrients</i> , 2017 , 9,	6.7	25
40	Endurance Exercise Increases Intestinal Uptake of the Peanut Allergen Ara h 6 after Peanut Consumption in Humans. <i>Nutrients</i> , 2017 , 9,	6.7	15
39	Farnesoid X Receptor Activation Attenuates Intestinal Ischemia Reperfusion Injury in Rats. <i>PLoS ONE</i> , 2017 , 12, e0169331	3.7	27

38	Human small intestine is capable of restoring barrier function after short ischemic periods. <i>World Journal of Gastroenterology</i> , 2017 , 23, 8452-8464	5.6	14
37	Distal, not proximal, colonic acetate infusions promote fat oxidation and improve metabolic markers in overweight/obese men. <i>Clinical Science</i> , 2016 , 130, 2073-2082	6.5	114
36	The effect of endurance exercise on intestinal integrity in well-trained healthy men. <i>Physiological Reports</i> , 2016 , 4, e12994	2.6	23
35	Life and death at the mucosal-luminal interface: New perspectives on human intestinal ischemia-reperfusion. <i>World Journal of Gastroenterology</i> , 2016 , 22, 2760-70	5.6	75
34	Body Position Modulates Gastric Emptying and Affects the Post-Prandial Rise in Plasma Amino Acid Concentrations Following Protein Ingestion in Humans. <i>Nutrients</i> , 2016 , 8, 221	6.7	10
33	Effects of Gut Microbiota Manipulation by Antibiotics on Host Metabolism in Obese Humans: A Randomized Double-Blind Placebo-Controlled Trial. <i>Cell Metabolism</i> , 2016 , 24, 63-74	24.6	187
32	Plasma intestinal fatty acid-binding protein fails to predict endoscopic disease activity in inflammatory bowel disease patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2016 , 28, 807-13	2.2	7
31	Hepatic Uptake of Rectally Administered Butyrate Prevents an Increase in Systemic Butyrate Concentrations in Humans. <i>Journal of Nutrition</i> , 2015 , 145, 2019-24	4.1	44
30	The Human Colon Is More Resistant to Ischemia-reperfusion-induced Tissue Damage Than the Small Intestine: An Observational Study. <i>Annals of Surgery</i> , 2015 , 262, 304-11	7.8	13
29	Integrated visualization of a multi-omics study of starvation in mouse intestine. <i>Journal of Integrative Bioinformatics</i> , 2014 , 11, 1-16	3.8	5
28	GI symptoms in patients with COPD. <i>Chest</i> , 2014 , 145, 1437-8	5.3	3
27	Disturbed intestinal integrity in patients with COPD: effects of activities of daily living. <i>Chest</i> , 2014 , 145, 245-252	5.3	90
26	L-citrulline improves splanchnic perfusion and reduces gut injury during exercise. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 2039-46	1.2	49
25	Integrated visualization of a multi-omics study of starvation in mouse intestine. <i>Journal of Integrative Bioinformatics</i> , 2014 , 11, 235	3.8	6
24	Novel multi-sugar assay for site-specific gastrointestinal permeability analysis: a randomized controlled crossover trial. <i>Clinical Nutrition</i> , 2013 , 32, 245-51	5.9	66
23	Lipid-rich enteral nutrition regulates mucosal mast cell activation via the vagal anti-inflammatory reflex. <i>American Journal of Physiology - Renal Physiology</i> , 2013 , 305, G383-91	5.1	34
22	Dietary protein digestion and absorption are impaired during acute postexercise recovery in young men. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2013 , 304, R356-61	2.2	53
21	New insights in intestinal ischemia-reperfusion injury: implications for intestinal transplantation. <i>Current Opinion in Organ Transplantation</i> , 2013 , 18, 298-303	2.5	44

20	Ischaemia-induced mucus barrier loss and bacterial penetration are rapidly counteracted by increased goblet cell secretory activity in human and rat colon. <i>Gut</i> , 2013 , 62, 250-8	19.2	65
19	Total parenteral nutrition induces a shift in the Firmicutes to Bacteroidetes ratio in association with Paneth cell activation in rats. <i>Journal of Nutrition</i> , 2012 , 142, 2141-7	4.1	46
18	Physiology and pathophysiology of splanchnic hypoperfusion and intestinal injury during exercise: strategies for evaluation and prevention. <i>American Journal of Physiology - Renal Physiology</i> , 2012 , 303, G155-68	5.1	142
17	Polyethylene glycol versus dual sugar assay for gastrointestinal permeability analysis: is it time to choose?. <i>Clinical and Experimental Gastroenterology</i> , 2012 , 5, 139-50	3.1	17
16	Aggravation of exercise-induced intestinal injury by Ibuprofen in athletes. <i>Medicine and Science in Sports and Exercise</i> , 2012 , 44, 2257-62	1.2	56
15	Starvation compromises Paneth cells. <i>American Journal of Pathology</i> , 2011 , 179, 2885-93	5.8	65
14	Novel analytical approach to a multi-sugar whole gut permeability assay. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 2794-801	3.2	42
13	Exercise-induced splanchnic hypoperfusion results in gut dysfunction in healthy men. <i>PLoS ONE</i> , 2011 , 6, e22366	3.7	179
12	Reduced Paneth cell antimicrobial protein levels correlate with activation of the unfolded protein response in the gut of obese individuals. <i>Journal of Pathology</i> , 2011 , 225, 276-84	9.4	65
11	Level of activation of the unfolded protein response correlates with Paneth cell apoptosis in human small intestine exposed to ischemia/reperfusion. <i>Gastroenterology</i> , 2011 , 140, 529-539.e3	13.3	91
10	Human intestinal ischemia-reperfusion-induced inflammation characterized: experiences from a new translational model. <i>American Journal of Pathology</i> , 2010 , 176, 2283-91	5.8	113
9	Non-invasive assessment of barrier integrity and function of the human gut. <i>World Journal of Gastrointestinal Surgery</i> , 2010 , 2, 61-9	2.4	119
8	Human intestinal ischemia/reperfusion-induced inflammation characterized: experiences from a new translational model. <i>FASEB Journal</i> , 2010 , 24, 565.15	0.9	
7	Expression profiling of intestinal ischemia/reperfusion: first human in vivo findings. <i>FASEB Journal</i> , 2010 , 24, 565.19	0.9	
6	Decreased expression of Paneth cell antimicrobial peptides coincide with bacterial translocation after starvation. <i>FASEB Journal</i> , 2010 , 24, 117.8	0.9	
5	Arginine deficiency in confluent intestinal Caco-2 cells modulates expression of proteins involved in proliferation, apoptosis, and heat shock response. <i>Proteomics</i> , 2007 , 7, 565-577	4.8	26
4	Comparative proteomic analysis of cell lines and scrapings of the human intestinal epithelium. <i>BMC Genomics</i> , 2007 , 8, 91	4.5	68
3	Starvation induces phase-specific changes in the proteome of mouse small intestine. <i>Journal of Proteome Research</i> , 2006 , 5, 2113-22	5.6	32

2	Glutamine regulates the expression of proteins with a potential health-promoting effect in human intestinal Caco-2 cells. <i>Proteomics</i> , 2006 , 6, 2454-64	4.8	19
1	Differentiation stage-dependent preferred uptake of basolateral (systemic) glutamine into Caco-2 cells results in its accumulation in proteins with a role in cell-cell interaction. <i>FEBS Journal</i> , 2005 , 272, 3350-64	5.7	9