

Francis Guillemin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7114230/publications.pdf>

Version: 2024-02-01

126
papers

34,853
citations

109321

35
h-index

18647

119
g-index

135
all docs

135
docs citations

135
times ranked

46719
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the Process of Cross-Cultural Adaptation of Self-Report Measures. <i>Spine</i> , 2000, 25, 3186-3191.	2.0	8,012
2	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet</i> , The, 2012, 380, 2197-2223.	13.7	7,061
3	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet</i> , The, 2012, 380, 2163-2196.	13.7	6,376
4	Cross-cultural adaptation of health-related quality of life measures: Literature review and proposed guidelines. <i>Journal of Clinical Epidemiology</i> , 1993, 46, 1417-1432.	5.0	4,410
5	The global burden of hip and knee osteoarthritis: estimates from the Global Burden of Disease 2010 study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1323-1330.	0.9	2,433
6	Mechanical thrombectomy after intravenous alteplase versus alteplase alone after stroke (THRACE): a randomised controlled trial. <i>Lancet Neurology</i> , The, 2016, 15, 1138-1147.	10.2	972
7	Global, regional and national burden of osteoarthritis 1990-2017: a systematic analysis of the Global Burden of Disease Study 2017. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 819-828.	0.9	732
8	A review of guidelines for cross-cultural adaptation of questionnaires could not bring out a consensus. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 435-441.	5.0	548
9	Prevalence and incidence of juvenile idiopathic arthritis: A systematic review. <i>Joint Bone Spine</i> , 2014, 81, 112-117.	1.6	328
10	Imaging features and safety and efficacy of endovascular stroke treatment: a meta-analysis of individual patient-level data. <i>Lancet Neurology</i> , The, 2018, 17, 895-904.	10.2	281
11	Penumbra imaging and functional outcome in patients with anterior circulation ischaemic stroke treated with endovascular thrombectomy versus medical therapy: a meta-analysis of individual patient-level data. <i>Lancet Neurology</i> , The, 2019, 18, 46-55.	10.2	276
12	Cross-cultural adaptation of the Health Education Impact Questionnaire: experimental study showed expert committee, not back-translation, added value. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 360-369.	5.0	211
13	Effect of general anaesthesia on functional outcome in patients with anterior circulation ischaemic stroke having endovascular thrombectomy versus standard care: a meta-analysis of individual patient data. <i>Lancet Neurology</i> , The, 2018, 17, 47-53.	10.2	205
14	Methodological approaches to shortening composite measurement scales. <i>Journal of Clinical Epidemiology</i> , 1997, 50, 247-252.	5.0	191
15	Cancer in systemic sclerosis. <i>Arthritis and Rheumatism</i> , 1993, 36, 460-464.	6.7	177
16	Efficacy of endovascular thrombectomy in patients with M2 segment middle cerebral artery occlusions: meta-analysis of data from the HERMES Collaboration. <i>Journal of NeuroInterventional Surgery</i> , 2019, 11, 1065-1069.	3.3	168
17	The AIMS2-SF: A short form of the arthritis impact measurement scales 2. <i>Arthritis and Rheumatism</i> , 1997, 40, 1267-1274.	6.7	110
18	OAKHQOL: A new instrument to measure quality of life in knee and hip osteoarthritis. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 47-55.	5.0	109

#	ARTICLE	IF	CITATIONS
19	Item reduction based on rigorous methodological guidelines is necessary to maintain validity when shortening composite measurement scales. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 710-718.	5.0	103
20	A tool to identify recent or present rheumatoid arthritis flare from both patient and physician perspectives: The "FLARE"™ instrument. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1110-1116.	0.9	83
21	The OMERACT-OARSI Core Domain Set for Measurement in Clinical Trials of Hip and/or Knee Osteoarthritis. <i>Journal of Rheumatology</i> , 2019, 46, 981-989.	2.0	82
22	2021 EULAR recommendations regarding lifestyle behaviours and work participation to prevent progression of rheumatic and musculoskeletal diseases. <i>Annals of the Rheumatic Diseases</i> , 2023, 82, 48-56.	0.9	71
23	Volumetric and Spatial Accuracy of Computed Tomography Perfusion Estimated Ischemic Core Volume in Patients With Acute Ischemic Stroke. <i>Stroke</i> , 2018, 49, 2368-2375.	2.0	69
24	Observatoire Français de la Sclérose en Plaques (OFSEP): A unique multimodal nationwide MS registry in France. <i>Multiple Sclerosis Journal</i> , 2020, 26, 118-122.	3.0	69
25	Validity of the global anti-phospholipid syndrome score to predict thrombosis: a prospective multicentre cohort study. <i>Rheumatology</i> , 2015, 54, 2071-2075.	1.9	61
26	Development of a New International Antiphospholipid Syndrome Classification Criteria Phase I/II Report: Generation and Reduction of Candidate Criteria. <i>Arthritis Care and Research</i> , 2021, 73, 1490-1501.	3.4	60
27	Does Sex Modify the Effect of Endovascular Treatment for Ischemic Stroke?. <i>Stroke</i> , 2019, 50, 2413-2419.	2.0	57
28	Updating the OMERACT Filter: Implications for Patient-reported Outcomes. <i>Journal of Rheumatology</i> , 2014, 41, 1011-1015.	2.0	54
29	Cost-Effectiveness of Thrombectomy in Patients With Acute Ischemic Stroke. <i>Stroke</i> , 2017, 48, 2843-2847.	2.0	53
30	Development and testing of a specific quality-of-life questionnaire for knee and hip osteoarthritis: OAKHQOL (OsteoArthritis of Knee Hip Quality Of Life). <i>Joint Bone Spine</i> , 2006, 73, 697-704.	1.6	50
31	The KHOALA cohort of knee and hip osteoarthritis in France. <i>Joint Bone Spine</i> , 2012, 79, 597-603.	1.6	48
32	Pretreatment lesional volume impacts clinical outcome and thrombectomy efficacy. <i>Annals of Neurology</i> , 2018, 83, 178-185.	5.3	45
33	Determinants of MSK health and disability " Social determinants of inequities in MSK health. <i>Best Practice and Research in Clinical Rheumatology</i> , 2014, 28, 411-433.	3.3	43
34	Effect of emergent carotid stenting during endovascular therapy for acute anterior circulation stroke patients with tandem occlusion: A multicenter, randomized, clinical trial (TITAN) protocol. <i>International Journal of Stroke</i> , 2021, 16, 342-348.	5.9	41
35	Diagnosis of Female Bladder Outlet Obstruction and Relevance of the Parameter Area Under the Curve of Detrusor Pressure During Voiding: Preliminary Results. <i>Journal of Urology</i> , 2002, 167, 2083-2087.	0.4	40
36	Feasibility and Domain Validation of Rheumatoid Arthritis (RA) Flare Core Domain Set: Report of the OMERACT 2014 RA Flare Group Plenary. <i>Journal of Rheumatology</i> , 2015, 42, 2185-2189.	2.0	40

#	ARTICLE	IF	CITATIONS
37	Reaching those most in need: A scoping review of interventions to improve health care quality for disadvantaged populations with osteoarthritis. <i>Arthritis Care and Research</i> , 2011, 63, 39-52.	3.4	39
38	RespOnse Shift ALgorithm in Item response theory (ROSALI) for response shift detection with missing data in longitudinal patient-reported outcome studies. <i>Quality of Life Research</i> , 2015, 24, 553-564.	3.1	37
39	Outcome After Reperfusion Therapies in Patients With Large Baseline Diffusion-Weighted Imaging Stroke Lesions. <i>Stroke</i> , 2018, 49, 750-753.	2.0	37
40	Effects of physical exercise and body weight on disease-specific outcomes of people with rheumatic and musculoskeletal diseases (RMDs): systematic reviews and meta-analyses informing the 2021 EULAR recommendations for lifestyle improvements in people with RMDs. <i>RMD Open</i> , 2022, 8, e002168.	3.8	35
41	Validation of FLARE-ERA, a Self-Administered Tool to Detect Recent or Current Rheumatoid Arthritis Flare. <i>Arthritis and Rheumatology</i> , 2017, 69, 309-319.	5.6	34
42	Mechanical thrombectomy after intravenous thrombolysis for acute ischaemic stroke – Authors' reply. <i>Lancet Neurology</i> , The, 2017, 16, 104.	10.2	32
43	Cerebral Edema in Patients With Large Hemispheric Infarct Undergoing Reperfusion Treatment: A HERMES Meta-Analysis. <i>Stroke</i> , 2021, 52, 3450-3458.	2.0	32
44	Smoking, alcohol consumption and disease-specific outcomes in rheumatic and musculoskeletal diseases (RMDs): systematic reviews informing the 2021 EULAR recommendations for lifestyle improvements in people with RMDs. <i>RMD Open</i> , 2022, 8, e002170.	3.8	32
45	Early referral to the rheumatologist for early arthritis patients: evidence for suboptimal care. Results from the ESPOIR cohort. <i>Rheumatology</i> , 2010, 49, 147-155.	1.9	31
46	Healthy Life-Year Costs of Treatment Speed From Arrival to Endovascular Thrombectomy in Patients With Ischemic Stroke. <i>JAMA Neurology</i> , 2021, 78, 709.	9.0	30
47	Measurement properties of the osteoarthritis of knee and hip quality of life OAKHQOL questionnaire: an item response theory analysis. <i>Rheumatology</i> , 2011, 50, 500-505.	1.9	29
48	Effects of diet on the outcomes of rheumatic and musculoskeletal diseases (RMDs): systematic review and meta-analyses informing the 2021 EULAR recommendations for lifestyle improvements in people with RMDs. <i>RMD Open</i> , 2022, 8, e002167.	3.8	28
49	Defining Flare in Osteoarthritis of the Hip and Knee: A Systematic Literature Review – OMERACT Virtual Special Interest Group. <i>Journal of Rheumatology</i> , 2017, 44, 1920-1927.	2.0	27
50	Prediction of Remission in a French Early Arthritis Cohort by RAPID3 and other Core Data Set Measures, but Not by the Absence of Rheumatoid Factor, Anticitrullinated Protein Antibodies, or Radiographic Erosions. <i>Journal of Rheumatology</i> , 2016, 43, 1285-1291.	2.0	26
51	Prognostic factors for joint destruction in rheumatoid arthritis: a prospective longitudinal study of 318 patients. <i>Journal of Rheumatology</i> , 2003, 30, 2585-9.	2.0	26
52	Content and Construct Validity, Reliability, and Responsiveness of the Rheumatoid Arthritis Flare Questionnaire: OMERACT 2016 Workshop Report. <i>Journal of Rheumatology</i> , 2017, 44, 1536-1543.	2.0	25
53	Uptake of the OMERACT-OARSI Hip and Knee Osteoarthritis Core Outcome Set: Review of Randomized Controlled Trials from 1997 to 2017. <i>Journal of Rheumatology</i> , 2019, 46, 976-980.	2.0	25
54	Prediction of Outcome and Endovascular Treatment Benefit: Validation and Update of the MR PREDICTS Decision Tool. <i>Stroke</i> , 2021, 52, 2764-2772.	2.0	24

#	ARTICLE	IF	CITATIONS
55	Developing a Preliminary Definition and Domains of Flare in Knee and Hip Osteoarthritis (OA): Consensus Building of the Flare-in-OA OMERACT Group. <i>Journal of Rheumatology</i> , 2019, 46, 1188-1191.	2.0	23
56	Early Acceptability of a Mobile App for Contact Tracing During the COVID-19 Pandemic in France: National Web-Based Survey. <i>JMIR MHealth and UHealth</i> , 2021, 9, e27768.	3.7	22
57	The relationship between traits optimism and anxiety and health-related quality of life in patients hospitalized for chronic diseases: data from the SATISQOL study. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 134.	2.4	21
58	Toward Ensuring Health Equity: Readability and Cultural Equivalence of OMERACT Patient-reported Outcome Measures. <i>Journal of Rheumatology</i> , 2015, 42, 2448-2459.	2.0	21
59	Functional Outcomes of Patients ≥85 Years With Acute Ischemic Stroke Following EVT: A HERMES Substudy. <i>Stroke</i> , 2022, 53, 2220-2226.	2.0	19
60	Prognostic factors of colostomy free survival in patients presenting with locally advanced anal canal carcinoma: A pooled analysis of two prospective trials (KANAL 2 and ACCORD 03). <i>Radiotherapy and Oncology</i> , 2018, 129, 463-470.	0.6	18
61	Impact of a medical interview on the decision to switch from originator infliximab to its biosimilar in patients with inflammatory bowel disease. <i>Digestive and Liver Disease</i> , 2020, 52, 281-288.	0.9	17
62	Discontinuation of disease-modifying treatments for multiple sclerosis in patients aged over 50 with disease inactivity. <i>Journal of Neurology</i> , 2020, 267, 3518-3527.	3.6	17
63	Health technology assessment: a framework. <i>RMD Open</i> , 2020, 6, e001289.	3.8	17
64	Age-period-cohort analysis of the incidence of multiple sclerosis over twenty years in Lorraine, France. <i>Scientific Reports</i> , 2022, 12, 1001.	3.3	16
65	Performance of matrices developed to identify patients with early rheumatoid arthritis with rapid radiographic progression despite methotrexate therapy: an external validation study based on the ESPOIR cohort data. <i>RMD Open</i> , 2016, 2, e000245.	3.8	15
66	Endovascular Treatment Effect Diminishes With Increasing Thrombus Perviousness: Pooled Data From 7 Trials on Acute Ischemic Stroke. <i>Stroke</i> , 2021, 52, 3633-3641.	2.0	14
67	Valuing a hypothetical cure for rheumatoid arthritis using the contingent valuation methodology: the patient perspective. <i>Journal of Rheumatology</i> , 2005, 32, 443-53.	2.0	14
68	Association between hip morphology and prevalence, clinical severity and progression of hip osteoarthritis over 3 years: The knee and hip osteoarthritis long-term assessment cohort results. <i>Joint Bone Spine</i> , 2016, 83, 432-438.	1.6	13
69	The Mini-OAKHQOL for knee and hip osteoarthritis quality of life was obtained following recent shortening guidelines. <i>Journal of Clinical Epidemiology</i> , 2016, 69, 70-78.	5.0	13
70	Phrasing of the patient global assessment in the rheumatoid arthritis ACR/EULAR remission criteria: an analysis of 967 patients from two databases of early and established rheumatoid arthritis patients. <i>Clinical Rheumatology</i> , 2018, 37, 1503-1510.	2.2	13
71	EULAR Points to Consider (PtC) for designing, analysing and reporting of studies with work participation as an outcome domain in patients with inflammatory arthritis. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1116-1123.	0.9	13
72	Endorsement of the OMERACT core domain set for shared decision making interventions in rheumatology trials: Results from a multi-stepped consensus-building approach. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 593-600.	3.4	13

#	ARTICLE	IF	CITATIONS
73	Health Equity Considerations for Developing and Reporting Patient-reported Outcomes in Clinical Trials: A Report from the OMERACT Equity Special Interest Group. <i>Journal of Rheumatology</i> , 2017, 44, 1727-1733.	2.0	12
74	OMERACT Quality-adjusted Life-years (QALY) Working Group: Do Current QALY Measures Capture What Matters to Patients?. <i>Journal of Rheumatology</i> , 2017, 44, 1899-1903.	2.0	12
75	Endorsement of the domains of knee and hip osteoarthritis (OA) flare: A report from the OMERACT 2020 inaugural virtual consensus vote from the flares in OA working group. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 618-622.	3.4	12
76	Cross-cultural and Construct Validity of the Animated Activity Questionnaire. <i>Arthritis Care and Research</i> , 2017, 69, 1349-1359.	3.4	11
77	Identifying Provisional Generic Contextual Factor Domains for Clinical Trials in Rheumatology: Results from an OMERACT Initiative. <i>Journal of Rheumatology</i> , 2019, 46, 1159-1163.	2.0	11
78	Cost assessment of health interventions and diseases. <i>RMD Open</i> , 2020, 6, e001287.	3.8	11
79	Physical activity rather than sedentary behaviour is socially determined in French adolescents with overweight and obesity. <i>Preventive Medicine</i> , 2020, 134, 106043.	3.4	11
80	Comparing the Prognostic Impact of Age and Baseline National Institutes of Health Stroke Scale in Acute Stroke due to Large Vessel Occlusion. <i>Stroke</i> , 2021, 52, 2839-2845.	2.0	11
81	Generational changes in multiple sclerosis phenotype in North African immigrants in France: A population-based observational study. <i>PLoS ONE</i> , 2018, 13, e0194115.	2.5	11
82	Cost of illness of inflammatory bowel disease patients treated with anti-tumour necrosis factor: A French large single-centre experience. <i>United European Gastroenterology Journal</i> , 2019, 7, 908-913.	3.8	10
83	Health Literacy throughout adolescence: Invariance and validity study of three measurement scales in the general population. <i>Patient Education and Counseling</i> , 2022, 105, 996-1003.	2.2	10
84	Thrombectomy With and Without Computed Tomography Perfusion Imaging in the Early Time Window: A Pooled Analysis of Patient-Level Data. <i>Stroke</i> , 2022, 53, 1348-1353.	2.0	10
85	Correlation Between Computed Tomography-Based Tissue Net Water Uptake and Volumetric Measures of Cerebral Edema After Reperfusion Therapy. <i>Stroke</i> , 2022, 53, 2628-2636.	2.0	10
86	Facilitators to implement standards of care for rheumatoid arthritis and osteoarthritis: the EUMUSC.NET project. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1545-1548.	0.9	9
87	Using the Evaluative Linguistic Framework for Questionnaires to Assess Comprehensibility of Self-Report Health Questionnaires. <i>Value in Health</i> , 2016, 19, 335-342.	0.3	9
88	An OMERACT Initiative Toward Consensus to Identify and Characterize Candidate Contextual Factors: Report from the Contextual Factors Working Group. <i>Journal of Rheumatology</i> , 2017, 44, 1734-1739.	2.0	9
89	Patient global assessment and radiographic progression in early arthritis: 3-year results from the ESPOIR cohort. <i>Arthritis Care and Research</i> , 2020, 73, 1300-1305.	3.4	9
90	Kidney function monitoring to prevent 5-aminosalicylic acid nephrotoxicity: What the gastroenterologist should know. <i>Digestive and Liver Disease</i> , 2021, 53, 691-696.	0.9	9

#	ARTICLE	IF	CITATIONS
91	Best-practice clinical management of flares in people with osteoarthritis: A scoping review of behavioral, lifestyle and adjunctive treatments. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 749-760.	3.4	9
92	Risk factors of unexplained early neurological deterioration after treatment for ischemic stroke due to large vessel occlusion: a post hoc analysis of the HERMES study. <i>Journal of NeuroInterventional Surgery</i> , 2023, 15, 221-226.	3.3	9
93	Impact of comorbidities and functional impairment on 5-year loss of health utility in patients with lower-limb osteoarthritis in the KHOALA cohort. <i>Quality of Life Research</i> , 2019, 28, 3047-3054.	3.1	8
94	The burden of osteoarthritis: self-reported severity in the KHOALA population-based cohort. <i>Rheumatology</i> , 2020, 59, 2368-2373.	1.9	8
95	Definition and construct validation of clinically relevant cutoffs on the Flare Assessment in Rheumatoid Arthritis (FLARE-RA) questionnaire. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 261-265.	3.4	7
96	Clinical imaging factors of excellent outcome after thrombolysis in large-vessel stroke: a THRACE subgroup analysis. <i>Stroke and Vascular Neurology</i> , 2021, 6, 631-639.	3.3	7
97	Clinical, biological, and molecular genetic features of Richter syndrome and prognostic significance: A study of the French Innovative Leukemia Organization. <i>American Journal of Hematology</i> , 2021, 96, E311-E314.	4.1	7
98	OMERACT consensus-based operational definition of contextual factors in rheumatology clinical trials: A mixed methods study. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 601-606.	3.4	7
99	Development of a Web-Based Formative Self-Assessment Tool for Physicians to Practice Breaking Bad News (BRADNET). <i>JMIR Medical Education</i> , 2018, 4, e17.	2.6	7
100	Development and validation of the Flare-OA questionnaire for measuring flare in knee and hip osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 689-696.	1.3	7
101	Including Health Equity Considerations in Development of Instruments for Rheumatology Research: An Introduction to a Novel OMERACT Paradigm. <i>Journal of Rheumatology</i> , 2014, 41, 150-152.	2.0	6
102	Osteoarthritis Flares. <i>Clinics in Geriatric Medicine</i> , 2022, 38, 239-257.	2.6	6
103	Prevalence of spondyloarthritis and its subtypes - are they really comparable?. <i>Srpski Arhiv Za Celokupno Lekarstvo</i> , 2019, 147, 235-242.	0.2	5
104	Evaluation of osteoarthritis knee and hip quality of life (OAKHQoL): adaptation and validation of the questionnaire in the Hungarian population. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2020, 12, 1759720X2095957.	2.7	5
105	Steps in implementing a health economic evaluation. <i>RMD Open</i> , 2020, 6, e001288.	3.8	5
106	Nephrectomy Complication Is a Risk Factor of Clinically Meaningful Decrease in Health Utility among Living Kidney Donors. <i>Value in Health</i> , 2017, 20, 1376-1382.	0.3	4
107	Impact of smoking on femorotibial and hip osteoarthritis progression: 3-year follow-up data from the KHOALA cohort. <i>Joint Bone Spine</i> , 2021, 88, 105077.	1.6	4
108	Lack of Monitoring Is Associated with Risk of Acute Kidney Events among Patients with Inflammatory Bowel Disease. <i>Journal of Clinical Medicine</i> , 2022, 11, 2954.	2.4	4

#	ARTICLE	IF	CITATIONS
109	Treatment of active rheumatoid arthritis: comparison of patients younger vs older than 75 years (CORPUS cohort). <i>Human Vaccines and Immunotherapeutics</i> , 2018, 14, 1-6.	3.3	3
110	Flare-IBD: development and validation of a questionnaire based on patients'™ messages on an internet forum for early detection of flare in inflammatory bowel disease: study protocol. <i>BMJ Open</i> , 2020, 10, e037211.	1.9	3
111	Translation and cross-cultural adaptation into Italian of the self-administered FLARE-RA questionnaire for rheumatoid arthritis. <i>Reumatismo</i> , 2020, 72, 21-30.	0.9	3
112	Association of Baseline Cardiovascular Diseases with 5-Year Knee and Hip Osteoarthritis Progression in Non-Obese Patients: Data from the KHOALA Cohort. <i>Journal of Clinical Medicine</i> , 2021, 10, 3353.	2.4	3
113	French nurses'™ and allied health professionals'™ perception of research in their fields: A descriptive qualitative study. <i>International Nursing Review</i> , 2022, 69, 58-68.	3.3	3
114	Impact of Pretreatment Ischemic Location on Functional Outcome after Thrombectomy. <i>Diagnostics</i> , 2021, 11, 2038.	2.6	3
115	Knowledge of 5-aminosalicylic acid nephrotoxicity and adherence to kidney function monitoring of patients with inflammatory bowel disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2021, 33, 1148-1152.	1.6	3
116	High performance of cerebrospinal fluid immunoglobulin G analysis for diagnosis of multiple sclerosis. <i>Journal of Neurology</i> , 2019, 266, 902-909.	3.6	2
117	Therapeutic alliance is associated to treatment adherence in children with juvenile idiopathic arthritis. <i>Joint Bone Spine</i> , 2021, 88, 105151.	1.6	2
118	Web-based and machine learning approaches for identification of patient-reported outcomes in inflammatory bowel disease. <i>Digestive and Liver Disease</i> , 2022, 54, 483-489.	0.9	2
119	Trajectories in early rheumatoid arthritis related fatigue over 10 years: results from the ESPOIR cohort. <i>Clinical and Experimental Rheumatology</i> , 0, , .	0.8	2
120	Can the e-OAKHQOL be an alternative to measure health-related quality of life in knee osteoarthritis?. <i>Quality of Life Research</i> , 2018, 27, 2731-2743.	3.1	1
121	Patient engagement in health technology assessment (HTA) and the regulatory process: what about rheumatology?. <i>RMD Open</i> , 2020, 6, .	3.8	1
122	Évolution récente de l'épidémiologie des maladies rhumatismales. <i>Revue Du Rhumatisme (Edition) Tj ETQq0 0 0 rgBT /Ove</i>	0.0	0
123	Response by Oppenheim et al to Letter Regarding Article, "Outcome After Reperfusion Therapies in Patients With Large Baseline Diffusion-Weighted Imaging Stroke Lesions: A THRACE Trial (Mechanical) Tj ETQq1 1 0.784314 rgBT /Ove <i>Stroke</i> . 2018. 49. e229-e230.	2.0	0
124	Cell phone use among adolescents attempting suicide and its relationship to quality of life and social support. <i>Vulnerable Children and Youth Studies</i> , 2022, 17, 27-37.	1.1	0
125	Characteristics of patients with knee and/or hip osteoarthritis undergoing spa treatment: the prospective KHOALA cohort study. <i>International Journal of Biometeorology</i> , 2022, 66, 573-590.	3.0	0
126	Rheumatoid arthritis and spondyloarthritis prevalence in four European countries - a comparative study. <i>Srpski Arhiv Za Celokupno Lekarstvo</i> , 2022, 150, 421-427.	0.2	0