

Pere Toran

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7116708/publications.pdf>

Version: 2024-02-01

107
papers

3,151
citations

201385

27
h-index

182168

51
g-index

138
all docs

138
docs citations

138
times ranked

5013
citing authors

#	ARTICLE	IF	CITATIONS
1	Roles of the physical environment in health-related quality of life in patients with chronic obstructive pulmonary disease. <i>Environmental Research</i> , 2022, 203, 111828.	3.7	8
2	Influenza and Pertussis Maternal Vaccination Coverage and Influencing Factors in Spain: A Study Based on Primary Care Records Registry. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4391.	1.2	8
3	Molecular and Brain Volume Changes Following Aerobic Exercise, Cognitive and Combined Training in Physically Inactive Healthy Late-Middle-Aged Adults: The Projecte Moviment Randomized Controlled Trial. <i>Frontiers in Human Neuroscience</i> , 2022, 16, 854175.	1.0	8
4	Intra-rater reliability and feasibility of the HexCom advanced disease complexity assessment model. <i>Atencion Primaria</i> , 2022, 54, 102343.	0.6	4
5	Supervised physical activity in patients with symptomatic peripheral arterial disease: protocol for a randomized clinical trial (ARTPERfit Study). <i>BMJ Open</i> , 2022, 12, e054352.	0.8	0
6	Neurocognitive Profile of the Post-COVID Condition in Adults in Cataloniaâ€”A Mixed Method Prospective Cohort and Nested Caseâ€”Control Study: Study Protocol. <i>Vaccines</i> , 2022, 10, 849.	2.1	1
7	Sex-Specific Protective Effects of APOE ϵ 2 on Cognitive Performance. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 41-49.	1.7	9
8	Patterns of Physical Activity Progression in Patients With COPD. <i>Archivos De Bronconeumologia</i> , 2021, 57, 214-223.	0.4	9
9	Assessing Face Validity of the HexCom Model for Capturing Complexity in Clinical Practice: A Delphi Study. <i>Healthcare (Switzerland)</i> , 2021, 9, 165.	1.0	6
10	Risk of Liver Fibrosis According to TSH Levels in Euthyroid Subjects. <i>Journal of Clinical Medicine</i> , 2021, 10, 1350.	1.0	4
11	Interaction between metabolic syndrome and alcohol consumption, risk factors of liver fibrosis: A populationâ€”based study. <i>Liver International</i> , 2021, 41, 1556-1564.	1.9	16
12	Patterns of Physical Activity Progression in Patients With COPD. <i>Archivos De Bronconeumologia</i> , 2021, 57, 214-223.	0.4	1
13	Intercultural Communication between Long-Stay Immigrants and Catalan Primary Care Nurses: A Qualitative Approach to Rebalancing Power. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2851.	1.2	5
14	Exercise and Fitness Neuroprotective Effects: Molecular, Brain Volume and Psychological Correlates and Their Mediating Role in Healthy Late-Middle-Aged Women and Men. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 615247.	1.7	14
15	Primary Care Records of Chronic-Disease Patient Adherence to Treatment. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3710.	1.2	3
16	Atherogenic dyslipidemia, but not hyperglycemia, is an independent factor associated with liver fibrosis in subjects with type 2 diabetes and NAFLD: a population-based study. <i>European Journal of Endocrinology</i> , 2021, 184, 587-596.	1.9	12
17	Determinants of the Consumption of Regular Soda, Sport, and Energy Beverages in Spanish Adolescents. <i>Nutrients</i> , 2021, 13, 1858.	1.7	2
18	Relationship between Retinal Microvasculature, Cardiovascular Risk and Silent Brain Infarction in Hypertensive Patients. <i>Diagnostics</i> , 2021, 11, 937.	1.3	4

#	ARTICLE	IF	CITATIONS
19	Cost-utility analysis of a consensus and evidence-based medication review to optimize and potentially reduce psychotropic drug prescription in institutionalized dementia patients. <i>BMC Geriatrics</i> , 2021, 21, 327.	1.1	3
20	TSH Levels as an Independent Risk Factor for NAFLD and Liver Fibrosis in the General Population. <i>Journal of Clinical Medicine</i> , 2021, 10, 2907.	1.0	12
21	Low Levels of Few Micronutrients May Impact COVID-19 Disease Progression: An Observational Study on the First Wave. <i>Metabolites</i> , 2021, 11, 565.	1.3	25
22	Impact of the COVID-19 Pandemic on Burnout in Primary Care Physicians in Catalonia. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9031.	1.2	26
23	Sex Matters in the Association between Physical Activity and Fitness with Cognition. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 1252-1259.	0.2	4
24	Early detection of anaemia in primary care with haemoglobinometry: ANHEMOG clinical trial protocol. <i>BMC Family Practice</i> , 2021, 22, 199.	2.9	0
25	Gender and Observed Complexity in Palliative Home Care: A Prospective Multicentre Study Using the HexCom Model. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12307.	1.2	2
26	Evaluaci3n de un circuito de apoyo a profesionales sanitarios confinados por COVID-19. <i>Revista De Saude Publica</i> , 2021, 55, 108.	0.7	0
27	Relaci3n entre el hipotiroidismo y el h3gado graso no alcoh3lico en una poblaci3n espa3ola. <i>Medicina Cl3nica</i> , 2020, 154, 1-6.	0.3	13
28	Relationship between hypothyroidism and non-alcoholic fatty liver disease in the Spanish population. <i>Medicina Cl3nica (English Edition)</i> , 2020, 154, 1-6.	0.1	9
29	Impact of Dietary Habit, Iodine Supplementation and Smoking Habit on Urinary Iodine Concentration During Pregnancy in a Catalonia Population. <i>Nutrients</i> , 2020, 12, 2656.	1.7	5
30	Psychological Distress and Somatization in Immigrants in Primary Health Care Practices. <i>Healthcare (Switzerland)</i> , 2020, 8, 557.	1.0	4
31	Long-Term Morbidity and Mortality after First and Recurrent Cardiovascular Events in the ARTPER Cohort. <i>Journal of Clinical Medicine</i> , 2020, 9, 4064.	1.0	4
32	Consumption of soft, sports, and energy drinks in adolescents. The BEENIS study. <i>Anales De Pediatr3a (English Edition)</i> , 2020, 93, 242-250.	0.1	1
33	Effects of Aerobic Exercise, Cognitive and Combined Training on Cognition in Physically Inactive Healthy Late-Middle-Aged Adults: The Projecte Moviment Randomized Controlled Trial. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 590168.	1.7	9
34	Lung Ultrasound for Heart Failure Diagnosis in Primary Care. <i>Journal of Cardiac Failure</i> , 2020, 26, 824-831.	0.7	13
35	Efficiency as a determinant of loyalty among users of a Community of Clinical Practice: a comparative study between the implementation and consolidation phases. <i>BMC Family Practice</i> , 2020, 21, 15.	2.9	3
36	<p>Describing Complexity in Palliative Home Care Through HexCom: A Cross-Sectional, Multicenter Study</p>. <i>Journal of Multidisciplinary Healthcare</i> , 2020, Volume 13, 297-308.	1.1	13

#	ARTICLE	IF	CITATIONS
37	Effects and Mechanisms of Cognitive, Aerobic Exercise, and Combined Training on Cognition, Health, and Brain Outcomes in Physically Inactive Older Adults: The Projecte Moviment Protocol. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 216.	1.7	23
38	Transient elastography for screening of liver fibrosis: Cost-effectiveness analysis from six prospective cohorts in Europe and Asia. <i>Journal of Hepatology</i> , 2019, 71, 1141-1151.	1.8	104
39	Prevalence of Early Chronic Kidney Disease and Main Associated Factors in Spanish Population: Populational Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1384.	1.0	3
40	Consensus and evidence-based medication review to optimize and potentially reduce psychotropic drug prescription in institutionalized dementia patients. <i>BMC Geriatrics</i> , 2019, 19, 7.	1.1	21
41	Low, borderline and normal ankle-brachial index as a predictor of incidents outcomes in the Mediterranean based-population ARTPER cohort after 9 years follow-up. <i>PLoS ONE</i> , 2019, 14, e0209163.	1.1	6
42	The Barcelona-Asymptomatic Intracranial Atherosclerosis study: Subclinical intracranial atherosclerosis as predictor of long-term vascular events. <i>Atherosclerosis</i> , 2019, 282, 132-136.	0.4	29
43	Controlled trial of balance training using a video game console in community-dwelling older adults. <i>Age and Ageing</i> , 2019, 48, 506-512.	0.7	17
44	A retrospective and prospective 12-month observational study of the socioeconomic burden of moderate to severe irritable bowel syndrome with constipation in Spain. <i>Gastroenterología Y Hepatología</i> , 2019, 42, 141-149.	0.2	6
45	High Prevalence of Liver Fibrosis Among European Adults With Unknown Liver Disease: A Population-Based Study. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 1138-1145.e5.	2.4	180
46	Marcadores de fibrosis hepática. <i>Medicina Clínica</i> , 2018, 150, 310-316.	0.3	12
47	Risk profiles and one-year outcomes of patients with newly diagnosed atrial fibrillation in India: Insights from the GARFIELD-AF Registry. <i>Indian Heart Journal</i> , 2018, 70, 828-835.	0.2	16
48	Long-term efficacy and effectiveness of a behavioural and community-based exercise intervention (Urban Training) to increase physical activity in patients with COPD: a randomised controlled trial. <i>European Respiratory Journal</i> , 2018, 52, 1800063.	3.1	79
49	Contribution of the ankle-brachial index to improve the prediction of coronary risk: The ARTPER cohort. <i>PLoS ONE</i> , 2018, 13, e0191283.	1.1	16
50	Cobertura vacunal frente a tos ferina en gestantes de Cataluña en el primer año de implantación del programa de inmunización. <i>Enfermedades Infecciosas Y Microbiología Clínica</i> , 2017, 35, 550-555.	0.3	6
51	Iodine nutritional status of women in their first trimester of pregnancy in Catalonia. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 249.	0.9	19
52	Impact of comorbid conditions on participation in an organised colorectal cancer screening programme: a cross-sectional study. <i>BMC Cancer</i> , 2017, 17, 524.	1.1	28
53	Study protocol of a randomized clinical trial evaluating the effectiveness of a primary care intervention using the Nintendo® Wii console to improve balance and decrease falls in the elderly. <i>BMC Geriatrics</i> , 2016, 16, 8.	1.1	12
54	Acceptability and quality of abdominal ultrasound studies requested by medical professionals. <i>Gastroenterología Y Hepatología (English Edition)</i> , 2016, 39, 516-525.	0.0	1

#	ARTICLE	IF	CITATIONS
55	Medición semiautomática de la relación arteriovenosa retiniana como posible marcador de riesgo de infarto cerebral silente en pacientes hipertensos. Archivos De La Sociedad Espanola De Oftalmologia, 2016, 91, 513-519.	0.1	3
56	The problematic use of Information and Communication Technologies (ICT) in adolescents by the cross sectional JOITIC study. BMC Pediatrics, 2016, 16, 140.	0.7	53
57	Alerts in electronic medical records to promote a colorectal cancer screening programme: a cluster randomised controlled trial in primary care. British Journal of General Practice, 2016, 66, e483-e490.	0.7	30
58	External validation of multidimensional prognostic indices (ADO, BODEx and DOSE) in a primary care international cohort (PROEPOC/COPD cohort). BMC Pulmonary Medicine, 2016, 16, 143.	0.8	5
59	Serum levels of immunoglobulins and severity of community-acquired pneumonia. BMJ Open Respiratory Research, 2016, 3, e000152.	1.2	29
60	Incidence of peripheral arterial disease in the ARTPER population cohort after 5 years of follow-up. BMC Cardiovascular Disorders, 2016, 16, 8.	0.7	18
61	Understanding the discriminant factors that influence the adoption and use of clinical communities of practice: the ECOPIH case. BMC Health Services Research, 2015, 15, 373.	0.9	12
62	Prevalence of Work-Related Asthma in Primary Health Care: Study Rationale and Design. Open Respiratory Medicine Journal, 2015, 9, 127-139.	1.3	2
63	Skills in clinical communication: Are we correctly assessing them at undergraduate level?. Journal of Technology and Science Education, 2014, 4, .	0.5	1
64	Tract-Specific Fractional Anisotropy Predicts Cognitive Outcome in a Community Sample of Middle-Aged Participants with White Matter Lesions. Journal of Cerebral Blood Flow and Metabolism, 2014, 34, 861-869.	2.4	16
65	Learning Clinical Communication. Procedia, Social and Behavioral Sciences, 2014, 141, 85-89.	0.5	1
66	Ankle-brachial index in screening for asymptomatic carotid and intracranial atherosclerosis. Atherosclerosis, 2014, 233, 72-75.	0.4	25
67	Thalamic diffusion differences related to cognitive function in white matter lesions. Neurobiology of Aging, 2014, 35, 1103-1110.	1.5	5
68	Analysis of three strategies to increase screening coverage for cervical cancer in the general population of women aged 60 to 70 years: the CRICERVA study. BMC Women's Health, 2014, 14, 86.	0.8	15
69	Can an alert in primary care electronic medical records increase participation in a population-based screening programme for colorectal cancer? COLO-ALERT, a randomised clinical trial. BMC Cancer, 2014, 14, 232.	1.1	5
70	Diffusion Tensor Imaging, Intracranial Vascular Resistance and Cognition in Middle-Aged Asymptomatic Subjects. Cerebrovascular Diseases, 2014, 38, 24-30.	0.8	12
71	El Cuestionario de Experiencias Relacionadas con los Videojuegos (CERV): Un instrumento para detectar el uso problemático de videojuegos en adolescentes españoles. Revista De Psicología De La Salud, 2014, 26, 303.	0.2	45
72	Measurement of the ankle brachial index with a non-mercury sphygmomanometer in diabetic patients: a concordance study. BMC Cardiovascular Disorders, 2013, 13, 15.	0.7	4

#	ARTICLE	IF	CITATIONS
73	Rationale, design and organization of the delayed antibiotic prescription (DAP) trial: a randomized controlled trial of the efficacy and safety of delayed antibiotic prescribing strategies in the non-complicated acute respiratory tract infections in general practice. <i>BMC Family Practice</i> , 2013, 14, 63.	2.9	11
74	Impact of the implementation of an online network support tool among clinicians of Primary Health Care and Specialists: ECOPIH Project. <i>BMC Family Practice</i> , 2013, 14, 146.	2.9	6
75	Level of distress, somatisation and beliefs on health-disease in newly arrived immigrant patients attended in primary care centres in Catalonia and definition of professional competences for their most effective management: PROMISE Project. <i>BMC Family Practice</i> , 2013, 14, 54.	2.9	4
76	Ankle-brachial index and the incidence of cardiovascular events in the Mediterranean low cardiovascular risk population ARTPER cohort. <i>BMC Cardiovascular Disorders</i> , 2013, 13, 119.	0.7	40
77	Cognitive Patterns in Relation to Biomarkers of Cerebrovascular Disease and Vascular Risk Factors. <i>Cerebrovascular Diseases</i> , 2013, 36, 98-105.	0.8	38
78	Towards a Tool for Automatic Retinal Vessel Quantification in Early Detection of Silent Brain Infarction. , 2013, , .		0
79	Using Transient Elastography to Detect Chronic Liver Diseases in a Primary Care Nurse Consultancy. <i>Nursing Research</i> , 2013, 62, 450-454.	0.8	21
80	Differential clinical characteristics and prognosis of intraventricular conduction defects in patients with chronic heart failure. <i>European Journal of Heart Failure</i> , 2013, 15, 877-884.	2.9	27
81	Deep <i>versus</i> Periventricular White Matter Lesions and Cognitive Function in a Community Sample of Middle-Aged Participants. <i>Journal of the International Neuropsychological Society</i> , 2012, 18, 874-885.	1.2	47
82	Metabolic syndrome and nonalcoholic fatty liver disease in a Spanish population. <i>European Journal of Gastroenterology and Hepatology</i> , 2012, 24, 1007-1011.	0.8	24
83	The Barcelona-Asymptomatic Intracranial Atherosclerosis (AsIA) study: Prevalence and risk factors. <i>Atherosclerosis</i> , 2012, 221, 221-225.	0.4	79
84	FRAX® tool, the WHO algorithm to predict osteoporotic fractures: the first analysis of its discriminative and predictive ability in the Spanish FRIDEX cohort. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 204.	0.8	71
85	Prediction of absolute risk of fragility fracture at 10 years in a Spanish population: validation of the WHO FRAX ®,€ tool in Spain. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 30.	0.8	41
86	El Índice tobillo-brazo mejora la clasificaci3n del riesgo cardiovascular: estudio ARTPER/PERART. <i>Revista Espanola De Cardiologia</i> , 2011, 64, 186-192.	0.6	26
87	Ankle-Brachial Index Improves the Classification of Cardiovascular Risk: PERART/ARTPER Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 186-192.	0.4	14
88	Risk Factor Treatment and Control in Relation to Coronary Disease Risk in the Spanish Population of the DARIOS Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 766-773.	0.4	10
89	Effectiveness of regular reporting of spirometric results combined with a smoking cessation advice by a primary care physician on smoking quit rate in adult smokers: a randomized controlled trial. <i>ESPIROTAB study. BMC Family Practice</i> , 2011, 12, 61.	2.9	11
90	The population-based Barcelona-Asymptomatic Intracranial Atherosclerosis Study (ASIA): rationale and design. <i>BMC Neurology</i> , 2011, 11, 22.	0.8	28

#	ARTICLE	IF	CITATIONS
91	Nutritional status of iodine in pregnant women in Catalonia (Spain): study on hygiene-dietetic habits and iodine in urine. <i>BMC Pregnancy and Childbirth</i> , 2011, 11, 17.	0.9	8
92	Economic evaluation of three populational screening strategies for cervical cancer in the county of Valles Occidental: CRICERVA clinical trial. <i>BMC Health Services Research</i> , 2011, 11, 278.	0.9	8
93	Prevalence and factors associated with the presence of nonalcoholic fatty liver disease in an adult population in Spain. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 24-32.	0.8	196
94	Factores de riesgo vascular y rendimiento cognitivo en personas de 50 a 65 años. <i>Neurología</i> , 2010, 25, 422-429.	0.3	10
95	Female Genital Mutilation: perceptions of healthcare professionals and the perspective of the migrant families. <i>BMC Public Health</i> , 2010, 10, 193.	1.2	21
96	The Peripheral Arterial disease study (PERART/ARTPER): prevalence and risk factors in the general population. <i>BMC Public Health</i> , 2010, 10, 38.	1.2	161
97	Adequacy and quality of abdominal echographies requested by primary care professionals. <i>BMC Gastroenterology</i> , 2010, 10, 101.	0.8	5
98	Inhaled drugs as risk factors for community-acquired pneumonia. <i>European Respiratory Journal</i> , 2010, 36, 1080-1087.	3.1	39
99	Asymptomatic Peripheral Arterial Disease in Type 2 Diabetes Patients: A 10-Year Follow-Up Study of the Utility of the Ankle Brachial Index as a Prognostic Marker of Cardiovascular Disease. <i>Annals of Vascular Surgery</i> , 2010, 24, 985-993.	0.4	53
100	Incidence and risk factors of exacerbations among COPD patients in primary health care: APMPOC study. <i>BMC Public Health</i> , 2009, 9, 8.	1.2	14
101	Perception of primary health professionals about Female Genital Mutilation: from healthcare to intercultural competence. <i>BMC Health Services Research</i> , 2009, 9, 11.	0.9	59
102	Risk factors associated with non-alcoholic fatty liver disease in subjects from primary care units. A case-control study. <i>BMC Gastroenterology</i> , 2008, 8, 44.	0.8	17
103	New evidence of risk factors for community-acquired pneumonia: a population-based study. <i>European Respiratory Journal</i> , 2008, 31, 1274-1284.	3.1	299
104	Prevalence and factors associated with the presence of non alcoholic fatty liver disease in an apparently healthy adult population in primary care units. <i>BMC Gastroenterology</i> , 2007, 7, 41.	0.8	35
105	Peripheral Arterial Disease Study (PERART): Prevalence and predictive values of asymptomatic peripheral arterial occlusive disease related to cardiovascular morbidity and mortality. <i>BMC Public Health</i> , 2007, 7, 348.	1.2	41
106	Contribution of C-Reactive Protein to the Diagnosis and Assessment of Severity of Community-Acquired Pneumonia. <i>Chest</i> , 2004, 125, 1335-1342.	0.4	220
107	A population-based study of the costs of care for community-acquired pneumonia. <i>European Respiratory Journal</i> , 2004, 23, 610-616.	3.1	71