

Malgorzata Lipinska-Gediga

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7117221/publications.pdf>

Version: 2024-02-01

19
papers

486
citations

840776

11
h-index

888059

17
g-index

20
all docs

20
docs citations

20
times ranked

700
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Frailty is associated with long-term outcome in patients with sepsis who are over 80 years old: results from an observational study in 241 European ICUs. <i>Age and Ageing</i> , 2021, 50, 1719-1727. | 1.6 | 20 |
| 2 | Influenza in patients with respiratory failure admitted to intensive care units in Poland and the use of extracorporeal respiratory support: a survey-based multicenter study. <i>BMC Infectious Diseases</i> , 2021, 21, 954. | 2.9 | 1 |
| 3 | Management and outcomes in critically ill nonagenarian versus octogenarian patients. <i>BMC Geriatrics</i> , 2021, 21, 576. | 2.7 | 7 |
| 4 | An analysis of urine and serum amino acids in critically ill patients upon admission by means of targeted LC-MS/MS: a preliminary study. <i>Scientific Reports</i> , 2021, 11, 19977. | 3.3 | 2 |
| 5 | The contribution of frailty, cognition, activity of daily life and comorbidities on outcome in acutely admitted patients over 80 years in European ICUs: the VIP2 study. <i>Intensive Care Medicine</i> , 2020, 46, 57-69. | 8.2 | 230 |
| 6 | Altered profiles of serum amino acids in patients with sepsis and septic shock – Preliminary findings. <i>Archives of Biochemistry and Biophysics</i> , 2020, 691, 108508. | 3.0 | 16 |
| 7 | Sepsis diagnosis and monitoring – procalcitonin as standard, but what next?. <i>Anaesthesiology Intensive Therapy</i> , 2019, 51, 299-305. | 1.0 | 29 |
| 8 | Interleukin-18 serum levels in sepsis: Correlation with disease severity and inflammatory markers. <i>Cytokine</i> , 2019, 120, 22-27. | 3.2 | 22 |
| 9 | Results of Kidney Transplant From Donors With Sepsis-Induced Acute Kidney Injury. <i>Transplantation</i> , 2017, 101, S63. | 1.0 | 0 |
| 10 | Neutrophils, NETs, NETosis – old or new factors in sepsis and septic shock?. <i>Anaesthesiology Intensive Therapy</i> , 2017, 49, 235-240. | 1.0 | 22 |
| 11 | Platelets in sepsis – are there any new aspects?. <i>Anaesthesiology Intensive Therapy</i> , 2017, 49, 167-172. | 1.0 | 4 |
| 12 | Procalcitonin kinetics – prognostic and diagnostic significance in septic patients. <i>Archives of Medical Science</i> , 2016, 1, 112-119. | 0.9 | 22 |
| 13 | Sepsis and septic shock – is a microcirculation a main player?. <i>Anaesthesiology Intensive Therapy</i> , 2016, 48, 261-265. | 1.0 | 35 |
| 14 | Coagulopathy in sepsis – a new look at an old problem. <i>Anaesthesiology Intensive Therapy</i> , 2016, 48, 352-359. | 1.0 | 17 |
| 15 | Pro-atrial natriuretic peptide (pro-ANP) level in patients with severe sepsis and septic shock: prognostic and diagnostic significance. <i>Infection</i> , 2012, 40, 303-309. | 4.7 | 31 |
| 16 | End-of-life attitudes of intensive care physicians in Poland: results of a national survey. <i>Intensive Care Medicine</i> , 2011, 37, 1290-1296. | 8.2 | 18 |
| 17 | Recommendations for the Management of Trauma or Surgery-Related Massive Blood Loss. <i>Polski Przegląd Chirurgiczny</i> , 2011, 83, 465-76. | 0.4 | 2 |
| 18 | Attitudes to Brain Death and Organ Procurement Among University Students and Critical Care Physicians in Poland. <i>Transplantation Proceedings</i> , 2009, 41, 1473-1476. | 0.6 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | PÅ,Ã³d jako pacjent " wczoraj, dziÅ i jutro. <i>Pediatrica Polska</i> , 2008, 83, 763-768. | 0.2 | 0 |