

Cristina A Ghiani

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7117629/cristina-a-ghiani-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90
papers

4,645
citations

36
h-index

67
g-index

95
ext. papers

5,133
ext. citations

7
avg. IF

5.61
L-index

#	Paper	IF	Citations
90	Circadian and ultradian rhythms in normal mice and in a mouse model of Huntington's disease.. <i>Chronobiology International</i> , 2022 , 1-12	3.6	1
89	Sex-dimorphic effects of biogenesis of lysosome-related organelles complex-1 deficiency on mouse perinatal brain development. <i>Journal of Neuroscience Research</i> , 2021 , 99, 67-89	4.4	
88	Defining circadian disruption in neurodegenerative disorders. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	6
87	Targeted Genetic Reduction of Mutant Huntingtin Lessens Cardiac Pathology in the BACHD Mouse Model of Huntington's Disease.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 810810	5.4	0
86	Melatonin treatment of repetitive behavioral deficits in the Cntnap2 mouse model of autism spectrum disorder. <i>Neurobiology of Disease</i> , 2020 , 145, 105064	7.5	3
85	Potential Circadian Rhythms in Oligodendrocytes? Working Together Through Time. <i>Neurochemical Research</i> , 2020 , 45, 591-605	4.6	10
84	Quantitative assessments reveal improved neuroscience engagement and learning through outreach. <i>Journal of Neuroscience Research</i> , 2019 , 97, 1153-1162	4.4	4
83	Circadian dysfunction in the Q175 model of Huntington's disease: Network analysis. <i>Journal of Neuroscience Research</i> , 2019 , 97, 1606-1623	4.4	5
82	Do Disruptions in the Circadian Timing System Contribute to Autonomic Dysfunction in Huntington's Disease?. <i>Yale Journal of Biology and Medicine</i> , 2019 , 92, 291-303	2.4	3
81	Circadian-based Treatment Strategy Effective in the BACHD Mouse Model of Huntington's Disease. <i>Journal of Biological Rhythms</i> , 2018 , 33, 535-554	3.2	18
80	Time-Restricted Feeding Improves Circadian Dysfunction as well as Motor Symptoms in the Q175 Mouse Model of Huntington's Disease. <i>ENeuro</i> , 2018 , 5,	3.9	42
79	Temporal Coding of Sleep. <i>Cell</i> , 2018 , 175, 1177-1179	56.2	
78	Sleep/Wake Disruption in a Mouse Model of BLOC-1 Deficiency. <i>Frontiers in Neuroscience</i> , 2018 , 12, 759	5.1	6
77	Pathophysiology in the suprachiasmatic nucleus in mouse models of Huntington's disease. <i>Journal of Neuroscience Research</i> , 2018 , 96, 1862-1875	4.4	12
76	Cellular and molecular mechanisms of neurodevelopmental disorders. <i>Journal of Neuroscience Research</i> , 2017 , 95, 1093-1096	4.4	7
75	Membrane Currents, Gene Expression, and Circadian Clocks. <i>Cold Spring Harbor Perspectives in Biology</i> , 2017 , 9,	10.2	36
74	Blue light therapy improves circadian dysfunction as well as motor symptoms in two mouse models of Huntington's disease. <i>Neurobiology of Sleep and Circadian Rhythms</i> , 2017 , 2, 39-52	2.9	19

73	Possible use of a H3R antagonist for the management of nonmotor symptoms in the Q175 mouse model of Huntington's disease. <i>Pharmacology Research and Perspectives</i> , 2017 , 5, e00344	3.1	15
72	BLOC-1 deficiency causes alterations in amino acid profile and in phospholipid and adenosine metabolism in the postnatal mouse hippocampus. <i>Scientific Reports</i> , 2017 , 7, 5231	4.9	4
71	Neurocardiovascular deficits in the Q175 mouse model of Huntington's disease. <i>Physiological Reports</i> , 2017 , 5, e13289	2.6	17
70	Sex Differences in Circadian Dysfunction in the BACHD Mouse Model of Huntington's Disease. <i>PLoS ONE</i> , 2016 , 11, e0147583	3.7	24
69	Cardiac Dysfunction in the BACHD Mouse Model of Huntington's Disease. <i>PLoS ONE</i> , 2016 , 11, e0147269	3.7	25
68	Reductions in synaptic proteins and selective alteration of prepulse inhibition in male C57BL/6 mice after postnatal administration of a VIP receptor (VIPR2) agonist. <i>Psychopharmacology</i> , 2015 , 232, 2181-94	4.7	17
67	Circadian rhythm disruption in a mouse model of Rett syndrome circadian disruption in RTT. <i>Neurobiology of Disease</i> , 2015 , 77, 155-64	7.5	26
66	Histamine resets the circadian clock in the suprachiasmatic nucleus through the H1R-CaV 1.3-RyR pathway in the mouse. <i>European Journal of Neuroscience</i> , 2015 , 42, 2467-77	3.5	17
65	Age-Related Changes in the Circadian System Unmasked by Constant Conditions. <i>ENeuro</i> , 2015 , 2,	3.9	61
64	Misaligned feeding impairs memories. <i>ELife</i> , 2015 , 4,	8.9	32
63	How to fix a broken clock. <i>Trends in Pharmacological Sciences</i> , 2013 , 34, 605-19	13.2	143
62	Vasoactive intestinal peptide produces long-lasting changes in neural activity in the suprachiasmatic nucleus. <i>Journal of Neurophysiology</i> , 2013 , 110, 1097-106	3.2	38
61	Gonadal- and sex-chromosome-dependent sex differences in the circadian system. <i>Endocrinology</i> , 2013 , 154, 1501-12	4.8	79
60	The Q175 mouse model of Huntington's disease shows gene dosage- and age-related decline in circadian rhythms of activity and sleep. <i>PLoS ONE</i> , 2013 , 8, e69993	3.7	62
59	STAT3-mediated astrogliosis protects myelin development in neonatal brain injury. <i>Annals of Neurology</i> , 2012 , 72, 750-65	9.4	63
58	Golli myelin basic proteins stimulate oligodendrocyte progenitor cell proliferation and differentiation in remyelinating adult mouse brain. <i>Glia</i> , 2012 , 60, 1078-93	9	23
57	Decreased reelin expression and organophosphate pesticide exposure alters mouse behaviour and brain morphology. <i>ASN Neuro</i> , 2012 , 5, e00106	5.3	30
56	Project brainstorm: using neuroscience to connect college students with local schools. <i>PLoS Biology</i> , 2012 , 10, e1001310	9.7	9

55	Sleep and circadian dysfunction in neurodegenerative disorders: insights from a mouse model of Huntington's disease. <i>Minerva Pneumologica</i> , 2012 , 51, 93-106	0.8	14
54	Linking neural activity and molecular oscillations in the SCN. <i>Nature Reviews Neuroscience</i> , 2011 , 12, 553-595	3.9	309
53	Dysfunctions in circadian behavior and physiology in mouse models of Huntington's disease. <i>Experimental Neurology</i> , 2011 , 228, 80-90	5.7	122
52	Early effects of lipopolysaccharide-induced inflammation on foetal brain development in rat. <i>ASN Neuro</i> , 2011 , 3,	5.3	39
51	Effects of vasoactive intestinal peptide genotype on circadian gene expression in the suprachiasmatic nucleus and peripheral organs. <i>Journal of Biological Rhythms</i> , 2011 , 26, 200-9	3.2	38
50	Dysbindin-containing complexes and their proposed functions in brain: from zero to (too) many in a decade. <i>ASN Neuro</i> , 2011 , 3,	5.3	50
49	Fast delayed rectifier potassium current: critical for input and output of the circadian system. <i>Journal of Neuroscience</i> , 2011 , 31, 2746-55	6.6	44
48	Age-related decline in circadian output. <i>Journal of Neuroscience</i> , 2011 , 31, 10201-5	6.6	248
47	Baroreceptor reflex dysfunction in the BACHD mouse model of Huntington's disease. <i>PLOS Currents</i> , 2011 , 3, RRN1266		26
46	Neurite outgrowth defects in hippocampal neurons from mice lacking biogenesis of lysosome-related organelles complex-1 (BLOC-1). <i>Molecular Psychiatry</i> , 2010 , 15, 115-115	15.1	22
45	The dysbindin-containing complex (BLOC-1) in brain: developmental regulation, interaction with SNARE proteins and role in neurite outgrowth. <i>Molecular Psychiatry</i> , 2010 , 15, 115, 204-15	15.1	109
44	Rapid changes in the light/dark cycle disrupt memory of conditioned fear in mice. <i>PLoS ONE</i> , 2010 , 5, e12546	3.7	70
43	Voluntary exercise increases oligodendrogenesis in spinal cord. <i>International Journal of Neuroscience</i> , 2010 , 120, 280-90	2	48
42	Circadian regulation of a-type potassium currents in the suprachiasmatic nucleus. <i>Journal of Neurophysiology</i> , 2010 , 103, 632-40	3.2	61
41	Aspartoacylase deficiency affects early postnatal development of oligodendrocytes and myelination. <i>Neurobiology of Disease</i> , 2010 , 40, 432-43	7.5	26
40	Regulation of L-type Ca ⁺⁺ currents and process morphology in white matter oligodendrocyte precursor cells by golgi-myelin proteins. <i>Glia</i> , 2010 , 58, 1292-303	9	33
39	Population encoding by circadian clock neurons organizes circadian behavior. <i>Journal of Neuroscience</i> , 2009 , 29, 1670-6	6.6	52
38	Preparation of Normal and Reactive Astrocyte Cultures. <i>Springer Protocols</i> , 2009 , 193-215	0.3	2

37	Expression of the circadian clock gene <i>Period2</i> in the hippocampus: possible implications for synaptic plasticity and learned behaviour. <i>ASN Neuro</i> , 2009 , 1,	5.3	150
36	Inhibition of p53 transcriptional activity: a potential target for future development of therapeutic strategies for primary demyelination. <i>Journal of Neuroscience</i> , 2008 , 28, 6118-27	6.6	41
35	Exercise decreases myelin-associated glycoprotein expression in the spinal cord and positively modulates neuronal growth. <i>Glia</i> , 2007 , 55, 966-75	9	48
34	Genetic program of neuronal differentiation and growth induced by specific activation of NMDA receptors. <i>Neurochemical Research</i> , 2007 , 32, 363-76	4.6	16
33	Growth factor-dependent actions of PACAP on oligodendrocyte progenitor proliferation. <i>Regulatory Peptides</i> , 2006 , 137, 58-66		30
32	Golli protein negatively regulates store depletion-induced calcium influx in T cells. <i>Immunity</i> , 2006 , 24, 717-727	32.3	66
31	Gene expression is differentially regulated by neurotransmitters in embryonic neuronal cortical culture. <i>Journal of Neurochemistry</i> , 2006 , 97 Suppl 1, 35-43	6	9
30	Vasoactive intestinal polypeptide mediates circadian rhythmicity and synchrony in mammalian clock neurons. <i>Nature Neuroscience</i> , 2005 , 8, 476-83	25.5	587
29	Fast delayed rectifier potassium current is required for circadian neural activity. <i>Nature Neuroscience</i> , 2005 , 8, 650-6	25.5	109
28	Region-specific myelin pathology in mice lacking the golli products of the myelin basic protein gene. <i>Journal of Neuroscience</i> , 2005 , 25, 7004-13	6.6	43
27	Regulation of inhibitory synaptic transmission by vasoactive intestinal peptide (VIP) in the mouse suprachiasmatic nucleus. <i>Journal of Neurophysiology</i> , 2003 , 90, 1589-97	3.2	69
26	Regulation of Kv1 subunit expression in oligodendrocyte progenitor cells and their role in G1/S phase progression of the cell cycle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 2350-5	11.5	146
25	Circadian modulation of learning and memory in fear-conditioned mice. <i>Behavioural Brain Research</i> , 2002 , 133, 95-108	3.4	206
24	Inhibition of cyclin E-cyclin-dependent kinase 2 complex formation and activity is associated with cell cycle arrest and withdrawal in oligodendrocyte progenitor cells. <i>Journal of Neuroscience</i> , 2001 , 21, 1274-82	6.6	58
23	Glial heterogeneity in expression of the inwardly rectifying K(+) channel, Kir4.1, in adult rat CNS. <i>Glia</i> , 2000 , 30, 362-72	9	142
22	Glutamate receptors in glia: new cells, new inputs and new functions. <i>Trends in Pharmacological Sciences</i> , 2000 , 21, 252-8	13.2	197
21	Reply: glia and neurons continue to talk. <i>Trends in Pharmacological Sciences</i> , 2000 , 21, 375	13.2	1
20	Voltage-activated K+ channels and membrane depolarization regulate accumulation of the cyclin-dependent kinase inhibitors p27(Kip1) and p21(CIP1) in glial progenitor cells. <i>Journal of Neuroscience</i> , 1999 , 19, 5380-92	6.6	128

19	Neurotransmitter receptor activation triggers p27(Kip1)and p21(CIP1) accumulation and G1 cell cycle arrest in oligodendrocyte progenitors. <i>Development (Cambridge)</i> , 1999 , 126, 1077-90	6.6	52
18	Antagonism by abecarnil of enhanced acetylcholine release in the rat brain during anticipation but not consumption of food. <i>Pharmacology Biochemistry and Behavior</i> , 1998 , 59, 657-62	3.9	22
17	K+ channel expression and cell proliferation are regulated by intracellular sodium and membrane depolarization in oligodendrocyte progenitor cells. <i>Journal of Neuroscience</i> , 1997 , 17, 2669-82	6.6	140
16	Antagonism of convulsions but failure to enhance GABA(A) receptor function by felbamate in mice tolerant to diazepam. <i>Neurochemical Research</i> , 1997 , 22, 693-7	4.6	5
15	Synthesis and benzodiazepine receptor binding of some imidazo-, pyrimido[2,1-b]benzoxazoles and pyrimido[1,2-a]benzimidazoles. <i>European Journal of Medicinal Chemistry</i> , 1997 , 32, 83-89	6.8	26
14	Synthesis and anticonvulsant activity of some 1,2,3,3a-tetrahydropyrrolo[2,1-b]-benzothiazol-, -thiazol- or -oxazol-1-ones in rodents. <i>Journal of Pharmacy and Pharmacology</i> , 1996 , 48, 834-40	4.8	17
13	Biochemical evaluations of the effects of loreclezole and propofol on the GABAA receptor in rat brain. <i>Biochemical Pharmacology</i> , 1996 , 51, 1527-34	6	15
12	Failure of chronic treatment with abecarnil to induce contingent and noncontingent tolerance in pentylenetetrazol-kindled rats. <i>Epilepsia</i> , 1996 , 37, 332-5	6.4	4
11	Antagonism of isoniazid-induced convulsions by abecarnil in mice tolerant to diazepam. <i>Pharmacology Biochemistry and Behavior</i> , 1995 , 52, 249-54	3.9	4
10	NMDA receptor function is enhanced in the hippocampus of aged rats. <i>Neurochemical Research</i> , 1994 , 19, 483-7	4.6	38
9	Long-term treatment with abecarnil fails to induce tolerance in mice. <i>European Journal of Pharmacology</i> , 1994 , 259, 1-6	5.3	23
8	Felbamate antagonizes isoniazid- and FG 7142-induced reduction of GABAA receptor function in mouse brain. <i>European Journal of Pharmacology</i> , 1994 , 265, 185-8	5.3	1
7	Chronic administration of an anticonvulsant dose of imidazenil fails to induce tolerance of GABAA receptor function in mice. <i>European Journal of Pharmacology</i> , 1994 , 254, 299-302	5.3	22
6	Imidazenil, a new partial agonist of benzodiazepine receptors, reverses the inhibitory action of isoniazid and stress on gamma-aminobutyric acidA receptor function. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1994 , 269, 32-8	4.7	21
5	Isoniazid-induced inhibition of GABAergic transmission enhances the efficacy of imidazenil, a new partial agonist of benzodiazepine receptors. <i>European Neuropsychopharmacology</i> , 1993 , 3, 268-269	1.2	
4	Failure of flumazenil to precipitate a withdrawal syndrome in cats chronically treated with the new anxiolytic p-carboline derivative abecarnil. <i>Behavioural Pharmacology</i> , 1993 , 4, 529-534	2.4	12
3	Pharmacological evidence for full agonist activity of abecarnil at certain GABAA receptors. <i>Psychopharmacology Series</i> , 1993 , 11, 62-78		3
2	The degeneration of the excitatory climbing fibers enhances [3H]MK-801 and [3H]CGP 39653 binding sites in the rat cerebellar cortex. <i>Neuroscience Letters</i> , 1992 , 146, 45-7	3.3	1

- 1 Pharmacology of gamma-aminobutyric acidA receptor complex after the in vivo administration of the anxiolytic and anticonvulsant beta-carboline derivative abecarnil. *Journal of Pharmacology and Experimental Therapeutics*, **1992**, 263, 1360-8 4.7 23