

Eugenia Peresyapkina

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7119285/eugenia-peresyapkina-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

258
papers

3,665
citations

30
h-index

46
g-index

279
ext. papers

4,010
ext. citations

4.3
avg, IF

5.37
L-index

#	Paper	IF	Citations
258	Isorecticular homochiral porous metal-organic structures with tunable pore sizes. <i>Inorganic Chemistry</i> , 2007 , 46, 6843-5	5.1	146
257	Highly luminescent complexes [Mo ₆ X ₈ (n-C ₃ F ₇ COO) ₆] ₂ - (X=Br, I). <i>Dalton Transactions</i> , 2011 , 40, 6375-7	4.3	124
256	Topological Motifs in Cyanometallates: From Building Units to Three-Periodic Frameworks. <i>Chemical Reviews</i> , 2015 , 115, 12286-319	68.1	105
255	A spherical molecule with a carbon-free I(h)-C ₈₀ topological framework. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 5046-9	16.4	99
254	Stabilization of tetrahedral P ^{III} and As ^{III} molecules as guests in polymeric and spherical environments. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 10896-9	16.4	84
253	Structures and properties of spherical 90-vertex fullerene-like nanoballs. <i>Chemistry - A European Journal</i> , 2010 , 16, 2092-107	4.8	83
252	Topology of molecular packings in organic crystals. <i>Acta Crystallographica Section B: Structural Science</i> , 2000 , 56 (Pt 6), 1035-45		78
251	Giant Rugby Ball [(Cp(Bn)Fe(η ⁵ -P ₅)) ₂] ₄ Cu ₉₆ Br ₉₆] Derived from Pentaphosphaferrocene and CuBr ₂ . <i>Journal of the American Chemical Society</i> , 2015 , 137, 10938-41	16.4	66
250	Coordination polymers based on [Cp*Fe(η ⁵ -P ₅)]: solid-state structure and MAS NMR studies. <i>Chemistry - A European Journal</i> , 2012 , 18, 1168-79	4.8	60
249	A nano-sized supramolecule beyond the fullerene topology. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 13605-8	16.4	60
248	Size-determining dependencies in supramolecular organometallic host-guest chemistry. <i>Chemistry - A European Journal</i> , 2012 , 18, 829-35	4.8	58
247	Ferrocene and pentaphosphaferrocene: a comparative study regarding redox chemistry. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 2972-6	16.4	58
246	Molecular coordination numbers in crystal structures of organic compounds. <i>Acta Crystallographica Section B: Structural Science</i> , 2000 , 56 (Pt 3), 501-11		58
245	Pnictogen-Silicon Analogues of Benzene. <i>Journal of the American Chemical Society</i> , 2016 , 138, 10433-6	16.4	47
244	Tunable porosities and shapes of fullerene-like spheres. <i>Chemistry - A European Journal</i> , 2015 , 21, 6208-14	14.8	44
243	Functionalization of a cyclo-P ^{III} ligand by main-group element nucleophiles. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 7643-6	16.4	44
242	A single chain magnet involving hexacyanoosmate. <i>Chemical Communications</i> , 2014 , 50, 7150-3	5.8	43

241	Chemistry of bridging phosphanes: a comparative study within Cu(I)-Ag(I)-Au(I) triad-based homonuclear dimers. <i>Chemistry - A European Journal</i> , 2009 , 15, 4685-703	4.8	43
240	Stabilisierung von tetraedrischen P ₄ - und As ₄ -Molekülen als Gäste in polymerer und sphärischer Umgebung. <i>Angewandte Chemie</i> , 2013 , 125, 11097-11100	3.6	42
239	Diphosphorus complexes as building blocks for the design of phosphorus-containing organometallic-organic hybrid materials. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 11516-9	16.4	40
238	Coordination-induced condensation of [Ta ₆ O ₁₉](8-): synthesis and structure of [(C ₆ H ₆)Ru] ₂ Ta ₆ O ₁₉ (4-) and [(C ₆ H ₆)RuTa ₆ O ₁₈] ₂ (ED)(10-). <i>Inorganic Chemistry</i> , 2014 , 53, 12791-8	5.1	38
237	Complexes of monocationic Group 13 elements with pentaphospha- and pentaarsaferrocene. <i>Chemistry - A European Journal</i> , 2014 , 20, 3759-68	4.8	37
236	Discrete and extended supersandwich structures based on weak interactions between phosphorus and mercury. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 9918-21	16.4	36
235	Cyclic tungstoselenites based on {Se ₂ W ₁₂ } units. <i>Inorganic Chemistry</i> , 2014 , 53, 2076-82	5.1	35
234	Ein nanoskaliges Supramolekül jenseits der Fulleren-Topologie. <i>Angewandte Chemie</i> , 2014 , 126, 13823-13827	3.7	34
233	Intact P ₄ tetrahedra as terminal and bridging ligands in neutral complexes of manganese. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 10887-91	16.4	32
232	Unexpected Reactivity of [(η ⁵ -1,2,4-tBu ₃ C ₅ H ₂)Ni(η ³ -P ₃)] towards Main Group Nucleophiles and by Reduction. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 7702-7	16.4	31
231	Magnetic relaxation of 1D coordination polymers (X) _n [Mn(acacen)Fe(CN)] _n , X = Ph ₃ P ⁺ , Et ₄ N ⁺ . <i>Inorganic Chemistry</i> , 2014 , 53, 10291-300	5.1	31
230	Unusual coordination of a chloride ion to six copper ions: Synthesis and crystal structure of copper(II) complexes with 4-(4-hydroxyphenyl)-1,2,4-triazole. <i>Polyhedron</i> , 2007 , 26, 1612-1618	2.7	31
229	Novel Two- and Three-Dimensional Organometallic-Organic Hybrid Materials Based on Polyphosphorus Complexes. <i>Inorganic Chemistry</i> , 2015 , 54, 7021-9	5.1	30
228	Synthesis and reactivity of W ₃ Te ₇₄₊ clusters and chalcogen exchange in the M ₃ Q ₇ (M = Mo, W; Q = S, Se, Te) cluster family. <i>Inorganic Chemistry</i> , 2005 , 44, 8116-24	5.1	30
227	Highly dynamic coordination behavior of Pn ligand complexes towards "naked" Cu(+) cations. <i>Chemistry - A European Journal</i> , 2015 , 21, 14332-6	4.8	29
226	Ferrocen und Pentaphosphaferrocen – eine vergleichende Studie zur Redoxchemie. <i>Angewandte Chemie</i> , 2013 , 125, 3045-3049	3.6	29
225	Zirconium and hafnium aqua complexes [(H ₂ O) ₃ M(P ₂ W ₁₇ O ₆₁)] ₆ – Synthesis, characterization and substitution of water by chiral ligand. <i>Inorganica Chimica Acta</i> , 2009 , 362, 3756-3762	2.7	29
224	Giant Spherical Cluster with I-C ₁₄₀ Fullerene Topology. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 13431-5	16.4	28

223	An Icosidodecahedral Supramolecule Based on Pentaphosphaferrocene: From a Disordered Average Structure to Individual Isomers. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 13237-13243	16.4	28
222	Redox and Coordination Behavior of the Hexaphosphabenzene Ligand in [(Cp*Mo) ₂ (μ ₆ -P ₆)] Towards the "Naked" Cations Cu(+), Ag(+), and Tl(.). <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 13110-5	16.4	27
221	Facile synthesis of one-dimensional organometallic-organic hybrid polymers based on a diphosphorus complex and flexible bipyridyl linkers. <i>Chemical Communications</i> , 2016 , 52, 10004-7	5.8	25
220	Incorporation of molybdenum sulfide cluster units into a dawson-like polyoxometalate structure to give hybrid polythiooxometalates. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 1465-8	16.4	25
219	Arsenic-Rich Polyarsenides Stabilized by Cp*Fe Fragments. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 7307-7311	16.4	24
218	Funktionalisierung eines cyclo-P5-Liganden durch Hauptgruppenelement-Nukleophile. <i>Angewandte Chemie</i> , 2014 , 126, 7774-7777	3.6	24
217	Remarkable Differences in the Coordination Chemistry of Structurally Related 1,2,4-Triphosphaferrocenes with Copper(I) Halides and Silver(I) Salts. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 2991-3001	2.3	24
216	One-dimensional polymers based on silver(I) cations and organometallic cyclo-P3 ligand complexes. <i>Chemistry - an Asian Journal</i> , 2009 , 4, 1578-87	4.5	24
215	Complexes of ZrIV and HfIV with monolacunary Keggin-and Dawson-type anions. <i>Russian Chemical Bulletin</i> , 2007 , 56, 220-224	1.7	24
214	Synthesis and Crystal Structure of Cucurbit[6]uril Adduct of Hydrogen-bonded Cluster Complex [Mo ₃ (B-Se)(μ-O) ₃ (H ₂ O) ₆ Cl ₃] ⁺ . <i>Journal of Cluster Science</i> , 2007 , 18, 597-605	3	24
213	Formation of 1,3-Diphosphacyclobutadiene Complexes from Phosphaalkynes and Their Coordination Behavior. <i>European Journal of Inorganic Chemistry</i> , 2014 , 2014, 1625-1637	2.3	23
212	Transfer Reagent for Bonding Isomers of Iron Complexes. <i>Journal of the American Chemical Society</i> , 2017 , 139, 13981-13984	16.4	23
211	New polyoxotantalate salt Na ₈ [Ta ₆ O ₁₉]·24.5H ₂ O and its properties. <i>Journal of Structural Chemistry</i> , 2011 , 52, 1012-1017	0.9	23
210	A cyclo-P6 Ligand Complex for the Formation of Planar 2D Layers. <i>Chemistry - A European Journal</i> , 2016 , 22, 2599-604	4.8	23
209	1,2,4-Triphospholyl anions - versatile building blocks for the formation of 1D, 2D and 3D assemblies. <i>Dalton Transactions</i> , 2015 , 44, 10245-52	4.3	21
208	Triangular oxalate clusters [W ₃ (μ ₃ -S)(μ ₂ -S ₂)(³ C(2)O(4)) ₃] ₂ (-) as building blocks for coordination polymers and nanosized complexes. <i>Inorganic Chemistry</i> , 2007 , 46, 2115-23	5.1	21
207	cyclo-P Building Blocks: Achieving Non-Classical Fullerene Topology and Beyond. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 14833-14837	16.4	20
206	2[Mn(acacen)] ⁺ + 1[Fe(CN) ₅ NO] ⁻ polynuclear heterobimetallic coordination compounds of different dimensionality in the solid state. <i>Dalton Transactions</i> , 2012 , 41, 4100-6	4.3	20

205	Diphosphorkomplexe als Bausteine zum Design von phosphorhaltigen metallorganisch-organischen Hybridmaterialien. <i>Angewandte Chemie</i> , 2011 , 123, 11718-11722	3.6	20
204	Unerwartete Reaktivität von $[(\eta\text{-}1,2,4\text{-tBu}3\text{C}5\text{H}_2)\text{Ni}(\eta\text{-P}3)]$ gegenüber Hauptgruppen-Nucleophilen und durch Reduktion. <i>Angewandte Chemie</i> , 2016 , 128, 7833-7838	3.6	20
203	Strategies for the Construction of Supramolecular Dimers versus Homoleptic 1D Coordination Polymers Starting from the Diphosphorus $[\text{CpMo}(\text{CO})(\eta\text{-P})]$ Complex and Silver(I) Salts. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 3222-3226	2.3	19
202	Unexpected fragmentations of triphosphaferrocene - formation of supramolecular assemblies containing the $(1,2,4\text{-P}3\text{C}2\text{Mes}2)^{-}$ ligand. <i>Dalton Transactions</i> , 2015 , 44, 6502-9	4.3	19
201	Crystal Structure, Electronic Structure, and Solid-State Electrochemistry of Cluster Complexes of $\text{M}_3\text{Se}_7^{4+}$ (M = Mo, W) with Noninnocent o-Phenanthroline and Se_2^{2-} Ligands. <i>European Journal of Inorganic Chemistry</i> , 2008 , 2008, 3964-3969	2.3	18
200	Synthesis and crystal structure of octa(η -caprolactam)neodymium(III) hexa(isothiocyanate)chromate(III). <i>Inorganic Chemistry Communication</i> , 2006 , 9, 4-6	3.1	18
199	Cu(II) and Cu(I) complexes with 2-(3,5-diphenyl-1H-pyrazole-1-yl)-4,6-diphenylpyrimidine: Synthesis and structure. Catalytic activity of Cu(II) compounds in reaction of ethylene polymerization. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2006 , 32, 199-207	1.6	18
198	Anionic Hosts for the Incorporation of Cationic Guests. <i>Chemistry - A European Journal</i> , 2018 , 24, 2503-2508	3.8	18
197	From nano-balls to nano-bowls. <i>Chemical Science</i> , 2019 , 10, 2940-2944	9.4	17
196	Ein ikosidodekaedrisches Supramolekül auf Basis von Pentaphosphaferrocen: von einer fehlgeordneten gemittelten Struktur zu einzelnen Isomeren. <i>Angewandte Chemie</i> , 2017 , 129, 13420-13426	3.6	17
195	Trinuclear iodobismuthate complex $[\text{Na}_3(\text{Me}_2\text{CO})_{12}][\text{Bi}_3\text{I}_{12}]$: Synthesis and crystal structure. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2014 , 40, 867-870	1.6	17
194	Intakte P4-Tetraeder als terminale und verbrückende Liganden in neutralen Mangankomplexen. <i>Angewandte Chemie</i> , 2013 , 125, 11087-11091	3.6	17
193	Crystal structure of a giant supramolecule encapsulating o-carborane. <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 2014 , 229,	1	16
192	Reactions of rhodium (II) acetate with non-lacunary Keggin and Dawson polyoxoanions and related catalytic studies. <i>Inorganica Chimica Acta</i> , 2013 , 394, 656-662	2.7	16
191	Access to phosphorus-rich zirconium complexes. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 8982-5	16.4	16
190	Octakis(epsilon-caprolactam-kappaO)erbium(III) hexaisothiocyanatochromate(III). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2007 , 63, m195-8		16
189	Synthesis and structure of $\text{Ta}_4\text{S}_9\text{Br}_8$. An emergent family of early transition metal chalcogenide clusters. <i>Inorganic Chemistry</i> , 2005 , 44, 8756-61	5.1	16
188	Inorganic Superspheres. <i>Structure and Bonding</i> , 2016 , 321-373	0.9	15

- 187 Supramolecular Synthons: Will Giant Rigid Superspheres Do?. *Crystal Growth and Design*, **2016**, 16, 2335-2341 15
- 186 Selective dimerization of Lewis-acid/base-stabilized phosphanylalanes. *Chemistry - A European Journal*, **2013**, 19, 957-63 4.8 15
- 185 Das Redox- und Koordinationsverhalten des Hexaphosphabenzol-Liganden in $[(Cp^*Mo)_2(\mu_6-P_6)]$ gegenüber den f-block-Kationen Cu^+ , Ag^+ und Tl^+ . *Angewandte Chemie*, **2015**, 127, 13303-13308 3.6 15
- 184 Versatile structures of group 13 metal halide complexes with 4,4'-bipy: from 1D coordination polymers to 2D and 3D metal-organic frameworks. *Dalton Transactions*, **2015**, 44, 20648-58 4.3 14
- 183 A single crystal X-ray diffraction study of $R[UO_2(C_2H_5COO)_3]$ ($R = K$ or NH_4). *Radiochemistry*, **2013**, 55, 31-35 0.9 14
- 182 Oxoselenide triangular molybdenum clusters: Synthesis and characterization of $[Mo_3SeO_3(acac)_3(py)_3]PF_6$. *Inorganica Chimica Acta*, **2011**, 375, 314-319 2.7 14
- 181 Chelating ionic versus bridged molecular structures of group 13 metal complexes with bidentate ligands. *Polyhedron*, **2010**, 29, 414-424 2.7 14
- 180 Synthesis and characterization of a novel tantalum chalcogen-rich molecular cluster with square planar metal core. *Inorganic Chemistry*, **2004**, 43, 7966-8 5.1 14
- 179 Neutral two-dimensional organometallic-organic hybrid polymers based on pentaphosphaferrocene, bipyridyl linkers and $CuCl$. *Dalton Transactions*, **2018**, 47, 1014-1017 4.3 14
- 178 Durch Cp^*Fe -Fragmente stabilisierte, Arsen-reiche Polyarsenide. *Angewandte Chemie*, **2017**, 129, 7413-7417 3.6 13
- 177 Nickel(II) complex of a biradical: Structure, magnetic properties, high NMR temperature sensitivity and moderately fast molecular dynamics. *Sensors and Actuators B: Chemical*, **2017**, 239, 405-412 8.5 13
- 176 Diskrete und ausgedehnte Supersandwich-Strukturen auf der Basis schwacher Wechselwirkungen zwischen Phosphor und Quecksilber. *Angewandte Chemie*, **2012**, 124, 10056-10059 3.6 13
- 175 Unprecedented linking of two polyoxometalate units with a metal-metal multiple bond. *Inorganic Chemistry*, **2009**, 48, 1805-7 5.1 13
- 174 Synthesis and crystal structures of $[UO_2(C_6H_4NO_2)_2(C_6H_5NO_2)]$ and $[UO_2SO_4(C_6H_5NO_2)(H_2O)] \cdot H_2O$. *Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya*, **2007**, 33, 458-465 1.6 13
- 173 Synthesis and structure of new homo- and heteroligand carbonyl cluster complexes with $[Fe_3(\beta-Q)(\beta-X)]$ core ($Q = Se, Te; X = S, As$). *Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya*, **2006**, 32, 416-426 1.6 13
- 172 Three differently coloured concomitant polymorphs: synthesis, structure and packing analysis of (4-(3',5'-dimethyl-1H-pyrazol-1'-yl)-6-methyl-2-phenylpyrimidine)dichlorocopper(II). *Acta Crystallographica Section B: Structural Science*, **2005**, 61, 164-73 13
- 171 Tuning the dimensionality of organometallic-organic hybrid polymers assembled from $[Cp_2Mo_2(CO)_4(\mu-P_2)]$, bipyridyl linkers and AgI ions. *CrystEngComm*, **2018**, 20, 7417-7422 3.3 13
- 170 Hexanuclear chloride and bromide tungsten clusters and their derivatives. *Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya*, **2014**, 40, 259-267 1.6 12

- 169 Crystal structure of $[M(H_2O)_6][UO_2(CH_3COO)_3]_2$ ($M=Mg^{2+}$, Co^{2+} and Zn^{2+}). *Polyhedron*, **2013**, 61, 137-142 12
- 168 A Pt(II) isopolytungstate: synthesis and crystal structure. *Dalton Transactions*, **2012**, 41, 11978-9 4.3 12
- 167 Spin-crossover in the complex of iron(II) nitrate with tris(3,5-dimethylpyrazol-1-yl)methane. *Inorganica Chimica Acta*, **2012**, 382, 1-5 2.7 12
- 166 Synthesis and structures of dinuclear ZrIV and HfIV hydroxo complexes with the monolacunar Keggin and Dawson anions. *Russian Chemical Bulletin*, **2009**, 58, 507-512 1.7 12
- 165 Structural types of octa(ϵ -caprolactam)-lanthanide(III) hexa(isothiocyanato)chromates(III). Phase transition with reversible twinning. *Journal of Structural Chemistry*, **2009**, 50, 137-148 0.9 12
- 164 Synthesis and structures of $Mo_3Se_7Te_2Br_{10}$, $Mo_3Se_7TeI_6$, and $Mo_6Te_{21}I_{22}$ containing TeX_3 - ($X=Br, I$) ligands coordinated to a triangular cluster core. *Inorganic Chemistry*, **2007**, 46, 4677-82 5.1 12
- 163 Crystal chemistry of mercury oxo- and chalcogenides. *Crystallography Reviews*, **2005**, 11, 87-123 1.3 12
- 162 Coordination chemistry of Re complexes with 2(2-pyridyl)benzimidazole. *Inorganica Chimica Acta*, **2005**, 358, 3914-3918 2.7 12
- 161 Stabilization of tautomeric forms $P(OH)_3$ and $HP(OH)_2$ and their derivatives by coordination to palladium and nickel atoms in heterometallic clusters with the $Mo_3MQ_4^{4+}$ core ($M = Ni, Pd$; $Q = S, Se$). *Russian Chemical Bulletin*, **2005**, 54, 615-622 1.7 12
- 160 Different Reactivity of As towards Disilenes and Silylenes. *Angewandte Chemie - International Edition*, **2017**, 56, 6655-6659 16.4 11
- 159 Heterobimetallic coordination polymers involving 3 d metal complexes and heavier transition metals cyanometallates. *Journal of Solid State Chemistry*, **2015**, 224, 107-114 3.3 11
- 158 Iodination of cyclo-E -Complexes ($E=P, As$). *Angewandte Chemie - International Edition*, **2020**, 59, 16241-16246 16.4 11
- 157 Structural features of two polymorphs of ammonium uranyl crotonate. *Journal of Molecular Structure*, **2014**, 1074, 583-588 3.4 11
- 156 Riesiger sphärischer Cluster mit I-C140-Fulleren-Topologie. *Angewandte Chemie*, **2015**, 127, 13631-13635 3.6 11
- 155 Inclusion of a nitronyl nitroxyl radical and its hydrochloride in cucurbit[8]uril. *Chemistry - A European Journal*, **2010**, 16, 12481-7 4.8 11
- 154 Structure-forming components in crystals of ternary and quaternary 3d-metal complex fluorides. *Acta Crystallographica Section B: Structural Science*, **2003**, 59, 361-77 11
- 153 Triple-decker sandwich complexes with a bent cyclo-P middle-deck. *Chemical Communications*, **2016**, 52, 12298-12301 5.8 11
- 152 Coordination Behavior of $[Cp''Zr(\eta^5-P)]$ towards Different Lewis Acids. *Chemistry - A European Journal*, **2017**, 23, 10319-10327 4.8 10

151	Polyoxoanions assembled by the condensation of vanadate, tungstate and selenite: solution studies and crystal structures of the mixed metal derivatives $(\text{NMe}_4)_2\text{Na}_2[\text{WVI}_4\text{VV}_2\text{O}_{19}]\cdot 8\text{H}_2\text{O}$ and $(\text{NMe}_4)_4.83[(\text{SeIV WVI}_4.57\text{VV}_4.43\text{O}_{33})_2(\text{WVI}(\text{O})(\text{H}_2\text{O}))(\text{VVO})_2.6]\cdot 0.57\text{H}_2\text{O}$. <i>New Journal of Chemistry</i> , 2016 , 40, 937-944	3.6	10
150	Polyoxomolybdate-supported bismuth trihalides $[\text{Mo}_8\text{O}_{26}(\text{BiX}_3)_2](4-)$ (X = Cl, Br, I): syntheses and study of polymorphism. <i>Inorganic Chemistry</i> , 2014 , 53, 6886-92	5.1	10
149	Synthesis and X-ray diffraction study of $\text{R}[\text{UO}_2(\text{CH}_3\text{COO})_3]$ (R = H_3O^+ or $\text{NH}(\text{C}_2\text{H}_5)_3$). <i>Russian Journal of Inorganic Chemistry</i> , 2010 , 55, 1020-1025	1.5	10
148	Synthesis and structure of a complex of copper(II) bromide with bis(benzotriazol-1-yl)methane. <i>Journal of Structural Chemistry</i> , 2007 , 48, 500-505	0.9	10
147	Crystal structure of $\text{Tl}_5\{[\text{Nb}_2\text{S}_4\text{Br}_8]\text{Br}\}$. <i>Journal of Structural Chemistry</i> , 2008 , 49, 753-757	0.9	10
146	The First Coordination Polymers Based on 1,3-Diphosphaferrocenes and 1,1',2,3',4-Pentaphosphaferrocenes. <i>European Journal of Inorganic Chemistry</i> , 2016 , 2016, 743-753	2.3	10
145	Iodobismuthate complex $(\text{Bu}_4\text{N})_3[\text{Bi}_3\text{I}_{12}]$: Crystal structure of a new polymorph. <i>Journal of Structural Chemistry</i> , 2015 , 56, 795-799	0.9	9
144	Metal-Deficient Supramolecule Based on a Fivefold-Symmetric Building Block. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 13647-13650	16.4	9
143	Progress in Polyarsolyl Chemistry. <i>Chemistry - A European Journal</i> , 2016 , 22, 1944-1948	4.8	9
142	Crystal structure of two salts derived from paratungstate in the $[\text{H}_2\text{W}_{12}\text{O}_{42}]_{10}^{10-}$ anion. <i>Journal of Structural Chemistry</i> , 2014 , 55, 295-298	0.9	9
141	Facile Preparation of Paramagnetic Ru(III) and Os(III) Hexacyanides. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 811-815	2.3	9
140	In situ generation of H_2Se and hydrothermal synthesis of new polynuclear rhenium carbonyl polyselenides. <i>Polyhedron</i> , 2008 , 27, 3259-3262	2.7	9
139	Synthesis and X-ray structural investigation of the hafnium(IV) complex with pivalyltrifluoroacetone. <i>Journal of Structural Chemistry</i> , 2006 , 47, 570-574	0.9	9
138	Bis[N-(2-hydroxyethyl)-beta-alaninato]copper(II). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2005 , 61, m510-2		9
137	Molecular coordination numbers and crystal structure of simple substances. <i>Computational and Theoretical Chemistry</i> , 1999 , 489, 225-236		9
136	Syntheses and crystal structures of $[\text{Bi}(\text{DMSO})_8][\text{Fe}(\text{NCS})_6]$ and $[\text{Al}(\text{DMSO})_6][\text{Al}(\text{NCS})_6]$. <i>Russian Journal of Inorganic Chemistry</i> , 2012 , 57, 337-342	1.5	8
135	Synthesis, crystal structure, and structural features of hexa(isothiocyanate)chromates(III) of lanthanum(III) and neodymium(III) complexes with nicotinic acid. <i>Russian Journal of Inorganic Chemistry</i> , 2013 , 58, 1040-1046	1.5	8
134	Novel succinate-containing coordination polymers $[\text{UO}_2(\text{C}_4\text{H}_4\text{O}_4)_n]_n$ (L = $\text{C}_3\text{H}_6\text{N}_2\text{O}$ or $\text{C}_4\text{H}_9\text{NO}$): Synthesis and structure. <i>Russian Journal of Inorganic Chemistry</i> , 2014 , 59, 1437-1444	1.5	8

133	Bis(benzotriazol-1-yl)methane as a linker in the assembly of new copper(II) coordination polymers: Synthesis, structure and investigations. <i>Polyhedron</i> , 2012 , 48, 253-263	2.7	8
132	Interaction of [Mo ₆ Cl ₁₄] ²⁻ with H ₂ Se: Selective Preparation of [Mo ₆ SeCl ₁₃] ³⁻ <i>Journal of Cluster Science</i> , 2009 , 20, 83-92	3	8
131	Reactions of M ₃ Te ₇ ⁴⁺ (M=Mo, W) clusters with electrophilic reagents: Chalcogen exchange in the Te ₂ ligand and the first complexes of (TeS) ₂ <i>Polyhedron</i> , 2009 , 28, 3479-3484	2.7	8
130	Tetraaquatetrakis(e-caprolactam)lutetium(III) hexaisothiocyanatochromate(III) sesquihydrate. <i>Russian Journal of Inorganic Chemistry</i> , 2009 , 54, 272-276	1.5	8
129	Simplified Synthesis and Structural Study of { Ta ₆ Br ₁₂ } Clusters. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2010 , 636, 1543-1548	1.3	8
128	The Cu(II) complexes with bis(pyrazole-1-yl)methane and its derivatives: Synthesis, crystal structure, and magnetic properties. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2007 , 33, 896-907	1.6	8
127	Structure and properties of a heterocomplex compound based on lead(II) hexafluoroacetyl acetate and copper(II) trifluoroacetyl acetate Cu(tfa) ₂ [Pb(hfa) ₂]. <i>Journal of Structural Chemistry</i> , 2008 , 49, 304-308	0.9	8
126	Structural Chemistry of Giant Metal Based Supramolecules. <i>Chemical Reviews</i> , 2021 , 121, 14485-14554	68.1	8
125	Organometallic polyphosphorus complexes as diversified building blocks in coordination chemistry. <i>Coordination Chemistry Reviews</i> , 2021 , 446, 213995	23.2	8
124	Novel Anti-Prussian blue structure based on Zn ²⁺ nodes and [Re ₃ Mo ₃ S ₈ (CN) ₆] ⁶⁻ heterometallic cluster spacers and its rearrangement to Prussian blue. <i>CrystEngComm</i> , 2015 , 17, 1477-1482	3.3	7
123	Organometallic-Organic Hybrid Polymers Assembled from Pentaphosphaferrocene, Bipyridyl Linkers, and Cu Ions. <i>European Journal of Inorganic Chemistry</i> , 2018 , 2018, 2689-2694	2.3	7
122	Synthesis and crystal structure of [UO ₂ (L)(OH)], (CN ₃ H ₆) ₂ [(UO ₂) ₂ CrO ₄ (L) ₄ · 2H ₂ O and [UO ₂ (H ₂ O) ₅][(UO ₂) ₂ Cr ₂ O ₇ (L) ₄] (where L is picolinate ion). <i>Russian Journal of Inorganic Chemistry</i> , 2014 , 59, 63-71	1.5	7
121	Synthesis and Characterization of the Novel 1,2,4-Triphosphaferrocene [Cp*Fe(μ ₃ -P ₃ C ₂ Mes ₂)] Containing Sterically Demanding Mesityl Groups. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2015 , 190, 397-403	1	7
120	Synthesis and crystal structure of complexes of manganese(II), cobalt(II), and nickel(II) isothiocyanates with e-caprolactam. <i>Russian Journal of Inorganic Chemistry</i> , 2012 , 57, 1067-1072	1.5	7
119	Complexes of copper(II) and cobalt(II) halides with 4-(3,5-dimethyl-1H-pyrazol-1-yl)-6-methyl-2-phenylpyrimidine: Synthesis, structures, and properties. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2009 , 35, 597-608	1.6	7
118	Synthesis and structure of (Rb _{0.50} Ba _{0.25})[UO ₂ (CH ₃ COO) ₃]. <i>Crystallography Reports</i> , 2010 , 55, 221-223	0.6	7
117	New Cluster-Polyoxometalate Hybrids Derived from the Incorporation of {Mo ₃ S ₄ } and {Mo ₃ Cu ₄ } Units into {EW ₁₅ } Cores (E = As ^{III} , Sb ^{III} , Te ^{IV}). <i>European Journal of Inorganic Chemistry</i> , 2010 , 2010, 5446-5454	2.3	7
116	Rhenium(IV) and rhenium(V) complexes with 3,5-dimethylpyrazole. <i>Russian Chemical Bulletin</i> , 2006 , 55, 53-61	1.7	7

- 115 Use of a -P building block - a way to networks of host-guest assemblies. *Chemical Science*, **2020**, 11, 9067-9071 7
- 114 The reaction of ammonium tetra(isothiocyanato)diamminechromate(III) with ϵ -caprolactam in aqueous solution. Revised refinement of the structure of $(\text{HCpl}_2)_3[\text{Cr}(\text{NCS})_6]$. *Russian Journal of Inorganic Chemistry*, **2012**, 57, 684-691 1.5 6
- 113 Crystal structure and IR spectroscopic study of $(\text{CN}_3\text{H}_6)_2[(\text{UO}_2)_2(\text{C}_2\text{O}_4)(\text{CH}_3\text{COO})_4]$. *Crystallography Reports*, **2013**, 58, 275-279 0.6 6
- 112 Reactions of molybdenum oxo-thioclusters with $[\text{Re}(\text{CO})_5\text{Cl}]$. *Inorganica Chimica Acta*, **2012**, 383, 7-12 2.7 6
- 111 Supramolecular Systems Based on Ca^{2+} , $[\text{Mo}_3\text{O}_2\text{S}_2\text{Cl}_6(\text{H}_2\text{O})_3]^{2-}$, $[\text{Mo}_3\text{S}_4\text{Cl}_6.75\text{Br}0.25(\text{H}_2\text{O})_2]^{3-}$ and Cucurbit[6]uril. *Journal of Structural Chemistry*, **2010**, 51, 731-736 0.9 6
- 110 Design of scaffold-like metal-organic coordination polymers based on dinuclear zinc(II) carboxylate complexes. *Russian Chemical Bulletin*, **2007**, 56, 225-230 1.7 6
- 109 New crystal modification of the di(nitrato)di(aqua)palladium(II) complex $\text{trans}-[\text{Pd}(\text{NO}_3)_2(\text{H}_2\text{O})_2]$. *Journal of Structural Chemistry*, **2008**, 49, 160-164 0.9 6
- 108 Synthesis and crystal structure of tris(ϵ -caprolactamium) hexa(isothiocyanato)chromate(III) tricaprolactam $(\text{C}_6\text{H}_{14}\text{NO})_3[\text{Cr}(\text{NCS})_6] \cdot 3(\text{C}_6\text{H}_{13}\text{NO})$. *Russian Journal of Inorganic Chemistry*, **2006**, 51, 557-562 1.5 6
- 107 Search for structure-forming components in molecular crystals of binary compounds: a topological approach. *Zeitschrift Fur Kristallographie - Crystalline Materials*, **2002**, 217, 91-102 1 6
- 106 Three-Component Self-Assembly Changes its Course: A Leap from Simple Polymers to 3D Networks of Spherical Host-Guest Assemblies. *Angewandte Chemie - International Edition*, **2021**, 60, 12132-12142 16.4 6
- 105 Crystal structures of antimony(III) chloride complexes with pyridine. *Polyhedron*, **2019**, 158, 97-101 2.7 6
- 104 Hydrogen bonding induced polymorphism in the scandium(III) complex with ϵ -caprolactam. *Zeitschrift Fur Kristallographie - Crystalline Materials*, **2015**, 230, 551-558 1 5
- 103 The Potential of the Diarsene Complex $[(\text{C}_6\text{H}_5)_2\text{Mo}(\text{CO})_2(\text{As})_2]$ as a Connector Between Silver Ions. *Chemistry - A European Journal*, **2020**, 26, 14315-14319 4.8 5
- 102 Structures of molecular complexes of SbCl_5 with pyridine and acetonitrile: equal bond lengths, different stability. *Russian Chemical Bulletin*, **2020**, 69, 84-90 1.7 5
- 101 Cyclo-P4-Bausteine \rightarrow Verwirklichung nichtklassischer Fulleren-Analogie und weiterer Topologien. *Angewandte Chemie*, **2016**, 128, 15053-15058 3.6 5
- 100 Synthesis and crystal structure of lanthanum(III) Iodomercurate(II) complexes with ϵ -Caprolactam. *Russian Journal of Inorganic Chemistry*, **2013**, 58, 534-542 1.5 5
- 99 Synthesis and crystal structure of $\text{Cs}_2[(\text{UO}_2)_2(\text{C}_2\text{O}_4)_3]$ and $\text{Cs}_2[\text{UO}_2(\text{C}_3\text{H}_2\text{O}_4)_2] \cdot \text{H}_2\text{O}$. *Russian Journal of Inorganic Chemistry*, **2013**, 58, 1465-1469 1.5 5
- 98 Tin-Mediated Route to Polytungstates of Rh(II) and Pd(II). *European Journal of Inorganic Chemistry*, **2013**, 2013, 1772-1779 2.3 5

97	Synthesis and X-ray structural investigation of $(C_3N_6H_7)_4(CN_3H_6)_2[UO_2(CrO_4)_4] \cdot 4H_2O$ and $(H_3O)_6[UO_2(CrO_4)_4]$. <i>Crystallography Reports</i> , 2009 , 54, 259-266	0.6	5
96	Synthesis, structure, and magnetic properties of the cobalt(II) 1,3,5-benzenetricarboxylate layered coordination polymer. <i>Russian Chemical Bulletin</i> , 2007 , 56, 1782-1786	1.7	5
95	Phenomenon of trans-cis isomerization of copper(II) Ediketonate on co-crystallization with lead(II) hexafluoroacetylacetonate. <i>Journal of Structural Chemistry</i> , 2008 , 49, 489-493	0.9	5
94	Synthesis and crystal structure of $Rb_2[(UO_2)_2(C_2O_4)_2(SeO_4)] \cdot 1.33H_2O$. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2008 , 34, 629-634	1.6	5
93	Crystal structure of $\{NH_2C(NHC_6H_5)_2\}_3[UO_2(C_2O_4)_2(NCS)] \cdot 1.25H_2O$. <i>Crystallography Reports</i> , 2008 , 53, 651-654	0.6	5
92	Crystal structure of $Na_2[(UO_2)_2(SeO_4)_3(H_2O)_2] \cdot 6.5H_2O$. <i>Russian Journal of Inorganic Chemistry</i> , 2006 , 51, 210-219	1.5	5
91	Vaporization of Molecular Coordination Organotitanium Compounds: Development of the Structure-Thermochemical Approach with Programmed Use of the Cambridge Structural Database. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2004 , 30, 679-684	1.6	5
90	Structures and Chemical Bonding in Antimony(III) Bromide Complexes with Pyridine. <i>Chemistry - A European Journal</i> , 2020 , 26, 16338-16348	4.8	5
89	The Missing Parent Compound $[(C\ H)\ Fe(\square\ P)]$: Synthesis, Characterization, Coordination Behavior and Encapsulation. <i>Chemistry - A European Journal</i> , 2021 , 27, 7542-7548	4.8	5
88	The First Homoleptic Complex of Seven-Coordinated Osmium: Synthesis and Crystallographical Evidence of Pentagonal Bipyramidal Polyhedron of Heptacyanoosmate(IV). <i>Crystals</i> , 2016 , 6, 102	2.3	5
87	Synthesis and X-ray diffraction study of $Li(NH_4)_2[UO_2](CH_3COO)_3 \cdot 2H_2O$ and $(CN_3H_6)_4[UO_2(CH_3COO)_3](NO_3)_3$. <i>Russian Journal of Inorganic Chemistry</i> , 2015 , 60, 38-45	1.5	4
86	Synthesis and structure of $(NH_4)_3[UO_2(C_3H_2O_4)_2(NCS)] \cdot 2H_2O$. <i>Crystallography Reports</i> , 2014 , 59, 48-52.6	2.6	4
85	New fluorochromatouranylates of alkali metals: Synthesis and structure. <i>Russian Journal of Inorganic Chemistry</i> , 2014 , 59, 788-797	1.5	4
84	Synthesis and physicochemical properties of $[Cd(e-C_6H_{11}NO)_5]_2Cr(NCS)_6[Cd(e-C_6H_{11}NO)_4Cr(NCS)_6]$. <i>Russian Journal of Inorganic Chemistry</i> , 2012 , 57, 811-814	1.5	4
83	Crystal structure of a tantal cluster with tetraphenylborate-anion: $[Ta_6Br_{12}(H_2O)_6](BPh_4)_2 \cdot 4H_2O$. <i>Journal of Structural Chemistry</i> , 2013 , 54, 454-458	0.9	4
82	Tuning of the nitronyl nitroxide radical magnetic and electronic properties by inclusion in cucurbit[n]urils. <i>Polyhedron</i> , 2011 , 30, 3083-3087	2.7	4
81	Synthesis and crystal structure of $Cs_7[BW_{12}O_{40}][Rh_2(CH_3COO)_4Cl]_2 \cdot 8H_2O$. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2011 , 37, 133-136	1.6	4
80	Synthesis and crystal structure of $(NH_4)(CN_3H_6)[UO_2(SeO_3)_2]$. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2009 , 35, 42-46	1.6	4

79	Mixed-ligand complexes [Cd(DMSO) ₅ (NCS)] [Cr(NH ₃) ₂ (NCS) ₄] 3DMSO and [Mn(DMSO) ₄ (H ₂ O) ₂] [Cr(NH ₃) ₂ (NCS) ₄] ₂ 6DMSO 2H ₂ O: Syntheses and crystal structures. <i>Russian Journal of Inorganic Chemistry</i> , 2009 , 54, 692-697	1.5	4
78	Synthesis and an X-ray diffraction study of Rb ₂ [(UO ₂) ₂ (C ₂ O ₄) ₃]. <i>Crystallography Reports</i> , 2010 , 55, 769-778		4
77	Coordination compounds of cobalt(II), nickel(II), and copper(II) with 4-(3-hydroxyphenyl)-1,2,4-triazole: Synthesis and study. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2010 , 36, 337-346	1.6	4
76	Reactivity of triangular oxalate cluster complexes [M ₃ Q ₇ (C ₂ O ₄) ₃] ₂ [(M = Mo or W; Q = S or Se). <i>Russian Chemical Bulletin</i> , 2007 , 56, 1707-1711	1.7	4
75	Octa(e-caprolactam)erbium(III) hex(isothiocyanato)chromate(III): Synthesis and crystal structure. <i>Russian Journal of Inorganic Chemistry</i> , 2008 , 53, 772-775	1.5	4
74	Synthesis and X-ray diffraction study of K ₄ [(UO ₂) ₂ (C ₂ O ₄) ₃ (NCS) ₂] 4H ₂ O. <i>Russian Journal of Inorganic Chemistry</i> , 2008 , 53, 837-841	1.5	4
73	Synthesis and structures of Cs ₄ [(UO ₂) ₂ (C ₂ O ₄)(SO ₄) ₂ (NCS) ₂] 4H ₂ O and (NH ₄) ₄ [(UO ₂) ₂ (C ₂ O ₄)(SO ₄) ₂ (NCS) ₂] 6H ₂ O. <i>Russian Journal of Inorganic Chemistry</i> , 2008 , 53, 1034-1039 ^{1.5}		4
72	Synthesis and structure of [UO ₂ (SeO ₄)(C ₂ H ₄ N ₄) ₂] 0.5H ₂ O. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2006 , 32, 586-589	1.6	4
71	Synthesis and study of cobalt(II), nickel(II), and copper(II) complexes with 4-(4-hydroxyphenyl)-1,2,4-triazole. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2012 , 38, 353-362	1.6	3
70	Synthesis and crystal structure of [UO ₂ CrO ₄ (C ₅ NH ₅ COO)] 0.25H ₂ O. <i>Russian Journal of Inorganic Chemistry</i> , 2012 , 57, 1449-1454	1.5	3
69	Synthesis and crystal structure of [UO ₂ CrO ₄ (C ₅ NH ₅ COO)] H ₂ O. <i>Russian Journal of Inorganic Chemistry</i> , 2012 , 57, 41-45	1.5	3
68	Cucurbituril-assisted transformation of nitronyl nitroxide into imino nitroxide in the solid state. <i>CrystEngComm</i> , 2011 , 13, 3241	3.3	3
67	Copper(II) complexes with bis(4-iodo-3,5-dimethylpyrazol-1-yl)methane: Synthesis, spectroscopic study, and crystal structure. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2009 , 35, 433-444	1.6	3
66	Synthesis of copper(II) complexes with 3,5-bis(4,6-dimethylpyrimidin-2-yl)-4H-1,2,4-triazol-4-amine (L). Molecular and crystal structures of L and [Cu ₂ L ₂ Cl ₄] 2MeCN. <i>Inorganica Chimica Acta</i> , 2011 , 365, 384-390	2.7	3
65	Synthesis and structure of Cs[UO ₂ (SeO ₄)(OH)] nH ₂ O (n = 1.5 or 1). <i>Crystallography Reports</i> , 2010 , 55, 381-385	0.6	3
64	Crystal structure of new complexes of arsenitotungstates with triangular sulfido bridged clusters: Cs _{5.6} K _{4.4} [Mo ₃ S ₄ (H ₂ O) ₅](H ₂ AsW ₉ O ₃₃) ₂] 9.15H ₂ O and K _{6.35} (NH ₄) _{2.65} [W ₃ S ₄ (H ₂ O) ₅](H ₂ AsW ₉ O ₃₃)(HAsW ₉ O ₃₃ AsOH)] 23.7H ₂ O. <i>Journal of Structural Chemistry</i> , 2010 , 51, 303-307	0.9	3
63	Interrelation between the structure and cyclization direction of o-alkynylbenzenediazonium salts. <i>Russian Journal of Organic Chemistry</i> , 2007 , 43, 790-792	0.7	3
62	Crystal structure of (C ₂ H ₇ N ₄ O) ₂ [UO ₂ (C ₂ O ₄) ₂ (H ₂ O)]. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2006 , 32, 910-914	1.6	3

61	Crystal structure of Na ₆ [(UO ₂) ₃ O(OH) ₃ (SeO ₄) ₂] ₂ · 10H ₂ O. <i>Russian Journal of Inorganic Chemistry</i> , 2006 , 51, 220-228	1.5	3
60	[[Ba ₂ (C ₂ O ₄)(H ₂ O) ₆](NCS) ₂] _n : a layered mixed-anion barium oxalate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2004 , 60, m355-6		3
59	Au-Containing Coordination Polymers Based on Polyphosphorus Ligand Complexes. <i>Inorganic Chemistry</i> , 2021 , 60, 6027-6039	5.1	3
58	Synthesis and crystal structure of hexakis(ε-caprolactam)lutetium(III) hexa(isothiocyanato)chromate(III) bis(ε-caprolactam) solvate. <i>Russian Journal of Inorganic Chemistry</i> , 2016 , 61, 447-450	1.5	3
57	Unterschiedliche Reaktivität von As ₄ gegenüber Disilenen und Silylenen. <i>Angewandte Chemie</i> , 2017 , 129, 6755-6759	3.6	2
56	Synthesis, physicochemical properties, and structural isomerism of cadmium chloride coordination compounds with ε-caprolactam. <i>Russian Journal of Inorganic Chemistry</i> , 2015 , 60, 46-50	1.5	2
55	X-ray diffraction analysis of potassium (isothiocyanato)chromate(III) hydrates. <i>Russian Journal of Inorganic Chemistry</i> , 2015 , 60, 493-499	1.5	2
54	X-ray crystallographic study of crystalline products of interaction of lanthanum(III) nitrate, ammonium tetra(isothiocyanato)diamminechromate(III) and dimethyl sulfoxide in an aqueous solution. <i>Russian Journal of Inorganic Chemistry</i> , 2012 , 57, 1221-1226	1.5	2
53	Synthesis and X-ray structural investigation of K ₂ (H ₅ O ₂)[UO ₂ (C ₂ O ₄) ₂ (HSeO ₃)]. <i>Crystallography Reports</i> , 2011 , 56, 451-455	0.6	2
52	[Co ₂ (NH ₂ CH ₂ CH ₂ O) ₃ (NH ₂ CH ₂ CH ₂ OH) ₃][CoCl ₄]Cl · H ₂ O: Synthesis and crystal structure. <i>Russian Journal of Inorganic Chemistry</i> , 2009 , 54, 568-571	1.5	2
51	Synthesis and X-ray structural investigation of K ₈ [(UO ₂) ₂ (C ₂ O ₄) ₂ (SeO ₄) ₄] · 2H ₂ O. <i>Crystallography Reports</i> , 2009 , 54, 63-67	0.6	2
50	Synthesis and structure of (NH ₄) ₃ [UO ₂ (CH ₃ COO) ₃] ₂ (NCS). <i>Radiochemistry</i> , 2010 , 52, 227-229	0.9	2
49	Crystal Structure and Properties of (H ₉ O ₄) ₂ [Mo ₂ (S ₂) ₂ X ₈] (X = Cl, Br). <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007 , 633, 2288-2291	1.3	2
48	Synthesis and study of N-(1-phenylethylidene)-N-(4H-1,2,4-triazol-4-yl)amine, N-(4H-1,2,4-triazol-4-yl)benzamidine, and cobalt(ii), nickel(ii), and copper(ii) complexes based on these ligands. <i>Russian Chemical Bulletin</i> , 2008 , 57, 1931-1943	1.7	2
47	Solid products of the reaction of lanthanum(III) nitrate with potassium hexa(isothiocyanato)chromate(III) in an aqueous solution: X-ray diffraction analysis. <i>Russian Journal of Inorganic Chemistry</i> , 2008 , 53, 1115-1120	1.5	2
46	Crystal structure of M ₄ [(UO ₂) ₂ C ₂ O ₄ (SO ₄) ₂ (NCS) ₂] (M = K ⁺ , Rh ⁺) and K ₄ [(UO ₂) ₂ C ₂ O ₄ (SeO ₄) ₂ (NCS) ₂]. <i>Crystallography Reports</i> , 2008 , 53, 462-465	0.6	2
45	Crystal structure of (C ₂ H ₇ N ₄ O) ₂ [(UO ₂) ₂ (OH) ₂ (C ₂ O ₄)(CHO ₂) ₂]. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2006 , 32, 221-225	1.6	2
44	Synthesis and structure of [Re ₃ S ₃ .7Br ₄ .3(PPh ₃) ₃] ₂ · 5CH ₂ Cl ₂ . <i>Journal of Structural Chemistry</i> , 2006 , 47, 985-988	0.9	2

43	Synthesis and structure of (bis(3,5-dimethyl-1H-pyrazol-1-yl)methane)diiodocobalt(II). <i>Journal of Structural Chemistry</i> , 2005 , 46, 1099-1103	0.9	2
42	Die Iodierung von cyclo-E5-Komplexen (E=P, As). <i>Angewandte Chemie</i> , 2020 , 132, 16377-16383	3.6	2
41	Mixed Organometallic-Organic Hybrid Assemblies Based on the Diarsene Complex [Cp Mo (CO) (η^5 -As)], Ag Salts and N-Donor Organic Molecules. <i>Chemistry - A European Journal</i> , 2021 , 27, 5028-5034	4.8	2
40	Tetra(hexamethylphosphoric triamide) solvate with ammonium tetrakis(isothiocyanato)diamminechromate(III): Synthesis and crystal structure. <i>Russian Journal of Inorganic Chemistry</i> , 2017 , 62, 355-360	1.5	1
39	Structural variety of aluminium and gallium coordination polymers based on bis-pyridylethylene: from molecular complexes to ionic networks. <i>CrystEngComm</i> , 2020 , 22, 4531-4543	3.3	1
38	Ein Supermolekül mit minimaler Metallbesetzung basierend auf einem fñffach-symmetrischen Baustein. <i>Angewandte Chemie</i> , 2020 , 132, 13750-13753	3.6	1
37	Synthesis and Crystal Structure of Dinitratotetra(hexamethylphosphoric Triamide)-Lanthanum(III)Tetra(isothiocyanato)Diammine Chromate(III). <i>Russian Journal of Inorganic Chemistry</i> , 2018 , 63, 34-39	1.5	1
36	Polymorphism of the Double Octa(η^5 -aprolactam)europium(III) Hexa(isothiocyanato)chromate(III) Complex. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2019 , 45, 42-46	1.6	1
35	Synthesis and crystal structure of (CN ₃ H ₆) ₂ [UO ₂ (OH) ₂ (NCS)]NO ₃ and Cs ₃ [UO ₂ (NCS) ₅]. <i>Crystallography Reports</i> , 2014 , 59, 196-201	0.6	1
34	Synthesis and study of (CN ₃ H ₆) ₂ [(UO ₂) ₂ (C ₂ O ₄)(SeO ₃) ₂] by IR spectroscopy and X-ray diffraction. <i>Russian Journal of Inorganic Chemistry</i> , 2012 , 57, 175-180	1.5	1
33	Synthesis and structure of [Cr ₃ O(CH ₃ COO) ₆ (H ₂ O) ₃][UO ₂ (CH ₃ COO) ₃] · 3H ₂ O. <i>Russian Journal of Inorganic Chemistry</i> , 2012 , 57, 1341-1347	1.5	1
32	Synthesis and X-ray diffraction study of Cs ₃ [UO ₂ (CH ₃ COO) ₃] ₂ [UO ₂ (CH ₃ COO)(NCS) ₂ (H ₂ O)] and Cs ₅ [UO ₂ (CH ₃ COO) ₃] ₃ [UO ₂ (NCS) ₄ (H ₂ O)] · 2H ₂ O. <i>Russian Journal of Inorganic Chemistry</i> , 2013 , 58, 160-165	1.5	1
31	Synthesis and crystal structure of [UO ₂ (OH)(CO(NH ₂) ₂) ₃] ₂ (ClO ₄) ₂ . <i>Radiochemistry</i> , 2011 , 53, 457-461	0.9	1
30	Cubane pyridine-acetylacetonate cluster complexes with the M ₃ CuS ₅₊₄ core (M = Mo, W). <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2009 , 35, 395-400	1.6	1
29	Crystal structure of Cs[(UO ₂) ₂ (C ₂ O ₄) ₂ (OH)] · H ₂ O. <i>Russian Journal of Inorganic Chemistry</i> , 2009 , 54, 1577-1580	1.5	1
28	Synthesis and crystal structure of (NH ₄) ₃ [UO ₂ (CH ₃ COO) ₃] ₂ [UO ₂ (CH ₃ COO)(NCS) ₂ (H ₂ O)]. <i>Crystallography Reports</i> , 2010 , 55, 19-23	0.6	1
27	Crystal structure of Cs ₈ [BW ₁₂ O ₄₀][RhCl ₆] · 15H ₂ O double salt. <i>Journal of Structural Chemistry</i> , 2010 , 51, 984-986	0.9	1
26	Complexes of Co(II), Ni(II), and Cu(II) with 4-(3,4-dichlorophenyl)-1,2,4-triazole. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2007 , 33, 37-44	1.6	1

25	Synthesis and structure of Na[UO ₂ (SeO ₃)(HSeO ₃)] · 4H ₂ O. <i>Russian Journal of Inorganic Chemistry</i> , 2008 , 53, 831-836	1.5	1
24	Synthesis and structure of M[UO ₂ (C ₂ O ₄)(NCS)] · 0.5H ₂ O (M = Rb or Cs). <i>Russian Journal of Inorganic Chemistry</i> , 2008 , 53, 1040-1045	1.5	1
23	Crystal structure of Ba ₃ [UO ₂ (C ₂ O ₄) ₂ (NCS)] ₂ · 9H ₂ O. <i>Russian Journal of Inorganic Chemistry</i> , 2008 , 53, 1396-1400	1.5	1
22	Cycloaddition of thiocyanate ions to cyanoguanidine in the presence of uranyl ions: The synthesis and structure of (C ₃ N ₅ H ₆ S) ₂ [(UO ₂)(C ₂ O ₄) ₂ (H ₂ O)] · C ₂ N ₄ H ₄ . <i>Doklady Chemistry</i> , 2006 , 406, 18-20	0.8	1
21	Synthesis and crystal structure of Ba ₂ [(UO ₂)(C ₂ O ₄) ₂ (NCS)]NCS · 7H ₂ O. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2006 , 32, 297-303	1.6	1
20	(NH ₄)(CN ₃ H ₆) ₂ [UO ₂ (C ₂ O ₄) ₂ (NCS)] · 2H ₂ O: Synthesis and crystal structure. <i>Russian Journal of Inorganic Chemistry</i> , 2006 , 51, 229-234	1.5	1
19	Versatile Coordination of Ag and Cu Ions towards cyclo-As Ligands. <i>Chemistry - A European Journal</i> , 2021 , 27, 9742-9747	4.8	1
18	Erbium(III) and lutecium(III) complexes [Ln(H ₂ O) ₈][Cr(NCS) ₆] · 5H ₂ O: Synthesis and crystal structure. <i>Russian Journal of Inorganic Chemistry</i> , 2016 , 61, 174-179	1.5	1
17	The structure of a new copper(II) complex with 3-methyl-5-carboxylatopyrazole. <i>Journal of Structural Chemistry</i> , 2008 , 49, 1104-1107	0.9	0
16	Die Dreikomponenten-Selbstorganisation ändert ihre Richtung: Ein Sprung von einfachen Polymeren zu 3D-Netzwerken sphärischer Wirt/Gast-Aggregate. <i>Angewandte Chemie</i> , 2021 , 133, 12239-12250	3.6	0
15	Unusual molecular complexes of antimony fluoride dimers with acetonitrile and pyridine: structures and bonding. <i>Dalton Transactions</i> , 2021 , 50, 13357-13367	4.3	0
14	Unusual Synthesis of Triosmium Carbene Clusters by Tandem Activation of Chlorohydrocarbons and Heterocyclic Amines. <i>European Journal of Inorganic Chemistry</i> , 2021 , 2021, 989-996	2.3	0
13	Synthesis and structure of R ₂ [UO ₂ (NO ₃) ₂ (NCS) ₂] (R = Rb or Cs). <i>Crystallography Reports</i> , 2015 , 60, 46-51	6	
12	Structure and Luminescent Properties of Cluster Complexes with the {Mo ₆ (β-SeCl ₇)} ₃₊ Core. <i>Journal of Structural Chemistry</i> , 2018 , 59, 177-181	0.9	
11	Cluster complexes [Mo ₃ O ₂ S ₂ (Acac) ₃ (Amine) ₃]PF ₆ . <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2014 , 40, 171-178	1.6	
10	Mechanochemical reactions of molybdenum and tungsten chalcogenides with (Bu ₄ N) ₂ [Zn(Dmit) ₂]. Crystal structure of (Bu ₄ N) ₂ [Mo ₃ Se _{5.88} S _{1.12} (Dmit) ₃] · 1.15CH ₂ Cl ₂ . <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2013 , 39, 6-10	1.6	
9	Synthesis and structure of (CN ₃ H ₆) ₂ [UO ₂ CrO ₄ (C ₅ H ₃ N(COO) ₂)]. <i>Russian Journal of Inorganic Chemistry</i> , 2013 , 58, 19-25	1.5	
8	Structure and some properties of [UO ₂ (SeO ₄)(C ₅ H ₁₂ N ₂ O) ₂ (H ₂ O)]. <i>Russian Journal of Inorganic Chemistry</i> , 2011 , 56, 1739-1746	1.5	

- 7 Crystal structure refinement of fac-Co(NH₂C₂H₄O)₃·3H₂O: Octahedron or trigonal prism?. *Journal of Structural Chemistry*, **2010**, 51, 190-193 0.9
- 6 Synthesis and crystal structure of (C₃N₅H₆S)₂[UO₂(C₂O₄)₂(H₂O)] · 2C₂N₄H₄. *Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya*, **2007**, 33, 371-376 1.6
- 5 The coordination polyhedra GaSn in crystal structures. *Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya*, **2008**, 34, 295-300 1.6
- 4 Crystal Structure of the Molecular Complex of Silicon Tetrafluoride with 4-Phenylpyridine. *Russian Journal of General Chemistry*, **2021**, 91, 1964-1968 0.7
- 3 New Polymorph of Tetrakis(pentafluorophenyl)diboroxane (C₆F₅)₂BOB(C₆F₅)₂. *Russian Journal of General Chemistry*, **2020**, 90, 2528-2530 0.7
- 2 Structure of the Product of 1,3,5,7-Tetra-tert-butyl-octahydro-1H,4H-imidazo[4,5-f:5',6']dioxino[2,3-d]imidazole Cocrystallization with 1,3-Di-tert-butylimidazol-2-one and 1,3-Di-tert-butylimidazolin-2-ylidene. *Russian Journal of General Chemistry*, **2020**, 90, 1625-1629 0.7
- 1 Tetraglymes as Prochiral Host Reagents for Ammonia Borane. *Zeitschrift Fur Anorganische Und Allgemeine Chemie*, **2019**, 645, 317-322 1.3