
## Mirjam Lukasse

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7120490/publications.pdf Version: 2024-02-01



MIDIAM LIKASSE

#	Article	IF	CITATIONS
1	Prevalence and associated factors of fear of childbirth in six European countries. Sexual and Reproductive Healthcare, 2014, 5, 99-106.	0.5	156
2	Fear of Childbirth and Risk of Cesarean Delivery: A Cohort Study in Six European Countries. Birth, 2015, 42, 48-55.	1.1	147
3	Factors related to a negative birth experience – A mixed methods study. Midwifery, 2017, 51, 33-39.	1.0	127
4	Women's experiences with using a smartphone app (the Pregnant+ app) to manage gestational diabetes mellitus in a randomised controlled trial. Midwifery, 2018, 58, 102-108.	1.0	78
5	Childhood Abuse and Fear of Childbirth—A Populationâ€based Study. Birth, 2010, 37, 267-274.	1.1	67
6	Burnout among Norwegian midwives and the contribution of personal and work-related factors: A cross-sectional study. Sexual and Reproductive Healthcare, 2016, 9, 42-47.	0.5	67
7	Designing and Developing a Mobile Smartphone Application for Women with Gestational Diabetes Mellitus Followed-Up at Diabetes Outpatient Clinics in Norway. Healthcare (Switzerland), 2015, 3, 310-323.	1.0	66
8	Prevalence of experienced abuse in healthcare and associated obstetric characteristics in six European countries. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 508-517.	1.3	63
9	Pregnant women's preference for cesarean section and subsequent mode of birth – a six-country cohort study. Journal of Psychosomatic Obstetrics and Gynaecology, 2016, 37, 75-83.	1.1	55
10	Prevalence of emotional, physical and sexual abuse among pregnant women in six European countries. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 669-677.	1.3	53
11	Effect of the Pregnant+ smartphone application in women with gestational diabetes mellitus: a randomised controlled trial in Norway. BMJ Open, 2019, 9, e030884.	0.8	52
12	Prevalence of sexual, physical and emotional abuse in the Norwegian mother and child cohort study. BMC Public Health, 2013, 13, 186.	1.2	49
13	Childhood Abuse and Common Complaints in Pregnancy. Birth, 2009, 36, 190-199.	1.1	45
14	Pregnancy intendedness and the association with physical, sexual and emotional abuse – a European multi-country cross-sectional study. BMC Pregnancy and Childbirth, 2015, 15, 120.	0.9	44
15	Fear of childbirth, women's preference for cesarean section and childhood abuse: a longitudinal study. Acta Obstetricia Et Gynecologica Scandinavica, 2011, 90, 33-40.	1.3	43
16	A History of Abuse and Operative Delivery – Results from a European Multi-Country Cohort Study. PLoS ONE, 2014, 9, e87579.	1.1	39
17	Past and recent abuse is associated with early cessation of breast feeding: results from a large prospective cohort in Norway. BMJ Open, 2015, 5, e009240.	0.8	36
18	Talking about intimate partner violence in multi-cultural antenatal care: a qualitative study of pregnant women's advice for better communication in South-East Norway. BMC Pregnancy and Childbirth, 2017, 17, 123.	0.9	35

MIRJAM LUKASSE

#	Article	lF	CITATIONS
19	Health Care Professionals' Attitudes Toward, and Experiences of Using, a Culture-Sensitive Smartphone App for Women with Gestational Diabetes Mellitus: Qualitative Study. JMIR MHealth and UHealth, 2018, 6, e123.	1.8	33
20	Smartphone application for women with gestational diabetes mellitus: a study protocol for a multicentre randomised controlled trial. BMJ Open, 2017, 7, e013117.	0.8	30
21	Sexual violence and pregnancy-related physical symptoms. BMC Pregnancy and Childbirth, 2012, 12, 83.	0.9	29
22	lmmersion in water for pain relief and the risk of intrapartum transfer among low risk nulliparous women: secondary analysis of the Birthplace national prospective cohort study. BMC Pregnancy and Childbirth, 2014, 14, 60.	0.9	26
23	Norwegian midwives' opinion of their midwifery education – a mixed methods study. BMC Medical Education, 2017, 17, 80.	1.0	23
24	Prevalence and associated factors of domestic violence among pregnant women attending routine antenatal care in Nepal. Scandinavian Journal of Public Health, 2018, 46, 785-793.	1.2	22
25	Norwegian midwives' perceptions of empowerment. Sexual and Reproductive Healthcare, 2016, 7, 58-64.	0.5	20
26	Domestic violence and perinatal outcomes – a prospective cohort study from Nepal. BMC Public Health, 2019, 19, 671.	1.2	20
27	†They just walk away' – women's perception of being silenced by antenatal health workers: a qualitative study on women survivors of domestic violence in Nepal. Global Health Action, 2016, 9, 31838.	0.7	19
28	Adult physical, sexual, and emotional abuse and postpartum depression, a population based, prospective study of 53,065 women in the Norwegian Mother and Child Cohort Study. BMC Pregnancy and Childbirth, 2014, 14, 316.	0.9	18
29	Women's preference for caesarean section and the actual mode of delivery – Comparing five sites in Norway. Sexual and Reproductive Healthcare, 2018, 16, 206-212.	0.5	18
30	Fear of birth: Prevalence, counselling and method of birth at five obstetrical units in Norway. Women and Birth, 2020, 33, 97-104.	0.9	18
31	The Safe Pregnancy study - promoting safety behaviours in antenatal care among Norwegian, Pakistani and Somali pregnant women: a study protocol for a randomized controlled trial. BMC Public Health, 2019, 19, 724.	1.2	17
32	Improving Maternal and Neonatal Health by a Midwife-led Continuity Model of Care – An Observational Study in One Governmental Hospital in Palestine. EClinicalMedicine, 2019, 10, 84-91.	3.2	17
33	Reliability of an automatic ultrasound system for detecting postpartum urinary retention after vaginal birth. Acta Obstetricia Et Gynecologica Scandinavica, 2007, 86, 1251-1255.	1.3	16
34	Effect of the Pregnant+ Smartphone App on the Dietary Behavior of Women With Gestational Diabetes Mellitus: Secondary Analysis of a Randomized Controlled Trial. JMIR MHealth and UHealth, 2020, 8, e18614.	1.8	16
35	Knowledge of gestational diabetes mellitus at first consultation in a multi-ethnic pregnant population in the Oslo region, Norway – a cross-sectional study. Ethnicity and Health, 2022, 27, 209-222.	1.5	15
36	The provision of epidural analgesia during labor according to maternal birthplace: a Norwegian register study. BMC Pregnancy and Childbirth, 2020, 20, 321.	0.9	14

MIRJAM LUKASSE

#	Article	IF	CITATIONS
37	Norwegian midwives' perceptions of their practice environment: A mixed methods study. Nursing Open, 2019, 6, 1559-1570.	1.1	13
38	Sexual violence and neonatal outcomes: a Norwegian population-based cohort study. BMJ Open, 2014, 4, e005935.	0.8	12
39	Emotional, physical, and sexual abuse and the association with symptoms of depression and posttraumatic stress in a multi-ethnic pregnant population in southern Sweden. Sexual and Reproductive Healthcare, 2016, 9, 7-13.	0.5	12
40	Sexual Violence and Antenatal Hospitalization. Birth, 2013, 40, 281-288.	1.1	11
41	Regular antenatal exercise including pelvic floor muscle training reduces urinary incontinence 3Âmonths postpartum—Follow up of a randomized controlled trial. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 294-301.	1.3	11
42	Can a midwife-led continuity model improve maternal services in a low-resource setting? A non-randomised cluster intervention study in Palestine. BMJ Open, 2018, 8, e019568.	0.8	10
43	A comparison of misoprostol vaginal insert and misoprostol vaginal tablets for induction of labor in nulliparous women: a retrospective cohort study. BMC Pregnancy and Childbirth, 2018, 18, 11.	0.9	10
44	A qualitative study of Norwegian first-time mothers' information needs in pre-admission early labour. Midwifery, 2021, 100, 103016.	1.0	10
45	Women's satisfaction with midwife-led continuity of care: an observational study in Palestine. BMJ Open, 2019, 9, e030324.	0.8	9
46	User-Involvement in the Development of a Culturally Sensitive Intervention in the Safe Pregnancy Study to Prevent Intimate Partner Violence. Violence Against Women, 2021, 27, 2235-2354.	1.1	9
47	Women's experience with receiving advice on diet and Self-Monitoring of blood glucose for gestational diabetes mellitus: a qualitative study. Scandinavian Journal of Primary Health Care, 2021, 39, 44-50.	0.6	9
48	Pregnant Women's Attitudes Toward and Experiences With a Tablet Intervention to Promote Safety Behaviors in a Randomized Controlled Trial: Qualitative Study. JMIR Formative Research, 2021, 5, e28680.	0.7	8
49	Midwives' Attitudes Toward and Experience With a Tablet Intervention to Promote Safety Behaviors for Pregnant Women Reporting Intimate Partner Violence: Qualitative Study. JMIR MHealth and UHealth, 2020, 8, e16828.	1.8	8
50	Antenatal Maternal Emotional Distress and Duration of Pregnancy. PLoS ONE, 2014, 9, e101682.	1.1	6
51	Cultural Sensitivity in Interventions Aiming to Reduce or Prevent Intimate Partner Violence During Pregnancy: A Scoping Review. Trauma, Violence, and Abuse, 2023, 24, 97-109.	3.9	6
52	Safe Pregnancy intervention for intimate partner violence: a randomised controlled trial in Norway among culturally diverse pregnant women. BMC Pregnancy and Childbirth, 2022, 22, 144.	0.9	6
53	Lifetime sexual violence and childbirth expectations – A Norwegian population based cohort study. Midwifery, 2016, 36, 14-20.	1.0	5
54	Intrapartum pudendal nerve block analgesia and risk of postpartum urinary retention: a cohort study. International Urogynecology Journal, 2021, 32, 2383-2391.	0.7	4

Mirjam Lukasse

#	Article	IF	CITATIONS
55	Adherence to the Norwegian dietary recommendations in a multiâ€ethnic pregnant population prior to being diagnosed with gestational diabetes mellitus. Food Science and Nutrition, 2020, 8, 3031-3040.	1.5	3
56	Improving Safety Among Pregnant Women Reporting Domestic Violence in Nepal—A Pilot Study. International Journal of Environmental Research and Public Health, 2020, 17, 2268.	1.2	3
57	Development of and Experiences With an Informational Website on Early Labor: Qualitative User Involvement Study. JMIR Formative Research, 2021, 5, e28698.	0.7	3
58	Norwegian women's experiences and opinions on contraceptive counselling: A systematic textcondensation study. European Journal of Midwifery, 2021, 5, 1-8.	0.5	2
59	Oxytocin and emergency caesarean section in a medium-sized hospital in Pakistan: A cross-sectional study. European Journal of Midwifery, 2020, 4, 33.	0.5	2
60	Experiences of Norwegian community midwives with caring for vulnerable pregnant women – A national cross-sectional study. Sexual and Reproductive Healthcare, 2022, 31, 100693.	0.5	2
61	Antenatal depression and the association of intimate partner violence among a culturally diverse population in southeastern Norway: A cross-sectional study. European Journal of Midwifery, 2022, 6, 1-10.	0.5	2
62	Midwives' experiences of using the Obstetric Norwegian Early Warning System (ONEWS): A national cross-sectional study. European Journal of Midwifery, 2021, 5, 1-9.	0.5	1
63	Contraceptive consultations: A cross-sectional study of Norwegian women's experiences and opinions. European Journal of Midwifery, 2019, 3, 12.	0.5	1
64	Implementation of the Moyo fetal heart rate monitor in district hospitals in Bihar, India: a feasibility study. BMJ Open, 2021, 11, e041071.	0.8	0
65	Intimate partner violence and the association of pregnancy intendedness – A cross-sectional study in southeastern Norway. Sexual and Reproductive Healthcare, 2021, 29, 100651.	0.5	0
66	Use of pudendal nerve block among midwives in Norway: A national cross-sectional study. European Journal of Midwifery, 2022, 6, 1-10.	0.5	0