

Roger Walz

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7121545/roger-walz-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

171
papers

4,123
citations

33
h-index

57
g-index

177
ext. papers

4,588
ext. citations

3.8
avg, IF

4.87
L-index

#	Paper	IF	Citations
171	Cellular prion protein binds laminin and mediates neuritogenesis. <i>Molecular Brain Research</i> , 2000 , 76, 85-92		245
170	Imbalance of antioxidant defense in mice lacking cellular prion protein. <i>Free Radical Biology and Medicine</i> , 2001 , 30, 1137-44	7.8	190
169	Increased sensitivity to seizures in mice lacking cellular prion protein. <i>Epilepsia</i> , 1999 , 40, 1679-82	6.4	160
168	Amnesia by post-training infusion of glutamate receptor antagonists into the amygdala, hippocampus, and entorhinal cortex. <i>Behavioral and Neural Biology</i> , 1992 , 58, 76-80		157
167	Lipid peroxidation in hippocampus early and late after status epilepticus induced by pilocarpine or kainic acid in Wistar rats. <i>Neuroscience Letters</i> , 2000 , 291, 179-82	3.3	137
166	The Serum S100B Concentration Is Age Dependent. <i>Clinical Chemistry</i> , 2002 , 48, 950-952	5.5	109
165	Cellular prion protein: on the road for functions. <i>FEBS Letters</i> , 2002 , 512, 25-8	3.8	103
164	Psychiatric disorders and traumatic brain injury. <i>Neuropsychiatric Disease and Treatment</i> , 2008 , 4, 797-816	5.1	89
163	Time-dependent impairment of inhibitory avoidance retention in rats by posttraining infusion of a mitogen-activated protein kinase kinase inhibitor into cortical and limbic structures. <i>Neurobiology of Learning and Memory</i> , 2000 , 73, 11-20	3.1	84
162	Effects of traumatic brain injury of different severities on emotional, cognitive, and oxidative stress-related parameters in mice. <i>Journal of Neurotrauma</i> , 2010 , 27, 1883-93	5.4	79
161	Psychiatric disorders and health-related quality of life after severe traumatic brain injury: a prospective study. <i>Journal of Neurotrauma</i> , 2012 , 29, 1029-37	5.4	77
160	Normal inhibitory avoidance learning and anxiety, but increased locomotor activity in mice devoid of PrP(C). <i>Molecular Brain Research</i> , 1999 , 71, 349-53		74
159	Do psychiatric comorbidities predict postoperative seizure outcome in temporal lobe epilepsy surgery?. <i>Epilepsy and Behavior</i> , 2009 , 14, 529-34	3.2	69
158	Memory processing by the limbic system: role of specific neurotransmitter systems. <i>Behavioural Brain Research</i> , 1993 , 58, 91-8	3.4	67
157	Seizure outcome after surgery for epilepsy due to focal cortical dysplastic lesions. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2006 , 15, 420-7	3.2	65
156	Post-training intrahippocampal infusion of protein kinase C inhibitors causes amnesia in rats. <i>Behavioral and Neural Biology</i> , 1994 , 61, 107-9		65
155	Intranasal administration of neurotoxicants in animals: support for the olfactory vector hypothesis of Parkinson disease. <i>Neurotoxicity Research</i> , 2012 , 21, 90-116	4.3	64

154	Time-dependent modulation of AMPA receptor phosphorylation and mRNA expression of NMDA receptors and glial glutamate transporters in the rat hippocampus and cerebral cortex in a pilocarpine model of epilepsy. <i>Experimental Brain Research</i> , 2013 , 226, 153-63	2.3	63
153	The intranasal administration of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP): a new rodent model to test palliative and neuroprotective agents for Parkinson's disease. <i>Current Pharmaceutical Design</i> , 2011 , 17, 489-507	3.3	61
152	Perspectives on molecular biomarkers of oxidative stress and antioxidant strategies in traumatic brain injury. <i>BioMed Research International</i> , 2014 , 2014, 723060	3	59
151	Mortality in severe traumatic brain injury: a multivariate analysis of 748 Brazilian patients from Florianópolis City. <i>Journal of Trauma</i> , 2009 , 67, 85-90		57
150	Volumetric evidence of bilateral damage in unilateral mesial temporal lobe epilepsy. <i>Epilepsia</i> , 2006 , 47, 1354-9	6.4	57
149	Interleukin-10 is an independent biomarker of severe traumatic brain injury prognosis. <i>NeuroImmunoModulation</i> , 2012 , 19, 377-85	2.5	51
148	Post-training down-regulation of memory consolidation by a GABA-A mechanism in the amygdala modulated by endogenous benzodiazepines. <i>Behavioral and Neural Biology</i> , 1990 , 54, 105-9		48
147	Role of the glucose-dependent insulinotropic polypeptide and its receptor in the central nervous system: therapeutic potential in neurological diseases. <i>Behavioural Pharmacology</i> , 2010 , 21, 394-408	2.4	47
146	Age-related cognitive decline in hypercholesterolemic LDL receptor knockout mice (LDLR ^{-/-}): evidence of antioxidant imbalance and increased acetylcholinesterase activity in the prefrontal cortex. <i>Journal of Alzheimer's Disease</i> , 2012 , 32, 495-511	4.3	45
145	Dose-dependent impairment of inhibitory avoidance retention in rats by immediate post-training infusion of a mitogen-activated protein kinase inhibitor into cortical structures. <i>Behavioural Brain Research</i> , 1999 , 105, 219-23	3.4	44
144	Plasma levels of oxidative stress biomarkers and hospital mortality in severe head injury: a multivariate analysis. <i>Journal of Critical Care</i> , 2012 , 27, 523.e11-9	4	42
143	Oxidative stress in brain according to traumatic brain injury intensity. <i>Journal of Surgical Research</i> , 2010 , 164, 316-20	2.5	39
142	Altered behavioural response to acute stress in mice lacking cellular prion protein. <i>Behavioural Brain Research</i> , 2005 , 162, 173-81	3.4	38
141	Altered ATP hydrolysis induced by pentylentetrazol kindling in rat brain synaptosomes. <i>Neurochemical Research</i> , 2000 , 25, 775-9	4.6	35
140	Time course evaluation of behavioral impairments in the pilocarpine model of epilepsy. <i>Epilepsy and Behavior</i> , 2016 , 55, 92-100	3.2	34
139	Cellular prion protein: implications in seizures and epilepsy. <i>Cellular and Molecular Neurobiology</i> , 2002 , 22, 249-57	4.6	34
138	Early Seizure Detection Based on Cardiac Autonomic Regulation Dynamics. <i>Frontiers in Physiology</i> , 2017 , 8, 765	4.6	33
137	Socio-demographic and clinical characteristics of Brazilian patients with epilepsy who drive and their association with traffic accidents. <i>Epilepsy and Behavior</i> , 2012 , 24, 216-20	3.2	33

136	Cellular prion protein modulates defensive attention and innate fear-induced behaviour evoked in transgenic mice submitted to an agonistic encounter with the tropical coral snake <i>Oxyrhopus guibei</i> . <i>Behavioural Brain Research</i> , 2008 , 194, 129-37	3.4	33
135	Predictors of meaningful improvement in quality of life after temporal lobe epilepsy surgery: A prospective study. <i>Epilepsia</i> , 2017 , 58, 755-763	6.4	32
134	Neuroprotective effects of agmatine in mice infused with a single intranasal administration of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP). <i>Behavioural Brain Research</i> , 2012 , 235, 263-72	3.4	32
133	Predictors of quality of life in patients with refractory mesial temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2012 , 25, 208-13	3.2	32
132	Time-dependent modulation of mitogen activated protein kinases and AKT in rat hippocampus and cortex in the pilocarpine model of epilepsy. <i>Neurochemical Research</i> , 2012 , 37, 1868-78	4.6	32
131	Effect of the infusion of the GABA-A receptor agonist, muscimol, on the role of the entorhinal cortex, amygdala, and hippocampus in memory processes. <i>Behavioral and Neural Biology</i> , 1994 , 61, 132-8		32
130	Hospital mortality of patients with severe traumatic brain injury is associated with serum PTX3 levels. <i>Neurocritical Care</i> , 2011 , 14, 194-9	3.3	31
129	A peptide muscarinic toxin from the Green Mamba venom shows agonist-like action in an inhibitory avoidance learning task. <i>European Journal of Pharmacology</i> , 1993 , 240, 103-5	5.3	31
128	Validation of diagnostic tests for depressive disorder in drug-resistant mesial temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2015 , 50, 61-6	3.2	27
127	Increased cardiac stiffness is associated with autonomic dysfunction in patients with temporal lobe epilepsy. <i>Epilepsia</i> , 2018 , 59, e85-e90	6.4	27
126	Region-specific alterations of AMPA receptor phosphorylation and signaling pathways in the pilocarpine model of epilepsy. <i>Neurochemistry International</i> , 2015 , 87, 22-33	4.4	27
125	Utility of ictal single photon emission computed tomography in mesial temporal lobe epilepsy with hippocampal atrophy: a randomized trial. <i>Neurosurgery</i> , 2011 , 68, 431-6; discussion 436	3.2	27
124	Echocardiographic risk markers of sudden death in patients with temporal lobe epilepsy. <i>Epilepsy Research</i> , 2018 , 140, 192-197	3	24
123	Hippocampal sclerosis and ipsilateral headache among mesial temporal lobe epilepsy patients. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2011 , 20, 480-4	3.2	24
122	Hypercholesterolemia induces short-term spatial memory impairments in mice: up-regulation of acetylcholinesterase activity as an early and causal event?. <i>Journal of Neural Transmission</i> , 2014 , 121, 415-26	4.3	23
121	Excessive sleepiness and sleep patterns in patients with epilepsy: a case-control study. <i>Epilepsy and Behavior</i> , 2013 , 29, 63-6	3.2	23
120	Personality changes and return to work after severe traumatic brain injury: a prospective study. <i>Revista Brasileira De Psiquiatria</i> , 2014 , 36, 213-9	2.6	23
119	Cellular prion protein regulates the motor behaviour performance and anxiety-induced responses in genetically modified mice. <i>Behavioural Brain Research</i> , 2007 , 183, 87-94	3.4	23

118	Foramen ovale electrodes can identify a focal seizure onset when surface EEG fails in mesial temporal lobe epilepsy. <i>Epilepsia</i> , 2006 , 47, 1300-7	6.4	23
117	Short- and long-term memory: differential involvement of neurotransmitter systems and signal transduction cascades. <i>Anais Da Academia Brasileira De Ciencias</i> , 2000 , 72, 353-64	1.4	23
116	CNQX infused into entorhinal cortex blocks memory expression, and AMPA reverses the effect. <i>Pharmacology Biochemistry and Behavior</i> , 1994 , 48, 437-40	3.9	23
115	Deep Brain Stimulation for Obesity: A Review and Future Directions. <i>Frontiers in Neuroscience</i> , 2019 , 13, 323	5.1	22
114	Ultra-short heart rate variability recording reliability: The effect of controlled paced breathing. <i>Annals of Noninvasive Electrocardiology</i> , 2018 , 23, e12565	1.5	22
113	Time-dependent enhancement of inhibitory avoidance retention and MAPK activation by post-training infusion of nerve growth factor into CA1 region of hippocampus of adult rats. <i>European Journal of Neuroscience</i> , 2000 , 12, 2185-9	3.5	21
112	Decreased synaptic plasticity in the medial prefrontal cortex underlies short-term memory deficits in 6-OHDA-lesioned rats. <i>Behavioural Brain Research</i> , 2016 , 301, 43-54	3.4	20
111	Differential Activation of Mitogen-Activated Protein Kinases, ERK 1/2, p38(MAPK) and JNK p54/p46 During Postnatal Development of Rat Hippocampus. <i>Neurochemical Research</i> , 2016 , 41, 1160-9	4.6	20
110	Effect of antagonists of platelet-activating factor receptors on memory of inhibitory avoidance in rats. <i>Behavioral and Neural Biology</i> , 1994 , 62, 1-3		18
109	The cannabinoid CB2 receptor-specific agonist AM1241 increases pentylentetrazole-induced seizure severity in Wistar rats. <i>Epilepsy Research</i> , 2016 , 127, 160-167	3	18
108	Depressive Symptoms are Frequent in Atypical Parkinsonian Disorders. <i>Movement Disorders Clinical Practice</i> , 2017 , 4, 191-197	2.2	17
107	Mesial temporal lobe epilepsy with hippocampal sclerosis is infrequently associated with neuronal autoantibodies. <i>Epilepsia</i> , 2018 , 59, e152-e156	6.4	17
106	Seizure precipitants and inhibiting factors in mesial temporal lobe epilepsy. <i>Journal of the Neurological Sciences</i> , 2011 , 308, 21-4	3.2	17
105	Hypogonadism after traumatic brain injury. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2009 , 53, 908-14		17
104	Normal brain mitochondrial respiration in adult mice lacking cellular prion protein. <i>Neuroscience Letters</i> , 2005 , 375, 203-6	3.3	17
103	Interictal SPECT in patients with mesial temporal lobe epilepsy and psychosis: a case-control study. <i>Psychiatry Research - Neuroimaging</i> , 2005 , 138, 75-84	2.9	17
102	Changes in cortical and hippocampal ectonucleotidase activities in mice lacking cellular prion protein. <i>Neuroscience Letters</i> , 2001 , 301, 72-4	3.3	17
101	Hospital Anxiety and Depression Scale-Anxiety subscale (HADS-A) and The State-Trait Anxiety Inventory (STAI) accuracy for anxiety disorders detection in drug-resistant mesial temporal lobe epilepsy patients. <i>Journal of Affective Disorders</i> , 2019 , 246, 452-457	6.6	17

100	Glucose-dependent insulinotropic peptide receptor expression in the hippocampus and neocortex of mesial temporal lobe epilepsy patients and rats undergoing pilocarpine induced status epilepticus. <i>Peptides</i> , 2011 , 32, 781-9	3.8	16
99	Maximal/exhaustive treadmill test features in patients with temporal lobe epilepsy: Search for sudden unexpected death biomarkers. <i>Epilepsy Research</i> , 2017 , 133, 83-88	3	15
98	Epilepsy and ultra-structural heart changes: The role of catecholaminergic toxicity and myocardial fibrosis. What can we learn from cardiology?. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019 , 71, 105-109	3.2	15
97	Limited predictive power of hospitalization variables for long-term cognitive prognosis in adult patients with severe traumatic brain injury. <i>Journal of Neuropsychology</i> , 2014 , 8, 125-39	2.6	15
96	How do people with drug-resistant mesial temporal lobe epilepsy sleep? A clinical and video-EEG with EOG and submental EMG for sleep staging study. <i>ENeurologicalSci</i> , 2016 , 4, 34-41	2.1	14
95	Validity and screening properties of three depression rating scales in a prospective sample of patients with severe traumatic brain injury. <i>Revista Brasileira De Psiquiatria</i> , 2014 , 36, 206-12	2.6	14
94	Amygdala levels of the GluA1 subunit of glutamate receptors and its phosphorylation state at serine 845 in the anterior hippocampus are biomarkers of ictal fear but not anxiety. <i>Molecular Psychiatry</i> , 2020 , 25, 655-665	15.1	14
93	Determining factors of electrocardiographic abnormalities in patients with epilepsy: A case-control study. <i>Epilepsy Research</i> , 2017 , 129, 106-116	3	13
92	Effects of lifestyle modifications on cognitive impairments in a mouse model of hypercholesterolemia. <i>Neuroscience Letters</i> , 2013 , 541, 193-8	3.3	13
91	A Polysomnographic Study of Parkinson's Disease Sleep Architecture. <i>Parkinson's Disease</i> , 2015 , 2015, 570375	2.6	13
90	Postsurgical infection after myelomeningocele repair: a multivariate analysis of 60 consecutive cases. <i>Clinical Neurology and Neurosurgery</i> , 2012 , 114, 981-5	2	13
89	Opsoclonus-myoclonus syndrome associated with Mycoplasma pneumoniae infection in an elderly patient. <i>Journal of the Neurological Sciences</i> , 2011 , 305, 147-8	3.2	13
88	Synaptosomal glutamate release and uptake in mice lacking the cellular prion protein. <i>Brain Research</i> , 2006 , 1075, 13-9	3.7	13
87	A single high dose of dexamethasone affects the phosphorylation state of glutamate AMPA receptors in the human limbic system. <i>Translational Psychiatry</i> , 2016 , 6, e986	8.6	13
86	Cellular prion protein is present in dopaminergic neurons and modulates the dopaminergic system. <i>European Journal of Neuroscience</i> , 2014 , 40, 2479-86	3.5	12
85	Decline in word-finding: The objective cognitive finding most relevant to patients after mesial temporal lobe epilepsy surgery. <i>Epilepsy and Behavior</i> , 2017 , 75, 218-224	3.2	12
84	In vitro manganese exposure disrupts MAPK signaling pathways in striatal and hippocampal slices from immature rats. <i>BioMed Research International</i> , 2013 , 2013, 769295	3	12
83	Role of agmatine in neurodegenerative diseases and epilepsy. <i>Frontiers in Bioscience - Elite</i> , 2014 , 6, 341-50	5.0	12

82	The approach to patients with psychogenic nonepileptic seizures in epilepsy surgery centers regarding diagnosis, treatment, and education. <i>Epilepsy and Behavior</i> , 2017 , 68, 78-83	3.2	11
81	Moderate traumatic brain injury increases the vulnerability to neurotoxicity induced by systemic administration of 6-hydroxydopamine in mice. <i>Brain Research</i> , 2017 , 1663, 78-86	3.7	11
80	The most fulminant course of the Marburg variant of multiple sclerosis-autopsy findings. <i>Multiple Sclerosis Journal</i> , 2015 , 21, 485-7	5	11
79	Dose-dependent sickness behavior, abortion and inflammation induced by systemic LPS injection in pregnant mice. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 426-30	2	11
78	Behavioral and Neurochemical Consequences of Pentylentetrazol-Induced Kindling in Young and Middle-Aged Rats. <i>Pharmaceuticals</i> , 2017 , 10,	5.2	11
77	Effects of pentylentetrazole kindling on mitogen-activated protein kinases levels in neocortex and hippocampus of mice. <i>Neurochemical Research</i> , 2014 , 39, 2492-500	4.6	11
76	Predicting Long-term Cognitive Dysfunction in Survivors of Critical Illness with Plasma Inflammatory Markers: a Retrospective Cohort Study. <i>Molecular Neurobiology</i> , 2019 , 56, 763-767	6.2	10
75	Headache among mesial temporal lobe epilepsy patients: a case-control study. <i>Journal of the Neurological Sciences</i> , 2011 , 306, 20-3	3.2	10
74	Differential gender-related susceptibility to learning and memory deficits in mice submitted to neonatal freezing microgyria model. <i>Brain Research Bulletin</i> , 2009 , 79, 177-81	3.9	10
73	Association between antidepressants and falls in Parkinson's disease. <i>Journal of Neurology</i> , 2016 , 263, 76-82	5.5	9
72	Luteinizing Hormone and Testosterone Levels during Acute Phase of Severe Traumatic Brain Injury: Prognostic Implications for Adult Male Patients. <i>Frontiers in Endocrinology</i> , 2018 , 9, 29	5.7	9
71	Prevalence of headache in patients with Parkinson's disease and its association with the side of motor symptom onset. <i>Neurological Sciences</i> , 2014 , 35, 595-600	3.5	9
70	Role of hormonal levels on hospital mortality for male patients with severe traumatic brain injury. <i>Brain Injury</i> , 2014 , 28, 1262-9	2.1	9
69	Mild cognitive deficits associated to neocortical microgyria in mice with genetic deletion of cellular prion protein. <i>Brain Research</i> , 2008 , 1241, 148-56	3.7	9
68	Cognitive performance of patients with mesial temporal lobe epilepsy is not associated with human prion protein gene variant allele at codons 129 and 171. <i>Epilepsy and Behavior</i> , 2006 , 8, 635-42	3.2	9
67	MAPK and memory. <i>Trends in Neurosciences</i> , 1999 , 22, 495	13.3	9
66	The Role of Hippocampal NMDA Receptors in Long-Term Emotional Responses following Muscarinic Receptor Activation. <i>PLoS ONE</i> , 2016 , 11, e0147293	3.7	9
65	The Gender-Biased Effects of Intranasal MPTP Administration on Anhedonic- and Depressive-Like Behaviors in C57BL/6 Mice: the Role of Neurotrophic Factors. <i>Neurotoxicity Research</i> , 2018 , 34, 808-819	4.3	9

64	ConBr, a lectin from <i>Canavalia brasiliensis</i> seeds, modulates signaling pathways and increases BDNF expression probably via a glycosylated target. <i>Journal of Molecular Recognition</i> , 2014 , 27, 746-54	2.6	8
63	Posttraumatic amnesia and personality changes after severe traumatic brain injury: preliminary findings. <i>CNS Neuroscience and Therapeutics</i> , 2014 , 20, 479-82	6.8	8
62	Plasma levels of oxidative stress biomarkers and long-term cognitive performance after severe head injury. <i>CNS Neuroscience and Therapeutics</i> , 2012 , 18, 606-8	6.8	8
61	Brain lipoma, corpus callosum hypoplasia and polymicrogyria in familial multiple lipomatosis. <i>Clinical Neurology and Neurosurgery</i> , 2013 , 115, 1157-9	2	8
60	Involvement of cellular prion protein in the nociceptive response in mice. <i>Brain Research</i> , 2007 , 1151, 84-90	3.7	8
59	Ictal chronology and interictal spikes predict perfusion patterns in temporal lobe epilepsy: a multivariate study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2004 , 13, 346-57	3.2	8
58	Predictors of Hospital Mortality and the Related Burden of Disease in Severe Traumatic Brain Injury: A Prospective Multicentric Study in Brazil. <i>Frontiers in Neurology</i> , 2019 , 10, 432	4.1	7
57	Intranasal administration of sodium dimethyldithiocarbamate induces motor deficits and dopaminergic dysfunction in mice. <i>NeuroToxicology</i> , 2018 , 66, 107-120	4.4	7
56	Variables associated with physical health-related quality of life in Parkinson® disease patients presenting for deep brain stimulation. <i>Neurological Sciences</i> , 2016 , 37, 1831-1837	3.5	7
55	Resting Cardiac Vagal Tone is Associated with Long-Term Frustration Level of Mental Workload: Ultra-short Term Recording Reliability. <i>Applied Psychophysiology Biofeedback</i> , 2020 , 45, 1-9	3.4	7
54	Mitochondrial Respiration Chain Enzymatic Activities in the Human Brain: Methodological Implications for Tissue Sampling and Storage. <i>Neurochemical Research</i> , 2016 , 41, 880-91	4.6	6
53	Chronic Metabolic Derangement-Induced Cognitive Deficits and Neurotoxicity Are Associated with REST Inactivation. <i>Molecular Neurobiology</i> , 2019 , 56, 1539-1557	6.2	6
52	Changes in lipid composition in hippocampus early and late after status epilepticus induced by kainic acid in wistar rats. <i>Metabolic Brain Disease</i> , 2007 , 22, 25-9	3.9	6
51	Short- and long-term memory are differentially modulated by hippocampal nerve growth factor and fibroblast growth factor. <i>Neurochemical Research</i> , 2005 , 30, 185-90	4.6	6
50	Difficulties in activities of daily living are associated with stigma in patients with Parkinson® disease who are candidates for deep brain stimulation. <i>Revista Brasileira De Psiquiatria</i> , 2020 , 42, 190-194	2.6	6
49	The ERK phosphorylation levels in the amygdala predict anxiety symptoms in humans and MEK/ERK inhibition dissociates innate and learned defensive behaviors in rats. <i>Molecular Psychiatry</i> , 2021 ,	15.1	6
48	Determinants for Meaningful Clinical Improvement of Pain and Health-Related Quality of Life After Spinal Cord Stimulation for Chronic Intractable Pain. <i>Neuromodulation</i> , 2019 , 22, 280-289	3.1	5
47	138 Delayed Scalp Erosion After Deep Brain Stimulation Surgery. <i>Neurosurgery</i> , 2016 , 63, 156	3.2	5

46	Neuropsychological functioning and brain energetics of drug resistant mesial temporal lobe epilepsy patients. <i>Epilepsy Research</i> , 2017 , 138, 26-31	3	4
45	Cellular prion protein (PrP(C)) modulates ethanol-induced behavioral adaptive changes in mice. <i>Behavioural Brain Research</i> , 2014 , 271, 325-32	3.4	4
44	Single antiepileptic drug levels do not predict adherence and nonadherence. <i>Acta Neurologica Scandinavica</i> , 2019 , 139, 199-203	3.8	4
43	Ictal fear is associated with anxiety symptoms and interictal dysphoric disorder in drug-resistant mesial temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2021 , 115, 107548	3.2	4
42	Anti-NMDA Receptor Autoantibody Is an Independent Predictor of Hospital Mortality but Not Brain Dysfunction in Septic Patients. <i>Frontiers in Neurology</i> , 2019 , 10, 221	4.1	3
41	How predictable is the erectile function of patients with epilepsy?. <i>Epilepsy and Behavior</i> , 2015 , 47, 61-5	3.2	3
40	Predictors of Pain Recurrence After Lumbar Facet Joint Injections. <i>Frontiers in Neuroscience</i> , 2019 , 13, 958	5.1	3
39	Cross-cultural translation of the INSPIRIT-R for Brazil and its applicability among epilepsy patients. <i>Arquivos De Neuro-Psiquiatria</i> , 2011 , 69, 310-5	1.6	3
38	Androgens, Male Hypogonadism and Traumatic Brain Injury. <i>Open Journal of Endocrine and Metabolic Diseases</i> , 2014 , 04, 13-23	0.1	3
37	Left ventricle end-systolic elastance, arterial-effective elastance, and ventricle-arterial coupling in Epilepsy. <i>Acta Neurologica Scandinavica</i> , 2021 , 143, 34-38	3.8	3
36	Control perceptions in epilepsy: A transcultural case-control study with focus on auras. <i>Epilepsy and Behavior</i> , 2018 , 88, 130-138	3.2	3
35	Mitochondrial respiratory chain complex enzyme activities of limbic structures and psychiatric diagnosis in temporal lobe epilepsy patients: Preliminary results. <i>CNS Neuroscience and Therapeutics</i> , 2017 , 23, 700-702	6.8	2
34	Epilepsy perception amongst education professionals. <i>Journal of Epilepsy and Clinical Neurophysiology</i> , 2012 , 18, 79-84		2
33	Blood advanced glycation end products and biomarkers of inflammation in class III obese Brazilian subjects. <i>Integrative Obesity and Diabetes</i> , 2017 , 3,		2
32	Neuroprotective effects of melatonin against neurotoxicity induced by intranasal sodium dimethyldithiocarbamate administration in mice. <i>NeuroToxicology</i> , 2020 , 80, 144-154	4.4	2
31	SUDEP - more attention to the heart? A narrative review on molecular autopsy in epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 87, 103-106	3.2	2
30	The "Epileptic Heart" and the "cardiovascular continuum". <i>Epilepsy and Behavior</i> , 2020 , 108, 107044	3.2	1
29	Prnp gene and cerebellum volume in patients with refractory mesial temporal lobe epilepsy. <i>Neurological Sciences</i> , 2014 , 35, 239-44	3.5	1

28	Cross-cultural adaptation of the SCATBI instrument for cognitive-linguistic abilities after traumatic brain injury. <i>Arquivos De Neuro-Psiquiatria</i> , 2015 , 73, 939-45	1.6	1
27	Brain MAPKs levels are differentially associated with seizures threshold and severity progression in pentylentetrazole-kindled mice. <i>CNS Neuroscience and Therapeutics</i> , 2013 , 19, 726-9	6.8	1
26	Memory tests are not good predictors of surgical outcome in patients with mesial temporal Lobe epilepsy associated with hippocampal sclerosis. <i>Journal of Epilepsy and Clinical Neurophysiology</i> , 2005 , 11, 127-130		1
25	Self-reported adherence among people with epilepsy in Brazil. <i>Epilepsy and Behavior</i> , 2020 , 103, 106498	3.2	1
24	Does Epilepsy Have an Impact on Locus of Control?. <i>Frontiers in Psychology</i> , 2020 , 11, 2251	3.4	1
23	How predictable is cognitive performance in Brazilian patients with pharmaco-resistant mesial temporal lobe epilepsy?. <i>Epilepsy and Behavior</i> , 2020 , 112, 107453	3.2	1
22	Quality of life long after temporal lobe epilepsy surgery. <i>Acta Neurologica Scandinavica</i> , 2021 , 143, 629-636	3.3	1
21	Anxiety and depressive symptoms long after mesial temporal epilepsy surgery: A prospective study. <i>Epilepsy and Behavior</i> , 2021 , 118, 107936	3.2	1
20	Faux Pas Recognition Test: transcultural adaptation and evaluation of its psychometric properties in Brazil. <i>Cognitive Neuropsychiatry</i> , 2021 , 26, 321-334	2	1
19	Yellow Fever Vaccine as a Possible Trigger of Inflammatory Myopathy: A Case Report. <i>Journal of Clinical Rheumatology</i> , 2019 , 27,	1.1	1
18	Employment status as a major determinant for lower physical activity of patients with epilepsy: A case-control study. <i>Epilepsy and Behavior</i> , 2021 , 115, 107655	3.2	1
17	AMPAr GluA1 Phosphorylation at Serine 845 in Limbic System Is Associated with Cardiac Autonomic Tone. <i>Molecular Neurobiology</i> , 2021 , 58, 1859-1870	6.2	1
16	Neuronal activity regulated pentraxin (narp) and GluA4 subunit of AMPA receptor may be targets for fluoxetine modulation. <i>Metabolic Brain Disease</i> , 2021 , 36, 711-722	3.9	1
15	Is self-report sleepiness associated with cognitive performance in temporal lobe epilepsy?. <i>Arquivos De Neuro-Psiquiatria</i> , 2018 , 76, 575-581	1.6	1
14	Ultra-short heart rate variability reliability for cardiac autonomic tone assessment in mesial temporal lobe epilepsy. <i>Epilepsy Research</i> , 2021 , 174, 106662	3	1
13	N2 event-related potential component is associated with cardiac autonomic tone regulation during mental fatigue. <i>Physiology and Behavior</i> , 2021 , 241, 113591	3.5	1
12	Respiratory Outcomes After 6 Months of Hospital Discharge in Patients Affected by COVID-19: A Prospective Cohort.. <i>Frontiers in Medicine</i> , 2022 , 9, 795074	4.9	1
11	Impaired dopamine metabolism is linked to fatigability in mice and fatigue in Parkinson disease patients. <i>Brain Communications</i> , 2021 , 3, fcb116	4.5	0

10	Early Alpha Reactivity is Associated with Long-Term Mental Fatigue Behavioral Impairments. <i>Applied Psychophysiology Biofeedback</i> , 2021 , 46, 103-113	3.4	○
9	Severity and disability related to epilepsy from the perspective of patients and physicians: A cross-cultural adaptation of the GASE and GAD scales. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 90, 93-98	3.2	○
8	Hypogonadism After Traumatic Brain Injury 2017 , 189-202		
7	Early noninvasive brain stimulation after severe TBI. <i>Journal of Neurosurgery</i> , 2015 , 123, 476-7	3.2	
6	Proximal weakness in a patient with MALT lymphoma: a case report and discussion of possible pathogenesis. <i>Neuropathology and Applied Neurobiology</i> , 2015 , 41, 686-9	5.2	
5	How predictable is heart rate variability in Brazilian patients with drug-resistant mesial temporal lobe epilepsy?. <i>Epilepsy and Behavior</i> , 2022 , 128, 108532	3.2	
4	Echocardiography in epilepsy: A tool to be explored. <i>Epilepsia</i> , 2021 , 62, 1285-1286	6.4	
3	Return to work after severe traumatic brain injury: further investigation of the role of personality changes. <i>Revista Brasileira De Psiquiatria</i> , 2021 , 43, 340-341	2.6	
2	Trigger, risk factor, and self-organizing criticality - One more piece of the puzzle to explain increased mortality in epilepsy?. <i>Epilepsy and Behavior</i> , 2021 , 122, 108123	3.2	
1	Possible Caveats of Ultra-short Heart Rate Variability Reliability: Insights from Recurrence Quantification Analysis. <i>IFMBE Proceedings</i> , 2022 , 2067-2075	0.2	