

List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7122050/gyun-min-lee-publications-by-citations.pdf>  
**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

155 papers	4,907 citations	38 h-index	63 g-index
160 ext. papers	5,474 ext. citations	5 avg, IF	5.88 L-index

#	Paper	IF	Citations
155	CHO cells in biotechnology for production of recombinant proteins: current state and further potential. <i>Applied Microbiology and Biotechnology</i> , <b>2012</b> , 93, 917-30	5.7	496
154	Effect of low culture temperature on specific productivity, transcription level, and heterogeneity of erythropoietin in Chinese hamster ovary cells. <i>Biotechnology and Bioengineering</i> , <b>2003</b> , 82, 289-98	4.9	210
153	Characterization of chimeric antibody producing CHO cells in the course of dihydrofolate reductase-mediated gene amplification and their stability in the absence of selective pressure. <i>Biotechnology and Bioengineering</i> , <b>1998</b> , 58, 73-84	4.9	163
152	Initial transcriptome and proteome analyses of low culture temperature-induced expression in CHO cells producing erythropoietin. <i>Biotechnology and Bioengineering</i> , <b>2006</b> , 93, 361-71	4.9	122
151	Clonal variability within dihydrofolate reductase-mediated gene amplified Chinese hamster ovary cells: Stability in the absence of selective pressure. <i>Biotechnology and Bioengineering</i> , <b>1998</b> , 60, 679-688	4.9	119
150	Down-regulation of lactate dehydrogenase-A by siRNAs for reduced lactic acid formation of Chinese hamster ovary cells producing thrombopoietin. <i>Applied Microbiology and Biotechnology</i> , <b>2007</b> , 74, 152-9	5.7	111
149	Effect of culture pH on erythropoietin production by Chinese hamster ovary cells grown in suspension at 32.5 and 37.0 degrees C. <i>Biotechnology and Bioengineering</i> , <b>2005</b> , 89, 345-56	4.9	110
148	Overexpression of bcl-2 inhibits sodium butyrate-induced apoptosis in Chinese hamster ovary cells resulting in enhanced humanized antibody production. <i>Biotechnology and Bioengineering</i> , <b>2000</b> , 71, 184-93	4.9	108
147	One-step generation of triple knockout CHO cell lines using CRISPR/Cas9 and fluorescent enrichment. <i>Biotechnology Journal</i> , <b>2015</b> , 10, 1446-56	5.6	95
146	Response of recombinant Chinese hamster ovary cells to hyperosmotic pressure: effect of Bcl-2 overexpression. <i>Journal of Biotechnology</i> , <b>2002</b> , 95, 237-48	3.7	93
145	Nutrient deprivation induces autophagy as well as apoptosis in Chinese hamster ovary cell culture. <i>Biotechnology and Bioengineering</i> , <b>2008</b> , 99, 678-85	4.9	89
144	Inhibition of sodium butyrate-induced apoptosis in recombinant Chinese hamster ovary cells by constitutively expressing antisense RNA of caspase-3. <i>Biotechnology and Bioengineering</i> , <b>2002</b> , 78, 217-28	4.9	80
143	Effect of sodium butyrate on the production, heterogeneity and biological activity of human thrombopoietin by recombinant Chinese hamster ovary cells. <i>Journal of Biotechnology</i> , <b>2004</b> , 112, 323-33	3.7	78
142	Assessment of cell engineering strategies for improved therapeutic protein production in CHO cells. <i>Biotechnology Journal</i> , <b>2008</b> , 3, 624-30	5.6	75
141	Production of monoclonal antibody using free-suspended and immobilized hybridoma cells: Effect of serum. <i>Biotechnology and Bioengineering</i> , <b>1991</b> , 38, 821-30	4.9	75
140	Immobilization can improve the stability of hybridoma antibody productivity in serum-free media. <i>Biotechnology and Bioengineering</i> , <b>1990</b> , 36, 1049-55	4.9	74
139	Enhancing effect of low culture temperature on specific antibody productivity of recombinant Chinese hamster ovary cells: clonal variation. <i>Biotechnology Progress</i> , <b>2004</b> , 20, 1683-8	2.8	70

138	Effect of doxycycline-regulated calnexin and calreticulin expression on specific thrombopoietin productivity of recombinant Chinese hamster ovary cells. <i>Biotechnology and Bioengineering</i> , <b>2004</b> , 85, 539-46	4.9	66
137	Effect of doxycycline-regulated protein disulfide isomerase expression on the specific productivity of recombinant CHO cells: thrombopoietin and antibody. <i>Biotechnology and Bioengineering</i> , <b>2007</b> , 98, 611-5	4.9	63
136	Influence of co-down-regulation of caspase-3 and caspase-7 by siRNAs on sodium butyrate-induced apoptotic cell death of Chinese hamster ovary cells producing thrombopoietin. <i>Metabolic Engineering</i> , <b>2007</b> , 9, 452-64	9.7	60
135	Osmoprotective effect of glycine betaine on foreign protein production in hyperosmotic recombinant chinese hamster ovary cell cultures differs among cell lines. <i>Biotechnology and Bioengineering</i> , <b>2000</b> , 70, 167-75	4.9	60
134	Proteome analysis of antibody-expressing CHO cells in response to hyperosmotic pressure. <i>Biotechnology Progress</i> , <b>2003</b> , 19, 1734-41	2.8	57
133	Development of serum-free medium supplemented with hydrolysates for the production of therapeutic antibodies in CHO cell cultures using design of experiments. <i>Applied Microbiology and Biotechnology</i> , <b>2009</b> , 83, 639-48	5.7	55
132	Adaptation of Chinese hamster ovary cells to low culture temperature: cell growth and recombinant protein production. <i>Journal of Biotechnology</i> , <b>2006</b> , 122, 463-72	3.7	53
131	Hyperosmotic stress induces autophagy and apoptosis in recombinant Chinese hamster ovary cell culture. <i>Biotechnology and Bioengineering</i> , <b>2010</b> , 105, 1187-92	4.9	51
130	Functional expression of human pyruvate carboxylase for reduced lactic acid formation of Chinese hamster ovary cells (DG44). <i>Applied Microbiology and Biotechnology</i> , <b>2007</b> , 76, 659-65	5.7	51
129	Valeric acid induces cell cycle arrest at G1 phase in CHO cell cultures and improves recombinant antibody productivity. <i>Biotechnology Journal</i> , <b>2016</b> , 11, 487-96	5.6	48
128	Effect of Bcl-xL overexpression on apoptosis and autophagy in recombinant Chinese hamster ovary cells under nutrient-deprived condition. <i>Biotechnology and Bioengineering</i> , <b>2009</b> , 103, 757-66	4.9	48
127	Limitations to the development of humanized antibody producing Chinese hamster ovary cells using glutamine synthetase-mediated gene amplification. <i>Biotechnology Progress</i> , <b>2006</b> , 22, 770-80	2.8	48
126	Key determinants in the occurrence of clonal variation in humanized antibody expression of cho cells during dihydrofolate reductase mediated gene amplification. <i>Biotechnology Progress</i> , <b>2001</b> , 17, 69-75	2.8	46
125	Development of recombinant Chinese hamster ovary cell lines for therapeutic protein production. <i>Current Opinion in Chemical Engineering</i> , <b>2013</b> , 2, 391-397	5.4	45
124	Improving the secretory capacity of Chinese hamster ovary cells by ectopic expression of effector genes: Lessons learned and future directions. <i>Biotechnology Advances</i> , <b>2017</b> , 35, 64-76	17.8	42
123	Enhanced human thrombopoietin production by sodium butyrate addition to serum-free suspension culture of bcl-2-overexpressing CHO cells. <i>Biotechnology Progress</i> , <b>2005</b> , 21, 50-7	2.8	41
122	Accelerated homology-directed targeted integration of transgenes in Chinese hamster ovary cells via CRISPR/Cas9 and fluorescent enrichment. <i>Biotechnology and Bioengineering</i> , <b>2016</b> , 113, 2518-23	4.9	40
121	Hyperosmotic pressure enhances immunoglobulin transcription rates and secretion rates of KR12H-2 transfectoma. <i>Biotechnology and Bioengineering</i> , <b>2000</b> , 68, 260-8	4.9	40

120	Ribosome profiling-guided depletion of an mRNA increases cell growth rate and protein secretion. <i>Scientific Reports</i> , <b>2017</b> , 7, 40388	4.9	39
119	Monitoring of autophagy in Chinese hamster ovary cells using flow cytometry. <i>Methods</i> , <b>2012</b> , 56, 375-82	4.6	38
118	Effect of Akt overexpression on programmed cell death in antibody-producing Chinese hamster ovary cells. <i>Journal of Biotechnology</i> , <b>2009</b> , 139, 89-94	3.7	38
117	Genome-scale reconstructions of the mammalian secretory pathway predict metabolic costs and limitations of protein secretion. <i>Nature Communications</i> , <b>2020</b> , 11, 68	17.4	37
116	Application of population balance model to the loss of hybridoma antibody productivity. <i>Biotechnology Progress</i> , <b>1991</b> , 7, 72-5	2.8	36
115	Comprehensive characterization of glutamine synthetase-mediated selection for the establishment of recombinant CHO cells producing monoclonal antibodies. <i>Scientific Reports</i> , <b>2018</b> , 8, 5361	4.9	35
114	Effect of doxycycline-regulated ERp57 expression on specific thrombopoietin productivity of recombinant CHO cells. <i>Biotechnology Progress</i> , <b>2003</b> , 19, 179-84	2.8	34
113	Effect of mechanical agitation on hybridoma cell growth. <i>Biotechnology Letters</i> , <b>1988</b> , 10, 625-628	3	34
112	Effect of glutamine substitution by TCA cycle intermediates on the production and sialylation of Fc-fusion protein in Chinese hamster ovary cell culture. <i>Journal of Biotechnology</i> , <b>2014</b> , 180, 23-9	3.7	32
111	Effect of inducible co-overexpression of protein disulfide isomerase and endoplasmic reticulum oxidoreductase on the specific antibody productivity of recombinant Chinese hamster ovary cells. <i>Biotechnology and Bioengineering</i> , <b>2010</b> , 107, 337-46	4.9	32
110	Anti-cell death engineering of CHO cells: co-overexpression of Bcl-2 for apoptosis inhibition, Beclin-1 for autophagy induction. <i>Biotechnology and Bioengineering</i> , <b>2013</b> , 110, 2195-207	4.9	31
109	Combinatorial engineering of ldh-a and bcl-2 for reducing lactate production and improving cell growth in dihydrofolate reductase-deficient Chinese hamster ovary cells. <i>Applied Microbiology and Biotechnology</i> , <b>2011</b> , 92, 779-90	5.7	31
108	Limitations to the comparative proteomic analysis of thrombopoietin producing Chinese hamster ovary cells treated with sodium butyrate. <i>Journal of Biotechnology</i> , <b>2008</b> , 133, 461-8	3.7	31
107	Development of apoptosis-resistant dihydrofolate reductase-deficient Chinese hamster ovary cell line. <i>Biotechnology and Bioengineering</i> , <b>2003</b> , 82, 872-6	4.9	31
106	Selection strategies for the establishment of recombinant Chinese hamster ovary cell line with dihydrofolate reductase-mediated gene amplification. <i>Applied Microbiology and Biotechnology</i> , <b>2005</b> , 69, 162-9	5.7	31
105	Effect of sodium butyrate on the assembly, charge variants, and galactosylation of antibody produced in recombinant Chinese hamster ovary cells. <i>Applied Microbiology and Biotechnology</i> , <b>2014</b> , 98, 5417-25	5.7	30
104	Rapamycin treatment inhibits CHO cell death in a serum-free suspension culture by autophagy induction. <i>Biotechnology and Bioengineering</i> , <b>2012</b> , 109, 3093-102	4.9	30
103	Proteomic Analysis of Host Cell Protein Dynamics in the Culture Supernatants of Antibody-Producing CHO Cells. <i>Scientific Reports</i> , <b>2017</b> , 7, 44246	4.9	29

102	Enhanced interferon-beta production by CHO cells through elevated osmolality and reduced culture temperature. <i>Biotechnology Progress</i> , <b>2009</b> , 25, 1440-7	2.8	29
101	Effect of simultaneous application of stressful culture conditions on specific productivity and heterogeneity of erythropoietin in Chinese hamster ovary cells. <i>Biotechnology Progress</i> , <b>2004</b> , 20, 1293-6	2.8	29
100	Glyco-engineered CHO cell lines producing alpha-1-antitrypsin and C1 esterase inhibitor with fully humanized N-glycosylation profiles. <i>Metabolic Engineering</i> , <b>2019</b> , 52, 143-152	9.7	29
99	Autophagy and its implication in Chinese hamster ovary cell culture. <i>Biotechnology Letters</i> , <b>2013</b> , 35, 1753-63	3	28
98	Autophagy and apoptosis of recombinant Chinese hamster ovary cells during fed-batch culture: effect of nutrient supplementation. <i>Biotechnology and Bioengineering</i> , <b>2011</b> , 108, 2182-92	4.9	28
97	Effects of cloned gene dosage on the response of recombinant CHO cells to hyperosmotic pressure in regard to cell growth and antibody production. <i>Biotechnology Progress</i> , <b>2001</b> , 17, 993-9	2.8	28
96	Multiplex secretome engineering enhances recombinant protein production and purity. <i>Nature Communications</i> , <b>2020</b> , 11, 1908	17.4	26
95	Effect of lithium chloride on the production and sialylation of Fc-fusion protein in Chinese hamster ovary cell culture. <i>Applied Microbiology and Biotechnology</i> , <b>2014</b> , 98, 9239-48	5.7	24
94	Understanding of altered N-glycosylation-related gene expression in recombinant Chinese hamster ovary cells subjected to elevated ammonium concentration by digital mRNA counting. <i>Biotechnology and Bioengineering</i> , <b>2015</b> , 112, 1583-93	4.9	24
93	Effect of sodium butyrate on autophagy and apoptosis in Chinese hamster ovary cells. <i>Biotechnology Progress</i> , <b>2012</b> , 28, 349-57	2.8	24
92	A DIGE approach for the assessment of differential expression of the CHO proteome under sodium butyrate addition: Effect of Bcl-x(L) overexpression. <i>Biotechnology and Bioengineering</i> , <b>2010</b> , 105, 358-67	4.9	24
91	Reduced apoptosis in Chinese hamster ovary cells via optimized CRISPR interference. <i>Biotechnology and Bioengineering</i> , <b>2019</b> , 116, 1813-1819	4.9	23
90	Current state and perspectives on erythropoietin production. <i>Applied Microbiology and Biotechnology</i> , <b>2012</b> , 95, 1405-16	5.7	23
89	Proteomic understanding of intracellular responses of recombinant Chinese hamster ovary cells cultivated in serum-free medium supplemented with hydrolysates. <i>Applied Microbiology and Biotechnology</i> , <b>2011</b> , 89, 1917-28	5.7	23
88	Biphasic culture strategy for enhancing volumetric erythropoietin productivity of Chinese hamster ovary cells. <i>Enzyme and Microbial Technology</i> , <b>2006</b> , 39, 362-365	3.8	23
87	The molecular weight and concentration of dextran sulfate affect cell growth and antibody production in CHO cell cultures. <i>Biotechnology Progress</i> , <b>2016</b> , 32, 1113-1122	2.8	23
86	Revealing Key Determinants of Clonal Variation in Transgene Expression in Recombinant CHO Cells Using Targeted Genome Editing. <i>ACS Synthetic Biology</i> , <b>2018</b> , 7, 2867-2878	5.7	23
85	Effect of XIAP overexpression on sodium butyrate-induced apoptosis in recombinant Chinese hamster ovary cells producing erythropoietin. <i>Journal of Biotechnology</i> , <b>2009</b> , 144, 299-303	3.7	21

84	Effect of culture pH on recombinant antibody production by a new human cell line, F2N78, grown in suspension at 33.0 °C and 37.0 °C. <i>Applied Microbiology and Biotechnology</i> , <b>2013</b> , 97, 5283-91	5.7	20
83	Reduction of ammonia and lactate through the coupling of glutamine synthetase selection and downregulation of lactate dehydrogenase-A in CHO cells. <i>Applied Microbiology and Biotechnology</i> , <b>2017</b> , 101, 1035-1045	5.7	20
82	Baicalein Reduces Oxidative Stress in CHO Cell Cultures and Improves Recombinant Antibody Productivity. <i>Biotechnology Journal</i> , <b>2018</b> , 13, e1700425	5.6	20
81	Minimizing Clonal Variation during Mammalian Cell Line Engineering for Improved Systems Biology Data Generation. <i>ACS Synthetic Biology</i> , <b>2018</b> , 7, 2148-2159	5.7	19
80	Digital mRNA profiling of N-glycosylation gene expression in recombinant Chinese hamster ovary cells treated with sodium butyrate. <i>Journal of Biotechnology</i> , <b>2014</b> , 171, 56-60	3.7	19
79	Versatile microscale screening platform for improving recombinant protein productivity in Chinese hamster ovary cells. <i>Scientific Reports</i> , <b>2015</b> , 5, 18016	4.9	19
78	Effects of culture temperature and pH on flag-tagged COMP angiopoietin-1 (FCA1) production from recombinant CHO cells: FCA1 aggregation. <i>Applied Microbiology and Biotechnology</i> , <b>2011</b> , 91, 305-15	5.7	19
77	Understanding of decreased sialylation of Fc-fusion protein in hyperosmotic recombinant Chinese hamster ovary cell culture: N-glycosylation gene expression and N-linked glycan antennary profile. <i>Biotechnology and Bioengineering</i> , <b>2017</b> , 114, 1721-1732	4.9	18
76	Bcl-xL overexpression does not enhance specific erythropoietin productivity of recombinant CHO cells grown at 33 degrees C and 37 degrees C. <i>Biotechnology Progress</i> , <b>2009</b> , 25, 252-6	2.8	18
75	Use of NaCl prevents aggregation of recombinant COMP-angiopoietin-1 in Chinese hamster ovary cells. <i>Journal of Biotechnology</i> , <b>2009</b> , 143, 145-50	3.7	18
74	Proteomic analysis of host cell protein dynamics in the supernatant of Fc-fusion protein-producing CHO DG44 and DUKX-B11 cell lines in batch and fed-batch cultures. <i>Biotechnology and Bioengineering</i> , <b>2017</b> , 114, 2267-2278	4.9	17
73	Mitigating Clonal Variation in Recombinant Mammalian Cell Lines. <i>Trends in Biotechnology</i> , <b>2019</b> , 37, 931-942	15.1	17
72	Down-regulation of cold-inducible RNA-binding protein does not improve hypothermic growth of Chinese hamster ovary cells producing erythropoietin. <i>Metabolic Engineering</i> , <b>2007</b> , 9, 208-16	9.7	17
71	Awakening dormant glycosyltransferases in CHO cells with CRISPRa. <i>Biotechnology and Bioengineering</i> , <b>2020</b> , 117, 593-598	4.9	17
70	Effect of glucose feeding on the glycosylation quality of antibody produced by a human cell line, F2N78, in fed-batch culture. <i>Applied Microbiology and Biotechnology</i> , <b>2014</b> , 98, 3509-15	5.7	16
69	Autophagy and apoptosis in Chinese hamster ovary cell culture. <i>Autophagy</i> , <b>2008</b> , 4, 70-2	10.2	16
68	High-level expression and purification of a designed angiopoietin-1 chimeric protein, COMP-Ang1, produced in Chinese hamster ovary cells. <i>Protein Journal</i> , <b>2008</b> , 27, 319-26	3.9	16
67	Differential induction of autophagy in caspase-3/7 down-regulating and Bcl-2 overexpressing recombinant CHO cells subjected to sodium butyrate treatment. <i>Journal of Biotechnology</i> , <b>2012</b> , 161, 34-41	3.7	15



66	Protein reference mapping of dihydrofolate reductase-deficient CHO DG44 cell lines using 2-dimensional electrophoresis. <i>Proteomics</i> , <b>2010</b> , 10, 2292-302	4.8	15
65	Expression and purification of recombinant human angiopoietin-2 produced in Chinese hamster ovary cells. <i>Protein Expression and Purification</i> , <b>2005</b> , 39, 175-83	2	15
64	Anti-Apoptosis Engineering for Improved Protein Production from CHO Cells. <i>Methods in Molecular Biology</i> , <b>2017</b> , 1603, 71-85	1.4	13
63	Systematic Evaluation of Site-Specific Recombinant Gene Expression for Programmable Mammalian Cell Engineering. <i>ACS Synthetic Biology</i> , <b>2019</b> , 8, 758-774	5.7	13
62	Bcl-x(L) overexpression delays the onset of autophagy and apoptosis in hyperosmotic recombinant Chinese hamster ovary cell cultures. <i>Journal of Biotechnology</i> , <b>2011</b> , 156, 52-5	3.7	13
61	Observations consistent with autocrine stimulation of hybridoma cell growth and implications for large-scale antibody production. <i>Biotechnology Letters</i> , <b>1992</b> , 14, 257-262	3	13
60	Knockout of sialidase and pro-apoptotic genes in Chinese hamster ovary cells enables the production of recombinant human erythropoietin in fed-batch cultures. <i>Metabolic Engineering</i> , <b>2020</b> , 57, 182-192	9.7	13
59	Chemical inhibition of autophagy: Examining its potential to increase the specific productivity of recombinant CHO cell lines. <i>Biotechnology and Bioengineering</i> , <b>2016</b> , 113, 1953-61	4.9	13
58	Use of Flp-mediated cassette exchange in the development of a CHO cell line stably producing erythropoietin. <i>Journal of Microbiology and Biotechnology</i> , <b>2008</b> , 18, 1342-51	3.3	13
57	Effect of Bcl-xL overexpression on sialylation of Fc-fusion protein in recombinant Chinese hamster ovary cell cultures. <i>Biotechnology Progress</i> , <b>2015</b> , 31, 1133-6	2.8	12
56	Overexpression of PACEsol improves BMP-7 processing in recombinant CHO cells. <i>Journal of Biotechnology</i> , <b>2012</b> , 164, 336-9	3.7	12
55	Multicopy Targeted Integration for Accelerated Development of High-Producing Chinese Hamster Ovary Cells. <i>ACS Synthetic Biology</i> , <b>2020</b> , 9, 2546-2561	5.7	12
54	Limitations to the development of recombinant human embryonic kidney 293E cells using glutamine synthetase-mediated gene amplification: Methionine sulfoximine resistance. <i>Journal of Biotechnology</i> , <b>2016</b> , 231, 136-140	3.7	12
53	Differential in-gel electrophoresis (DIGE) analysis of CHO cells under hyperosmotic pressure: osmoprotective effect of glycine betaine addition. <i>Biotechnology and Bioengineering</i> , <b>2012</b> , 109, 1395-403	4.9	11
52	Effect of Ca <sup>2+</sup> and Mg <sup>2+</sup> concentration in culture medium on the activation of recombinant factor IX produced in Chinese hamster ovary cells. <i>Journal of Biotechnology</i> , <b>2009</b> , 142, 275-8	3.7	11
51	BiP Inducer X: An ER Stress Inhibitor for Enhancing Recombinant Antibody Production in CHO Cell Culture. <i>Biotechnology Journal</i> , <b>2019</b> , 14, e1900130	5.6	10
50	Glutamine synthetase gene knockout-human embryonic kidney 293E cells for stable production of monoclonal antibodies. <i>Biotechnology and Bioengineering</i> , <b>2018</b> , 115, 1367-1372	4.9	10
49	Using Titer and Titer Normalized to Confluence Are Complementary Strategies for Obtaining Chinese Hamster Ovary Cell Lines with High Volumetric Productivity of Etanercept. <i>Biotechnology Journal</i> , <b>2018</b> , 13, e1700216	5.6	10

48	Improving the production of recombinant human bone morphogenetic protein-4 in Chinese hamster ovary cell cultures by inhibition of undesirable endocytosis. <i>Biotechnology and Bioengineering</i> , <b>2018</b> , 115, 2565-2575	4.9	10
47	Calnexin overexpression sensitizes recombinant CHO cells to apoptosis induced by sodium butyrate treatment. <i>Cell Stress and Chaperones</i> , <b>2009</b> , 14, 49-60	4	10
46	Improving recombinant bone morphogenetic protein-4 (BMP-4) production by autoregulatory feedback loop removal using BMP receptor-knockout CHO cell lines. <i>Metabolic Engineering</i> , <b>2019</b> , 52, 57-67	9.7	10
45	Analysis of Golgi pH in Chinese hamster ovary cells using ratiometric pH-sensitive fluorescent proteins. <i>Biotechnology and Bioengineering</i> , <b>2019</b> , 116, 1006-1016	4.9	10
44	Simple and Robust N-Glycan Analysis Based on Improved 2-Aminobenzoic Acid Labeling for Recombinant Therapeutic Glycoproteins. <i>Journal of Pharmaceutical Sciences</i> , <b>2018</b> , 107, 1831-1841	3.9	9
43	Heparan sulfate proteoglycan synthesis in CHO DG44 and HEK293 cells. <i>Biotechnology and Bioprocess Engineering</i> , <b>2016</b> , 21, 439-445	3.1	9
42	Estimation of autophagy pathway genes for autophagy induction: Overexpression of Atg9A does not induce autophagy in recombinant Chinese hamster ovary cells. <i>Biochemical Engineering Journal</i> , <b>2012</b> , 68, 221-226	4.2	9
41	Proteomic understanding of intracellular responses of recombinant chinese hamster ovary cells adapted to grow in serum-free suspension culture. <i>Biotechnology Progress</i> , <b>2011</b> , 27, 1680-1688	2.8	9
40	Enhancement of recombinant antibody production in HEK 293E cells by WPRE. <i>Biotechnology and Bioprocess Engineering</i> , <b>2009</b> , 14, 633-638	3.1	9
39	Characterization of site-specific recombination mediated by Cre recombinase during the development of erythropoietin producing CHO cell lines. <i>Biotechnology and Bioprocess Engineering</i> , <b>2008</b> , 13, 418-423	3.1	9
38	Characterization and expression of proprotein convertases in CHO cells: Efficient proteolytic maturation of human bone morphogenetic protein-7. <i>Biotechnology and Bioengineering</i> , <b>2015</b> , 112, 560-8	4.9	8
37	Comprehensive Analysis of Genomic Safe Harbors as Target Sites for Stable Expression of the Heterologous Gene in HEK293 Cells. <i>ACS Synthetic Biology</i> , <b>2020</b> , 9, 1263-1269	5.7	8
36	Investigation of relationship between EBNA-1 expression level and specific foreign protein productivity in transient gene expression of HEK293 cells. <i>Process Biochemistry</i> , <b>2017</b> , 55, 182-186	4.8	7
35	Alleviation of proteolytic degradation of recombinant human bone morphogenetic protein-4 by repeated batch culture of Chinese hamster ovary cells. <i>Process Biochemistry</i> , <b>2016</b> , 51, 1078-1084	4.8	7
34	Bcl-2 overexpression in CHO cells improves polyethylenimine-mediated gene transfection. <i>Process Biochemistry</i> , <b>2013</b> , 48, 1436-1440	4.8	6
33	Development of apoptosis-resistant CHO cell line expressing PyLT for the enhancement of transient antibody production. <i>Process Biochemistry</i> , <b>2012</b> , 47, 2557-2561	4.8	6
32	A metabolic CRISPR-Cas9 screen in Chinese hamster ovary cells identifies glutamine-sensitive genes. <i>Metabolic Engineering</i> , <b>2021</b> , 66, 114-122	9.7	6
31	Untangling the mechanism of 3-methyladenine in enhancing the specific productivity: Transcriptome analysis of recombinant Chinese hamster ovary cells treated with 3-methyladenine. <i>Biotechnology and Bioengineering</i> , <b>2018</b> , 115, 2243-2254	4.9	6



30	Differential expression of microRNAs in recombinant Chinese hamster ovary cells treated with sodium butyrate using digital RNA counting. <i>Journal of Biotechnology</i> , <b>2018</b> , 283, 37-42	3.7	5
29	Gadd45-induced cell cycle G2/M arrest for improved transient gene expression in Chinese hamster ovary cells. <i>Biotechnology and Bioprocess Engineering</i> , <b>2014</b> , 19, 386-393	3.1	5
28	A proteomic approach for identifying cellular proteins interacting with erythropoietin in recombinant Chinese hamster ovary cells. <i>Biotechnology Progress</i> , <b>2010</b> , 26, 246-51	2.8	5
27	A simple analysis system for the estimation of recombination efficiency using fluorescence-activated cell sorting. <i>Journal of Biotechnology</i> , <b>2007</b> , 127, 373-84	3.7	5
26	Effect of anchorage dependency on growth rate and monoclonal antibody production of hybridoma cells. <i>Biotechnology Letters</i> , <b>1988</b> , 10, 307-312	3	5
25	Factors affecting the quality of therapeutic proteins in recombinant Chinese hamster ovary cell culture. <i>Biotechnology Advances</i> , <b>2021</b> , 107831	17.8	5
24	Co-amplification of EBNA-1 and PyLT through dhfr-mediated gene amplification for improving foreign protein production in transient gene expression in CHO cells. <i>Applied Microbiology and Biotechnology</i> , <b>2018</b> , 102, 4729-4739	5.7	4
23	Expression and purification of recombinant human angiopoietin-1 produced in Chinese hamster ovary cells. <i>In Vitro Cellular and Developmental Biology - Animal</i> , <b>2007</b> , 43, 162-7	2.6	4
22	Selective endocytosis of recombinant human BMPs through cell surface heparan sulfate proteoglycans in CHO cells: BMP-2 and BMP-7. <i>Scientific Reports</i> , <b>2021</b> , 11, 3378	4.9	4
21	Purification of TNFR-Fc produced in recombinant CHO cells: Characterization of product-related impurities. <i>Process Biochemistry</i> , <b>2015</b> , 50, 1313-1317	4.8	3
20	Comprehensive Physicochemical and Biological Characterization of the Proposed Biosimilar Darbepoetin Alfa, LBDE, and Its Originator Darbepoetin Alfa, NESP. <i>BioDrugs</i> , <b>2018</b> , 32, 153-168	7.9	3
19	Combinatorial treatment with lithium chloride enhances recombinant antibody production in transiently transfected CHO and HEK293E cells. <i>Biotechnology and Bioprocess Engineering</i> , <b>2016</b> , 21, 667-675	3.1	3
18	Cell Line Development for Therapeutic Protein Production <b>2019</b> , 23-47		3
17	A role of GADD153 in ER stress-induced apoptosis in recombinant Chinese hamster ovary cells. <i>Biotechnology and Bioprocess Engineering</i> , <b>2012</b> , 17, 446-455	3.1	3
16	Effect of Bcl-xL overexpression on erythropoietin production in recombinant Chinese hamster ovary cells treated with dimethyl sulfoxide. <i>Process Biochemistry</i> , <b>2011</b> , 46, 2201-2204	4.8	3
15	Effect of constitutively active Ras overexpression on cell growth in recombinant Chinese hamster ovary cells. <i>Biotechnology Progress</i> , <b>2011</b> , 27, 577-80	2.8	3
14	Cell Engineering for Therapeutic Protein Production. <i>Cell Engineering</i> , <b>2015</b> , 565-590		3
13	Multiplex secretome engineering enhances recombinant protein production and purity		3

12	Comprehensive characterization of dihydrofolate reductase-mediated gene amplification for the establishment of recombinant human embryonic kidney 293 cells producing monoclonal antibodies. <i>Biotechnology Journal</i> , <b>2021</b> , 16, e2000351	5.6	3
11	CHO Cell Engineering for Improved Process Performance and Product Quality <b>2019</b> , 207-250		2
10	Forskolin Increases cAMP Levels and Enhances Recombinant Antibody Production in CHO Cell Cultures. <i>Biotechnology Journal</i> , <b>2020</b> , 15, 2000264	5.6	2
9	Effect of Bcl-x(L) overexpression on lactate metabolism in chinese hamster ovary cells producing antibody. <i>Biotechnology Progress</i> , <b>2013</b> , 29, 1594-8	2.8	1
8	Small molecule epigenetic modulators for enhancing recombinant antibody production in CHO cell cultures.. <i>Biotechnology and Bioengineering</i> , <b>2021</b> ,	4.9	1
7	Improving the secretory capacity of CHO producer cells: The effect of controlled Blimp1 expression, a master transcription factor for plasma cells. <i>Metabolic Engineering</i> , <b>2021</b> , 69, 73-86	9.7	1
6	Using targeted genome integration for virus-free genome-wide mammalian CRISPR screen		1
5	A Chinese hamster transcription start site atlas that enables targeted editing of CHO cells. <i>NAR Genomics and Bioinformatics</i> , <b>2021</b> , 3, lqab061	3.7	1
4	Amplification of EBNA-1 through a single-plasmid vector-based gene amplification system in HEK293 cells as an efficient transient gene expression system. <i>Applied Microbiology and Biotechnology</i> , <b>2021</b> , 105, 67-76	5.7	1
3	An optimized genome-wide, virus-free CRISPR screen for mammalian cells.. <i>Cell Reports Methods</i> , <b>2021</b> , 1, 100062-100062		1
2	Streamlined Human Cell-Based Recombinase-Mediated Cassette Exchange Platform Enables Multigene Expression for the Production of Therapeutic Proteins. <i>ACS Synthetic Biology</i> , <b>2021</b> , 10, 1715-1727	5.7	0
1	Blockage of undesirable endocytosis of recombinant human growth/differentiation factor-5 in Chinese hamster ovary cell cultures requires heparin analogs with specific chain lengths. <i>Biotechnology Journal</i> , <b>2021</b> , 16, e2100227	5.6	0