

Gianpaolo Reboldi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7122204/gianpaolo-reboldi-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

224
papers

10,523
citations

44
h-index

98
g-index

289
ext. papers

12,434
ext. citations

5.4
avg, IF

5.98
L-index

#	Paper	IF	Citations
224	Benefits of more intensive versus less intensive blood pressure control. Updated trial sequential analysis.. <i>European Journal of Internal Medicine</i> , 2022 ,	3.9	2
223	Chronic Kidney Disease and Left Ventricular Hypertrophy. Potent Modifiers of the Prognostic Impact of Circadian Blood Pressure Changes.. <i>Hypertension</i> , 2022 , HYPERTENSIONAHA12218969	8.5	
222	Tight Blood Pressure Control in Chronic Kidney Disease. <i>Journal of Cardiovascular Development and Disease</i> , 2022 , 9, 139	4.2	1
221	Blood Pressure Increase following COVID-19 Vaccination: A Systematic Overview and Meta-Analysis. <i>Journal of Cardiovascular Development and Disease</i> , 2022 , 9, 150	4.2	1
220	Vitamin E (Alpha-Tocopherol) Metabolism and Nutrition in Chronic Kidney Disease. <i>Antioxidants</i> , 2022 , 11, 989	7.1	2
219	Electrocardiographic features of patients with COVID-19: One year of unexpected manifestations. <i>European Journal of Internal Medicine</i> , 2021 ,	3.9	3
218	Pharmacotherapy for hypertensive urgency and emergency in COVID-19 patients. <i>Expert Opinion on Pharmacotherapy</i> , 2021 , 1-8	4	2
217	Pharmacological blood pressure lowering for primary and secondary prevention of cardiovascular disease across different levels of blood pressure: an individual participant-level data meta-analysis. <i>Lancet, The</i> , 2021 , 397, 1625-1636	40	101
216	Under-prescription of direct oral anticoagulants for treatment of non-valvular atrial fibrillation and venous thromboembolism in the COVID-19 lockdown period. <i>European Journal of Preventive Cardiology</i> , 2021 ,	3.9	5
215	SARS-CoV-2 vaccines: Lights and shadows. <i>European Journal of Internal Medicine</i> , 2021 , 88, 1-8	3.9	34
214	Safety of catheter ablation of atrial fibrillation in cancer survivors. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021 , 60, 419-426	2.4	2
213	Risk factors and action thresholds for the novel coronavirus pandemic. Insights from the Italian Society of Nephrology COVID-19 Survey. <i>Journal of Nephrology</i> , 2021 , 34, 325-335	4.8	2
212	High heart rate amplifies the risk of cardiovascular mortality associated with elevated uric acid. <i>European Journal of Preventive Cardiology</i> , 2021 ,	3.9	2
211	Aprocitentan, A Dual Endothelin Receptor Antagonist Under Development for the Treatment of Resistant Hypertension. <i>Cardiology and Therapy</i> , 2021 , 10, 397-406	2.8	4
210	Worldwide Early Impact of COVID-19 on Dialysis Patients and Staff and Lessons Learned: A DOPPS Roundtable Discussion. <i>Kidney Medicine</i> , 2021 , 3, 619-634	2.8	3
209	Age-stratified and blood-pressure-stratified effects of blood-pressure-lowering pharmacotherapy for the prevention of cardiovascular disease and death: an individual participant-level data meta-analysis. <i>Lancet, The</i> , 2021 , 398, 1053-1064	40	27
208	The pivotal link between ACE2 deficiency and SARS-CoV-2 infection: One year later. <i>European Journal of Internal Medicine</i> , 2021 , 93, 28-34	3.9	7

207	Lessons Learnt during the COVID-19 Pandemic: For Patients with End-Stage Renal Disease, We Should Prioritize Home-Based Treatment and Telemedicine. <i>Kidney and Blood Pressure Research</i> , 2021 , 46, 11-16	3.1	1
206	Management of hypertension in the very old: an intensive reduction of blood pressure should be achieved in most patients. <i>Journal of Human Hypertension</i> , 2020 , 34, 551-556	2.6	2
205	Angiotensin-converting enzyme inhibitors, angiotensin II receptor blockers and coronavirus. <i>Journal of Hypertension</i> , 2020 , 38, 1190-1191	1.9	17
204	The revolution of the anti-diabetic drugs in cardiology. <i>European Heart Journal Supplements</i> , 2020 , 22, E162-E166	1.5	1
203	Treatment strategies for isolated systolic hypertension in elderly patients. <i>Expert Opinion on Pharmacotherapy</i> , 2020 , 21, 1713-1723	4	2
202	Electrocardiographic features of patients with COVID-19 pneumonia. <i>European Journal of Internal Medicine</i> , 2020 , 78, 101-106	3.9	70
201	Exposure to novel coronavirus in patients on renal replacement therapy during the exponential phase of COVID-19 pandemic: survey of the Italian Society of Nephrology. <i>Journal of Nephrology</i> , 2020 , 33, 725-736	4.8	33
200	Microalbuminuria assessment after thoracic surgery: Early identification of complication risks. <i>Clinical Respiratory Journal</i> , 2020 , 14, 564-570	1.7	1
199	Optimal Use of the Non-Inferiority Trial Design. <i>Pharmaceutical Medicine</i> , 2020 , 34, 159-165	2.3	5
198	Hypertensive urgencies and emergencies: Misconceptions and pitfalls. <i>European Journal of Internal Medicine</i> , 2020 , 71, 15-17	3.9	5
197	Non-inferiority Trial Design in Drug Development: A Primer for Cardiovascular Healthcare Professionals. <i>American Journal of Cardiovascular Drugs</i> , 2020 , 20, 229-238	4	2
196	Association of Extreme Nocturnal Dipping With Cardiovascular Events Strongly Depends on Age. <i>Hypertension</i> , 2020 , 75, 324-330	8.5	12
195	Indications for renal biopsy in patients with diabetes. Joint position statement of the Italian Society of Nephrology and the Italian Diabetes Society. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 2123-2132	4.5	1
194	RAAS Inhibitors and Risk of Covid-19. <i>New England Journal of Medicine</i> , 2020 , 383, 1990-1991	59.2	10
193	Performance of creatinine- and cystatin C-based formulas to estimate glomerular filtration rate. <i>European Journal of Internal Medicine</i> , 2020 , 80, 16-17	3.9	0
192	The 2020 International Society of Hypertension global hypertension practice guidelines - key messages and clinical considerations. <i>European Journal of Internal Medicine</i> , 2020 , 82, 1-6	3.9	20
191	Diabetic kidney disease: new clinical and therapeutic issues. Joint position statement of the Italian Diabetes Society and the Italian Society of Nephrology on "The natural history of diabetic kidney disease and treatment of hyperglycemia in patients with type 2 diabetes and impaired renal function". <i>Journal of Nephrology</i> , 2020 , 33, 9-35	4.8	38
190	Diabetic kidney disease: New clinical and therapeutic issues. Joint position statement of the Italian Diabetes Society and the Italian Society of Nephrology on "The natural history of diabetic kidney disease and treatment of hyperglycemia in patients with type 2 diabetes and impaired renal function". <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019 , 29, 1127-1150	4.5	38

189	European and US guidelines for arterial hypertension: similarities and differences. <i>European Journal of Internal Medicine</i> , 2019 , 63, 3-8	3.9	12
188	Added predictive value of high uric acid for cardiovascular events in the Ambulatory Blood Pressure International Study. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 966-974	2.3	6
187	Electrocardiography for diagnosis of left ventricular hypertrophy in hypertensive patients with atrial fibrillation. <i>International Journal of Cardiology: Hypertension</i> , 2019 , 1, 100004	1.6	2
186	Sudden Cardiac Death in Hypertensive Patients. <i>Hypertension</i> , 2019 , 73, 1071-1078	8.5	21
185	Managing hypertension in 2018: which guideline to follow?. <i>Heart Asia</i> , 2019 , 11, e011127	1.9	8
184	Detrimental Impact of Chronic Obstructive Pulmonary Disease in Atrial Fibrillation: New Insights from Umbria Atrial Fibrillation Registry. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	1
183	Response by Verdecchia et al to Letter Regarding Article "Sudden Cardiac Death in Hypertensive Patients". <i>Hypertension</i> , 2019 , HYPERTENSIONAHA11913441	8.5	
182	Type 2 Valvular Heart Disease Affects Decision Making for Anticoagulation in Patients with Atrial Fibrillation: The UMBRIA-Fibrillazione Atriale Prospective Study. <i>TH Open</i> , 2019 , 3, e157-e164	2.7	1
181	Echocardiography in Low-Risk Hypertensive Patients. <i>Journal of the American Heart Association</i> , 2019 , 8, e013497	6	7
180	Short-term blood pressure variability outweighs average 24-h blood pressure in the prediction of cardiovascular events in hypertension of the young. <i>Journal of Hypertension</i> , 2019 , 37, 1419-1426	1.9	21
179	Cardiac Biomarkers and Left Ventricular Hypertrophy in Relation to Outcomes in Patients With Atrial Fibrillation: Experiences From the RE-LY Trial. <i>Journal of the American Heart Association</i> , 2019 , 8, e010107	6	12
178	Role of Ambulatory Blood Pressure Monitoring in Prehypertension. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2019 , 471-491	0.1	
177	PK/PD evaluation of fimasartan for the treatment of hypertension Current evidences and future perspectives. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2018 , 14, 533-541	5.5	3
176	Hypertension and Atrial Fibrillation: Doubts and Certainties From Basic and Clinical Studies. <i>Circulation Research</i> , 2018 , 122, 352-368	15.7	76
175	Left Ventricular Hypertrophy and Coronary Artery Calcifications: A Dangerous Duet?. <i>American Journal of Hypertension</i> , 2018 , 31, 287-289	2.3	4
174	Dabigatran vs. warfarin in relation to the presence of left ventricular hypertrophy in patients with atrial fibrillation- the Randomized Evaluation of Long-term anticoagulation therapy (RE-LY) study. <i>Europace</i> , 2018 , 20, 253-262	3.9	10
173	Glomerular hyperfiltration is a predictor of adverse cardiovascular outcomes. <i>Kidney International</i> , 2018 , 93, 195-203	9.9	40
172	Role and prognostic value of individual ambulatory blood pressure components in chronic kidney disease. <i>Journal of Human Hypertension</i> , 2018 , 32, 625-632	2.6	4

171	Hypertensive Heart Disease. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2018 , 189-212	0.1	
170	A18644 Echocardiography in Low-Risk Hypertensive Patients. When is it needed?. <i>Journal of Hypertension</i> , 2018 , 36, e187	1.9	
169	Keep Blood Pressure Low, but Not Too Much. <i>Circulation Research</i> , 2018 , 123, 1205-1207	15.7	7
168	Amlodipine and celecoxib for treatment of hypertension and osteoarthritis pain. <i>Expert Review of Clinical Pharmacology</i> , 2018 , 11, 1073-1084	3.8	13
167	SaO034GLOMERULAR HYPERFILTRATION IS AN INDEPENDENT PREDICTOR OF ADVERSE CARDIOVASCULAR EVENTS. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i330-i330	4.3	
166	FP118RENAL FUNCTION IS RELATED TO INCREASED THROMBOEMBOLIC AND BLEEDING RISK IN PATIENTS WITH ATRIAL FIBRILLATION IN A REAL-WORLD SETTING: THE UMBRIA-FA STUDY. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i17-i17	4.3	
165	How Low Should We Go With Blood Pressure?. <i>Circulation Research</i> , 2017 , 120, 27-29	15.7	4
164	How important is to reduce sodium and increase potassium in patients with hypertension?. <i>Journal of Cardiovascular Medicine</i> , 2017 , 18 Suppl 1, e54-e57	1.9	
163	Masked tachycardia. A predictor of adverse outcome in hypertension. <i>Journal of Hypertension</i> , 2017 , 35, 487-492	1.9	17
162	Impact of Chamber Dilatation on the Prognostic Value of Left Ventricular Geometry in Hypertension. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	10
161	More Versus Less Intensive Blood Pressure-Lowering Strategy: Cumulative Evidence and Trial Sequential Analysis. <i>Hypertension</i> , 2016 , 68, 642-53	8.5	63
160	Why switch from warfarin to NOACs?. <i>Internal and Emergency Medicine</i> , 2016 , 11, 289-93	3.7	32
159	Prognostic Effect of the Nocturnal Blood Pressure Fall in Hypertensive Patients: The Ambulatory Blood Pressure Collaboration in Patients With Hypertension (ABC-H) Meta-Analysis. <i>Hypertension</i> , 2016 , 67, 693-700	8.5	282
158	Timing of breakfast does not influence therapeutic efficacy of liquid levothyroxine formulation. <i>Endocrine</i> , 2016 , 52, 571-8	4	18
157	Panethnic Differences in Blood Pressure in Europe: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0147601	3.7	536
156	Echo and BNP serial assessment in ambulatory heart failure care: Data on loop diuretic use and renal function. <i>Data in Brief</i> , 2016 , 9, 1074-1076	1.2	1
155	Echo and natriuretic peptide guided therapy improves outcome and reduces worsening renal function in systolic heart failure: An observational study of 1137 outpatients. <i>International Journal of Cardiology</i> , 2016 , 224, 416-423	3.2	20
154	Right ventricular recovery during follow-up is associated with improved survival in patients with chronic heart failure with reduced ejection fraction. <i>European Journal of Heart Failure</i> , 2016 , 18, 1462-1471	12.3	24

153	Prognostic Value of Ambulatory Blood Pressure in the Obese: The Ambulatory Blood Pressure-International Study. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 111-8	2.3	5
152	Prevalence of Patent Foramen Ovale in Ischaemic Stroke in Italy: Results of SISIFO Study. <i>Cerebrovascular Diseases</i> , 2015 , 39, 162-9	3.2	17
151	Enhancing the Benefit of Bivalirudin in Percutaneous Coronary Intervention: Is High Risk of Bleeding the Key?. <i>American Journal of Cardiovascular Drugs</i> , 2015 , 15, 221-4	4	
150	Hyperglycemia in acute coronary syndromes: from mechanisms to prognostic implications. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2015 , 9, 412-24	3.4	33
149	Prognostic impact of sex-ambulatory blood pressure interactions in 10 cohorts of 17 312 patients diagnosed with hypertension: systematic review and meta-analysis. <i>Journal of Hypertension</i> , 2015 , 33, 212-20	1.9	14
148	The SPRINT trial. <i>Journal of the American Society of Hypertension</i> , 2015 , 9, 750-753		4
147	The 2014 hypertension guidelines: implications for patients and practitioners in Asia. <i>Heart Asia</i> , 2015 , 7, 21-5	1.9	12
146	Systolic and diastolic blood pressure changes in relation with myocardial infarction and stroke in patients with coronary artery disease. <i>Hypertension</i> , 2015 , 65, 108-14	8.5	52
145	Left ventricular hypertrophy and obesity: only a matter of fat?. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2015 , 22, 29-41	2.9	24
144	Safety and efficacy of non-vitamin K oral anticoagulants in non-valvular atrial fibrillation: a Bayesian meta-analysis approach. <i>Expert Opinion on Drug Safety</i> , 2015 , 14, 7-20	4.1	19
143	The prognostic legacy of left ventricular hypertrophy: cumulative evidence after the MAVI study. <i>Journal of Hypertension</i> , 2015 , 33, 2322-30	1.9	17
142	Detrimental Effects of Hyperglycemia in Acute Coronary Syndromes: from Pathophysiological Mechanisms to Therapeutic Strategies. <i>Mini-Reviews in Medicinal Chemistry</i> , 2015 , 15, 1164-73	3.2	2
141	Safety of dabigatran in an elderly population: single center experience in Italy. <i>Current Drug Safety</i> , 2015 , 10, 165-9	1.4	4
140	Aggressive blood pressure lowering is dangerous: the J-curve: con side of the arguement. <i>Hypertension</i> , 2014 , 63, 37-40	8.5	18
139	Endoscopic biopsy samples of naïve "colitides" patients: role of basal plasmacytosis. <i>Journal of Crohns and Colitis</i> , 2014 , 8, 1438-43	1.5	18
138	Risk and decision making in patients with hypertension. <i>Lancet, The</i> , 2014 , 384, 562-564	4.0	2
137	Ambulatory blood pressure monitoring in the elderly: features and perspectives. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 1052-6	4.5	6
136	Added predictive value of night-time blood pressure variability for cardiovascular events and mortality: the Ambulatory Blood Pressure-International Study. <i>Hypertension</i> , 2014 , 64, 487-93	8.5	121

135	Usefulness of QRS voltage correction by body mass index to improve electrocardiographic detection of left ventricular hypertrophy in patients with systemic hypertension. <i>American Journal of Cardiology</i> , 2014 , 114, 427-32	3	26
134	Contribution of the ABP-International study to the definition of night-time tachycardia. <i>Journal of Hypertension</i> , 2014 , 32, 2099-100	1.9	2
133	Aggressive Blood Pressure Lowering Is Dangerous: The J-Curve. <i>Hypertension</i> , 2014 , 63, 37-40	8.5	42
132	Clinical utility of ambulatory blood pressure monitoring in the management of hypertension. <i>Expert Review of Cardiovascular Therapy</i> , 2014 , 12, 623-34	2.5	14
131	Tight versus standard blood pressure control in patients with hypertension with and without cardiovascular disease. <i>Hypertension</i> , 2014 , 63, 475-82	8.5	25
130	Validation of a disease-specific health-related quality of life measure in adult Italian patients with systemic lupus erythematosus: LupusQoL-IT. <i>Lupus</i> , 2014 , 23, 743-51	2.6	27
129	Cardiovascular risk assessment in low-resource settings: a consensus document of the European Society of Hypertension Working Group on Hypertension and Cardiovascular Risk in Low Resource Settings. <i>Journal of Hypertension</i> , 2014 , 32, 951-60	1.9	57
128	Prognostic impact from clinic, daytime, and night-time systolic blood pressure in nine cohorts of 13,844 patients with hypertension. <i>Journal of Hypertension</i> , 2014 , 32, 2332-40; discussion 2340	1.9	175
127	Prognostic usefulness of left ventricular hypertrophy by electrocardiography in patients with atrial fibrillation (from the Randomized Evaluation of Long-Term Anticoagulant Therapy Study). <i>American Journal of Cardiology</i> , 2014 , 113, 669-75	3	13
126	Edoxaban in the evolving scenario of non vitamin K antagonist oral anticoagulants imputed placebo analysis and multiple treatment comparisons. <i>PLoS ONE</i> , 2014 , 9, e100478	3.7	20
125	Efficacy and safety profile of aliskiren: practical implications for clinicians. <i>Current Drug Safety</i> , 2014 , 9, 106-17	1.4	6
124	Multivariable analysis in cerebrovascular research: practical notes for the clinician. <i>Cerebrovascular Diseases</i> , 2013 , 35, 187-93	3.2	15
123	Predictive value of night-time heart rate for cardiovascular events in hypertension. The ABP-International study. <i>International Journal of Cardiology</i> , 2013 , 168, 1490-5	3.2	60
122	Pharmacokinetic evaluation and clinical utility of azilsartan medoxomil for the treatment of hypertension. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2013 , 9, 379-85	5.5	16
121	Effects of a multidisciplinary lifestyle intervention for obesity on mental and physical components of quality of life: the mediatory role of depression. <i>Psychological Reports</i> , 2013 , 112, 33-46	1.6	16
120	Parental alliance and family functioning in pediatric obesity from both parents' perspectives. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2013 , 34, 583-8	2.4	5
119	Response to Morning Surge, Dipping, and Sleep-Time Blood Pressure as Prognostic Markers of Cardiovascular Risk. <i>Hypertension</i> , 2013 , 61,	8.5	2
118	The Echo Heart Failure Score: An echocardiographic risk prediction score of mortality in systolic heart failure. <i>European Journal of Heart Failure</i> , 2013 , 15, 868-76	12.3	48

117	Feasibility and effectiveness in clinical practice of a multifactorial intervention for the reduction of cardiovascular risk in patients with type 2 diabetes: the 2-year interim analysis of the MIND.IT study: a cluster randomized trial. <i>Diabetes Care</i> , 2013 , 36, 2566-72	14.6	15
116	Modernization and hypertension: is the link changing?. <i>Hypertension Research</i> , 2013 , 36, 676-8	4.7	2
115	Hypertension and the J-curve phenomenon: implications for tight blood pressure control. <i>Hypertension Research</i> , 2013 , 36, 109-11	4.7	12
114	Tight blood pressure control in diabetes: evidence-based review of treatment targets in patients with diabetes. <i>Current Cardiology Reports</i> , 2012 , 14, 89-96	4.2	19
113	Design, history and results of the Thiazolidinedione Intervention with vitamin D Evaluation (TIDE) randomised controlled trial. <i>Diabetologia</i> , 2012 , 55, 36-45	10.3	42
112	Statins in acute coronary syndrome: very early initiation and benefits. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2012 , 6, 163-74	3.4	17
111	Very early initiation of statin therapy and mortality in patients with acute coronary syndrome. <i>Acute Cardiac Care</i> , 2012 , 14, 34-9		8
110	Aggressive blood pressure reduction in patients at high vascular risk: is it dangerous?. <i>Italian Journal of Medicine</i> , 2012 , 6, 302-306	0.5	
109	Fixed-dose combination therapy in hypertension: cons. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2012 , 19, 51-4	2.9	13
108	Beyond blood pressure: evidence for cardiovascular, cerebrovascular, and renal protective effects of renin-angiotensin system blockers. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2012 , 6, 81-91	3.4	28
107	Mutual interactions between depression/quality of life and adherence to a multidisciplinary lifestyle intervention in obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E2261-5	5.6	29
106	Safety and efficacy of aliskiren in the treatment of hypertension: a systematic overview. <i>Expert Opinion on Drug Safety</i> , 2012 , 11, 659-70	4.1	12
105	Atrial fibrillation and mortality in patients with acute myocardial infarction: a systematic overview and meta-analysis. <i>Current Cardiology Reports</i> , 2012 , 14, 601-10	4.2	44
104	Safety and efficacy of aliskiren in the treatment of hypertension and associated clinical conditions. <i>Current Drug Safety</i> , 2012 , 7, 76-85	1.4	10
103	Finding a place for aliskiren in the wide spectrum of blood pressure lowering agents. <i>Hypertension Research</i> , 2012 , 35, 17-9	4.7	1
102	Day-night dip and early-morning surge in blood pressure in hypertension: prognostic implications. <i>Hypertension</i> , 2012 , 60, 34-42	8.5	208
101	Intensive blood pressure control in obese diabetic patients: clinical relevance of stroke prevention in the ACCORD trial. <i>Expert Review of Cardiovascular Therapy</i> , 2012 , 10, 1467-70	2.5	5
100	Blood pressure lowering in diabetic patients. <i>Journal of Hypertension</i> , 2012 , 30, 438-9	1.9	6

99	Angiotensin-converting enzyme inhibitors 2012 , 14-29		
98	Fixed-Dose Combination Therapy in Hypertension 2012 , 19, 51		2
97	More than a REASON to use arterial stiffness as risk marker and therapeutic target in hypertension. <i>Hypertension Research</i> , 2011 , 34, 445-7	4.7	5
96	Telmisartan for the reduction of cardiovascular morbidity and mortality. <i>Expert Review of Clinical Pharmacology</i> , 2011 , 4, 151-61	3.8	18
95	Blood pressure lowering in the oldest old: a step toward abandoning arbitrary blood pressure targets. <i>Journal of Hypertension</i> , 2011 , 29, 173-175	1.9	
94	Clinical Significance of the Blood Pressure Changes from Day to Night. <i>Current Hypertension Reviews</i> , 2011 , 7, 13-19	2.3	1
93	Emerging therapies in the management of hypertensive patients with osteoarthritis. <i>Clinical Investigation</i> , 2011 , 1, 125-136		1
92	Simplifying the ECG Diagnosis of Left Ventricular Hypertrophy. <i>Current Cardiovascular Risk Reports</i> , 2011 , 5, 1-4	0.9	1
91	Optimal therapy in hypertensive subjects with diabetes mellitus. <i>Current Atherosclerosis Reports</i> , 2011 , 13, 176-85	6	13
90	Pharmacokinetic, pharmacodynamic and clinical evaluation of aliskiren for hypertension treatment. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2011 , 7, 115-28	5.5	8
89	Predictors of early-stage left ventricular dysfunction in type 2 diabetes: results of DYDA study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011 , 18, 415-23		25
88	Effects of intensive blood pressure reduction on myocardial infarction and stroke in diabetes: a meta-analysis in 73,913 patients. <i>Journal of Hypertension</i> , 2011 , 29, 1253-69	1.9	195
87	Neutrophil count and ambulatory pulse pressure as predictors of cardiovascular adverse events in postmenopausal women with hypertension. <i>American Journal of Hypertension</i> , 2011 , 24, 591-8	2.3	18
86	Diuretic treatment of hypertension. <i>Diabetes Care</i> , 2011 , 34 Suppl 2, S313-9	14.6	32
85	Fluid and electrolyte balance after major thoracic surgery by bioimpedance and endocrine evaluation. <i>European Journal of Cardio-thoracic Surgery</i> , 2011 , 40, e71-6	3	6
84	Aliskiren versus ramipril in hypertension. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2010 , 4, 193-200	9.4	19
83	Beta-blockers and risk of all-cause mortality in non-cardiac surgery. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2010 , 4, 109-18	3.4	5
82	Angiotensin receptor blockers in hypertension. New insights from Japan. <i>Hypertension Research</i> , 2010 , 33, 394-7	4.7	6

81	Is hydrochlorothiazide more effective on LVH in nonresponders to losartan than in those to atenolol?. <i>American Journal of Hypertension</i> , 2010 , 23, 705	2.3	1
80	Neutrophil count for the identification of postmenopausal hypertensive women at increased cardiovascular risk. <i>Obstetrics and Gynecology</i> , 2010 , 115, 695-703	4.9	9
79	βBlockers reduce mortality in patients undergoing high-risk non-cardiac surgery. <i>American Journal of Cardiovascular Drugs</i> , 2010 , 10, 247-59	4	23
78	Masked hypertension: evaluation, prognosis, and treatment. <i>American Journal of Hypertension</i> , 2010 , 23, 941-8	2.3	78
77	Electrocardiographic abnormalities of left ventricular repolarization: prognostic implications in hypertensive post-menopausal women. <i>Maturitas</i> , 2010 , 67, 159-65	5	5
76	Treatment strategies for osteoarthritis patients with pain and hypertension. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2010 , 2, 229-40	3.8	14
75	Influence of blood pressure reduction on composite cardiovascular endpoints in clinical trials. <i>Journal of Hypertension</i> , 2010 , 28, 1356-65	1.9	59
74	New-onset hyperglycemia and acute coronary syndrome: a systematic overview and meta-analysis. <i>Current Diabetes Reviews</i> , 2010 , 6, 102-10	2.7	23
73	Blood pressure lowering in the oldest old. <i>Journal of Hypertension</i> , 2010 , 28, 1373-6	1.9	13
72	Glucose Lowering, Hypoglycemia, and Cardiovascular Disease Risk. <i>Current Cardiovascular Risk Reports</i> , 2010 , 4, 159-164	0.9	1
71	The optimal blood pressure target for patients with coronary artery disease. <i>Current Cardiology Reports</i> , 2010 , 12, 302-6	4.2	9
70	Angiotensin converting enzyme inhibitors and angiotensin receptor blockers in the treatment of hypertension: should they be used together?. <i>Current Vascular Pharmacology</i> , 2010 , 8, 742-6	3.3	10
69	Comparative assessment of angiotensin receptor blockers in different clinical settings. <i>Vascular Health and Risk Management</i> , 2009 , 5, 939-48	4.4	13
68	Choice of ACE inhibitor combinations in hypertensive patients with type 2 diabetes: update after recent clinical trials. <i>Vascular Health and Risk Management</i> , 2009 , 5, 411-27	4.4	28
67	Good News from Aliskiren?. <i>Clinical Medicine Therapeutics</i> , 2009 , 1, CMT.S2862		
66	Home Blood Pressure Measurements Will Not Replace 24-Hour Ambulatory Blood Pressure Monitoring. <i>Hypertension</i> , 2009 , 54, 188-95	8.5	51
65	Exploring the optimal combination therapy in hypertensive patients with diabetes mellitus. <i>Expert Review of Cardiovascular Therapy</i> , 2009 , 7, 1349-61	2.5	12
64	Effect of revascularizing viable myocardium on left ventricular diastolic function in patients with ischaemic cardiomyopathy. <i>European Heart Journal</i> , 2009 , 30, 1501-9	9.5	27

63	The emerging role of high-density lipoprotein cholesterol in hypertension trials. <i>Journal of Hypertension</i> , 2009 , 27, 458-60	1.9	2
62	Perioperative beta blockade: the debate continues. <i>Lancet, The</i> , 2009 , 373, 627; author reply 628	4.0	3
61	Usual versus tight control of systolic blood pressure in non-diabetic patients with hypertension (Cardio-Sis): an open-label randomised trial. <i>Lancet, The</i> , 2009 , 374, 525-33	4.0	302
60	Cardiovascular effects of tight versus usual blood-pressure control [Authors Reply]. <i>Lancet, The</i> , 2009 , 374, 1742	4.0	1
59	The voltage of R wave in lead aVL improves risk stratification in hypertensive patients without ECG left ventricular hypertrophy. <i>Journal of Hypertension</i> , 2009 , 27, 1697-704	1.9	35
58	Response to Home Blood Pressure Measurements Will or Will Not Replace 24-Hour Ambulatory Blood Pressure Measurement. <i>Hypertension</i> , 2009 , 54,	8.5	4
57	Blood pressure reduction and renin-angiotensin system inhibition for prevention of congestive heart failure: a meta-analysis. <i>European Heart Journal</i> , 2009 , 30, 679-88	9.5	47
56	Prognostic value of circadian blood pressure changes in relation to differing measures of day and night. <i>Journal of the American Society of Hypertension</i> , 2008 , 2, 88-96		11
55	The Clinical Significance of New-Onset Diabetes Mellitus in Hypertension. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2008 , 15, 1-3	2.9	0
54	Optimizing the definition of dippers and nondippers: is a 70-86% full glass empty?. <i>Journal of Hypertension</i> , 2008 , 26, 630-2	1.9	3
53	Comparison between angiotensin-converting enzyme inhibitors and angiotensin receptor blockers on the risk of myocardial infarction, stroke and death: a meta-analysis. <i>Journal of Hypertension</i> , 2008 , 26, 1282-9	1.9	99
52	Is the definition of daytime and nighttime blood pressure prognostically relevant?. <i>Blood Pressure Monitoring</i> , 2008 , 13, 153-5	1.3	18
51	The renin angiotensin system in the development of cardiovascular disease: role of aliskiren in risk reduction. <i>Vascular Health and Risk Management</i> , 2008 , 4, 971-81	4.4	62
50	Single and dual blockade of the renin-angiotensin system in high-risk patients without heart failure: Lessons from ONTARGET. <i>Current Cardiovascular Risk Reports</i> , 2008 , 2, 417-419	0.9	
49	New-onset diabetes, antihypertensive treatment, and outcome. <i>Hypertension</i> , 2007 , 50, 459-60	8.5	17
48	Ambulatory blood pressure and cardiovascular outcome in relation to perceived sleep deprivation. <i>Hypertension</i> , 2007 , 49, 777-83	8.5	96
47	The clinical significance of white-coat and masked hypertension. <i>Blood Pressure Monitoring</i> , 2007 , 12, 387-9	1.3	43
46	Impact of blood pressure variability on cardiac and cerebrovascular complications in hypertension. <i>American Journal of Hypertension</i> , 2007 , 20, 154-61	2.3	128

45	Prognostic value of serial electrocardiographic voltage and repolarization changes in essential hypertension: the HEART Survey study. <i>American Journal of Hypertension</i> , 2007 , 20, 997-1004	2.3	29
44	Patients with hibernating myocardium show altered left ventricular volumes and shape, which revert after revascularization: evidence that dyssynergy might directly induce cardiac remodeling. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 969-77	15.1	95
43	Regression of left ventricular hypertrophy and prevention of stroke in hypertensive subjects. <i>American Journal of Hypertension</i> , 2006 , 19, 493-9	2.3	48
42	A Reviewer Critique of Microalbuminuria and Cardiovascular Risk Assessment in Primary Hypertension: Should Threshold Levels Be Revised?. <i>American Journal of Hypertension</i> , 2006 , 19, 735-736 ^{2,3}		
41	Is the development of diabetes with antihypertensive therapy a problem?--Pro. <i>Journal of Clinical Hypertension</i> , 2006 , 8, 120-6	2.3	7
40	Do angiotensin II receptor blockers increase the risk of myocardial infarction?. <i>European Heart Journal</i> , 2005 , 26, 2381-6	9.5	50
39	White-coat hypertension in adults. <i>Blood Pressure Monitoring</i> , 2005 , 10, 301-5	1.3	44
38	New-onset diabetes in treated hypertensive patients. <i>Current Hypertension Reports</i> , 2005 , 7, 174-9	4.7	27
37	Angiotensin-converting enzyme inhibitors and calcium channel blockers for coronary heart disease and stroke prevention. <i>Hypertension</i> , 2005 , 46, 386-92	8.5	288
36	Short- and long-term incidence of stroke in white-coat hypertension. <i>Hypertension</i> , 2005 , 45, 203-8	8.5	230
35	Prognostic value of lipoprotein fractions in essential hypertension. <i>Blood Pressure</i> , 2004 , 13, 295-303	1.7	6
34	Adverse prognostic significance of new diabetes in treated hypertensive subjects. <i>Hypertension</i> , 2004 , 43, 963-9	8.5	398
33	Meta-Analysis of effectiveness or lack thereof of angiotensin-converting enzyme inhibitors for prevention of heart failure in patients with systemic hypertension. <i>American Journal of Cardiology</i> , 2004 , 93, 240-3	3	17
32	Hypertension and microalbuminuria: the new detrimental duo. <i>Blood Pressure</i> , 2004 , 13, 198-211	1.7	28
31	Calcium channel blockade to prevent stroke in hypertension: a meta-analysis of 13 studies with 103,793 subjects. <i>American Journal of Hypertension</i> , 2004 , 17, 817-22	2.3	45
30	Validation of the A&D UA-774 (UA-767Plus) device for self-measurement of blood pressure. <i>Blood Pressure Monitoring</i> , 2004 , 9, 225-9	1.3	21
29	Prognostic significance of isolated, non-specific left ventricular repolarization abnormalities in hypertension. <i>Journal of Hypertension</i> , 2004 , 22, 407-14	1.9	25
28	Improved cardiovascular risk stratification by a simple ECG index in hypertension. <i>American Journal of Hypertension</i> , 2003 , 16, 646-52	2.3	50

27	Ret/PTC activation does not influence clinical and pathological features of adult papillary thyroid carcinomas. <i>European Journal of Endocrinology</i> , 2003 , 148, 505-13	6.5	32
26	Atrial fibrillation in hypertension: predictors and outcome. <i>Hypertension</i> , 2003 , 41, 218-23	8.5	238
25	Trends in hypertension management in Type I diabetes across Europe, 1989/1990 - 1997/1999. <i>Diabetologia</i> , 2002 , 45, 1362-71	10.3	26
24	Left ventricular mass and systolic dysfunction in essential hypertension. <i>Journal of Human Hypertension</i> , 2002 , 16, 117-22	2.6	17
23	Change in cardiovascular risk profile by echocardiography in low- or medium-risk hypertension. <i>Journal of Hypertension</i> , 2002 , 20, 1519-25	1.9	38
22	Risk of cardiovascular disease in relation to achieved office and ambulatory blood pressure control in treated hypertensive subjects. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 878-85	15.1	115
21	Prognostic value of midwall shortening fraction and its relation with left ventricular mass in systemic hypertension. <i>American Journal of Cardiology</i> , 2001 , 87, 479-82, A7	3	21
20	Short daily hemodialysis: blood pressure control and left ventricular mass reduction in hypertensive hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2001 , 38, 371-6	7.4	193
19	High-normal serum creatinine concentration is a predictor of cardiovascular risk in essential hypertension. <i>Archives of Internal Medicine</i> , 2001 , 161, 886-91		123
18	Different prognostic impact of 24-hour mean blood pressure and pulse pressure on stroke and coronary artery disease in essential hypertension. <i>Circulation</i> , 2001 , 103, 2579-84	16.7	195
17	Optimizing assessment of carotid and femoral intima-media thickness in essential hypertension. <i>American Journal of Hypertension</i> , 2001 , 14, 1025-31	2.3	5
16	Left ventricular hypertrophy as an independent predictor of acute cerebrovascular events in essential hypertension. <i>Circulation</i> , 2001 , 104, 2039-44	16.7	215
15	High-density lipoprotein cholesterol and left ventricular hypertrophy in essential hypertension. <i>Journal of Hypertension</i> , 2001 , 19, 2265-70	1.9	34
14	Ambulatory monitoring for prediction of cardiac and cerebral events. <i>Blood Pressure Monitoring</i> , 2001 , 6, 211-5	1.3	9
13	Long-term effects of losartan and enalapril, alone or with a diuretic, on ambulatory blood pressure and cardiac performance in hypertension: a case-control study. <i>Blood Pressure Monitoring</i> , 2000 , 5, 187-93	1.3	12
12	Subclinical left ventricular dysfunction in systemic hypertension and the role of 24-hour blood pressure. <i>American Journal of Cardiology</i> , 2000 , 86, 509-13	3	16
11	Relation between serum uric acid and risk of cardiovascular disease in essential hypertension. The PIUMA study. <i>Hypertension</i> , 2000 , 36, 1072-8	8.5	408
10	Circulating insulin and insulin growth factor-1 are independent determinants of left ventricular mass and geometry in essential hypertension. <i>Circulation</i> , 1999 , 100, 1802-7	16.7	154

9	Value of a simple echocardiographic linear predictor of left ventricular mass in systemic hypertension. <i>American Journal of Cardiology</i> , 1999 , 84, 1209-14	3	6
8	Prognostic significance of serial changes in left ventricular mass in essential hypertension. <i>Circulation</i> , 1998 , 97, 48-54	16.7	514
7	Moderate and large doses of ethanol differentially affect hepatic protein metabolism in humans. <i>Journal of Nutrition</i> , 1998 , 128, 198-203	4.1	20
6	Nicotinamide counteracts alcohol-induced impairment of hepatic protein metabolism in humans. <i>Journal of Nutrition</i> , 1997 , 127, 2199-204	4.1	15
5	Pharmacokinetic profile and endocrine effects of posatirelin treatment in healthy elderly subjects. <i>Journal of Clinical Pharmacology</i> , 1996 , 36, 823-31	2.9	1
4	Prognostic value of left ventricular mass and geometry in systemic hypertension with left ventricular hypertrophy. <i>American Journal of Cardiology</i> , 1996 , 78, 197-202	3	106
3	Dexamethasone suppression test in elderly patients with dementia of Alzheimer type, vascular dementia and stroke: a re-evaluation of its applicability. <i>Archives of Gerontology and Geriatrics</i> , 1995 , 21, 205-14	4	3
2	Adverse prognostic significance of concentric remodeling of the left ventricle in hypertensive patients with normal left ventricular mass. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 871-8 ^{15.1}		336
1	Ambulatory blood pressure. An independent predictor of prognosis in essential hypertension. <i>Hypertension</i> , 1994 , 24, 793-801	8.5	1369