

# Diego Pasini

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7123461/diego-pasini-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

10,127

citations

38

h-index

69

g-index

69

ext. papers

11,555

ext. citations

13.7

avg, IF

5.86

L-index

#	Paper	IF	Citations
63	Coordinated maintenance of H3K36/K27 methylation by histone demethylases preserves germ cell identity and immortality. <i>Cell Reports</i> , <b>2021</b> , 37, 110050	10.6	0
62	Identification of a choroid plexus vascular barrier closing during intestinal inflammation. <i>Science</i> , <b>2021</b> , 374, 439-448	33.3	21
61	Prdm16-mediated H3K9 methylation controls fibro-adipogenic progenitors identity during skeletal muscle repair. <i>Science Advances</i> , <b>2021</b> , 7,	14.3	10
60	Intestinal differentiation involves cleavage of histone H3 N-terminal tails by multiple proteases. <i>Nucleic Acids Research</i> , <b>2021</b> , 49, 791-804	20.1	11
59	Polycomb-dependent histone H2A ubiquitination links developmental disorders with cancer. <i>Trends in Genetics</i> , <b>2021</b> ,	8.5	5
58	BAP1 enhances Polycomb repression by counteracting widespread H2AK119ub1 deposition and chromatin condensation. <i>Molecular Cell</i> , <b>2021</b> , 81, 3526-3541.e8	17.6	10
57	Cooperation Between MYC and E-Catenin in Liver Tumorigenesis Requires Yap/Taz. <i>Hepatology</i> , <b>2020</b> , 72, 1430-1443	11.2	18
56	Dysfunctional polycomb transcriptional repression contributes to lamin A/C-dependent muscular dystrophy. <i>Journal of Clinical Investigation</i> , <b>2020</b> , 130, 2408-2421	15.9	16
55	PRMT1 Is Recruited via DNA-PK to Chromatin Where It Sustains the Senescence-Associated Secretory Phenotype in Response to Cisplatin. <i>Cell Reports</i> , <b>2020</b> , 30, 1208-1222.e9	10.6	24
54	Histone H2AK119 Mono-Ubiqutination Is Essential for Polycomb-Mediated Transcriptional Repression. <i>Molecular Cell</i> , <b>2020</b> , 77, 840-856.e5	17.6	114
53	Colorectal cancer residual disease at maximal response to EGFR blockade displays a druggable Paneth cell-like phenotype. <i>Science Translational Medicine</i> , <b>2020</b> , 12,	17.5	11
52	Loss of PRC1 activity in different stem cell compartments activates a common transcriptional program with cell type-dependent outcomes. <i>Science Advances</i> , <b>2019</b> , 5, eaav1594	14.3	10
51	Functional Landscape of PCGF Proteins Reveals Both RING1A/B-Dependent-and RING1A/B-Independent-Specific Activities. <i>Molecular Cell</i> , <b>2019</b> , 74, 1037-1052.e7	17.6	65
50	Dissecting the role of H3K27 acetylation and methylation in PRC2 mediated control of cellular identity. <i>Nature Communications</i> , <b>2019</b> , 10, 1679	17.4	71
49	VE-Cadherin-Mediated Epigenetic Regulation of Endothelial Gene Expression. <i>Circulation Research</i> , <b>2018</b> , 122, 231-245	15.7	32
48	The H3K36me2 Methyltransferase Nsd1 Demarcates PRC2-Mediated H3K27me2 and H3K27me3 Domains in Embryonic Stem Cells. <i>Molecular Cell</i> , <b>2018</b> , 70, 371-379.e5	17.6	64
47	Increased Lactate Secretion by Cancer Cells Sustains Non-cell-autonomous Adaptive Resistance to MET and EGFR Targeted Therapies. <i>Cell Metabolism</i> , <b>2018</b> , 28, 848-865.e6	24.6	107

46	Fam60a defines a variant Sin3a-Hdac complex in embryonic stem cells required for self-renewal. <i>EMBO Journal</i> , <b>2017</b> , 36, 2216-2232	13	23
45	Focal adhesion kinase depletion reduces human hepatocellular carcinoma growth by repressing enhancer of zeste homolog 2. <i>Cell Death and Differentiation</i> , <b>2017</b> , 24, 889-902	12.7	36
44	The Dual Role of EPOP and Elongin BC in Controlling Transcriptional Activity. <i>Molecular Cell</i> , <b>2016</b> , 64, 637-638	17.6	0
43	EpiMINE, a computational program for mining epigenomic data. <i>Epigenetics and Chromatin</i> , <b>2016</b> , 9, 42	5.8	7
42	Polycomb Complex PRC1 Preserves Intestinal Stem Cell Identity by Sustaining Wnt/ $\beta$ Catenin Transcriptional Activity. <i>Cell Stem Cell</i> , <b>2016</b> , 18, 91-103	18	73
41	Transcription factor TLX1 controls retinoic acid signaling to ensure spleen development. <i>Journal of Clinical Investigation</i> , <b>2016</b> , 126, 2452-64	15.9	18
40	Maintenance of leukemic cell identity by the activity of the Polycomb complex PRC1 in mice. <i>Science Advances</i> , <b>2016</b> , 2, e1600972	14.3	15
39	Emerging roles for Polycomb proteins in cancer. <i>Current Opinion in Genetics and Development</i> , <b>2016</b> , 36, 50-8	4.9	58
38	PRC2 preserves intestinal progenitors and restricts secretory lineage commitment. <i>EMBO Journal</i> , <b>2016</b> , 35, 2301-2314	13	51
37	Mapping the Function of Polycomb Proteins. <i>Methods in Molecular Biology</i> , <b>2016</b> , 1480, 3-6	1.4	
36	The controversial role of the Polycomb group proteins in transcription and cancer: how much do we not understand Polycomb proteins?. <i>FEBS Journal</i> , <b>2015</b> , 282, 1703-22	5.7	38
35	Polycomb-dependent H3K27me1 and H3K27me2 regulate active transcription and enhancer fidelity. <i>Molecular Cell</i> , <b>2014</b> , 53, 49-62	17.6	302
34	Isolation of chromatin from dysfunctional telomeres reveals an important role for Ring1b in NHEJ-mediated chromosome fusions. <i>Cell Reports</i> , <b>2014</b> , 7, 1320-32	10.6	38
33	Polycomb proteins control proliferation and transformation independently of cell cycle checkpoints by regulating DNA replication. <i>Nature Communications</i> , <b>2014</b> , 5, 3649	17.4	61
32	Precision mapping of coexisting modifications in histone H3 tails from embryonic stem cells by ETD-MS/MS. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 8232-9	7.8	60
31	Tet proteins connect the O-linked N-acetylglucosamine transferase Ogt to chromatin in embryonic stem cells. <i>Molecular Cell</i> , <b>2013</b> , 49, 645-56	17.6	231
30	Epigenetic methylations and their connections with metabolism. <i>Cellular and Molecular Life Sciences</i> , <b>2013</b> , 70, 1495-508	10.3	21
29	Regulation and Function of DNA and Histone Methylations. <i>Current Pharmaceutical Design</i> , <b>2013</b> , 19, 719-733	3.3	8

28	Yin Yang 1 extends the Myc-related transcription factors network in embryonic stem cells. <i>Nucleic Acids Research</i> , <b>2012</b> , 40, 3403-18	20.1	79
27	Epigenetic factors in cancer development: polycomb group proteins. <i>Future Oncology</i> , <b>2011</b> , 7, 57-75	3.6	59
26	Chromatin regulated interchange between polycomb repressive complex 2 (PRC2)-Ezh2 and PRC2-Ezh1 complexes controls myogenin activation in skeletal muscle cells. <i>Epigenetics and Chromatin</i> , <b>2011</b> , 4, 16	5.8	95
25	JARID2 regulates binding of the Polycomb repressive complex 2 to target genes in ES cells. <i>Nature</i> , <b>2010</b> , 464, 306-10	50.4	427
24	Polycomb complexes act redundantly to repress genomic repeats and genes. <i>Genes and Development</i> , <b>2010</b> , 24, 265-76	12.6	264
23	Characterization of an antagonistic switch between histone H3 lysine 27 methylation and acetylation in the transcriptional regulation of Polycomb group target genes. <i>Nucleic Acids Research</i> , <b>2010</b> , 38, 4958-69	20.1	251
22	Quantitative mass spectrometry of histones H3.2 and H3.3 in Suz12-deficient mouse embryonic stem cells reveals distinct, dynamic post-translational modifications at Lys-27 and Lys-36. <i>Molecular and Cellular Proteomics</i> , <b>2010</b> , 9, 838-50	7.6	107
21	A model for transmission of the H3K27me3 epigenetic mark. <i>Nature Cell Biology</i> , <b>2008</b> , 10, 1291-300	23.4	558
20	Coordinated regulation of transcriptional repression by the RBP2 H3K4 demethylase and Polycomb-Repressive Complex 2. <i>Genes and Development</i> , <b>2008</b> , 22, 1345-55	12.6	246
19	Polycomb complex 2 is required for E-cadherin repression by the Snail1 transcription factor. <i>Molecular and Cellular Biology</i> , <b>2008</b> , 28, 4772-81	4.8	336
18	Antagonism between DNA and H3K27 methylation at the imprinted Rasgrf1 locus. <i>PLoS Genetics</i> , <b>2008</b> , 4, e1000145	6	94
17	The polycomb repressive complex 2 is a potential target of SUMO modifications. <i>PLoS ONE</i> , <b>2008</b> , 3, e27047	9.7	44
16	UTX and JMJD3 are histone H3K27 demethylases involved in HOX gene regulation and development. <i>Nature</i> , <b>2007</b> , 449, 731-4	50.4	975
15	Role of the polycomb repressive complex 2 in acute promyelocytic leukemia. <i>Cancer Cell</i> , <b>2007</b> , 11, 513-25	24.3	210
14	The Polycomb group proteins bind throughout the INK4A-ARF locus and are disassociated in senescent cells. <i>Genes and Development</i> , <b>2007</b> , 21, 525-30	12.6	668
13	The polycomb group protein Suz12 is required for embryonic stem cell differentiation. <i>Molecular and Cellular Biology</i> , <b>2007</b> , 27, 3769-79	4.8	549
12	RBP2 belongs to a family of demethylases, specific for tri-and dimethylated lysine 4 on histone 3. <i>Cell</i> , <b>2007</b> , 128, 1063-76	56.2	416
11	Genome-wide mapping of Polycomb target genes unravels their roles in cell fate transitions. <i>Genes and Development</i> , <b>2006</b> , 20, 1123-36	12.6	960

10	Deregulated E2F activity induces hyperplasia and senescence-like features in the mouse pituitary gland. <i>Molecular and Cellular Biology</i> , <b>2005</b> , 25, 2660-72	4.8	161
9	Amplification of Mdmx (or Mdm4) directly contributes to tumor formation by inhibiting p53 tumor suppressor activity. <i>Molecular and Cellular Biology</i> , <b>2004</b> , 24, 5835-43	4.8	254
8	Polycomb Group Proteins in Cell Cycle Progression and Cancer. <i>Cell Cycle</i> , <b>2004</b> , 3, 394-398	4.7	72
7	Suz12 is essential for mouse development and for EZH2 histone methyltransferase activity. <i>EMBO Journal</i> , <b>2004</b> , 23, 4061-71	13	670
6	Polycomb group proteins in cell cycle progression and cancer. <i>Cell Cycle</i> , <b>2004</b> , 3, 396-400	4.7	42
5	NPAT expression is regulated by E2F and is essential for cell cycle progression. <i>Molecular and Cellular Biology</i> , <b>2003</b> , 23, 2821-33	4.8	50
4	EZH2 is downstream of the pRB-E2F pathway, essential for proliferation and amplified in cancer. <i>EMBO Journal</i> , <b>2003</b> , 22, 5323-35	13	894
3	BAP1 activity regulates PcG occupancy and global chromatin condensation counteracting diffuse PCGF3/5-dependent H2AK119ub1 deposition		1
2	Histone H2AK119 Mono-Ubiquitination is Essential for Polycomb-Mediated Transcriptional Repression		3
1	Cooperation between MYC and β-catenin in liver tumorigenesis requires Yap/Taz		2