

Giselli Scaini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7123675/publications.pdf>

Version: 2024-02-01

153
papers

3,572
citations

136740

32
h-index

223531

46
g-index

156
all docs

156
docs citations

156
times ranked

4779
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhibition of mitochondrial respiratory chain in brain of rats subjected to an experimental model of depression. <i>Neurochemistry International</i> , 2008, 53, 395-400.	1.9	172
2	Mitochondrial dysfunction in bipolar disorder: Evidence, pathophysiology and translational implications. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 68, 694-713.	2.9	121
3	Accelerated epigenetic aging and mitochondrial DNA copy number in bipolar disorder. <i>Translational Psychiatry</i> , 2017, 7, 1283.	2.4	119
4	Mitochondrial respiratory chain in the colonic mucosal of patients with ulcerative colitis. <i>Molecular and Cellular Biochemistry</i> , 2010, 342, 111-115.	1.4	83
5	Mitochondrial respiratory chain and creatine kinase activities in rat brain after sepsis induced by cecal ligation and perforation. <i>Mitochondrion</i> , 2008, 8, 313-318.	1.6	74
6	Mitochondria and the central nervous system: searching for a pathophysiological basis of psychiatric disorders. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 156-167.	0.9	68
7	Behavioral and neurochemical effects of sodium butyrate in an animal model of mania. <i>Behavioural Pharmacology</i> , 2011, 22, 766-772.	0.8	65
8	Accelerated aging in bipolar disorder: A comprehensive review of molecular findings and their clinical implications. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 112, 107-116.	2.9	64
9	Perturbations in the apoptotic pathway and mitochondrial network dynamics in peripheral blood mononuclear cells from bipolar disorder patients. <i>Translational Psychiatry</i> , 2017, 7, e1111-e1111.	2.4	62
10	The Role of Mitochondria in Mood Disorders: From Physiology to Pathophysiology and to Treatment. <i>Frontiers in Psychiatry</i> , 2021, 12, 546801.	1.3	61
11	TSPO upregulation in bipolar disorder and concomitant downregulation of mitophagic proteins and NLRP3 inflammasome activation. <i>Neuropsychopharmacology</i> , 2019, 44, 1291-1299.	2.8	58
12	Role of Protein Kinase C in Bipolar Disorder: A Review of the Current Literature. <i>Molecular Neuropsychiatry</i> , 2017, 3, 108-124.	3.0	55
13	Maternal immune activation induced by lipopolysaccharide triggers immune response in pregnant mother and fetus, and induces behavioral impairment in adult rats. <i>Journal of Psychiatric Research</i> , 2018, 100, 71-83.	1.5	54
14	Alterations in Inflammatory Mediators, Oxidative Stress Parameters and Energetic Metabolism in the Brain of Sepsis Survivor Rats. <i>Neurochemical Research</i> , 2011, 36, 304-311.	1.6	53
15	Brain creatine kinase activity in an animal model of mania. <i>Life Sciences</i> , 2008, 82, 424-429.	2.0	52
16	Dysregulation of mitochondrial dynamics, mitophagy and apoptosis in major depressive disorder: Does inflammation play a role?. <i>Molecular Psychiatry</i> , 2022, 27, 1095-1102.	4.1	52
17	Lithium and valproate modulate energy metabolism in an animal model of mania induced by methamphetamine. <i>Pharmacology Biochemistry and Behavior</i> , 2013, 103, 589-596.	1.3	51
18	Accelerated hippocampal biological aging in bipolar disorder. <i>Bipolar Disorders</i> , 2020, 22, 498-507.	1.1	49

#	ARTICLE	IF	CITATIONS
19	Ketamine potentiates oxidative stress and influences behavior and inflammation in response to lipopolysaccharide (LPS) exposure in early life. <i>Neuroscience</i> , 2017, 353, 17-25.	1.1	47
20	Neurobiology of bipolar disorders: a review of genetic components, signaling pathways, biochemical changes, and neuroimaging findings. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 536-551.	0.9	43
21	Evaluation of Krebs cycle enzymes in the brain of rats after chronic administration of antidepressants. <i>Brain Research Bulletin</i> , 2010, 82, 224-227.	1.4	41
22	L-Tyrosine administration increases acetylcholinesterase activity in rats. <i>Neurochemistry International</i> , 2012, 61, 1370-1374.	1.9	41
23	Second generation antipsychotic-induced mitochondrial alterations: Implications for increased risk of metabolic syndrome in patients with schizophrenia. <i>European Neuropsychopharmacology</i> , 2018, 28, 369-380.	0.3	41
24	Activity of mitochondrial respiratory chain is increased by chronic administration of antidepressants. <i>Acta Neuropsychiatrica</i> , 2011, 23, 112-118.	1.0	40
25	The inhibition of the kynurenine pathway prevents behavioral disturbances and oxidative stress in the brain of adult rats subjected to an animal model of schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 81, 55-63.	2.5	40
26	Treatment with olanzapine, fluoxetine and olanzapine/fluoxetine alters citrate synthase activity in rat brain. <i>Neuroscience Letters</i> , 2011, 487, 278-281.	1.0	38
27	Effects of the HIV treatment drugs nevirapine and efavirenz on brain creatine kinase activity. <i>Metabolic Brain Disease</i> , 2008, 23, 485-492.	1.4	37
28	Treatment with tianeptine induces antidepressive-like effects and alters the neurotrophin levels, mitochondrial respiratory chain and cycle Krebs enzymes in the brain of maternally deprived adult rats. <i>Metabolic Brain Disease</i> , 2013, 28, 93-105.	1.4	37
29	Molecular Mechanisms Underlying the Anti-depressant Effects of Resveratrol: a Review. <i>Molecular Neurobiology</i> , 2018, 55, 4543-4559.	1.9	37
30	Acute and chronic administration of cannabidiol increases mitochondrial complex and creatine kinase activity in the rat brain. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 380-386.	0.9	36
31	Clozapine Prevents Poly (I:C) Induced Inflammation by Modulating NLRP3 Pathway in Microglial Cells. <i>Cells</i> , 2020, 9, 577.	1.8	36
32	Tianeptine treatment induces antidepressive-like effects and alters BDNF and energy metabolism in the brain of rats. <i>Behavioural Brain Research</i> , 2012, 233, 526-535.	1.2	35
33	Brain creatine kinase activity is increased by chronic administration of paroxetine. <i>Brain Research Bulletin</i> , 2009, 80, 327-330.	1.4	33
34	Medial Forebrain Bundle Deep Brain Stimulation Reverses Anhedonic-Like Behavior in a Chronic Model of Depression: Importance of BDNF and Inflammatory Cytokines. <i>Molecular Neurobiology</i> , 2019, 56, 4364-4380.	1.9	33
35	Treadmill Training Increases SIRT-1 and PGC-1 α Protein Levels and AMPK Phosphorylation in Quadriceps of Middle-Aged Rats in an Intensity-Dependent Manner. <i>Mediators of Inflammation</i> , 2014, 1-11.	1.4	32
36	Homocysteine induces energy imbalance in rat skeletal muscle: Is creatine a protector?. <i>Cell Biochemistry and Function</i> , 2013, 31, 575-584.	1.4	31

#	ARTICLE	IF	CITATIONS
37	A Rodent Model of Schizophrenia Reveals Increase in Creatine Kinase Activity with Associated Behavior Changes. <i>Oxidative Medicine and Cellular Longevity</i> , 2010, 3, 421-427.	1.9	30
38	Tamoxifen effects on respiratory chain complexes and creatine kinase activities in an animal model of mania. <i>Pharmacology Biochemistry and Behavior</i> , 2011, 98, 304-310.	1.3	29
39	Non-Nucleoside Reverse Transcriptase Inhibitors Efavirenz and Nevirapine Inhibit Cytochrome C Oxidase in Mouse Brain Regions. <i>Neurochemical Research</i> , 2011, 36, 962-966.	1.6	29
40	Toxicity of octanoate and decanoate in rat peripheral tissues: evidence of bioenergetic dysfunction and oxidative damage induction in liver and skeletal muscle. <i>Molecular and Cellular Biochemistry</i> , 2012, 361, 329-335.	1.4	29
41	l-Tyrosine Induces DNA Damage in Brain and Blood of Rats. <i>Neurochemical Research</i> , 2014, 39, 202-207.	1.6	29
42	Maternal deprivation increases microglial activation and neuroinflammatory markers in the prefrontal cortex and hippocampus of infant rats. <i>Journal of Psychiatric Research</i> , 2019, 115, 13-20.	1.5	29
43	Behavioral changes and brain energy metabolism dysfunction in rats treated with methamphetamine or dextroamphetamine. <i>Neuroscience Letters</i> , 2012, 530, 75-79.	1.0	28
44	DNA damage in an animal model of maple syrup urine disease. <i>Molecular Genetics and Metabolism</i> , 2012, 106, 169-174.	0.5	28
45	Lamotrigine treatment reverses depressive-like behavior and alters BDNF levels in the brains of maternally deprived adult rats. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 101, 348-353.	1.3	28
46	Chronic administration of branched-chain amino acids impairs spatial memory and increases brain-derived neurotrophic factor in a rat model. <i>Journal of Inherited Metabolic Disease</i> , 2013, 36, 721-730.	1.7	27
47	Mitochondrial dysfunction as a critical event in the pathophysiology of bipolar disorder. <i>Mitochondrion</i> , 2021, 57, 23-36.	1.6	27
48	Inhibition of brain creatine kinase activity after renal ischemia is attenuated by N-acetylcysteine and deferoxamine administration. <i>Neuroscience Letters</i> , 2008, 434, 139-143.	1.0	26
49	Brain apoptosis signaling pathways are regulated by methylphenidate treatment in young and adult rats. <i>Brain Research</i> , 2014, 1583, 269-276.	1.1	26
50	Effects of N-Acetylcysteine/Deferoxamine, Taurine and RC-3095 on Respiratory Chain Complexes and Creatine Kinase Activities in Rat Brain After Sepsis. <i>Neurochemical Research</i> , 2010, 35, 515-521.	1.6	25
51	Effects of olanzapine, fluoxetine and olanzapine/fluoxetine on creatine kinase activity in rat brain. <i>Brain Research Bulletin</i> , 2009, 80, 337-340.	1.4	24
52	Acute and Chronic Administration of the Branched-Chain Amino Acids Decreases Nerve Growth Factor in Rat Hippocampus. <i>Molecular Neurobiology</i> , 2013, 48, 581-589.	1.9	24
53	The oral administration of D-galactose induces abnormalities within the mitochondrial respiratory chain in the brain of rats. <i>Metabolic Brain Disease</i> , 2017, 32, 811-817.	1.4	24
54	Methylphenidate increases creatine kinase activity in the brain of young and adult rats. <i>Life Sciences</i> , 2008, 83, 795-800.	2.0	23

#	ARTICLE	IF	CITATIONS
55	Inhibition of Mitochondrial Respiratory Chain in the Brain of Adult Rats After Acute and Chronic Administration of Methylphenidate. <i>Neurochemical Research</i> , 2010, 35, 405-411.	1.6	23
56	Administration of Harmine and Imipramine Alters Creatine Kinase and Mitochondrial Respiratory Chain Activities in the Rat Brain. <i>Depression Research and Treatment</i> , 2012, 2012, 1-7.	0.7	23
57	Antioxidant administration prevents memory impairment in an animal model of maple syrup urine disease. <i>Behavioural Brain Research</i> , 2012, 231, 92-96.	1.2	23
58	Mitophagy in depression: Pathophysiology and treatment targets. <i>Mitochondrion</i> , 2021, 61, 1-10.	1.6	23
59	Olanzapine plus fluoxetine treatment alters mitochondrial respiratory chain activity in the rat brain. <i>Acta Neuropsychiatrica</i> , 2011, 23, 282-291.	1.0	22
60	Ketamine Treatment Partly Reverses Alterations in Brain Derived- Neurotrophic Factor, Oxidative Stress and Energy Metabolism Parameters Induced by an Animal Model of Depression. <i>Current Neurovascular Research</i> , 2015, 12, 73-84.	0.4	22
61	Effect of L-Tyrosine In Vitro and In Vivo on Energy Metabolism Parameters in Brain and Liver of Young Rats. <i>Neurotoxicity Research</i> , 2013, 23, 327-335.	1.3	21
62	Effects of primaquine and chloroquine on oxidative stress parameters in rats. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015, 87, 1487-1496.	0.3	21
63	Methylphenidate Causes Behavioral Impairments and Neuron and Astrocyte Loss in the Hippocampus of Juvenile Rats. <i>Molecular Neurobiology</i> , 2017, 54, 4201-4216.	1.9	21
64	Serum Markers of Neurodegeneration in Maple Syrup Urine Disease. <i>Molecular Neurobiology</i> , 2017, 54, 5709-5719.	1.9	21
65	Neuroinflammation trajectories precede cognitive impairment after experimental meningitis—evidence from an in vivo PET study. <i>Journal of Neuroinflammation</i> , 2020, 17, 5.	3.1	21
66	Effect of Antipsychotics on Creatine Kinase Activity in Rat Brain. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2007, 101, 315-319.	1.2	20
67	In vitro effect of silver nanoparticles on creatine kinase activity. <i>Journal of the Brazilian Chemical Society</i> , 2009, 20, 1556-1560.	0.6	20
68	Evaluation of citrate synthase activity in brain of rats submitted to an animal model of mania induced by ouabain. <i>Molecular and Cellular Biochemistry</i> , 2010, 341, 245-249.	1.4	20
69	Administration of memantine and imipramine alters mitochondrial respiratory chain and creatine kinase activities in rat brain. <i>Journal of Neural Transmission</i> , 2012, 119, 481-491.	1.4	20
70	DNA damage induced by phenylalanine and its analogue <i>p</i> -chlorophenylalanine in blood and brain of rats subjected to a model of hyperphenylalaninemia. <i>Biochemistry and Cell Biology</i> , 2013, 91, 319-324.	0.9	20
71	Fenproporex Increases Locomotor Activity and Alters Energy Metabolism, and Mood Stabilizers Reverse These Changes: a Proposal for a New Animal Model of Mania. <i>Molecular Neurobiology</i> , 2014, 49, 877-892.	1.9	20
72	Effects of Mood Stabilizers on Brain Energy Metabolism in Mice Submitted to an Animal Model of Mania Induced by Paradoxical Sleep Deprivation. <i>Neurochemical Research</i> , 2015, 40, 1144-1152.	1.6	20

#	ARTICLE	IF	CITATIONS
73	Evaluation of mitochondrial respiratory chain in the brain of rats after pneumococcal meningitis. <i>Brain Research Bulletin</i> , 2010, 82, 302-307.	1.4	19
74	Methylphenidate Treatment Leads to Abnormalities on Krebs Cycle Enzymes in the Brain of Young and Adult Rats. <i>Neurotoxicity Research</i> , 2013, 24, 251-257.	1.3	19
75	Stanniocalcin 1 Inhibits the Inflammatory Response in Microglia and Protects Against Sepsis-Associated Encephalopathy. <i>Neurotoxicity Research</i> , 2021, 39, 119-132.	1.3	19
76	Mecanismos básicos da encefalopatia urêmica. <i>Revista Brasileira De Terapia Intensiva</i> , 2010, 22, 206-211.	0.1	18
77	Evaluation of Acetylcholinesterase in an Animal Model of Maple Syrup Urine Disease. <i>Molecular Neurobiology</i> , 2012, 45, 279-286.	1.9	18
78	Effect of Acute and Chronic Administration of Methylphenidate on Mitochondrial Respiratory Chain in the Brain of Young Rats. <i>Neurochemical Research</i> , 2010, 35, 1675-1680.	1.6	17
79	Inhibition of mitochondrial respiratory chain in the brain of rats after hepatic failure induced by acetaminophen. <i>Molecular and Cellular Biochemistry</i> , 2011, 350, 149-154.	1.4	16
80	Erythropoietin reverts cognitive impairment and alters the oxidative parameters and energetic metabolism in sepsis animal model. <i>Journal of Neural Transmission</i> , 2012, 119, 1267-1274.	1.4	16
81	Coadministration of Branched-Chain Amino Acids and Lipopolysaccharide Causes Matrix Metalloproteinase Activation and Blood-Brain Barrier Breakdown. <i>Molecular Neurobiology</i> , 2014, 50, 358-367.	1.9	16
82	Cerebral Oedema, Blood-Brain Barrier Breakdown and the Decrease in Na ⁺ ,K ⁺ -ATPase Activity in the Cerebral Cortex and Hippocampus are Prevented by Dexamethasone in an Animal Model of Maple Syrup Urine Disease. <i>Molecular Neurobiology</i> , 2016, 53, 3714-3723.	1.9	15
83	Evaluation of plasma biomarkers of inflammation in patients with maple syrup urine disease. <i>Journal of Inherited Metabolic Disease</i> , 2018, 41, 631-640.	1.7	15
84	Behavioral Responses in Rats Submitted to Chronic Administration of Branched-Chain Amino Acids. <i>JIMD Reports</i> , 2013, 13, 159-167.	0.7	14
85	Methylmalonic acid administration induces DNA damage in rat brain and kidney. <i>Molecular and Cellular Biochemistry</i> , 2014, 391, 137-145.	1.4	14
86	Antioxidants reverse the changes in energy metabolism of rat brain after chronic administration of L-tyrosine. <i>Metabolic Brain Disease</i> , 2017, 32, 557-564.	1.4	14
87	The Decrease on Na ⁺ , K ⁺ -ATPase Activity in the Cortex, but not in Hippocampus, is Reverted by Antioxidants in an Animal Model of Sepsis. <i>Molecular Neurobiology</i> , 2012, 46, 467-474.	1.9	13
88	Administration of branched-chain amino acids alters the balance between pro-inflammatory and anti-inflammatory cytokines. <i>International Journal of Developmental Neuroscience</i> , 2016, 48, 24-30.	0.7	13
89	Intracerebroventricular administration of Î±-ketoisocaproic acid decreases brain-derived neurotrophic factor and nerve growth factor levels in brain of young rats. <i>Metabolic Brain Disease</i> , 2016, 31, 377-383.	1.4	13
90	Omega-3 fatty acid supplementation can prevent changes in mitochondrial energy metabolism and oxidative stress caused by chronic administration of L-tyrosine in the brain of rats. <i>Metabolic Brain Disease</i> , 2019, 34, 1207-1219.	1.4	13

#	ARTICLE	IF	CITATIONS
91	Epigenetic GrimAge acceleration and cognitive impairment in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2022, 62, 10-21.	0.3	13
92	Brain creatine kinase activity is inhibited after hepatic failure induced by carbon tetrachloride or acetaminophen. <i>Metabolic Brain Disease</i> , 2009, 24, 383-394.	1.4	12
93	Brain energy metabolism parameters in an animal model of diabetes. <i>Metabolic Brain Disease</i> , 2010, 25, 391-396.	1.4	12
94	Mitochondrial respiratory chain and creatine kinase activities in <i>mdx</i> mouse brain. <i>Muscle and Nerve</i> , 2010, 41, 257-260.	1.0	12
95	An Evaluation of the Effects of Acute and Chronic L-Tyrosine Administration on BDNF Levels and bdnf mRNA Expression in the Rat Brain. <i>Molecular Neurobiology</i> , 2014, 49, 734-740.	1.9	12
96	Acute administration of fenproporex increased acetylcholinesterase activity in brain of young rats. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015, 87, 1389-1395.	0.3	12
97	The characterization of neuroenergetic effects of chronic L-tyrosine administration in young rats: evidence for striatal susceptibility. <i>Metabolic Brain Disease</i> , 2015, 30, 215-221.	1.4	12
98	Maternal Hypermethioninemia Affects Neurons Number, Neurotrophins Levels, Energy Metabolism, and Na ⁺ ,K ⁺ -ATPase Expression/Content in Brain of Rat Offspring. <i>Molecular Neurobiology</i> , 2018, 55, 980-988.	1.9	12
99	Brain creatine kinase activity after meningitis induced by <i>Streptococcus pneumoniae</i> . <i>Brain Research Bulletin</i> , 2009, 80, 85-88.	1.4	11
100	Evaluation of brain creatine kinase activity in an animal model of mania induced by ouabain. <i>Journal of Neural Transmission</i> , 2010, 117, 149-153.	1.4	11
101	Mitochondrial respiratory chain and creatine kinase activities following trauma brain injury in brain of mice preconditioned with N-methyl-D-aspartate. <i>Molecular and Cellular Biochemistry</i> , 2013, 384, 129-137.	1.4	11
102	Evidence for additionally increased apoptosis in the peripheral blood mononuclear cells of major depressive patients with a high risk for suicide. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 388-396.	1.1	11
103	Inhibition of mitochondrial respiratory chain in the brain of rats after renal ischemia is prevented by N-acetylcysteine and deferoxamine. <i>Metabolic Brain Disease</i> , 2010, 25, 219-225.	1.4	10
104	Effect of Acute and Chronic Administration of L-Tyrosine on Nerve Growth Factor Levels in Rat Brain. <i>Neurochemical Research</i> , 2013, 38, 1742-1746.	1.6	10
105	Fluvoxamine alters the activity of energy metabolism enzymes in the brain. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 220-226.	0.9	10
106	Evaluation of NCS-1, DARPP-32, and neurotrophins in hippocampus and prefrontal cortex in rats submitted to sepsis. <i>Synapse</i> , 2014, 68, 474-479.	0.6	10
107	Omega-3 fatty acid supplementation decreases DNA damage in brain of rats subjected to a chemically induced chronic model of Tyrosinemia type II. <i>Metabolic Brain Disease</i> , 2017, 32, 1043-1050.	1.4	10
108	Role of antioxidant treatment on DNA and lipid damage in the brain of rats subjected to a chemically induced chronic model of tyrosinemia type II. <i>Molecular and Cellular Biochemistry</i> , 2017, 435, 207-214.	1.4	10

#	ARTICLE	IF	CITATIONS
109	Administration of branched-chain amino acids increases the susceptibility to lipopolysaccharide-induced inflammation in young Wistar rats. <i>International Journal of Developmental Neuroscience</i> , 2019, 78, 210-214.	0.7	10
110	Energy metabolism, leptin, and biochemical parameters are altered in rats subjected to the chronic administration of olanzapine. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 168-175.	0.9	10
111	Inibição da atividade da citrato sintase cerebral em um modelo animal de sepse. <i>Revista Brasileira De Terapia Intensiva</i> , 2011, 23, 158-163.	0.1	9
112	Î±-Carboline harmine reverses the effects induced by stress on behaviour and citrate synthase activity in the rat prefrontal cortex. <i>Acta Neuropsychiatrica</i> , 2013, 25, 328-333.	1.0	9
113	Omega-3 fatty acids alter behavioral and oxidative stress parameters in animals subjected to fenproporex administration. <i>Metabolic Brain Disease</i> , 2014, 29, 185-192.	1.4	9
114	Acute Administration of Branched-Chain Amino Acids Increases the Pro-BDNF/Total-BDNF Ratio in the Rat Brain. <i>Neurochemical Research</i> , 2015, 40, 885-893.	1.6	9
115	Acute and long-term effects of intracerebroventricular administration of Î±-ketoisocaproic acid on oxidative stress parameters and cognitive and noncognitive behaviors. <i>Metabolic Brain Disease</i> , 2017, 32, 1507-1518.	1.4	9
116	Apoptotic signaling pathways induced by acute administration of branched-chain amino acids in an animal model of maple syrup urine disease. <i>Metabolic Brain Disease</i> , 2017, 32, 115-122.	1.4	9
117	Lipoic Acid and Fish Oil Combination Potentiates Neuroinflammation and Oxidative Stress Regulation and Prevents Cognitive Decline of Rats After Sepsis. <i>Molecular Neurobiology</i> , 2020, 57, 4451-4466.	1.9	9
118	Mechanisms underlying uremic encephalopathy. <i>Revista Brasileira De Terapia Intensiva</i> , 2010, 22, 206-11.	0.1	9
119	<i>In vitro</i> effect of antipsychotics on brain energy metabolism parameters in the brain of rats. <i>Acta Neuropsychiatrica</i> , 2013, 25, 18-26.	1.0	8
120	Evaluation of Na ⁺ , K ⁺ -ATPase activity in the brain of young rats after acute administration of fenproporex. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 138-142.	0.9	8
121	Evidence that 3-hydroxy-3-methylglutaric and 3-methylglutaric acids induce DNA damage in rat striatum. <i>Metabolic Brain Disease</i> , 2015, 30, 1055-1062.	1.4	8
122	Activity of Krebs cycle enzymes in mdx mice. <i>Muscle and Nerve</i> , 2016, 53, 91-95.	1.0	8
123	The metabolic effect of Î±-ketoisocaproic acid: in vivo and in vitro studies. <i>Metabolic Brain Disease</i> , 2021, 36, 185-192.	1.4	8
124	Methylphenidate increases glucose uptake in the brain of young and adult rats. <i>Pharmacological Reports</i> , 2015, 67, 1033-1040.	1.5	7
125	Evaluation of brain and kidney energy metabolism in an animal model of contrast-induced nephropathy. <i>Metabolic Brain Disease</i> , 2011, 26, 115-122.	1.4	6
126	Inhibition of acetylcholinesterase activity in brain and behavioral analysis in adult rats after chronic administration of fenproporex. <i>Metabolic Brain Disease</i> , 2012, 27, 453-458.	1.4	6

#	ARTICLE	IF	CITATIONS
127	Acute renal failure potentiates brain energy dysfunction elicited by methylmalonic acid. <i>International Journal of Developmental Neuroscience</i> , 2013, 31, 245-249.	0.7	6
128	N-acetylcysteine effects on a murine model of chronic critical limb ischemia. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 454-463.	1.8	6
129	Exposure to leucine induces oxidative stress in the brain of zebrafish. <i>Metabolic Brain Disease</i> , 2022, 37, 1155-1161.	1.4	6
130	Modulation of creatine kinase activity by ruthenium complexes. <i>Journal of Inorganic Biochemistry</i> , 2007, 101, 267-273.	1.5	5
131	Central Nervous System Involvement in the Animal Model of Myodystrophy. <i>Molecular Neurobiology</i> , 2013, 48, 71-77.	1.9	5
132	Antioxidants Reverse the Changes in the Cholinergic System Caused by L-Tyrosine Administration in Rats. <i>Neurotoxicity Research</i> , 2018, 34, 769-780.	1.3	5
133	Resveratrol protects the brain against oxidative damage in a dopaminergic animal model of mania. <i>Metabolic Brain Disease</i> , 2019, 34, 941-950.	1.4	5
134	Evidence of hippocampal astrogliosis and antioxidant imbalance after L-tyrosine chronic administration in rats. <i>Metabolic Brain Disease</i> , 2020, 35, 193-200.	1.4	5
135	Effects of omega-3 fatty acids supplementation on inflammatory parameters after chronic administration of L-tyrosine. <i>Metabolic Brain Disease</i> , 2020, 35, 295-303.	1.4	5
136	Alterations in plasma kynurenine pathway metabolites in children and adolescents with bipolar disorder and unaffected offspring of bipolar parents: A preliminary study. <i>Bipolar Disorders</i> , 2020, 23, 689-696.	1.1	5
137	Omega-3 Fatty Acids and Mood Stabilizers Alter Behavioural and Energy Metabolism Parameters in Animals Subjected to an Animal Model of Mania Induced by Fenproporex. <i>Molecular Neurobiology</i> , 2017, 54, 3935-3947.	1.9	4
138	Omega-3 fatty acids and mood stabilizers alter behavioral and oxidative stress parameters in animals subjected to fenproporex administration. <i>Metabolic Brain Disease</i> , 2017, 32, 519-528.	1.4	4
139	Oral administration of D-galactose increases brain tricarboxylic acid cycle enzymes activities in Wistar rats. <i>Metabolic Brain Disease</i> , 2021, 36, 1057-1067.	1.4	4
140	Inhibition of brain citrate synthase activity in an animal model of sepsis. <i>Revista Brasileira De Terapia Intensiva</i> , 2011, 23, 158-63.	0.1	4
141	Effects of acute administration of mazindol on brain energy metabolism in adult mice. <i>Acta Neuropsychiatrica</i> , 2014, 26, 146-154.	1.0	3
142	Evaluation of the <i>In Vivo</i> and <i>In Vitro</i> Effects of Fructose on Respiratory Chain Complexes in Tissues of Young Rats. <i>Disease Markers</i> , 2015, 2015, 1-6.	0.6	3
143	Suicide rates in the United States continue to rise. Are rates in Brazil underestimated?. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 347-348.	0.9	2
144	Effects of maintenance electroshock on mitochondrial respiratory chain and creatine kinase activities in the rat brain. <i>Acta Neuropsychiatrica</i> , 2012, 24, 275-285.	1.0	1

#	ARTICLE	IF	CITATIONS
145	Mitochondrial pathways in bipolar disorder: Mechanisms and implications. , 2021, , 61-69.		1
146	Coadministration of tianeptine alters behavioral parameters and levels of neurotrophins in a chronic model of Maple Syrup Urine disease. Metabolic Brain Disease, 2022, , 1.	1.4	1
147	Efeitos preventivos do exercício físico sobre a inibição da creatina quinase em córtex cerebral de camundongos expostos à fumaça de cigarro. DOI: 10.5007/1980-0037.2011v13n2p106. Revista Brasileira De Cineantropometria E Desempenho Humano, 2011, 13, .	0.5	0
148	508. Perturbations in the Apoptotic Pathway and Mitochondrial Network Dynamics in Peripheral Blood Mononuclear Cells from Bipolar Disorder Patients. Biological Psychiatry, 2017, 81, S206-S207.	0.7	0
149	304. Immunological, Molecular and Behavioral Effects of LPS Induced Maternal Immune Activation. Biological Psychiatry, 2017, 81, S125-S126.	0.7	0
150	Implication of the Mitochondrial and Immune Dysfunctions in Bipolar Disorder: New Insights Into Pathogenesis. Journal of Affective Disorders, 2019, 254, 136.	2.0	0
151	S81. Hippocampal Epigenetic Aging in Bipolar Disorder. Biological Psychiatry, 2019, 85, S328.	0.7	0
152	Mitochondrial Dysfunction in Bipolar Disorder: Pathways, Mechanisms and Implications. Biological Psychiatry, 2020, 87, S13-S14.	0.7	0
153	The Greater Houston Area Bipolar Registry—Clinical and Neurobiological Trajectories of Children and Adolescents With Bipolar Disorders and High-Risk Unaffected Offspring. Frontiers in Psychiatry, 2021, 12, 671840.	1.3	0