

Kurt J Sales

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7123883/kurt-j-sales-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40
papers

1,591
citations

24
h-index

39
g-index

40
ext. papers

1,727
ext. citations

4.7
avg, IF

4.25
L-index

#	Paper	IF	Citations
40	Seminal Fluid-Mediated Inflammation in Physiology and Pathology of the Female Reproductive Tract. <i>Journal of Immunology Research</i> , 2016 , 2016, 9707252	4.5	10
39	Early diagnosis of HIV among men who have sex with men in Western Australia: impact of a peer-led sexually transmissible infection testing service. <i>Sexual Health</i> , 2015 , 12, 360-3	2	7
38	Human Papillomavirus and Cervical Cancer 2014 , 165-180		
37	Seminal plasma induces the expression of IL-1 β in normal and neoplastic cervical cells via EP2/EGFR/PI3K/AKT pathway. <i>Journal of Molecular Signaling</i> , 2014 , 9, 8	1	11
36	Regulation of HIV receptor expression in cervical epithelial cells by Gram-negative bacterial lipopolysaccharide. <i>South African Medical Journal</i> , 2014 , 105, 56	1.5	
35	CCR5 expression is elevated in cervical cancer cells and is up-regulated by seminal plasma. <i>Molecular Human Reproduction</i> , 2014 , 20, 1144-57	4.4	17
34	The regulation of inflammatory pathways and infectious disease of the cervix by seminal fluid. <i>Pathology Research International</i> , 2014 , 2014, 748740		8
33	Seminal plasma induces angiogenic chemokine expression in cervical cancer cells and regulates vascular function. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2012 , 1823, 1789-95	4.9	12
32	Seminal plasma enhances cervical adenocarcinoma cell proliferation and tumour growth in vivo. <i>PLoS ONE</i> , 2012 , 7, e33848	3.7	14
31	Hypoxia and prostaglandin E receptor 4 signalling pathways synergise to promote endometrial adenocarcinoma cell proliferation and tumour growth. <i>PLoS ONE</i> , 2011 , 6, e19209	3.7	16
30	A role for lipoxin A β s as an anti-inflammatory mediator in the human endometrium. <i>Reproduction</i> , 2011 , 142, 345-52	3.8	45
29	Chorionic gonadotrophin regulates CXCR4 expression in human endometrium via E-series prostanoid receptor 2 signalling to PI3K-ERK1/2: implications for fetal-maternal crosstalk for embryo implantation. <i>Molecular Human Reproduction</i> , 2011 , 17, 22-32	4.4	24
28	Molecular regulators of resolution of inflammation: potential therapeutic targets in the reproductive system. <i>Reproduction</i> , 2011 , 142, 15-28	3.8	27
27	Prokineticin 1 induces Dickkopf 1 expression and regulates cell proliferation and decidualization in the human endometrium. <i>Molecular Human Reproduction</i> , 2011 , 17, 626-36	4.4	36
26	Prokineticin-1 (PROK1) modulates interleukin (IL)-11 expression via prokineticin receptor 1 (PROKR1) and the calcineurin/NFAT signalling pathway. <i>Molecular Human Reproduction</i> , 2010 , 16, 158-69	4.4	22
25	Interleukin-11 in endometrial adenocarcinoma is regulated by prostaglandin F $_{2\alpha}$ -prostanoid receptor interaction via the calcium-calcineurin-nuclear factor of activated T cells pathway and negatively regulated by the regulator of calcineurin-1. <i>American Journal of Pathology</i> , 2010 , 176, 435-45	5.8	36
24	PGF $_{2\alpha}$ -prostanoid receptor signalling via ADAMTS1 modulates epithelial cell invasion and endothelial cell function in endometrial cancer. <i>BMC Cancer</i> , 2010 , 10, 488	4.8	27

23	EP2 receptor mediated cAMP release is augmented by PGF 2 alpha activation of the FP receptor via the calcium-calmodulin pathway. <i>Cellular Signalling</i> , 2010 , 22, 71-9	4.9	13
22	F-Prostaglandin receptor regulates endothelial cell function via fibroblast growth factor-2. <i>BMC Cell Biology</i> , 2010 , 11, 8		16
21	Prostaglandin F2alpha-F-prostanoid receptor signaling promotes neutrophil chemotaxis via chemokine (C-X-C motif) ligand 1 in endometrial adenocarcinoma. <i>Cancer Research</i> , 2009 , 69, 5726-33	10.1	36
20	Prostaglandin F(2alpha)-F-prostanoid receptor regulates CXCL8 expression in endometrial adenocarcinoma cells via the calcium-calcineurin-NFAT pathway. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2009 , 1793, 1917-28	4.9	41
19	Inflammatory pathways in female reproductive health and disease. <i>Reproduction</i> , 2009 , 138, 903-19	3.8	204
18	F-prostanoid receptor alters adhesion, morphology and migration of endometrial adenocarcinoma cells. <i>Oncogene</i> , 2008 , 27, 2466-77	9.2	31
17	Prostaglandin E2 and F2alpha activate the FP receptor and up-regulate cyclooxygenase-2 expression via the cyclic AMP response element. <i>Molecular and Cellular Endocrinology</i> , 2008 , 285, 51-61	4.4	47
16	F-prostanoid receptor regulation of fibroblast growth factor 2 signaling in endometrial adenocarcinoma cells. <i>Endocrinology</i> , 2007 , 148, 3635-44	4.8	31
15	Seminal plasma and prostaglandin E2 up-regulate fibroblast growth factor 2 expression in endometrial adenocarcinoma cells via E-series prostanoid-2 receptor-mediated transactivation of the epidermal growth factor receptor and extracellular signal-regulated kinase pathway. <i>Human Reproduction</i> , 2007 , 22, 36-44	5.7	36
14	Prostacyclin receptor up-regulates the expression of angiogenic genes in human endometrium via cross talk with epidermal growth factor Receptor and the extracellular signaling receptor kinase 1/2 pathway. <i>Endocrinology</i> , 2006 , 147, 1697-705	4.8	27
13	Hypoxia-inducible factor-1alpha expression in human endometrium and its regulation by prostaglandin E-series prostanoid receptor 2 (EP2). <i>Endocrinology</i> , 2006 , 147, 744-53	4.8	90
12	Seminal plasma promotes the expression of tumorigenic and angiogenic genes in cervical adenocarcinoma cells via the E-series prostanoid 4 receptor. <i>Endocrinology</i> , 2006 , 147, 3356-65	4.8	26
11	Prostaglandin receptors are mediators of vascular function in endometrial pathologies. <i>Molecular and Cellular Endocrinology</i> , 2006 , 252, 191-200	4.4	66
10	Endocrine and paracrine signalling in the human endometrium: potential role for for the prostanoid family in implantation 2005 , 3-15		
9	A novel angiogenic role for prostaglandin F2alpha-FP receptor interaction in human endometrial adenocarcinomas. <i>Cancer Research</i> , 2005 , 65, 7707-16	10.1	89
8	A positive feedback loop that regulates cyclooxygenase-2 expression and prostaglandin F2alpha synthesis via the F-series-prostanoid receptor and extracellular signal-regulated kinase 1/2 signaling pathway. <i>Endocrinology</i> , 2005 , 146, 4657-64	4.8	47
7	Prostaglandin E2 mediates phosphorylation and down-regulation of the tuberous sclerosis-2 tumor suppressor (tuberin) in human endometrial adenocarcinoma cells via the Akt signaling pathway. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 6112-8	5.6	18
6	Expression, localization, and signaling of prostaglandin F2 alpha receptor in human endometrial adenocarcinoma: regulation of proliferation by activation of the epidermal growth factor receptor and mitogen-activated protein kinase signaling pathways. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 886-93	5.6	80

5	Elevated prostaglandin EP2 receptor in endometrial adenocarcinoma cells promotes vascular endothelial growth factor expression via cyclic 3',5'-adenosine monophosphate-mediated transactivation of the epidermal growth factor receptor and extracellular signal-regulated kinase 1/2 signaling pathways. <i>Molecular Endocrinology</i> , 2004 , 18, 1533-45		70
4	Cyclooxygenase enzymes and prostaglandins in pathology of the endometrium. <i>Reproduction</i> , 2003 , 126, 559-67	3.8	109
3	Cyclooxygenase enzymes and prostaglandins in reproductive tract physiology and pathology. <i>Prostaglandins and Other Lipid Mediators</i> , 2003 , 71, 97-117	3.7	58
2	Seminal plasma activates cyclooxygenase-2 and prostaglandin E2 receptor expression and signalling in cervical adenocarcinoma cells. <i>Molecular Human Reproduction</i> , 2002 , 8, 1065-70	4.4	31
1	Cyclooxygenase-1 is up-regulated in cervical carcinomas: autocrine/paracrine regulation of cyclooxygenase-2, prostaglandin e receptors, and angiogenic factors by cyclooxygenase-1. <i>Cancer Research</i> , 2002 , 62, 424-32	10.1	113