

Ulrik Fredrik Malt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7124251/publications.pdf>

Version: 2024-02-01

144
papers

6,515
citations

70961

41
h-index

85405

71
g-index

158
all docs

158
docs citations

158
times ranked

9455
citing authors

#	ARTICLE	IF	CITATIONS
1	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. <i>Brain Imaging and Behavior</i> , 2014, 8, 153-182.	1.1	696
2	Common brain disorders are associated with heritable patterns of apparent aging of the brain. <i>Nature Neuroscience</i> , 2019, 22, 1617-1623.	7.1	358
3	The plasma levels of various cytokines are increased during ongoing depression and are reduced to normal levels after recovery. <i>Psychoneuroendocrinology</i> , 2014, 45, 77-86.	1.3	306
4	The Long-Term Psychiatric Consequences of Accidental Injury. <i>British Journal of Psychiatry</i> , 1988, 153, 810-818.	1.7	204
5	Psychological distress in cancer patients with advanced disease. <i>Radiotherapy and Oncology</i> , 1993, 27, 193-197.	0.3	146
6	Symptoms and signs of the initial prodrome of bipolar disorder A systematic review. <i>Journal of Affective Disorders</i> , 2010, 126, 1-13.	2.0	146
7	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021, 26, 5124-5139.	4.1	136
8	Treatment-Resistant Bipolar Depression: A Randomized Controlled Trial of Electroconvulsive Therapy Versus Algorithm-Based Pharmacological Treatment. <i>American Journal of Psychiatry</i> , 2015, 172, 41-51.	4.0	135
9	Consultation-Liaison psychiatric service delivery: results from a European study. <i>General Hospital Psychiatry</i> , 2001, 23, 124-132.	1.2	133
10	Using structural MRI to identify bipolar disorders – 13 site machine learning study in 3020 individuals from the ENIGMA Bipolar Disorders Working Group. <i>Molecular Psychiatry</i> , 2020, 25, 2130-2143.	4.1	127
11	Posttraumatic distress symptoms in operable breast cancer III. <i>Breast Cancer Research and Treatment</i> , 1998, 47, 141-151.	1.1	114
12	The load of short telomeres is increased and associated with lifetime number of depressive episodes in bipolar II disorder. <i>Journal of Affective Disorders</i> , 2011, 135, 43-50.	2.0	111
13	The brain functional connectome is robustly altered by lack of sleep. <i>NeuroImage</i> , 2016, 127, 324-332.	2.1	107
14	Prenatal diagnosis of congenital malformations and parental psychological distress—a prospective longitudinal cohort study. <i>Prenatal Diagnosis</i> , 2006, 26, 1001-1009.	1.1	102
15	INSPIRE study: Does stress management improve the course of inflammatory bowel disease and disease-specific quality of life in distressed patients with ulcerative colitis or crohn’s disease? A randomized controlled trial. <i>Inflammatory Bowel Diseases</i> , 2011, 17, 1863-1873.	0.9	95
16	The Norwegian naturalistic treatment study of depression in general practice (NORDEP)—I: randomised double blind study. <i>BMJ: British Medical Journal</i> , 1999, 318, 1180-1184.	2.4	84
17	Parenting stress and emotional wellbeing in mothers and fathers of preschool children. <i>Scandinavian Journal of Public Health</i> , 2012, 40, 596-604.	1.2	80
18	Comparative levels of psychological distress, stress symptoms, depression and anxiety after childbirth—a prospective population-based study of mothers and fathers. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002, 109, 1154-1163.	1.1	79

#	ARTICLE	IF	CITATIONS
19	Acute maternal social dysfunction, health perception and psychological distress after ultrasonographic detection of a fetal structural anomaly. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010, 117, 1127-1138.	1.1	75
20	Genetic variants associated with longitudinal changes in brain structure across the lifespan. <i>Nature Neuroscience</i> , 2022, 25, 421-432.	7.1	75
21	Neuropsychological and electrophysiological indices of neurocognitive dysfunction in bipolar II disorder. <i>Bipolar Disorders</i> , 2008, 10, 888-899.	1.1	74
22	Widespread Changes in White Matter Microstructure after a Day of Waking and Sleep Deprivation. <i>PLoS ONE</i> , 2015, 10, e0127351.	1.1	71
23	Emotional Overinvolvement in Parents of Patients with Schizophrenia or Related Psychosis: Demographic and Clinical Predictors. <i>British Journal of Psychiatry</i> , 1996, 169, 622-630.	1.7	68
24	Personality and physical symptoms in nonpsychiatric patients with functional gastrointestinal disorder. <i>Journal of Psychosomatic Research</i> , 2001, 50, 139-146.	1.2	66
25	Determinants and status of quality of life after long-term botulinum toxin therapy for cervical dystonia. <i>European Journal of Neurology</i> , 2007, 14, 1129-1137.	1.7	66
26	The European Consultation-Liaison Workgroup (ECLW) collaborative study. <i>General Hospital Psychiatry</i> , 1996, 18, 44-55.	1.2	65
27	Cerebral blood flow changes after a day of wake, sleep, and sleep deprivation. <i>NeuroImage</i> , 2019, 186, 497-509.	2.1	64
28	Posture, movement patterns, and body awareness in women with chronic pelvic pain. <i>Journal of Psychosomatic Research</i> , 2006, 61, 637-644.	1.2	62
29	Long-term parental psychological distress among parents of children with a malformation: A prospective longitudinal study. <i>American Journal of Medical Genetics, Part A</i> , 2010, 152A, 2193-2202.	0.7	60
30	Bipolar II disorder is associated with thinning of prefrontal and temporal cortices involved in affect regulation. <i>Bipolar Disorders</i> , 2013, 15, 855-864.	1.1	58
31	Mensendieck somatocognitive therapy as treatment approach to chronic pelvic pain: Results of a randomized controlled intervention study. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 194, 1303-1310.	0.7	56
32	The ECLW collaborative study: III. Training and reliability of ICD-10 psychiatric diagnoses in the general hospital setting: An investigation of 220 consultants from 14 European countries. <i>Journal of Psychosomatic Research</i> , 1996, 41, 451-463.	1.2	53
33	Physical and Mental Problems Attributed to Dental Amalgam Fillings. <i>Psychosomatic Medicine</i> , 1997, 59, 32-41.	1.3	53
34	Bipolar disorder patients have similar levels of education but lower socio-economic status than the general population. <i>Journal of Affective Disorders</i> , 2011, 129, 68-74.	2.0	52
35	Comorbid mental disorders in substance users from a single catchment area - a clinical study. <i>BMC Psychiatry</i> , 2011, 11, 25.	1.1	51
36	Traumatic distress symptoms in early breast cancer I: Acute response to diagnosis. <i>Psycho-Oncology</i> , 1996, 5, 1-8.	1.0	50

#	ARTICLE	IF	CITATIONS
37	The Effect of Electroconvulsive Therapy on Neurocognitive Function in Treatment-Resistant Bipolar Disorder Depression. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e1306-e1313.	1.1	49
38	Preoperative psychological variables predict immunological status in patients with operable breast cancer. , 1997, 6, 311-320.		48
39	Continuing improvement of chronic pelvic pain in women after short-term Mensendieck somatocognitive therapy: results of a 1-year follow-up study. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 199, 615.e1-615.e8.	0.7	46
40	European Consultation-Liaison Services and Their User Populations: The European Consultation-Liaison Workgroup Collaborative Study. <i>Psychosomatics</i> , 2000, 41, 330-338.	2.5	45
41	Evidence for Impaired Neocortical Synaptic Plasticity in Bipolar II Disorder. <i>Biological Psychiatry</i> , 2012, 71, 68-74.	0.7	45
42	Ongoing episode of major depressive disorder is not associated with elevated plasma levels of kynurenine pathway markers. <i>Psychoneuroendocrinology</i> , 2015, 56, 12-22.	1.3	45
43	No effect of combined coenzyme Q10 and selenium supplementation on atorvastatin-induced myopathy. <i>Scandinavian Cardiovascular Journal</i> , 2013, 47, 80-87.	0.4	44
44	Different impulsivity profiles in borderline personality disorder and bipolar II disorder. <i>Journal of Affective Disorders</i> , 2015, 170, 104-111.	2.0	43
45	In-depth study of personality disorders in first-admission patients with substance use disorders. <i>BMC Psychiatry</i> , 2012, 12, 180.	1.1	42
46	Public Attitudes to the Quality of Psychiatric Treatment, Psychiatric Patients, and Prevalence of Mental Disorders. <i>Nordic Journal of Psychiatry</i> , 1994, 48, 275-281.	0.7	41
47	The ECLW collaborative study II: Patient Registration Form (PRF) instrument, training and reliability. <i>Journal of Psychosomatic Research</i> , 1996, 40, 143-156.	1.2	41
48	Patient-rated versus clinician-rated side effects of drug treatment in schizophrenia: Clinical validation of a self-rating version of the UKU Side Effect Rating Scale (UKU-SERS-Pat). <i>Nordic Journal of Psychiatry</i> , 2001, 55, 5-69.	0.7	41
49	Age at onset of first episode and time to treatment in in-patients with bipolar disorder. <i>British Journal of Psychiatry</i> , 2009, 194, 559-560.	1.7	41
50	In vivo hippocampal subfield volumes in bipolar disorder—A mega-analysis from The Enhancing Neuro Imaging Genetics through <scp>Meta-analysis</scp> Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2022, 43, 385-398.	1.9	41
51	General and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders: a report by the WPA section of pharmacopsychiatry. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 207-245.	1.8	40
52	Personality Changes after Deep Brain Stimulation in Parkinson's Disease. <i>Parkinson's Disease</i> , 2015, 2015, 1-7.	0.6	40
53	Event-related potentials to stimuli with emotional impact in posttraumatic stress patients. <i>Biological Psychiatry</i> , 1998, 44, 1045-1053.	0.7	39
54	Risk factors related to lifetime suicide attempts in acutely admitted bipolar disorder inpatients. <i>Bipolar Disorders</i> , 2012, 14, 727-734.	1.1	39

#	ARTICLE	IF	CITATIONS
55	The INSPIRE study: Are different personality traits related to disease-specific quality of life (IBDQ) in distressed patients with ulcerative colitis and Crohn's disease?. <i>Inflammatory Bowel Diseases</i> , 2008, 14, 680-686.	0.9	38
56	Evidence for cortical structural plasticity in humans after a day of waking and sleep deprivation. <i>NeuroImage</i> , 2017, 156, 214-223.	2.1	36
57	Maternal psychological responses during pregnancy after ultrasonographic detection of structural fetal anomalies: A prospective longitudinal observational study. <i>PLoS ONE</i> , 2017, 12, e0174412.	1.1	36
58	Neurocognitive profiles in treatment-resistant bipolar I and bipolar II disorder depression. <i>BMC Psychiatry</i> , 2013, 13, 105.	1.1	34
59	A European Research Agenda for Somatic Symptom Disorders, Bodily Distress Disorders, and Functional Disorders: Results of an Estimate-Talk-Estimate Delphi Expert Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 151.	1.3	34
60	The INSPIRE study: Do personality traits predict general quality of life (Short form-36) in distressed patients with ulcerative colitis and Crohn's disease?. <i>Scandinavian Journal of Gastroenterology</i> , 2008, 43, 1505-1513.	0.6	33
61	Increased circulating IL-18 levels in severe mental disorders indicate systemic inflammasome activation. <i>Brain, Behavior, and Immunity</i> , 2022, 99, 299-306.	2.0	33
62	Traumatic distress symptoms in early breast cancer. II: Outcome six weeks post surgery. , 1996, 5, 295-303.		32
63	Guilt proneness and expressed emotion in relatives of patients with schizophrenia or related psychoses. <i>The British Journal of Medical Psychology</i> , 1998, 71, 125-138.	0.6	32
64	A 7-year prospective quasi-experimental study of the effects of removing dental amalgam in 76 self-referred patients compared with 146 controls. <i>Journal of Psychosomatic Research</i> , 2004, 57, 103-111.	1.2	31
65	Why the factorial structure of the SCL-90-R is unstable: Comparing patient groups with different levels of psychological distress using Mokken Scale Analysis. <i>Psychiatry Research</i> , 2012, 200, 819-826.	1.7	31
66	Evidence for reduced dentate gyrus and fimbria volume in bipolar II disorder. <i>Bipolar Disorders</i> , 2013, 15, 167-176.	1.1	30
67	Longitudinal Structural Brain Changes in Bipolar Disorder: A Multicenter Neuroimaging Study of 1232 Individuals by the ENIGMA Bipolar Disorder Working Group. <i>Biological Psychiatry</i> , 2022, 91, 582-592.	0.7	29
68	Association analysis between suicidal behaviour and candidate genes of bipolar disorder and schizophrenia. <i>Journal of Affective Disorders</i> , 2014, 163, 110-114.	2.0	28
69	Longitudinal and cross-sectional investigations of long-term potentiation-like cortical plasticity in bipolar disorder type II and healthy individuals. <i>Translational Psychiatry</i> , 2018, 8, 103.	2.4	28
70	Paternal psychological response after ultrasonographic detection of structural fetal anomalies with a comparison to maternal response: a cohort study. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 147.	0.9	27
71	Reliability and validity of a standardized Mensendieck physiotherapy test (SMT). <i>Physiotherapy Theory and Practice</i> , 2006, 22, 189-205.	0.6	26
72	The phenomenology of recurrent brief depression with and without hypomanic features. <i>Journal of Affective Disorders</i> , 2009, 112, 151-164.	2.0	26

#	ARTICLE	IF	CITATIONS
73	The genetic architecture of human brainstem structures and their involvement in common brain disorders. <i>Nature Communications</i> , 2020, 11, 4016.	5.8	26
74	Psychiatric disorders and psychological distress in patients undergoing evaluation for lung transplantation: a national cohort study. <i>General Hospital Psychiatry</i> , 2016, 42, 67-73.	1.2	25
75	Does Antenatal Maternal Psychological Distress Affect Placental Circulation in the Third Trimester?. <i>PLoS ONE</i> , 2013, 8, e57071.	1.1	25
76	Physical and Mental Comorbidity of Substance Use Disorders in Psychiatric Consultations. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 1820-1824.	1.4	24
77	Association between body mass index and subcortical brain volumes in bipolar disordersâ€“ENIGMA study in 2735 individuals. <i>Molecular Psychiatry</i> , 2021, 26, 6806-6819.	4.1	24
78	Effectiveness of Zuclopenthixol Compared with Haloperidol in the Treatment of Behavioural Disturbances in Learning Disabled Patients. <i>British Journal of Psychiatry</i> , 1995, 166, 374-377.	1.7	23
79	Neuropsychological function in unmedicated recurrent brief depression. <i>Journal of Affective Disorders</i> , 2010, 125, 155-164.	2.0	23
80	The study protocol of the Norwegian randomized controlled trial of electroconvulsive therapy in treatment resistant depression in bipolar disorder. <i>BMC Psychiatry</i> , 2010, 10, 16.	1.1	23
81	Substance Use Disorders and Comorbid Mental Disorders in First-Time Admitted Patients from a Catchment Area. <i>European Addiction Research</i> , 2012, 18, 16-25.	1.3	23
82	Psychiatric Outcome after Severe Cardio-Respiratory Failure Treated with Extracorporeal Membrane Oxygenation: A Case-Series. <i>Psychosomatics</i> , 2013, 54, 418-427.	2.5	23
83	Memory in Early Onset Bipolar Disorder and Attention-Deficit/Hyperactivity Disorder: Similarities and Differences. <i>Journal of Abnormal Child Psychology</i> , 2012, 40, 1179-1192.	3.5	22
84	Social functioning and general well-being in patients treated with clean intermittent catheterization. <i>Journal of Psychosomatic Research</i> , 1993, 37, 371-380.	1.2	21
85	Acute stress response patterns to accidental injuries. <i>Journal of Psychosomatic Research</i> , 1998, 45, 419-424.	1.2	21
86	Intestinal reactivity to words with emotional content and brain information processing in irritable bowel syndrome. <i>Digestive Diseases and Sciences</i> , 2000, 45, 1160-1165.	1.1	21
87	Executive summary of the report by the WPA section on pharmacopsychiatry on general and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 13-22.	1.8	21
88	Five years of experience with the DSM-III system in clinical work and research: some concluding remarks. <i>Acta Psychiatrica Scandinavica</i> , 1986, 73, 76-84.	2.2	19
89	Psychological distress in mothers and fathers of preschool children: a 5â€“year followâ€“up study after birth. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008, 115, 462-471.	1.1	19
90	Maternal Psychological Distress and Parenting Stress After Gastrostomy Placement in Children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012, 55, 562-566.	0.9	19

#	ARTICLE	IF	CITATIONS
91	Executive deficits in early onset bipolar disorder versus ADHD: Impact of processing speed and lifetime psychosis. <i>Clinical Child Psychology and Psychiatry</i> , 2013, 18, 284-299.	0.8	19
92	Psychological Predictors of Symptoms of Urinary Tract Infection and Bacteriuria in Patients Treated with Clean Intermittent Catheterization: A Prospective 7-Year Study. <i>European Urology</i> , 1998, 34, 30-36.	0.9	18
93	Symptoms and behaviors prior to the first major affective episode of bipolar II disorder. An exploratory study. <i>Journal of Affective Disorders</i> , 2011, 132, 333-343.	2.0	18
94	Stress response symptoms in relatives of acutely admitted psychotic patients: A pilot study. <i>Nordic Journal of Psychiatry</i> , 2002, 56, 253-260.	0.7	17
95	Dentate gyrusâ€™ cornu ammonis (CA) 4 volume is decreased and associated with depressive episodes and lipid peroxidation in bipolar <scp>II</scp> disorder: Longitudinal and crossâ€™sectional analyses. <i>Bipolar Disorders</i> , 2016, 18, 657-668.	1.1	17
96	Cognitive function after heart transplantation: Comparing everolimusâ€™based and calcineurin inhibitorâ€™based regimens. <i>Clinical Transplantation</i> , 2017, 31, e12927.	0.8	17
97	Motor function may differentiate attention deficit hyperactivity disorder from early onset bipolar disorder. <i>Behavioral and Brain Functions</i> , 2009, 5, 47.	1.4	16
98	Underlying correlation structures of parental stress, general health and anxiety. <i>Scandinavian Journal of Psychology</i> , 2010, 51, 473-479.	0.8	16
99	Smaller stress-sensitive hippocampal subfields in women with borderline personality disorder without posttraumatic stress disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 127-34.	1.4	16
100	Does guilt proneness predict acute and long-term distress in relatives of patients with schizophrenia?. <i>Acta Psychiatrica Scandinavica</i> , 2002, 106, 351-357.	2.2	15
101	Despite clinical differences, bipolar disorder patients from acute wards and outpatient clinics have similar educational and disability levels compared to the general population. <i>Journal of Affective Disorders</i> , 2011, 132, 209-215.	2.0	15
102	Diurnal Variation and Twenty-Four Hour Sleep Deprivation Do Not Alter Supine Heart Rate Variability in Healthy Male Young Adults. <i>PLoS ONE</i> , 2017, 12, e0170921.	1.1	15
103	Temperament and character in patients with bipolar II disorder and recurrent brief depression. <i>Comprehensive Psychiatry</i> , 2010, 51, 607-617.	1.5	14
104	A Role for the Transcription Factor Nk2 Homeobox 1 in Schizophrenia: Convergent Evidence from Animal and Human Studies. <i>Frontiers in Behavioral Neuroscience</i> , 2016, 10, 59.	1.0	14
105	Relatives' locus of control and expressed emotion in schizophrenia and related psychoses. <i>British Journal of Clinical Psychology</i> , 1997, 36, 555-567.	1.7	13
106	German Psychosomatic Medicine: An International Perspective. , 2004, 26, 196-202.		13
107	Two Ways of Living through Postpartum Depression. <i>Journal of Phenomenological Psychology</i> , 2011, 42, 174-194.	0.7	13
108	Equine-facilitated body and emotion-oriented psychotherapy designed for adolescents and adults not responding to mainstream treatment: A structured program.. <i>Journal of Psychotherapy Integration</i> , 2014, 24, 323-335.	0.7	13

#	ARTICLE	IF	CITATIONS
109	Mood episodes are associated with increased cortical thinning: A longitudinal study of bipolar disorder type II. <i>Bipolar Disorders</i> , 2019, 21, 525-538.	1.1	12
110	Rectal tone and brain information processing in irritable bowel syndrome. <i>Digestive Diseases and Sciences</i> , 2000, 45, 1153-1159.	1.1	10
111	Psychological distress after recent detection of fetal malformation: short-term effect on second-trimester uteroplacental and fetoplacental circulation. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011, 118, 1653-1657.	1.1	10
112	Working memory in recurrent brief depression: An fMRI pilot study. <i>Journal of Affective Disorders</i> , 2013, 149, 383-392.	2.0	10
113	Clinical characteristics of patients with bipolar disorder and premorbid traumatic brain injury: a cross-sectional study. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 19.	0.8	10
114	Plasma Levels of the Cytokines B Cell-Activating Factor (BAFF) and A Proliferation-Inducing Ligand (APRIL) in Schizophrenia, Bipolar, and Major Depressive Disorder: A Cross Sectional, Multisite Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 37-46.	2.3	10
115	Assessment of patient satisfaction with psychiatric care: Development and clinical evaluation of a brief consumer satisfaction rating scale (UKU-ConSat). <i>Nordic Journal of Psychiatry</i> , 2001, 55, 71-90.	0.7	9
116	The relation of psychological distress to salivary and serum cortisol levels in pregnant women shortly after the diagnosis of a structural fetal anomaly. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 68-78.	1.3	9
117	Self-Reported Executive Functioning in Everyday Life in Parkinson's Disease after Three Months of Subthalamic Deep Brain Stimulation. <i>Parkinson's Disease</i> , 2015, 2015, 1-8.	0.6	9
118	The antidepressant debate continues. <i>British Journal of Psychiatry</i> , 2002, 181, 531-531.	1.7	8
119	Cognitive function among long-term survivors of heart transplantation. <i>Clinical Transplantation</i> , 2017, 31, e13143.	0.8	8
120	Genuine clinical predictors of bipolar II disorder: An exploration of temporal and contextual characteristics. <i>Journal of Affective Disorders</i> , 2011, 135, 419-423.	2.0	7
121	Right unilateral electroconvulsive therapy does not cause more cognitive impairment than pharmacologic treatment in treatment-resistant bipolar depression: A 6-month randomized controlled trial follow-up study. <i>Bipolar Disorders</i> , 2018, 20, 531-538.	1.1	7
122	Independent versus substance-induced major depressive disorders in first-admission patients with substance use disorders: An exploratory study. <i>Journal of Affective Disorders</i> , 2013, 144, 279-283.	2.0	6
123	The surface area of early visual cortex predicts the amplitude of the visual evoked potential. <i>Brain Structure and Function</i> , 2015, 220, 1229-1236.	1.2	6
124	Lower circulating neuron-specific enolase concentrations in adults and adolescents with severe mental illness. <i>Psychological Medicine</i> , 2023, 53, 1479-1488.	2.7	6
125	The continuing evolution and update of a literature database for consultation-liaison psychiatry: MICRO-CARES literature search system 1993. <i>General Hospital Psychiatry</i> , 1993, 15, 1-12.	1.2	5
126	Psychosocial factors in women with operable breast cancer. An association to estrogen receptor status?. <i>Journal of Psychosomatic Research</i> , 1995, 39, 875-881.	1.2	5

#	ARTICLE	IF	CITATIONS
127	Part I: Further evolution of a literature database: the international use of a common software structure and methodology for the establishment of national consultation/liaison databases. <i>General Hospital Psychiatry</i> , 1999, 21, 402-407.	1.2	5
128	EXERCISE IN THE TREATMENT OF MAJOR DEPRESSIVE DISORDER: STILL A LONG WAY TO GO. <i>Psychosomatic Medicine</i> , 2008, 70, 263.	1.3	5
129	Differentiating Between Comorbidity and Symptom Overlap in ADHD and Early Onset Bipolar Disorder. <i>Developmental Neuropsychology</i> , 2014, 39, 249-261.	1.0	5
130	Maternal Psychological Distress and Placental Circulation in Pregnancies after a Previous Offspring with Congenital Malformation. <i>PLoS ONE</i> , 2014, 9, e86597.	1.1	5
131	Diagnosis of bipolar disorders and body mass index predict clustering based on similarities in cortical thickness—ENIGMA study in 2436 individuals. <i>Bipolar Disorders</i> , 2022, 24, 509-520.	1.1	5
132	Fenfluramine challenge test predicts outcome in pharmacological treatment of patients with functional gastrointestinal disorder. <i>Journal of Psychosomatic Research</i> , 1999, 47, 525-535.	1.2	4
133	Psychologic Distress and Anxiety in Mothers of Children With Gastroesophageal Reflux Undergoing Antireflux Surgery. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2019, 68, 818-823.	0.9	4
134	Engulfed by an Alienated and Threatening Emotional Body: The Essential Meaning Structure of Depression in Women. <i>Journal of Phenomenological Psychology</i> , 2013, 44, 153-178.	0.7	3
135	Symptoms of anxiety after heart transplantation and their association with mortality: A secondary analysis. <i>Clinical Transplantation</i> , 2021, 35, e14323.	0.8	2
136	Putative early manifestations of bipolar II disorder emerge later in the initial prodrome than manifestations hypothesized to be unrelated: an exploratory study. <i>Microbial Biotechnology</i> , 2012, 6, 460-464.	0.9	1
137	Psychiatric Referrals Associated with Substance Use Disorders. <i>Alcoholism: Clinical and Experimental Research</i> , 1997, 21, 620.	1.4	1
138	Re: Tvangsmedisinering mÅ¥ forbys. <i>Tidsskrift for Den Norske Laegeforening</i> , 2017, 137, 601-602.	0.2	1
139	Evidence for widespread alterations in cortical microstructure after 32%h of sleep deprivation. <i>Translational Psychiatry</i> , 2022, 12, 161.	2.4	1
140	Despite equal levels of education socioeconomic and occupational functioning is lower in bipolar disorder than in the general population. <i>International Clinical Psychopharmacology</i> , 2011, 26, e71.	0.9	0
141	Response to Kellner and Fink. <i>American Journal of Psychiatry</i> , 2015, 172, 295-296.	4.0	0
142	Response to Kotzalidis et al.. <i>American Journal of Psychiatry</i> , 2015, 172, 294-295.	4.0	0
143	Misleading conclusion about melancholic features and prediction of long-term mortality. <i>Journal of Psychosomatic Research</i> , 2020, 135, 110139.	1.2	0
144	Psychiatric aspects of accidents, burns, and other physical trauma. , 2012, , 1105-1113.		0