

Ulrik Fredrik Malt

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7124251/ulrik-fredrik-malt-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145
papers

4,749
citations

37
h-index

63
g-index

158
ext. papers

5,693
ext. citations

4.9
avg, IF

5.06
L-index

#	Paper	IF	Citations
145	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. <i>Brain Imaging and Behavior</i> , 2014 , 8, 153-82	4.1	539
144	The plasma levels of various cytokines are increased during ongoing depression and are reduced to normal levels after recovery. <i>Psychoneuroendocrinology</i> , 2014 , 45, 77-86	5	227
143	The long-term psychiatric consequences of accidental injury. A longitudinal study of 107 adults. <i>British Journal of Psychiatry</i> , 1988 , 153, 810-8	5.4	179
142	Common brain disorders are associated with heritable patterns of apparent aging of the brain. <i>Nature Neuroscience</i> , 2019 , 22, 1617-1623	25.5	157
141	Psychological distress in cancer patients with advanced disease. <i>Radiotherapy and Oncology</i> , 1993 , 27, 193-7	5.3	131
140	Symptoms and signs of the initial prodrome of bipolar disorder: a systematic review. <i>Journal of Affective Disorders</i> , 2010 , 126, 1-13	6.6	116
139	Treatment-resistant bipolar depression: a randomized controlled trial of electroconvulsive therapy versus algorithm-based pharmacological treatment. <i>American Journal of Psychiatry</i> , 2015 , 172, 41-51	11.9	103
138	Posttraumatic distress symptoms in operable breast cancer III: status one year after surgery. <i>Breast Cancer Research and Treatment</i> , 1998 , 47, 141-51	4.4	103
137	Consultation-Liaison psychiatric service delivery: results from a European study. <i>General Hospital Psychiatry</i> , 2001 , 23, 124-32	5.6	102
136	The load of short telomeres is increased and associated with lifetime number of depressive episodes in bipolar II disorder. <i>Journal of Affective Disorders</i> , 2011 , 135, 43-50	6.6	98
135	The brain functional connectome is robustly altered by lack of sleep. <i>NeuroImage</i> , 2016 , 127, 324-332	7.9	81
134	Prenatal diagnosis of congenital malformations and parental psychological distress--a prospective longitudinal cohort study. <i>Prenatal Diagnosis</i> , 2006 , 26, 1001-9	3.2	80
133	INSPIRE study: does stress management improve the course of inflammatory bowel disease and disease-specific quality of life in distressed patients with ulcerative colitis or Crohn's disease? A randomized controlled trial. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 1863-73	4.5	75
132	Using structural MRI to identify bipolar disorders - 13 site machine learning study in 3020 individuals from the ENIGMA Bipolar Disorders Working Group. <i>Molecular Psychiatry</i> , 2020 , 25, 2130-2143	15.1	71
131	Neuropsychological and electrophysiological indices of neurocognitive dysfunction in bipolar II disorder. <i>Bipolar Disorders</i> , 2008 , 10, 888-99	3.8	67
130	The Norwegian naturalistic treatment study of depression in general practice (NORDEP)-I: randomised double blind study. <i>BMJ: British Medical Journal</i> , 1999 , 318, 1180-4		67
129	Comparative levels of psychological distress, stress symptoms, depression and anxiety after childbirth--a prospective population-based study of mothers and fathers. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002 , 109, 1154-63	3.7	60

128	Personality and physical symptoms in nonpsychiatric patients with functional gastrointestinal disorder. <i>Journal of Psychosomatic Research</i> , 2001 , 50, 139-46	4.1	56
127	Parenting stress and emotional wellbeing in mothers and fathers of preschool children. <i>Scandinavian Journal of Public Health</i> , 2012 , 40, 596-604	3	55
126	Acute maternal social dysfunction, health perception and psychological distress after ultrasonographic detection of a fetal structural anomaly. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010 , 117, 1127-38	3.7	55
125	Emotional overinvolvement in parents of patients with schizophrenia or related psychosis: demographic and clinical predictors. <i>British Journal of Psychiatry</i> , 1996 , 169, 622-30	5.4	52
124	The European Consultation-Liaison Workgroup (ECLW) Collaborative Study. I. General outline. <i>General Hospital Psychiatry</i> , 1996 , 18, 44-55	5.6	52
123	Determinants and status of quality of life after long-term botulinum toxin therapy for cervical dystonia. <i>European Journal of Neurology</i> , 2007 , 14, 1129-37	6	51
122	Physical and mental problems attributed to dental amalgam fillings: a descriptive study of 99 self-referred patients compared with 272 controls. <i>Psychosomatic Medicine</i> , 1997 , 59, 32-41	3.7	49
121	Posture, movement patterns, and body awareness in women with chronic pelvic pain. <i>Journal of Psychosomatic Research</i> , 2006 , 61, 637-44	4.1	49
120	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021 , 26, 5124-5139	15.1	48
119	Traumatic distress symptoms in early breast cancer I: Acute response to diagnosis. <i>Psycho-Oncology</i> , 1996 , 5, 1-8	3.9	48
118	Bipolar II disorder is associated with thinning of prefrontal and temporal cortices involved in affect regulation. <i>Bipolar Disorders</i> , 2013 , 15, 855-64	3.8	47
117	The ECLW Collaborative Study: III. Training and reliability of ICD-10 psychiatric diagnoses in the general hospital setting--an investigation of 220 consultants from 14 European countries. European Consultation Liaison Workgroup. <i>Journal of Psychosomatic Research</i> , 1996 , 41, 451-63	4.1	45
116	Long-term parental psychological distress among parents of children with a malformation--a prospective longitudinal study. <i>American Journal of Medical Genetics, Part A</i> , 2010 , 152A, 2193-202	2.5	44
115	Widespread changes in white matter microstructure after a day of waking and sleep deprivation. <i>PLoS ONE</i> , 2015 , 10, e0127351	3.7	44
114	Bipolar disorder patients have similar levels of education but lower socio-economic status than the general population. <i>Journal of Affective Disorders</i> , 2011 , 129, 68-74	6.6	42
113	Mensendieck somatocognitive therapy as treatment approach to chronic pelvic pain: results of a randomized controlled intervention study. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 1303-10	6.4	42
112	Comorbid mental disorders in substance users from a single catchment area--a clinical study. <i>BMC Psychiatry</i> , 2011 , 11, 25	4.2	40
111	Pre-operative [correction of Properative] psychological variables predict immunological status in patients with operable breast cancer. <i>Psycho-Oncology</i> , 1997 , 6, 311-20	3.9	40

110	Cerebral blood flow changes after a day of wake, sleep, and sleep deprivation. <i>NeuroImage</i> , 2019 , 186, 497-509	7.9	38
109	Different impulsivity profiles in borderline personality disorder and bipolar II disorder. <i>Journal of Affective Disorders</i> , 2015 , 170, 104-11	6.6	37
108	In-depth study of personality disorders in first-admission patients with substance use disorders. <i>BMC Psychiatry</i> , 2012 , 12, 180	4.2	37
107	The effect of electroconvulsive therapy on neurocognitive function in treatment-resistant bipolar disorder depression. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e1306-13	4.6	37
106	Continuing improvement of chronic pelvic pain in women after short-term Mensendieck somatocognitive therapy: results of a 1-year follow-up study. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 615.e1-8	6.4	36
105	No effect of combined coenzyme Q10 and selenium supplementation on atorvastatin-induced myopathy. <i>Scandinavian Cardiovascular Journal</i> , 2013 , 47, 80-7	2	35
104	Event-related potentials to stimuli with emotional impact in posttraumatic stress patients. <i>Biological Psychiatry</i> , 1998 , 44, 1045-53	7.9	35
103	Evidence for impaired neocortical synaptic plasticity in bipolar II disorder. <i>Biological Psychiatry</i> , 2012 , 71, 68-74	7.9	34
102	The INSPIRE study: are different personality traits related to disease-specific quality of life (IBDQ) in distressed patients with ulcerative colitis and Crohn's disease?. <i>Inflammatory Bowel Diseases</i> , 2008 , 14, 680-6	4.5	34
101	European consultation-liaison services and their user populations: the European Consultation-Liaison Workgroup Collaborative Study. <i>Psychosomatics</i> , 2000 , 41, 330-8	2.6	34
100	Public Attitudes to the Quality of Psychiatric Treatment, Psychiatric Patients, and Prevalence of Mental Disorders. <i>Nordic Journal of Psychiatry</i> , 1994 , 48, 275-281	2.3	34
99	Age at onset of first episode and time to treatment in in-patients with bipolar disorder. <i>British Journal of Psychiatry</i> , 2009 , 194, 559-60	5.4	33
98	The ECLW Collaborative study II: patient registration form (PRF) instrument, training and reliability. European Consultation/Liaison Work group. <i>Journal of Psychosomatic Research</i> , 1996 , 40, 143-56	4.1	33
97	Ongoing episode of major depressive disorder is not associated with elevated plasma levels of kynurenine pathway markers. <i>Psychoneuroendocrinology</i> , 2015 , 56, 12-22	5	32
96	Patient-rated versus clinician-rated side effects of drug treatment in schizophrenia. Clinical validation of a self-rating version of the UKU Side Effect Rating Scale (UKU-SERS-Pat). <i>Nordic Journal of Psychiatry</i> , 2001 , 55 Suppl 44, 5-69	2.3	30
95	General and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders: a report by the WPA section of pharmacopsychiatry. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011 , 261 Suppl 3, 207-45	5.1	29
94	The INSPIRE study: do personality traits predict general quality of life (Short form-36) in distressed patients with ulcerative colitis and Crohn's disease?. <i>Scandinavian Journal of Gastroenterology</i> , 2008 , 43, 1505-13	2.4	29
93	Traumatic distress symptoms in early breast cancer. II: Outcome six weeks post surgery 1996 , 5, 295-303		29

92	Personality changes after deep brain stimulation in Parkinson's disease. <i>Parkinson's Disease</i> , 2015 , 2015, 490507	2.6	28
91	Risk factors related to lifetime suicide attempts in acutely admitted bipolar disorder inpatients. <i>Bipolar Disorders</i> , 2012 , 14, 727-34	3.8	27
90	Why the factorial structure of the SCL-90-R is unstable: comparing patient groups with different levels of psychological distress using Mokken Scale Analysis. <i>Psychiatry Research</i> , 2012 , 200, 819-26	9.9	27
89	Guilt proneness and expressed emotion in relatives of patients with schizophrenia or related psychoses. <i>The British Journal of Medical Psychology</i> , 1998 , 71 (Pt 2), 125-38		27
88	Neurocognitive profiles in treatment-resistant bipolar I and bipolar II disorder depression. <i>BMC Psychiatry</i> , 2013 , 13, 105	4.2	26
87	Evidence for reduced dentate gyrus and fimbria volume in bipolar II disorder. <i>Bipolar Disorders</i> , 2013 , 15, 167-76	3.8	26
86	Association analysis between suicidal behaviour and candidate genes of bipolar disorder and schizophrenia. <i>Journal of Affective Disorders</i> , 2014 , 163, 110-4	6.6	24
85	A 7-year prospective quasi-experimental study of the effects of removing dental amalgam in 76 self-referred patients compared with 146 controls. <i>Journal of Psychosomatic Research</i> , 2004 , 57, 103-11	4.1	24
84	Reliability and validity of a standardized Mensendieck physiotherapy test (SMT). <i>Physiotherapy Theory and Practice</i> , 2006 , 22, 189-205	1.5	22
83	Psychiatric outcome after severe cardio-respiratory failure treated with extracorporeal membrane oxygenation: a case-series. <i>Psychosomatics</i> , 2013 , 54, 418-27	2.6	21
82	Physical and Mental Comorbidity of Substance Use Disorders in Psychiatric Consultations. <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 1820-1824	3.7	21
81	Psychiatric disorders and psychological distress in patients undergoing evaluation for lung transplantation: a national cohort study. <i>General Hospital Psychiatry</i> , 2016 , 42, 67-73	5.6	20
80	Paternal psychological response after ultrasonographic detection of structural fetal anomalies with a comparison to maternal response: a cohort study. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 147	3.2	20
79	Neuropsychological function in unmedicated recurrent brief depression. <i>Journal of Affective Disorders</i> , 2010 , 125, 155-64	6.6	20
78	Effectiveness of zuclopenthixol compared with haloperidol in the treatment of behavioural disturbances in learning disabled patients. <i>British Journal of Psychiatry</i> , 1995 , 166, 374-7	5.4	20
77	Social functioning and general well-being in patients treated with clean intermittent catheterization. <i>Journal of Psychosomatic Research</i> , 1993 , 37, 371-80	4.1	20
76	Evidence for cortical structural plasticity in humans after a day of waking and sleep deprivation. <i>NeuroImage</i> , 2017 , 156, 214-223	7.9	19
75	Maternal psychological responses during pregnancy after ultrasonographic detection of structural fetal anomalies: A prospective longitudinal observational study. <i>PLoS ONE</i> , 2017 , 12, e0174412	3.7	19

74	A European Research Agenda for Somatic Symptom Disorders, Bodily Distress Disorders, and Functional Disorders: Results of an Estimate-Talk-Estimate Delphi Expert Study. <i>Frontiers in Psychiatry</i> , 2018 , 9, 151	5	19
73	The phenomenology of recurrent brief depression with and without hypomanic features. <i>Journal of Affective Disorders</i> , 2009 , 112, 151-64	6.6	19
72	Intestinal reactivity to words with emotional content and brain information processing in irritable bowel syndrome. <i>Digestive Diseases and Sciences</i> , 2000 , 45, 1160-5	4	19
71	Memory in early onset bipolar disorder and attention-deficit/hyperactivity disorder: similarities and differences. <i>Journal of Abnormal Child Psychology</i> , 2012 , 40, 1179-92	4	18
70	Executive summary of the report by the WPA section on pharmacopsychiatry on general and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 13-22	5.1	17
69	Maternal psychological distress and parenting stress after gastrostomy placement in children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 55, 562-6	2.8	16
68	Psychological distress in mothers and fathers of preschool children: a 5-year follow-up study after birth. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008 , 115, 462-71	3.7	16
67	Executive deficits in early onset bipolar disorder versus ADHD: impact of processing speed and lifetime psychosis. <i>Clinical Child Psychology and Psychiatry</i> , 2013 , 18, 284-99	2	15
66	The study protocol of the Norwegian randomized controlled trial of electroconvulsive therapy in treatment resistant depression in bipolar disorder. <i>BMC Psychiatry</i> , 2010 , 10, 16	4.2	15
65	Acute stress response patterns to accidental injuries. <i>Journal of Psychosomatic Research</i> , 1998 , 45, 419-24.	4.1	15
64	Five years of experience with the DSM-III system in clinical work and research: some concluding remarks. <i>Acta Psychiatrica Scandinavica</i> , 1986 , 328, 76-84	6.5	15
63	Does antenatal maternal psychological distress affect placental circulation in the third trimester?. <i>PLoS ONE</i> , 2013 , 8, e57071	3.7	15
62	Dentate gyrus-cornu ammonis (CA) 4 volume is decreased and associated with depressive episodes and lipid peroxidation in bipolar II disorder: Longitudinal and cross-sectional analyses. <i>Bipolar Disorders</i> , 2016 , 18, 657-668	3.8	15
61	Smaller stress-sensitive hippocampal subfields in women with borderline personality disorder without posttraumatic stress disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 127-34	4.5	14
60	Symptoms and behaviors prior to the first major affective episode of bipolar II disorder. An exploratory study. <i>Journal of Affective Disorders</i> , 2011 , 132, 333-43	6.6	14
59	Temperament and character in patients with bipolar II disorder and recurrent brief depression. <i>Comprehensive Psychiatry</i> , 2010 , 51, 607-17	7.3	14
58	Substance use disorders and comorbid mental disorders in first-time admitted patients from a catchment area. <i>European Addiction Research</i> , 2012 , 18, 16-25	4.6	14
57	In vivo hippocampal subfield volumes in bipolar disorder-A mega-analysis from The Enhancing Neuro Imaging Genetics through Meta-Analysis Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	14

56	Does guilt proneness predict acute and long-term distress in relatives of patients with schizophrenia?. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 351-7	6.5	13
55	Stress response symptoms in relatives of acutely admitted psychotic patients: a pilot study. <i>Nordic Journal of Psychiatry</i> , 2002 , 56, 253-60	2.3	13
54	Genetics of brain age suggest an overlap with common brain disorders		13
53	The genetic architecture of human brainstem structures and their involvement in common brain disorders. <i>Nature Communications</i> , 2020 , 11, 4016	17.4	13
52	Longitudinal and cross-sectional investigations of long-term potentiation-like cortical plasticity in bipolar disorder type II and healthy individuals. <i>Translational Psychiatry</i> , 2018 , 8, 103	8.6	13
51	Equine-facilitated body and emotion-oriented psychotherapy designed for adolescents and adults not responding to mainstream treatment: A structured program.. <i>Journal of Psychotherapy Integration</i> , 2014 , 24, 323-335	6.9	12
50	Motor function may differentiate attention deficit hyperactivity disorder from early onset bipolar disorder. <i>Behavioral and Brain Functions</i> , 2009 , 5, 47	4.1	12
49	German psychosomatic medicine: an international perspective. <i>Advances in Psychosomatic Medicine</i> , 2004 , 26, 196-202		12
48	Psychological predictors of symptoms of urinary tract infection and bacteriuria in patients treated with clean intermittent catheterization: a prospective 7-year study. <i>European Urology</i> , 1998 , 34, 30-6	10.2	12
47	Cognitive function after heart transplantation: Comparing everolimus-based and calcineurin inhibitor-based regimens. <i>Clinical Transplantation</i> , 2017 , 31, e12927	3.8	11
46	Underlying correlation structures of parental stress, general health and anxiety. <i>Scandinavian Journal of Psychology</i> , 2010 , 51, 473-9	2.2	11
45	Relatives Slocus of control and expressed emotion in schizophrenia and related psychoses. <i>British Journal of Clinical Psychology</i> , 1997 , 36, 555-67	3.6	11
44	Diurnal Variation and Twenty-Four Hour Sleep Deprivation Do Not Alter Supine Heart Rate Variability in Healthy Male Young Adults. <i>PLoS ONE</i> , 2017 , 12, e0170921	3.7	10
43	Despite clinical differences, bipolar disorder patients from acute wards and outpatient clinics have similar educational and disability levels compared to the general population. <i>Journal of Affective Disorders</i> , 2011 , 132, 209-15	6.6	10
42	Two Ways of Living through Postpartum Depression. <i>Journal of Phenomenological Psychology</i> , 2011 , 42, 174-194	0.4	10
41	The relation of psychological distress to salivary and serum cortisol levels in pregnant women shortly after the diagnosis of a structural fetal anomaly. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012 , 91, 68-78	3.8	9
40	Psychological distress after recent detection of fetal malformation: short-term effect on second-trimester uteroplacental and fetoplacental circulation. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011 , 118, 1653-7	3.7	9
39	Rectal tone and brain information processing in irritable bowel syndrome. <i>Digestive Diseases and Sciences</i> , 2000 , 45, 1153-9	4	9

38	Increased circulating IL-18 levels in severe mental disorders indicate systemic inflammasome activation. <i>Brain, Behavior, and Immunity</i> , 2022 , 99, 299-306	16.6	9
37	A Role for the Transcription Factor Nk2 Homeobox 1 in Schizophrenia: Convergent Evidence from Animal and Human Studies. <i>Frontiers in Behavioral Neuroscience</i> , 2016 , 10, 59	3.5	9
36	Working memory in recurrent brief depression: an fMRI pilot study. <i>Journal of Affective Disorders</i> , 2013 , 149, 383-92	6.6	8
35	Self-Reported Executive Functioning in Everyday Life in Parkinson's Disease after Three Months of Subthalamic Deep Brain Stimulation. <i>Parkinson's Disease</i> , 2015 , 2015, 461453	2.6	7
34	Assessment of patient satisfaction with psychiatric care. Development and clinical evaluation of a brief consumer satisfaction rating scale (UKU-ConSat). <i>Nordic Journal of Psychiatry</i> , 2001 , 55 Suppl 44, 71-90	2.3	7
33	Dynamics of Brain Structure and its Genetic Architecture over the Lifespan 2020 ,		7
32	Mood episodes are associated with increased cortical thinning: A longitudinal study of bipolar disorder type II. <i>Bipolar Disorders</i> , 2019 , 21, 525-538	3.8	5
31	Independent versus substance-induced major depressive disorders in first-admission patients with substance use disorders: an exploratory study. <i>Journal of Affective Disorders</i> , 2013 , 144, 279-83	6.6	5
30	Genuine clinical predictors of bipolar II disorder: an exploration of temporal and contextual characteristics. <i>Journal of Affective Disorders</i> , 2011 , 135, 419-23	6.6	5
29	Psychosocial factors in women with operable breast cancer. An association to estrogen receptor status?. <i>Journal of Psychosomatic Research</i> , 1995 , 39, 875-81	4.1	5
28	Maternal psychological distress and placental circulation in pregnancies after a previous offspring with congenital malformation. <i>PLoS ONE</i> , 2014 , 9, e86597	3.7	5
27	Association between body mass index and subcortical brain volumes in bipolar disorders-ENIGMA study in 2735 individuals. <i>Molecular Psychiatry</i> , 2021 ,	15.1	5
26	Cognitive function among long-term survivors of heart transplantation. <i>Clinical Transplantation</i> , 2017 , 31, e13143	3.8	4
25	The surface area of early visual cortex predicts the amplitude of the visual evoked potential. <i>Brain Structure and Function</i> , 2015 , 220, 1229-36	4	4
24	Right unilateral electroconvulsive therapy does not cause more cognitive impairment than pharmacologic treatment in treatment-resistant bipolar depression: A 6-month randomized controlled trial follow-up study. <i>Bipolar Disorders</i> , 2018 , 20, 531-538	3.8	4
23	Differentiating between comorbidity and symptom overlap in ADHD and early onset bipolar disorder. <i>Developmental Neuropsychology</i> , 2014 , 39, 249-61	1.8	4
22	Exercise in the treatment of major depressive disorder: still a long way to go. <i>Psychosomatic Medicine</i> , 2008 , 70, 263; author reply 264-5	3.7	4
21	The antidepressant debate continues. <i>British Journal of Psychiatry</i> , 2002 , 181, 531; author reply 531	5.4	4

20	Further evolution of a literature database: the international use of a common software structure and methodology for the establishment of national consultation/liaison databases. <i>General Hospital Psychiatry</i> , 1999 , 21, 402-7	5.6	4
19	The continuing evolution and update of a literature database for consultation-liaison psychiatry: MICRO-CARES Literature Search system 1993. <i>General Hospital Psychiatry</i> , 1993 , 15, 15-73S	5.6	4
18	Fenfluramine challenge test predicts outcome in pharmacological treatment of patients with functional gastrointestinal disorder. <i>Journal of Psychosomatic Research</i> , 1999 , 47, 525-35	4.1	3
17	Clinical characteristics of patients with bipolar disorder and premorbid traumatic brain injury: a cross-sectional study. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 19	5.4	3
16	Engulfed by an Alienated and Threatening Emotional Body: The Essential Meaning Structure of Depression in Women. <i>Journal of Phenomenological Psychology</i> , 2013 , 44, 153-178	0.4	2
15	Konsiliar-liaisonpsychiatrische Aspekte unfallbedingter körperlicher Verletzungen. <i>Psychosomatik Und Konsiliarpsychiatrie</i> , 2008 , 2, 190-198		2
14	Psychologic Distress and Anxiety in Mothers of Children With Gastroesophageal Reflux Undergoing Antireflux Surgery. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2019 , 68, 818-823	2.8	2
13	Plasma Levels of the Cytokines B Cell-Activating Factor (BAFF) and A Proliferation-Inducing Ligand (APRIL) in Schizophrenia, Bipolar, and Major Depressive Disorder: A Cross Sectional, Multisite Study. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	2
12	Longitudinal Structural Brain Changes in Bipolar Disorder: A Multicenter Neuroimaging Study of 1232 Individuals by the ENIGMA Bipolar Disorder Working Group. <i>Biological Psychiatry</i> , 2021 ,	7.9	2
11	Lower circulating neuron-specific enolase concentrations in adults and adolescents with severe mental illness.. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	1
10	Genetic variants associated with longitudinal changes in brain structure across the lifespan.. <i>Nature Neuroscience</i> , 2022 , 25, 421-432	25.5	1
9	Putative early manifestations of bipolar II disorder emerge later in the initial prodrome than manifestations hypothesized to be unrelated: an exploratory study. <i>Microbial Biotechnology</i> , 2012 , 6, 460-4	3.3	0
8	Symptoms of anxiety after heart transplantation and their association with mortality: A secondary analysis. <i>Clinical Transplantation</i> , 2021 , 35, e14323	3.8	0
7	Evidence for widespread alterations in cortical microstructure after 32 h of sleep deprivation.. <i>Translational Psychiatry</i> , 2022 , 12, 161	8.6	0
6	Response to Kellner and Fink. <i>American Journal of Psychiatry</i> , 2015 , 172, 295-6	11.9	
5	Response to Kotzolidis et al. <i>American Journal of Psychiatry</i> , 2015 , 172, 294-5	11.9	
4	Blutungsrisiko bei der Behandlung mit Antidepressiva: Klinische Schlussfolgerungen. <i>Psychosomatik Und Konsiliarpsychiatrie</i> , 2007 , 1, 298-299		
3	Beta-Blocker mindern Trauma assoziierte physiologische Aktivierung bei Patienten mit chronischer posttraumatischer Belastungsstörung (PTBS). <i>Psychosomatik Und Konsiliarpsychiatrie</i> , 2008 , 2, 57-58		

- 2 Kognitive Verhaltenstherapie (KVT) in einer einzigen Sitzung ist wirksamer als die medizinische Standardbehandlung bei der Primärbehandlung von multiplen somatoformen Symptomen. *Psychosomatik Und Konsiliarpsychiatrie*, **2008**, 2, 112-113
- 1 Misleading conclusion about melancholic features and prediction of long-term mortality. *Journal of Psychosomatic Research*, **2020**, 135, 110139 4-1