

Ulrik Fredrik Malt

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7124251/ulrik-fredrik-malt-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145
papers

4,749
citations

37
h-index

63
g-index

158
ext. papers

5,693
ext. citations

4.9
avg, IF

5.06
L-index

#	Paper	IF	Citations
145	Increased circulating IL-18 levels in severe mental disorders indicate systemic inflammasome activation. <i>Brain, Behavior, and Immunity</i> , 2022 , 99, 299-306	16.6	9
144	Genetic variants associated with longitudinal changes in brain structure across the lifespan.. <i>Nature Neuroscience</i> , 2022 , 25, 421-432	25.5	1
143	Evidence for widespread alterations in cortical microstructure after 32 h of sleep deprivation.. <i>Translational Psychiatry</i> , 2022 , 12, 161	8.6	0
142	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021 , 26, 5124-5139	15.1	48
141	Association between body mass index and subcortical brain volumes in bipolar disorders-ENIGMA study in 2735 individuals. <i>Molecular Psychiatry</i> , 2021 ,	15.1	5
140	Symptoms of anxiety after heart transplantation and their association with mortality: A secondary analysis. <i>Clinical Transplantation</i> , 2021 , 35, e14323	3.8	0
139	Lower circulating neuron-specific enolase concentrations in adults and adolescents with severe mental illness.. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	1
138	Plasma Levels of the Cytokines B Cell-Activating Factor (BAFF) and A Proliferation-Inducing Ligand (APRIL) in Schizophrenia, Bipolar, and Major Depressive Disorder: A Cross Sectional, Multisite Study. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	2
137	Longitudinal Structural Brain Changes in Bipolar Disorder: A Multicenter Neuroimaging Study of 1232 Individuals by the ENIGMA Bipolar Disorder Working Group. <i>Biological Psychiatry</i> , 2021 ,	7.9	2
136	Dynamics of Brain Structure and its Genetic Architecture over the Lifespan 2020 ,		7
135	In vivo hippocampal subfield volumes in bipolar disorder-A mega-analysis from The Enhancing Neuro Imaging Genetics through Meta-Analysis Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	14
134	The genetic architecture of human brainstem structures and their involvement in common brain disorders. <i>Nature Communications</i> , 2020 , 11, 4016	17.4	13
133	Misleading conclusion about melancholic features and prediction of long-term mortality. <i>Journal of Psychosomatic Research</i> , 2020 , 135, 110139	4.1	
132	Using structural MRI to identify bipolar disorders - 13 site machine learning study in 3020 individuals from the ENIGMA Bipolar Disorders Working Group. <i>Molecular Psychiatry</i> , 2020 , 25, 2130-2143	15.1	71
131	Common brain disorders are associated with heritable patterns of apparent aging of the brain. <i>Nature Neuroscience</i> , 2019 , 22, 1617-1623	25.5	157
130	Mood episodes are associated with increased cortical thinning: A longitudinal study of bipolar disorder type II. <i>Bipolar Disorders</i> , 2019 , 21, 525-538	3.8	5
129	Psychologic Distress and Anxiety in Mothers of Children With Gastroesophageal Reflux Undergoing Antireflux Surgery. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2019 , 68, 818-823	2.8	2

128	Cerebral blood flow changes after a day of wake, sleep, and sleep deprivation. <i>NeuroImage</i> , 2019 , 186, 497-509	7.9	38
127	Right unilateral electroconvulsive therapy does not cause more cognitive impairment than pharmacologic treatment in treatment-resistant bipolar depression: A 6-month randomized controlled trial follow-up study. <i>Bipolar Disorders</i> , 2018 , 20, 531-538	3.8	4
126	A European Research Agenda for Somatic Symptom Disorders, Bodily Distress Disorders, and Functional Disorders: Results of an Estimate-Talk-Estimate Delphi Expert Study. <i>Frontiers in Psychiatry</i> , 2018 , 9, 151	5	19
125	Clinical characteristics of patients with bipolar disorder and premorbid traumatic brain injury: a cross-sectional study. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 19	5.4	3
124	Longitudinal and cross-sectional investigations of long-term potentiation-like cortical plasticity in bipolar disorder type II and healthy individuals. <i>Translational Psychiatry</i> , 2018 , 8, 103	8.6	13
123	Cognitive function after heart transplantation: Comparing everolimus-based and calcineurin inhibitor-based regimens. <i>Clinical Transplantation</i> , 2017 , 31, e12927	3.8	11
122	Evidence for cortical structural plasticity in humans after a day of waking and sleep deprivation. <i>NeuroImage</i> , 2017 , 156, 214-223	7.9	19
121	Cognitive function among long-term survivors of heart transplantation. <i>Clinical Transplantation</i> , 2017 , 31, e13143	3.8	4
120	Diurnal Variation and Twenty-Four Hour Sleep Deprivation Do Not Alter Supine Heart Rate Variability in Healthy Male Young Adults. <i>PLoS ONE</i> , 2017 , 12, e0170921	3.7	10
119	Maternal psychological responses during pregnancy after ultrasonographic detection of structural fetal anomalies: A prospective longitudinal observational study. <i>PLoS ONE</i> , 2017 , 12, e0174412	3.7	19
118	Psychiatric disorders and psychological distress in patients undergoing evaluation for lung transplantation: a national cohort study. <i>General Hospital Psychiatry</i> , 2016 , 42, 67-73	5.6	20
117	The brain functional connectome is robustly altered by lack of sleep. <i>NeuroImage</i> , 2016 , 127, 324-332	7.9	81
116	A Role for the Transcription Factor Nk2 Homeobox 1 in Schizophrenia: Convergent Evidence from Animal and Human Studies. <i>Frontiers in Behavioral Neuroscience</i> , 2016 , 10, 59	3.5	9
115	Dentate gyrus-cornu ammonis (CA) 4 volume is decreased and associated with depressive episodes and lipid peroxidation in bipolar II disorder: Longitudinal and cross-sectional analyses. <i>Bipolar Disorders</i> , 2016 , 18, 657-668	3.8	15
114	Ongoing episode of major depressive disorder is not associated with elevated plasma levels of kynurenine pathway markers. <i>Psychoneuroendocrinology</i> , 2015 , 56, 12-22	5	32
113	Response to Kellner and Fink. <i>American Journal of Psychiatry</i> , 2015 , 172, 295-6	11.9	
112	Response to Kotzalidis et al. <i>American Journal of Psychiatry</i> , 2015 , 172, 294-5	11.9	
111	The surface area of early visual cortex predicts the amplitude of the visual evoked potential. <i>Brain Structure and Function</i> , 2015 , 220, 1229-36	4	4

110	Different impulsivity profiles in borderline personality disorder and bipolar II disorder. <i>Journal of Affective Disorders</i> , 2015 , 170, 104-11	6.6	37
109	Personality changes after deep brain stimulation in Parkinson's disease. <i>Parkinson's Disease</i> , 2015 , 2015, 490507	2.6	28
108	Self-Reported Executive Functioning in Everyday Life in Parkinson's Disease after Three Months of Subthalamic Deep Brain Stimulation. <i>Parkinson's Disease</i> , 2015 , 2015, 461453	2.6	7
107	Treatment-resistant bipolar depression: a randomized controlled trial of electroconvulsive therapy versus algorithm-based pharmacological treatment. <i>American Journal of Psychiatry</i> , 2015 , 172, 41-51	11.9	103
106	Widespread changes in white matter microstructure after a day of waking and sleep deprivation. <i>PLoS ONE</i> , 2015 , 10, e0127351	3.7	44
105	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. <i>Brain Imaging and Behavior</i> , 2014 , 8, 153-82	4.1	539
104	Differentiating between comorbidity and symptom overlap in ADHD and early onset bipolar disorder. <i>Developmental Neuropsychology</i> , 2014 , 39, 249-61	1.8	4
103	The plasma levels of various cytokines are increased during ongoing depression and are reduced to normal levels after recovery. <i>Psychoneuroendocrinology</i> , 2014 , 45, 77-86	5	227
102	Association analysis between suicidal behaviour and candidate genes of bipolar disorder and schizophrenia. <i>Journal of Affective Disorders</i> , 2014 , 163, 110-4	6.6	24
101	Equine-facilitated body and emotion-oriented psychotherapy designed for adolescents and adults not responding to mainstream treatment: A structured program.. <i>Journal of Psychotherapy Integration</i> , 2014 , 24, 323-335	6.9	12
100	Smaller stress-sensitive hippocampal subfields in women with borderline personality disorder without posttraumatic stress disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 127-34	4.5	14
99	Maternal psychological distress and placental circulation in pregnancies after a previous offspring with congenital malformation. <i>PLoS ONE</i> , 2014 , 9, e86597	3.7	5
98	The effect of electroconvulsive therapy on neurocognitive function in treatment-resistant bipolar disorder depression. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e1306-13	4.6	37
97	Paternal psychological response after ultrasonographic detection of structural fetal anomalies with a comparison to maternal response: a cohort study. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 147	3.2	20
96	Neurocognitive profiles in treatment-resistant bipolar I and bipolar II disorder depression. <i>BMC Psychiatry</i> , 2013 , 13, 105	4.2	26
95	Working memory in recurrent brief depression: an fMRI pilot study. <i>Journal of Affective Disorders</i> , 2013 , 149, 383-92	6.6	8
94	Psychiatric outcome after severe cardio-respiratory failure treated with extracorporeal membrane oxygenation: a case-series. <i>Psychosomatics</i> , 2013 , 54, 418-27	2.6	21
93	No effect of combined coenzyme Q10 and selenium supplementation on atorvastatin-induced myopathy. <i>Scandinavian Cardiovascular Journal</i> , 2013 , 47, 80-7	2	35

92	Independent versus substance-induced major depressive disorders in first-admission patients with substance use disorders: an exploratory study. <i>Journal of Affective Disorders</i> , 2013 , 144, 279-83	6.6	5
91	Engulfed by an Alienated and Threatening Emotional Body: The Essential Meaning Structure of Depression in Women. <i>Journal of Phenomenological Psychology</i> , 2013 , 44, 153-178	0.4	2
90	Evidence for reduced dentate gyrus and fimbria volume in bipolar II disorder. <i>Bipolar Disorders</i> , 2013 , 15, 167-76	3.8	26
89	Bipolar II disorder is associated with thinning of prefrontal and temporal cortices involved in affect regulation. <i>Bipolar Disorders</i> , 2013 , 15, 855-64	3.8	47
88	Executive deficits in early onset bipolar disorder versus ADHD: impact of processing speed and lifetime psychosis. <i>Clinical Child Psychology and Psychiatry</i> , 2013 , 18, 284-99	2	15
87	Does antenatal maternal psychological distress affect placental circulation in the third trimester?. <i>PLoS ONE</i> , 2013 , 8, e57071	3.7	15
86	Putative early manifestations of bipolar II disorder emerge later in the initial prodrome than manifestations hypothesized to be unrelated: an exploratory study. <i>Microbial Biotechnology</i> , 2012 , 6, 460-4	3.3	0
85	Executive summary of the report by the WPA section on pharmacopsychiatry on general and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 13-22	5.1	17
84	Risk factors related to lifetime suicide attempts in acutely admitted bipolar disorder inpatients. <i>Bipolar Disorders</i> , 2012 , 14, 727-34	3.8	27
83	Memory in early onset bipolar disorder and attention-deficit/hyperactivity disorder: similarities and differences. <i>Journal of Abnormal Child Psychology</i> , 2012 , 40, 1179-92	4	18
82	Why the factorial structure of the SCL-90-R is unstable: comparing patient groups with different levels of psychological distress using Mokken Scale Analysis. <i>Psychiatry Research</i> , 2012 , 200, 819-26	9.9	27
81	Evidence for impaired neocortical synaptic plasticity in bipolar II disorder. <i>Biological Psychiatry</i> , 2012 , 71, 68-74	7.9	34
80	In-depth study of personality disorders in first-admission patients with substance use disorders. <i>BMC Psychiatry</i> , 2012 , 12, 180	4.2	37
79	The relation of psychological distress to salivary and serum cortisol levels in pregnant women shortly after the diagnosis of a structural fetal anomaly. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012 , 91, 68-78	3.8	9
78	Parenting stress and emotional wellbeing in mothers and fathers of preschool children. <i>Scandinavian Journal of Public Health</i> , 2012 , 40, 596-604	3	55
77	Substance use disorders and comorbid mental disorders in first-time admitted patients from a catchment area. <i>European Addiction Research</i> , 2012 , 18, 16-25	4.6	14
76	Maternal psychological distress and parenting stress after gastrostomy placement in children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 55, 562-6	2.8	16
75	Psychological distress after recent detection of fetal malformation: short-term effect on second-trimester uteroplacental and fetoplacental circulation. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011 , 118, 1653-7	3.7	9

74	Bipolar disorder patients have similar levels of education but lower socio-economic status than the general population. <i>Journal of Affective Disorders</i> , 2011 , 129, 68-74	6.6	42
73	Despite clinical differences, bipolar disorder patients from acute wards and outpatient clinics have similar educational and disability levels compared to the general population. <i>Journal of Affective Disorders</i> , 2011 , 132, 209-15	6.6	10
72	Symptoms and behaviors prior to the first major affective episode of bipolar II disorder. An exploratory study. <i>Journal of Affective Disorders</i> , 2011 , 132, 333-43	6.6	14
71	The load of short telomeres is increased and associated with lifetime number of depressive episodes in bipolar II disorder. <i>Journal of Affective Disorders</i> , 2011 , 135, 43-50	6.6	98
70	Genuine clinical predictors of bipolar II disorder: an exploration of temporal and contextual characteristics. <i>Journal of Affective Disorders</i> , 2011 , 135, 419-23	6.6	5
69	General and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders: a report by the WPA section of pharmacopsychiatry. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011 , 261 Suppl 3, 207-45	5.1	29
68	Comorbid mental disorders in substance users from a single catchment area--a clinical study. <i>BMC Psychiatry</i> , 2011 , 11, 25	4.2	40
67	INSPIRE study: does stress management improve the course of inflammatory bowel disease and disease-specific quality of life in distressed patients with ulcerative colitis or Crohn's disease? A randomized controlled trial. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 1863-73	4.5	75
66	Two Ways of Living through Postpartum Depression. <i>Journal of Phenomenological Psychology</i> , 2011 , 42, 174-194	0.4	10
65	Underlying correlation structures of parental stress, general health and anxiety. <i>Scandinavian Journal of Psychology</i> , 2010 , 51, 473-9	2.2	11
64	Temperament and character in patients with bipolar II disorder and recurrent brief depression. <i>Comprehensive Psychiatry</i> , 2010 , 51, 607-17	7.3	14
63	Symptoms and signs of the initial prodrome of bipolar disorder: a systematic review. <i>Journal of Affective Disorders</i> , 2010 , 126, 1-13	6.6	116
62	Neuropsychological function in unmedicated recurrent brief depression. <i>Journal of Affective Disorders</i> , 2010 , 125, 155-64	6.6	20
61	Long-term parental psychological distress among parents of children with a malformation--a prospective longitudinal study. <i>American Journal of Medical Genetics, Part A</i> , 2010 , 152A, 2193-202	2.5	44
60	The study protocol of the Norwegian randomized controlled trial of electroconvulsive therapy in treatment resistant depression in bipolar disorder. <i>BMC Psychiatry</i> , 2010 , 10, 16	4.2	15
59	Acute maternal social dysfunction, health perception and psychological distress after ultrasonographic detection of a fetal structural anomaly. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010 , 117, 1127-38	3.7	55
58	The phenomenology of recurrent brief depression with and without hypomanic features. <i>Journal of Affective Disorders</i> , 2009 , 112, 151-64	6.6	19
57	Motor function may differentiate attention deficit hyperactivity disorder from early onset bipolar disorder. <i>Behavioral and Brain Functions</i> , 2009 , 5, 47	4.1	12

56	Age at onset of first episode and time to treatment in in-patients with bipolar disorder. <i>British Journal of Psychiatry</i> , 2009 , 194, 559-60	5.4	33
55	Psychological distress in mothers and fathers of preschool children: a 5-year follow-up study after birth. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008 , 115, 462-71	3.7	16
54	Neuropsychological and electrophysiological indices of neurocognitive dysfunction in bipolar II disorder. <i>Bipolar Disorders</i> , 2008 , 10, 888-99	3.8	67
53	The INSPIRE study: do personality traits predict general quality of life (Short form-36) in distressed patients with ulcerative colitis and Crohn's disease?. <i>Scandinavian Journal of Gastroenterology</i> , 2008 , 43, 1505-13	2.4	29
52	Exercise in the treatment of major depressive disorder: still a long way to go. <i>Psychosomatic Medicine</i> , 2008 , 70, 263; author reply 264-5	3.7	4
51	Beta-Blocker mindern Trauma assoziierte physiologische Aktivierung bei Patienten mit chronischer posttraumatischer Belastungsstörung (PTBS). <i>Psychosomatik Und Konsiliarpsychiatrie</i> , 2008 , 2, 57-58		
50	Kognitive Verhaltenstherapie (KVT) in einer einzigen Sitzung ist wirksamer als die medizinische Standardbehandlung bei der Primärbehandlung von multiplen somatoformen Symptomen. <i>Psychosomatik Und Konsiliarpsychiatrie</i> , 2008 , 2, 112-113		
49	The INSPIRE study: are different personality traits related to disease-specific quality of life (IBDQ) in distressed patients with ulcerative colitis and Crohn's disease?. <i>Inflammatory Bowel Diseases</i> , 2008 , 14, 680-6	4.5	34
48	Continuing improvement of chronic pelvic pain in women after short-term Mensendieck somatocognitive therapy: results of a 1-year follow-up study. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 615.e1-8	6.4	36
47	Konsiliar-liaisonpsychiatrische Aspekte unfallbedingter körperlicher Verletzungen. <i>Psychosomatik Und Konsiliarpsychiatrie</i> , 2008 , 2, 190-198		2
46	Determinants and status of quality of life after long-term botulinum toxin therapy for cervical dystonia. <i>European Journal of Neurology</i> , 2007 , 14, 1129-37	6	51
45	Blutungsrisiko bei der Behandlung mit Antidepressiva: Klinische Schlussfolgerungen. <i>Psychosomatik Und Konsiliarpsychiatrie</i> , 2007 , 1, 298-299		
44	Reliability and validity of a standardized Mensendieck physiotherapy test (SMT). <i>Physiotherapy Theory and Practice</i> , 2006 , 22, 189-205	1.5	22
43	Posture, movement patterns, and body awareness in women with chronic pelvic pain. <i>Journal of Psychosomatic Research</i> , 2006 , 61, 637-44	4.1	49
42	Prenatal diagnosis of congenital malformations and parental psychological distress--a prospective longitudinal cohort study. <i>Prenatal Diagnosis</i> , 2006 , 26, 1001-9	3.2	80
41	Mensendieck somatocognitive therapy as treatment approach to chronic pelvic pain: results of a randomized controlled intervention study. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 1303-10	6.4	42
40	A 7-year prospective quasi-experimental study of the effects of removing dental amalgam in 76 self-referred patients compared with 146 controls. <i>Journal of Psychosomatic Research</i> , 2004 , 57, 103-11	4.1	24
39	German psychosomatic medicine: an international perspective. <i>Advances in Psychosomatic Medicine</i> , 2004 , 26, 196-202		12

38	The antidepressant debate continues. <i>British Journal of Psychiatry</i> , 2002 , 181, 531; author reply 531	5.4	4
37	Does guilt proneness predict acute and long-term distress in relatives of patients with schizophrenia?. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 351-7	6.5	13
36	Comparative levels of psychological distress, stress symptoms, depression and anxiety after childbirth--a prospective population-based study of mothers and fathers. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002 , 109, 1154-63	3.7	60
35	Stress response symptoms in relatives of acutely admitted psychotic patients: a pilot study. <i>Nordic Journal of Psychiatry</i> , 2002 , 56, 253-60	2.3	13
34	Consultation-Liaison psychiatric service delivery: results from a European study. <i>General Hospital Psychiatry</i> , 2001 , 23, 124-32	5.6	102
33	Patient-rated versus clinician-rated side effects of drug treatment in schizophrenia. Clinical validation of a self-rating version of the UKU Side Effect Rating Scale (UKU-SERS-Pat). <i>Nordic Journal of Psychiatry</i> , 2001 , 55 Suppl 44, 5-69	2.3	30
32	Assessment of patient satisfaction with psychiatric care. Development and clinical evaluation of a brief consumer satisfaction rating scale (UKU-ConSat). <i>Nordic Journal of Psychiatry</i> , 2001 , 55 Suppl 44, 71-90	2.3	7
31	Personality and physical symptoms in nonpsychiatric patients with functional gastrointestinal disorder. <i>Journal of Psychosomatic Research</i> , 2001 , 50, 139-46	4.1	56
30	Intestinal reactivity to words with emotional content and brain information processing in irritable bowel syndrome. <i>Digestive Diseases and Sciences</i> , 2000 , 45, 1160-5	4	19
29	Rectal tone and brain information processing in irritable bowel syndrome. <i>Digestive Diseases and Sciences</i> , 2000 , 45, 1153-9	4	9
28	European consultation-liaison services and their user populations: the European Consultation-Liaison Workgroup Collaborative Study. <i>Psychosomatics</i> , 2000 , 41, 330-8	2.6	34
27	Further evolution of a literature database: the international use of a common software structure and methodology for the establishment of national consultation/liaison databases. <i>General Hospital Psychiatry</i> , 1999 , 21, 402-7	5.6	4
26	Fenfluramine challenge test predicts outcome in pharmacological treatment of patients with functional gastrointestinal disorder. <i>Journal of Psychosomatic Research</i> , 1999 , 47, 525-35	4.1	3
25	The Norwegian naturalistic treatment study of depression in general practice (NORDEP)-I: randomised double blind study. <i>BMJ: British Medical Journal</i> , 1999 , 318, 1180-4		67
24	Posttraumatic distress symptoms in operable breast cancer III: status one year after surgery. <i>Breast Cancer Research and Treatment</i> , 1998 , 47, 141-51	4.4	103
23	Physical and Mental Comorbidity of Substance Use Disorders in Psychiatric Consultations. <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 1820-1824	3.7	21
22	Guilt proneness and expressed emotion in relatives of patients with schizophrenia or related psychoses. <i>The British Journal of Medical Psychology</i> , 1998 , 71 (Pt 2), 125-38		27
21	Acute stress response patterns to accidental injuries. <i>Journal of Psychosomatic Research</i> , 1998 , 45, 419-24.1		15

20	Event-related potentials to stimuli with emotional impact in posttraumatic stress patients. <i>Biological Psychiatry</i> , 1998 , 44, 1045-53	7.9	35
19	Psychological predictors of symptoms of urinary tract infection and bacteriuria in patients treated with clean intermittent catheterization: a prospective 7-year study. <i>European Urology</i> , 1998 , 34, 30-6	10.2	12
18	Physical and mental problems attributed to dental amalgam fillings: a descriptive study of 99 self-referred patients compared with 272 controls. <i>Psychosomatic Medicine</i> , 1997 , 59, 32-41	3.7	49
17	Relatives Slocus of control and expressed emotion in schizophrenia and related psychoses. <i>British Journal of Clinical Psychology</i> , 1997 , 36, 555-67	3.6	11
16	Pre-operative [correction of Properative] psychological variables predict immunological status in patients with operable breast cancer. <i>Psycho-Oncology</i> , 1997 , 6, 311-20	3.9	40
15	The ECLW Collaborative study II: patient registration form (PRF) instrument, training and reliability. European Consultation/Liaison Work group. <i>Journal of Psychosomatic Research</i> , 1996 , 40, 143-56	4.1	33
14	The ECLW Collaborative Study: III. Training and reliability of ICD-10 psychiatric diagnoses in the general hospital setting—an investigation of 220 consultants from 14 European countries. European Consultation Liaison Workgroup. <i>Journal of Psychosomatic Research</i> , 1996 , 41, 451-63	4.1	45
13	Emotional overinvolvement in parents of patients with schizophrenia or related psychosis: demographic and clinical predictors. <i>British Journal of Psychiatry</i> , 1996 , 169, 622-30	5.4	52
12	The European Consultation-Liaison Workgroup (ECLW) Collaborative Study. I. General outline. <i>General Hospital Psychiatry</i> , 1996 , 18, 44-55	5.6	52
11	Traumatic distress symptoms in early breast cancer I: Acute response to diagnosis. <i>Psycho-Oncology</i> , 1996 , 5, 1-8	3.9	48
10	Traumatic distress symptoms in early breast cancer. II: Outcome six weeks post surgery 1996 , 5, 295-303		29
9	Effectiveness of zuclopenthixol compared with haloperidol in the treatment of behavioural disturbances in learning disabled patients. <i>British Journal of Psychiatry</i> , 1995 , 166, 374-7	5.4	20
8	Psychosocial factors in women with operable breast cancer. An association to estrogen receptor status?. <i>Journal of Psychosomatic Research</i> , 1995 , 39, 875-81	4.1	5
7	Public Attitudes to the Quality of Psychiatric Treatment, Psychiatric Patients, and Prevalence of Mental Disorders. <i>Nordic Journal of Psychiatry</i> , 1994 , 48, 275-281	2.3	34
6	Social functioning and general well-being in patients treated with clean intermittent catheterization. <i>Journal of Psychosomatic Research</i> , 1993 , 37, 371-80	4.1	20
5	Psychological distress in cancer patients with advanced disease. <i>Radiotherapy and Oncology</i> , 1993 , 27, 193-7	5.3	131
4	The continuing evolution and update of a literature database for consultation-liaison psychiatry: MICRO-CARES Literature Search system 1993. <i>General Hospital Psychiatry</i> , 1993 , 15, 1S-73S	5.6	4
3	The long-term psychiatric consequences of accidental injury. A longitudinal study of 107 adults. <i>British Journal of Psychiatry</i> , 1988 , 153, 810-8	5.4	179

2	Five years of experience with the DSM-III system in clinical work and research: some concluding remarks. <i>Acta Psychiatrica Scandinavica</i> , 1986 , 328, 76-84	6.5	15
1	Genetics of brain age suggest an overlap with common brain disorders		13