

Nicolas Macagno

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7124730/nicolas-macagno-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36
papers

375
citations

11
h-index

18
g-index

63
ext. papers

588
ext. citations

5.1
avg, IF

3.06
L-index

#	Paper	IF	Citations
36	Wholistic approach - transcriptomic analysis and beyond using archival material for molecular diagnosis.. <i>Genes Chromosomes and Cancer</i> , 2022 ,	5	2
35	A subset of lung adenofibroma are morphologic variant of solitary fibrous tumours.. <i>Histopathology</i> , 2022 ,	7.3	
34	Tetraspanin8 expression predicts an increased metastatic risk and is associated with cancer-related death in human cutaneous melanoma. <i>Molecular Cancer</i> , 2021 , 20, 127	42.1	0
33	Surgery of small bowel melanoma metastases in the era of efficient medical therapies: a retrospective cohort study. <i>Melanoma Research</i> , 2021 , 31, 358-365	3.3	0
32	Genetic variant of SRF-rearranged myofibroma with a misleading nuclear expression of STAT6 and STAT6 involvement as 3F fusion partner. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021 , 478, 597-603	5.1	0
31	Acral FibroChondroMyxoid tumor: imaging features of a new entity. <i>Skeletal Radiology</i> , 2021 , 50, 603-607.	7.7	0
30	Reevaluation of GLI1 Expression in Skin Tumors. <i>American Journal of Dermatopathology</i> , 2021 , 43, 759-761	19	
29	NUT Is a Specific Immunohistochemical Marker for the Diagnosis of YAP1-NUTM1-rearranged Cutaneous Poroid Neoplasms. <i>American Journal of Surgical Pathology</i> , 2021 , 45, 1221-1227	6.7	8
28	Specific and Sensitive Diagnosis of -ITD in Various Cancers by Digital PCR. <i>Frontiers in Oncology</i> , 2021 , 11, 645512	5.3	2
27	Nationwide incidence of sarcomas and connective tissue tumors of intermediate malignancy over four years using an expert pathology review network. <i>PLoS ONE</i> , 2021 , 16, e0246958	3.7	32
26	Reply to: Expanding the Spectrum of Primary Cutaneous Carcinoma With BRD3-NUTM1 Fusion. <i>American Journal of Surgical Pathology</i> , 2021 , 45, 1584-1586	6.7	0
25	Cutaneous Melanomas Arising during Childhood: An Overview of the Main Entities. <i>Dermatopathology (Basel, Switzerland)</i> , 2021 , 8, 301-314	1.9	0
24	Pan Aurora Kinase Inhibitor: A Promising Targeted-Therapy in Dedifferentiated Liposarcomas With Differential Efficiency Depending on Sarcoma Molecular Profile. <i>Cancers</i> , 2020 , 12,	6.6	4
23	Recurrent novel THBS1-ADGRF5 gene fusion in a new tumor subtype "Acral FibroChondroMyxoid Tumors". <i>Modern Pathology</i> , 2020 , 33, 1360-1368	9.8	3
22	Early Phase of Primary Melanoma Growth from the Patient Point of view: A Prospective Cross Sectional Study on Melanoma over 1 mm in Thickness. <i>Acta Dermato-Venereologica</i> , 2020 , 100, adv00222 ²⁻²		
21	Supportive use of platelet-rich plasma and stromal vascular fraction for cell-assisted fat transfer of skin radiation-induced lesions in nude mice. <i>Burns</i> , 2020 , 46, 1641-1652	2.3	2
20	Cutaneous Melanocytic Tumors With Concomitant NRASQ61R and IDH1R132C Mutations: A Report of 6 Cases. <i>American Journal of Surgical Pathology</i> , 2020 , 44, 1398-1405	6.7	4

19	Prognostic significance of NAB2-STAT6 fusion variants and TERT promotor mutations in solitary fibrous tumors/hemangiopericytomas of the CNS: not (yet) clear. <i>Acta Neuropathologica</i> , 2019 , 137, 679-682	14.3	11
18	HVEM has a broader expression than PD-L1 and constitutes a negative prognostic marker and potential treatment target for melanoma. <i>Oncolmunology</i> , 2019 , 8, e1665976	7.2	10
17	Ultraviolet radiation-induced DNA damage is prognostic for outcome in melanoma. <i>Nature Medicine</i> , 2019 , 25, 221-224	50.5	45
16	Grading of meningeal solitary fibrous tumors/hemangiopericytomas: analysis of the prognostic value of the Marseille Grading System in a cohort of 132 patients. <i>Brain Pathology</i> , 2019 , 29, 18-27	6	19
15	IDH2 mutations are commonly associated with 1p/19q codeletion in diffuse adult gliomas. <i>Neuro-Oncology</i> , 2018 , 20, 716-718	1	6
14	Reduced H3K27me3 Expression is Common in Nodular Melanomas of Childhood Associated With Congenital Melanocytic Nevi But Not in Proliferative Nodules. <i>American Journal of Surgical Pathology</i> , 2018 , 42, 701-704	6.7	1
13	Giant congenital melanocytic nevus with vascular malformation and epidermal cysts associated with a somatic activating mutation in BRAF. <i>Pigment Cell and Melanoma Research</i> , 2018 , 31, 437-441	4.5	16
12	Skin and Nasal Involvement: Look for Sarcoidosis!. <i>American Journal of Medicine</i> , 2018 , 131, e295-e296	2.4	
11	Proof of concept: prognostic value of the plasmatic concentration of circulating cell free DNA in desmoid tumors using ddPCR. <i>Oncotarget</i> , 2018 , 9, 18296-18308	3.3	8
10	Negative Survival Impact of High Radiation Doses to Neural Stem Cells Niches in an IDH-Wild-Type Glioblastoma Population. <i>Frontiers in Oncology</i> , 2018 , 8, 426	5.3	7
9	Duplications of KIAA1549 and BRAF screening by Droplet Digital PCR from formalin-fixed paraffin-embedded DNA is an accurate alternative for KIAA1549-BRAF fusion detection in pilocytic astrocytomas. <i>Modern Pathology</i> , 2018 , 31, 1490-1501	9.8	17
8	Hereditary lysozyme amyloidosis with sicca syndrome, digestive, arterial, and tracheobronchial involvement: case-based review. <i>Clinical Rheumatology</i> , 2017 , 36, 2623-2628	3.9	12
7	HGNET-BCOR Tumors of the Cerebellum: Clinicopathologic and Molecular Characterization of 3 Cases. <i>American Journal of Surgical Pathology</i> , 2017 , 41, 1254-1260	6.7	29
6	Loss of H3K27 trimethylation is not suitable for distinguishing malignant peripheral nerve sheath tumor from melanoma: a study of 387 cases including mimicking lesions. <i>Modern Pathology</i> , 2017 , 30, 1677-1687	9.8	51
5	Paravertebral Well-Differentiated Liposarcoma with Low-Grade Osteosarcomatous Component: Case Report with 11-Year Follow-Up, Radiological, Pathological, and Genetic Data, and Literature Review. <i>Case Reports in Pathology</i> , 2017 , 2017, 2346316	0.9	2
4	Differential Diagnosis of Meningeal SFT-HPC and Meningioma: Which Immunohistochemical Markers Should Be Used?. <i>American Journal of Surgical Pathology</i> , 2016 , 40, 270-8	6.7	27
3	Prognostic value of the Hippo pathway transcriptional coactivators YAP/TAZ and β -integrin in conventional osteosarcoma. <i>Oncotarget</i> , 2016 , 7, 64702-64710	3.3	44
2	Targeting MICA/B with cytotoxic therapeutic antibodies leads to tumor control. <i>Open Research Europe</i> , 1, 107		

- 1 Targeting MICA/B with cytotoxic therapeutic antibodies leads to tumor control. *Open Research Europe*, 1, 107