

# Biljana Vidovic

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7124783/publications.pdf>

Version: 2024-02-01

14

papers

144

citations

1307594

7

h-index

1199594

12

g-index

14

all docs

14

docs citations

14

times ranked

169

citing authors

#	ARTICLE	IF	CITATIONS
1	The importance of cryptic species and subspecific populations in classic biological control of weeds: a North American perspective. <i>BioControl</i> , 2018, 63, 417-425.	2.0	32
2	Cryptic speciation within <i>Phytoptus avellanae</i> s.l. (Eriophyoidea: Phytoptidae) revealed by molecular data and observations on molting Tegonotus-like nymphs. <i>Experimental and Applied Acarology</i> , 2016, 68, 83-96.	1.6	30
3	Phenotypic variability in five <i>Aceria</i> spp. (Acari: Prostigmata: Eriophyoidea) inhabiting <i>Cirsium</i> species (Asteraceae) in Serbia. <i>Experimental and Applied Acarology</i> , 2010, 52, 169-181.	1.6	14
4	Geometric morphometric study of geographic and host-related variability in <i>Aceria</i> spp. (Acari) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 321-335.	1.6	9
5	Phenetic and phylogenetic relationships among <i>Aceria</i> spp. (Acari: Eriophyoidea) inhabiting species within the family Brassicaceae in Serbia. <i>Experimental and Applied Acarology</i> , 2017, 71, 329-343.	1.6	9
6	A new <i>Aculodes</i> species (Prostigmata: Eriophyoidea: Eriophyidae) associated with medusahead, <i>Taeniatherum caput-medusae</i> (L.) Nevski (Poaceae). <i>Systematic and Applied Acarology</i> , 2018, 23, 1217.	0.5	9
7	The impact of the flower mite <i>Aceria acroptiloni</i> on the invasive plant Russian knapweed, <i>Rhaponticum repens</i> , in its native range. <i>BioControl</i> , 2014, 59, 367-375.	2.0	7
8	Eriophyid Mites in Classical Biological Control of Weeds: Progress and Challenges. <i>Insects</i> , 2021, 12, 513.	2.2	7
9	Field Assessment of the Host Range of <i>Aculus mosoniensis</i> (Acari: Eriophyidae), a Biological Control Agent of the Tree of Heaven ( <i>Ailanthus altissima</i> ). <i>Insects</i> , 2021, 12, 637.	2.2	7
10	The host range and impact of <i>Aceria angustifoliae</i> (Eriophyidae), a potential biological control agent against Russian olive, <i>Elaeagnus angustifoliae</i> (Elaeagnaceae) in North America. <i>Biocontrol Science and Technology</i> , 2020, 30, 85-92.	1.3	6
11	A new <i>Aceria</i> species (Acari:Trombidiformes: Eriophyoidea) from West Asia, a potential biological control agent for the invasive weed camelthorn, <i>Alhagi maurorum</i> Medik. (Leguminosae). <i>Acarologia</i> , 2018, 58, 302-312.	0.6	4
12	Integrative Taxonomy and Synonymization of <i>Aculus mosoniensis</i> (Acari: Eriophyidae), a Potential Biological Control Agent for Tree of Heaven ( <i>Ailanthus altissima</i> ). <i>Insects</i> , 2022, 13, 489.	2.2	4
13	<p><strong>A new species and record of <em>Aceria</em> (Acari: Prostigmata: Eriophyoidea) on <em>Carlina</em> spp. (Asteraceae) from Serbia</strong></p>. <i>Zootaxa</i> , 2014, 3838, 486.	0.5	3
14	Comparison of the performance of an eriophyid mite, <i>Aceria salsolae</i> , on nontarget plants in the laboratory and in the field. <i>Biological Control</i> , 2021, 152, 104455.	3.0	3