

# Igor S Antipin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7124961/publications.pdf>

Version: 2024-02-01

292  
papers

3,721  
citations

172207

29  
h-index

264894

42  
g-index

301  
all docs

301  
docs citations

301  
times ranked

2356  
citing authors

#	ARTICLE	IF	CITATIONS
1	Coordination Polymers based on calixarene derivatives: Structures and properties. <i>Coordination Chemistry Reviews</i> , 2017, 352, 151-186.	9.5	106
2	Functional supramolecular systems: design and applications. <i>Russian Chemical Reviews</i> , 2021, 90, 895-1107.	2.5	93
3	Calix[4]arene based $\hat{\pm}$ -aminophosphonates: Novel carriers for zwitterionic amino acids transport. <i>Tetrahedron Letters</i> , 1997, 38, 5865-5868.	0.7	83
4	Modern Trends of Organic Chemistry in Russian Universities. <i>Russian Journal of Organic Chemistry</i> , 2018, 54, 157-371.	0.3	68
5	Phosphorus-containing calixarenes. <i>Russian Chemical Reviews</i> , 1998, 67, 905-922.	2.5	64
6	The synthesis of tetracarbonyl derivatives of thiacalix[4]arene in different conformations and their complexation properties towards alkali metal ions. <i>Tetrahedron</i> , 2003, 59, 1469-1476.	1.0	54
7	Cholinesterase sensor based on glassy carbon electrode modified with Ag nanoparticles decorated with macrocyclic ligands. <i>Talanta</i> , 2014, 127, 9-17.	2.9	51
8	Nonlinear Structure-Affinity Relationships for Vapor Guest Inclusion by Solid Calixarenes. <i>Journal of Physical Chemistry B</i> , 2002, 106, 5845-5851.	1.2	50
9	Electrochemical Aptasensor for the Determination of Ochratoxin A at the Au Electrode Modified with Ag Nanoparticles Decorated with Macrocyclic Ligand. <i>Electroanalysis</i> , 2013, 25, 1847-1854.	1.5	49
10	Organic chemistry. History and mutual relations of universities of Russia. <i>Russian Journal of Organic Chemistry</i> , 2017, 53, 1275-1437.	0.3	48
11	Thermodynamic comparison of molecular recognition of vaporous guests by solid calixarene and diol hosts. <i>Perkin Transactions II RSC</i> , 2000, , 2287-2294.	1.1	47
12	Novel Highly Charged Silica-Coated Tb(III) Nanoparticles with Fluorescent Properties Sensitive to Ion Exchange and Energy Transfer Processes in Aqueous Dispersions. <i>Langmuir</i> , 2009, 25, 3146-3151.	1.6	47
13	Ag selective electrode based on glassy carbon electrode covered with polyaniline and thiacalix[4]arene as neutral carrier. <i>Talanta</i> , 2007, 71, 1720-1727.	2.9	46
14	Artificial intelligence in synthetic chemistry: achievements and prospects. <i>Russian Chemical Reviews</i> , 2017, 86, 1127-1156.	2.5	45
15	Molecular tectonics: on the formation of 1-D silver coordination networks by thiacalixarenes bearing nitrile groups. <i>Dalton Transactions</i> , 2007, , 5126.	1.6	43
16	Vibrational spectra, co-operative intramolecular hydrogen bonding and conformations of calix[4]arene and thiacalix[4]arene molecules and their para-tert-butyl derivatives. <i>Organic and Biomolecular Chemistry</i> , 2005, 3, 2558.	1.5	41
17	Lipophilic aminophosphonates and their calix[4]arene derivatives: synthesis and membrane transport of biorelevant species. <i>Heteroatom Chemistry</i> , 2000, 11, 518-527.	0.4	40
18	The synthesis of p-tert-butyl thiacalix[4]arenes functionalized with secondary amide groups at the lower rim and their extraction properties and self-assembly into nanoscale aggregates. <i>Tetrahedron</i> , 2008, 64, 7112-7121.	1.0	40

#	ARTICLE	IF	CITATIONS
19	2-Butyne-1,4-diol hydrogenation over palladium supported on Zn <sup>2+</sup> -based " MOF and host" guest MOF/calix[4]arene materials. <i>Microporous and Mesoporous Materials</i> , 2013, 166, 167-175.	2.2	39
20	Outer-Sphere Association of p-Sulfonatothiacalix[4]arene and Tetrasulfonatomethylated Calix[4]resorcinarene with Cobalt(III) Tris(dipyridyl):% The Effect on the Spectral and Electrochemical Properties of the Latter. <i>Inorganic Chemistry</i> , 2005, 44, 4017-4023.	1.9	38
21	Thiacalix[4]arene's Lower Rim Derivatives: Synthesis and Supramolecular Properties. <i>Macrocyclic Chemistry</i> , 2017, 10, 134-146.	0.9	38
22	Automatized Assessment of Protective Group Reactivity: A Step Toward Big Reaction Data Analysis. <i>Journal of Chemical Information and Modeling</i> , 2016, 56, 2140-2148.	2.5	37
23	Novel membrane mimetic systems based on amphiphilic oxyethylated calix[4]arene: Aggregative and liquid crystalline behavior. <i>Journal of Membrane Science</i> , 2010, 364, 90-101.	4.1	36
24	Cooperative intramolecular hydrogen bond and conformations of thioalix[4]arene molecules. <i>Russian Chemical Bulletin</i> , 2002, 51, 825-827.	0.4	35
25	Supramolecular systems based on calixarenes. <i>Mendeleev Communications</i> , 2008, 18, 229-237.	0.6	35
26	Complex Formation of "Metal Ions at the Interface of Tb<sup>III</sup>" Doped Silica Nanoparticles as a Basis of Substrate" Responsive Tb<sup>III</sup>" Centered Luminescence. <i>ChemPhysChem</i> , 2012, 13, 3357-3364.	1.0	35
27	Solvent extraction and self-assembly of nanosized aggregates of p-tert-butyl thiacalix[4]arenes tetrasubstituted at the lower rim by tertiary amide groups and monocharged metal cations in the organic phase. <i>Tetrahedron</i> , 2008, 64, 7489-7497.	1.0	34
28	Solution behavior of mixed systems based on novel amphiphilic cyclophanes and Triton X100: Aggregation, cloud point phenomenon and cloud point extraction of lanthanide ions. <i>Journal of Colloid and Interface Science</i> , 2010, 346, 405-413.	5.0	32
29	Dopamine Sensor Based on a Composite of Silver Nanoparticles Implemented in the Electroactive Matrix of Calixarenes. <i>Electroanalysis</i> , 2011, 23, 2281-2289.	1.5	30
30	Molecular tectonics: 3-D organisation of decanuclear silver nanoclusters. <i>Chemical Communications</i> , 2009, , 2514.	2.2	29
31	p-tert-Butyl thiacalix[4]arenes functionalized at the lower rim by amide, hydroxyl and ester groups as anion receptors. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 3225.	1.5	29
32	Molecular tectonics: pyridyl containing thiacalix[4]arene based tectons for the generation of 2- and 3-D silver coordination networks. <i>Dalton Transactions</i> , 2013, 42, 116-126.	1.6	29
33	Structure-reactivity relationships in terms of the condensed graphs of reactions. <i>Russian Journal of Organic Chemistry</i> , 2014, 50, 459-463.	0.3	29
34	Structural, spectroscopic, FMOs, and non-linear optical properties exploration of three thiacalix(4)arenes derivatives. <i>Arabian Journal of Chemistry</i> , 2022, 15, 103656.	2.3	29
35	Nonregular structure"property relationships for inclusion parameters of tert-butylcalix[5]arene. <i>Organic and Biomolecular Chemistry</i> , 2007, 5, 1472-1478.	1.5	27
36	Increasing permeability of phospholipid bilayer membranes to alanine with synthetic "aminophosphonate carriers. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 2320-2323.	1.0	26

#	ARTICLE	IF	CITATIONS
37	“Click chemistry”™ in the synthesis of new amphiphilic 1,3-alternate thiacalixarenes. <i>Mendeleev Communications</i> , 2015, 25, 177-179.	0.6	26
38	Array of fluorescent chemosensors for the molecular recognition of halide anions on the basis of the stereoisomers of thiacalix[4]arene tetranaphthylamides. <i>Mendeleev Communications</i> , 2006, 16, 294-297.	0.6	25
39	Selectivity of solid-contact Ag potentiometric sensors based on thiacalix[4]arene derivatives. <i>Talanta</i> , 2008, 76, 441-447.	2.9	25
40	Synthesis and complexation properties of 1,3-alternate stereoisomers of p-tert-butylthiacalix[4]arenes tetrasubstituted at the lower rim by the phthalimide group. <i>Mendeleev Communications</i> , 2009, 19, 193-195.	0.6	25
41	Structure–reactivity relationship in bimolecular elimination reactions based on the condensed graph of a reaction. <i>Journal of Structural Chemistry</i> , 2015, 56, 1227-1234.	0.3	25
42	Cryptate acidity scales. Solvent polarity effect on ion-pair and free ion acidity of organic compounds. <i>Journal of Physical Organic Chemistry</i> , 1994, 7, 181-191.	0.9	23
43	Supramolecular self-assemblies of stereoisomers of p-tert-butyl thiacalix[4]arenes functionalized with hydrazide groups at the lower rim with some metal cations. <i>Tetrahedron</i> , 2009, 65, 7109-7114.	1.0	23
44	Dual Visible and Near-Infrared Luminescent Silica Nanoparticles. <i>Synthesis and Aggregation Stability. Journal of Physical Chemistry C</i> , 2010, 114, 6350-6355.	1.5	23
45	Phosphorylated amino derivatives of thiacalix[4]arene as membrane carriers: synthesis and host–guest molecular recognition of amino, hydroxy and dicarboxylic acids. <i>Journal of Physical Organic Chemistry</i> , 2014, 27, 57-65.	0.9	23
46	Bimolecular Nucleophilic Substitution Reactions: Predictive Models for Rate Constants and Molecular Reaction Pairs Analysis. <i>Molecular Informatics</i> , 2019, 38, e1800104.	1.4	23
47	Novel amphiphilic conjugates of p-tert-butylthiacalix[4]arene with 10,12-pentacosadiynoic acid in 1,3-alternate stereoisomeric form. Synthesis and chromatic properties in the presence of metal ions. <i>New Journal of Chemistry</i> , 2018, 42, 2942-2951.	1.4	22
48	Phosphorylation of p-tert-butylthiacalix[4]arene: Reaction with phosphorus trichloride. <i>Tetrahedron Letters</i> , 1999, 40, 8461-8464.	0.7	20
49	One-Step Heterylation at the Upper Rim of Calix[4]arene with 1,2,4-Triazin-5(2H)-ones. <i>Journal of Organic Chemistry</i> , 2006, 71, 8272-8275.	1.7	20
50	“Clickable” thiacalix[4]arene derivatives bearing polymerizable 1,3-butadiyne fragments: synthesis and incorporation into polydiacetylene vesicles. <i>RSC Advances</i> , 2016, 6, 44873-44877.	1.7	20
51	FT-IR and FT-Raman study of hydrogen bonding in p-alkylcalix[8]arenes. <i>Vibrational Spectroscopy</i> , 2018, 95, 38-43.	1.2	20
52	Assessment of tautomer distribution using the condensed reaction graph approach. <i>Journal of Computer-Aided Molecular Design</i> , 2018, 32, 401-414.	1.3	20
53	The pH-responsive calix[4]resorcinarene-mPEG conjugates bearing acylhydrazone bonds: Synthesis and study of the potential as supramolecular drug delivery systems. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 589, 124453.	2.3	20
54	Title is missing!. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 1999, 35, 389-396.	1.6	19

#	ARTICLE	IF	CITATIONS
55	Artificial ion channels. Russian Chemical Reviews, 2003, 72, 1055-1077.	2.5	19
56	Molecular recognition of organic guest vapor by solid adamantlycalix[4]arene. Russian Chemical Bulletin, 2004, 53, 60-65.	0.4	19
57	A first report on ternary complex formation between p-sulfonatothiacalix[4]arene, tetramethylammonium ion and gadolinium (III) ion in aqueous solutions. Inorganic Chemistry Communication, 2005, 8, 821-824.	1.8	19
58	Heterometallic Co <sup>III</sup> Ln <sup>III</sup> (Ln = Gd, Tb, Dy) Complexes on a Sulfonatothiacalix[4]arene Platform Exhibiting Redox-Switchable Metal-Metal Energy Transfer. European Journal of Inorganic Chemistry, 2008, 2008, 3957-3963.	1.0	19
59	p-tert-Butyl thiacalix[4]arenes functionalized at the lower rim by o-, m-, p-amido and o-, m-, p-(amidomethyl)pyridine fragments as receptors for $\pm$ -hydroxy- and dicarboxylic acids. Tetrahedron, 2010, 66, 359-367.	1.0	19
60	Heteroditopic p-tert-butyl thiacalix[4]arenes for creating supramolecular self-assemblies by cascade or commutative mechanisms. RSC Advances, 2012, 2, 3906.	1.7	19
61	Proton conductivity of calix[n]arene-para-sulfonic acids (n = 4, 8). Russian Chemical Bulletin, 2012, 61, 1892-1899.	0.4	19
62	Molecular Tectonics: Control of the Dimensionality in Tetramercaptothiacalixarenes Based Coordination Networks. Inorganic Chemistry, 2013, 52, 6776-6778.	1.9	19
63	Molecular tectonics: anion control of dimensionality and connectivity in meta-pyridyl appended tetramercaptotetrathiacalix[4]arene based silver coordination networks. Dalton Transactions, 2014, 43, 158-165.	1.6	19
64	Modeling K <sup>+</sup> and Ag <sup>+</sup> Complexation by Thiacalix[4]arene Amides Using DFT: The Role of Intramolecular Hydrogen Bonding. Journal of Physical Chemistry A, 2009, 113, 5691-5699.	1.1	18
65	Redox induced pH-switch of Tb(III) centered luminescence of Tb(III) complex with p-sulfonatothiacalix[4]arene. Electrochemistry Communications, 2010, 12, 703-705.	2.3	18
66	Cascade and Commutative Self-Assembles of Nanoscale Three-Component Systems Controlled by the Conformation of Thiacalix[4]arene. Langmuir, 2011, 27, 14053-14064.	1.6	18
67	Thiacalix[4]arene-functionalized vesicles as phosphorescent indicators for pyridoxine detection in aqueous solution. RSC Advances, 2015, 5, 101177-101185.	1.7	18
68	Molecular tectonics: dimensionality and geometry control of silver coordination networks based on pyrazolyl appended thiacalixarenes. CrystEngComm, 2016, 18, 691-703.	1.3	18
69	The supramolecular approach to the phase transfer of carboxylic calixresorcinarene-capped silver nanoparticles. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2017, 524, 127-134.	2.3	18
70	Discrimination of apple juice and herbal liqueur brands with solid-state electrodes covered with polyaniline and thiacalixarenes. Talanta, 2010, 82, 613-619.	2.9	17
71	Phosphorus macrocycles and cryptands. Russian Chemical Bulletin, 2004, 53, 1402-1416.	0.4	16
72	Molecular recognition of chloroform by divergent polymorphic transitions in tert-butylthiacalix[4]arene tetrasubstituted with N-(2-hydroxyethyl)carbamoylmethoxy groups in a lower rim. Mendeleev Communications, 2011, 21, 291-292.	0.6	16

#	ARTICLE	IF	CITATIONS
73	Design of supramolecular biomimetic catalysts of high substrate specificity by noncovalent self-assembly of calix[4]arenes with amphiphilic and polymeric amines. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014, 117, 497-504.	2.5	16
74	Extraction of cesium and americium with p-alkylcalix[8]arenes from alkaline solutions. <i>Radiochemistry</i> , 2016, 58, 381-388.	0.2	16
75	Synthesis of new <i>p</i> -tert-butylcalix[4]arene-based polyammonium triazolyl amphiphiles and their binding with nucleoside phosphates. <i>Beilstein Journal of Organic Chemistry</i> , 2018, 14, 1980-1993.	1.3	16
76	Influence of the guest molecular size on the thermodynamic parameters of host-guest complexes between solid tert-butylcalix[4]arene and vapours of organic compounds. <i>Mendeleev Communications</i> , 1999, 9, 11-13.	0.6	15
77	Synthesis, structure, and complexation properties of tetraamide derivatives of thiacalix[4]arene in different conformations. <i>Russian Chemical Bulletin</i> , 2005, 54, 2104-2112.	0.4	15
78	Molecular transport in thiacalix[4]arene-modified nanoporous colloidal films. <i>Microporous and Mesoporous Materials</i> , 2010, 131, 378-384.	2.2	15
79	Unusual functionalization of the lower rim of thiacalix[4]arene: competition of alkylation and transalkylation. <i>Russian Chemical Bulletin</i> , 2011, 60, 486-498.	0.4	15
80	Label-free aptasensor for thrombin determination based on the nanostructured phenazine mediator. <i>Talanta</i> , 2012, 102, 156-163.	2.9	15
81	Step-by-step design of novel biomimetic nanoreactors based on amphiphilic calix[4]arene immobilized on polymer or mineral platforms for destruction of ecological toxicants. <i>Chemical Engineering Journal</i> , 2012, 185-186, 285-293.	6.6	15
82	Electrochemical Aptasensor Based on a Macrocyclic Ligand Bearing Neutral Red. <i>Electroanalysis</i> , 2012, 24, 91-100.	1.5	15
83	Cholinesterase Biosensors Based on Screen-Printed Electrodes Modified with Co-Phtalocyanine and Polycarboxylated Thiacalixarenes. <i>Electroanalysis</i> , 2012, 24, 554-562.	1.5	15
84	Development of structure-property models in nucleophilic substitution reactions involving azides. <i>Journal of Structural Chemistry</i> , 2014, 55, 1026-1032.	0.3	15
85	Structure-reactivity relationship in Diels-Alder reactions obtained using the condensed reaction graph approach. <i>Journal of Structural Chemistry</i> , 2017, 58, 650-656.	0.3	15
86	New Amphiphilic Imidazolium/Benzimidazolium Calix[4]arene Derivatives: Synthesis, Aggregation Behavior and Decoration of DPPC Vesicles for Suzuki Coupling in Aqueous Media. <i>Nanomaterials</i> , 2020, 10, 1143.	1.9	15
87	Title is missing!. <i>Combustion, Explosion and Shock Waves</i> , 2002, 38, 525-534.	0.3	14
88	Heterometallic complex formation on p-sulfonatothiacalix[4]arene platform resulting in pH- and redox-modification of [Ru(bpy) <sub>3</sub> ] <sup>2+</sup> luminescence. <i>Inorganica Chimica Acta</i> , 2009, 362, 3279-3284.	1.2	14
89	Phosphorus-bridged calixarene phosphites: dramatic influence of a tert-butyl group at the upper rim of the macrocycle upon anion binding. <i>Mendeleev Communications</i> , 2010, 20, 359-360.	0.6	14
90	Using clathrate pseudopolymorphism for a single sensor detection of target component in the headspace of liquid mixture. <i>Sensors and Actuators B: Chemical</i> , 2010, 148, 264-268.	4.0	14

#	ARTICLE	IF	CITATIONS
91	Potentiometric Sensors Based on Polyaniline and Thiocalixarenes for Green Tea Discrimination. <i>Electroanalysis</i> , 2011, 23, 1081-1088.	1.5	14
92	Phenylurea-Equipped p-tert-Butylthiocalix[4]Arenes as the Synthetic Receptors for Monocharged Anions. <i>Mendeleev Communications</i> , 2013, 23, 41-43.	0.6	14
93	Molecular tectonics: p-H-thiocalix[4]arene pyridyl appended positional isomers as tectons for the formation of 1D and 2D mercury coordination networks. <i>Dalton Transactions</i> , 2013, 42, 9946.	1.6	14
94	Binding of l-tryptophan and bovine serum albumin by novel gold nanoparticles capped with amphiphilic sulfonatomethylated calixresorcinarenes. <i>Journal of Molecular Liquids</i> , 2019, 286, 110879.	2.3	14
95	Phosphorylation of p-tert-butylthiocalix[4]arene: reaction with phosphorous triamides. <i>Perkin Transactions II RSC</i> , 2000, , 1741-1744.	1.1	13
96	Chemo- and stereocontrolled alkylation of 1,2-disubstituted at the lower rim 1,2-alternate p-tert-butylthiocalix[4]arene. <i>Mendeleev Communications</i> , 2011, 21, 41-43.	0.6	13
97	Selective transmembrane carriers for hydroxycarboxylic acids: Influence of a macrocyclic calix[4]arene platform. <i>Mendeleev Communications</i> , 2012, 22, 80-82.	0.6	13
98	Molecular tectonics: generation of grid and porous diamondoid coordination networks by calixarene based tectons. <i>CrystEngComm</i> , 2014, 16, 3765-3772.	1.3	13
99	Detection of sulfate surface-active substances via fluorescent response using new amphiphilic thiocalix[4]arenes bearing cationic headgroups with Eosin Y dye. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017, 515, 41-49.	2.3	13
100	The cooperative effect of the third component on the isotherms of guest vapour inclusion in solid tert-butylcalix[4]arene. <i>Mendeleev Communications</i> , 1997, 7, 215-217.	0.6	12
101	Synthetic receptors for transition metal cations " tetrahydrazides on the basis of p-tert-butylthiocalix[4]arene. <i>Mendeleev Communications</i> , 2006, 16, 248-249.	0.6	12
102	Synthesis of stereoisomers of p-tert-butylthiocalix[4]arenes tetrasubstituted at the lower rim containing secondary amide groups and their complexation with a number of singly charged anions. <i>Russian Chemical Bulletin</i> , 2009, 58, 1007-1014.	0.4	12
103	New membrane carrier for glutamic acid based on p-tert-butylcalix[4]arene 1,3-disubstituted at the lower rim. <i>Mendeleev Communications</i> , 2009, 19, 163-164.	0.6	12
104	Langmuir Monolayers and Thin Films of Amphiphilic Thiocalix[4]arenes. Properties and Matrix for the Immobilization of Cytochrome <i>c</i> . <i>Langmuir</i> , 2014, 30, 15153-15161.	1.6	12
105	Calixresorcinarene-capped silver nanoparticles as new supramolecular hybrid nanocontainers. <i>Mendeleev Communications</i> , 2017, 27, 335-337.	0.6	12
106	Polycationic Derivatives of p-tert-Butylthiocalix[4]arene in 1,3-alternate Stereoisomeric Form: New DNA Condensing Agents. <i>Macroheterocycles</i> , 2016, 9, 433-441.	0.9	12
107	Analysis of the spatial structure of calixarenes in solutions by 2-D NMR (NOESY) spectroscopy. <i>Applied Magnetic Resonance</i> , 2006, 30, 165-173.	0.6	11
108	Influence of Nature of Functional Groups on Interaction of Tetrasubstituted at Lower Rim p-tert-Butyl Thiocalix[4]arenes in 1,3-Alternate Configuration with Model Lipid Membranes. <i>Applied Magnetic Resonance</i> , 2011, 40, 231-243.	0.6	11

#	ARTICLE	IF	CITATIONS
109	Silica Nanoparticles with Proton Donor and Proton Acceptor Groups: Synthesis and Aggregation. <i>Silicon</i> , 2011, 3, 5-12.	1.8	11
110	Molecular tectonics: silver coordination networks based on tetramercaptothiacalix[4]arene in 1,3-alternate conformation bearing four nitrile groups. <i>Russian Chemical Bulletin</i> , 2015, 64, 1955-1962.	0.4	11
111	Micelle mediated extraction of americium and europium by calix[4]arene phosphine oxides from nitric acid media. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2017, 311, 599-609.	0.7	11
112	Thiacalix[4]monocrowns Substituted by Sulfur-Containing Anchoring Groups: New Ligands for Gold Surface Modification. <i>Macroheterocycles</i> , 2013, 6, 302-307.	0.9	11
113	Synthesis, Structure, and Extraction Ability of Tetrasubstituted Thiacalix[4]Arenes with Crown Ether Fragments on the Lower Rim. <i>Macroheterocycles</i> , 2012, 5, 17-22.	0.9	11
114	Extraction of technetium(vii) by calix[4]arene tetraketones and tetraesters from acidic and basic media. <i>Russian Chemical Bulletin</i> , 2004, 53, 127-132.	0.4	10
115	The use of a lyotropic liquid-crystalline medium and residual dipolar coupling constants for determination of the spatial structure of thiacalix[4]arenes in solutions. <i>Russian Chemical Bulletin</i> , 2004, 53, 1466-1470.	0.4	10
116	Phosphorylation of p-tert-butyl(thia)calixarenes by ethylene chlorophosphite. <i>Mendeleev Communications</i> , 2012, 22, 21-22.	0.6	10
117	Microwave-assisted Alkylation of p-tert-butylcalix[4]arene Lower Rim: The Effect of Alkyl Halides. <i>Mendeleev Communications</i> , 2013, 23, 113-115.	0.6	10
118	Control of dimensionality in Manganese Coordination Polymers using rigid tetrahedral-shaped [1.1.1.1]metacyclophane ligands bearing benzoate coordinating sites: From homochiral 1D to 3D diamond-like structures. <i>Inorganic Chemistry Communication</i> , 2019, 106, 197-201.	1.8	10
119	Nuclearity control in calix[4]arene-based zinc( $\text{II}$ ) coordination complexes. <i>CrystEngComm</i> , 2020, 22, 7693-7703.	1.3	10
120	Azocalix[4]arene-Rhodamine Supramolecular Hypoxia-Sensitive Systems: A Search for the Best Calixarene Hosts and Rhodamine Guests. <i>Molecules</i> , 2021, 26, 5451.	1.7	10
121	Synthesis of Photo-Switchable Derivatives of p-tert-Butyl Thiacalix[4]arenes Containing Ethoxycarbonyl and 4-Amidoazobenzene Fragments in the Lower Rim Substituents. <i>Macroheterocycles</i> , 2013, 6, 219-226.	0.9	10
122	Americium and Cesium Extraction from Alkaline Media by Calix[8]arenes with p-tert-Butyl and Isononyl Substituents on the Upper Rim: Aggregation Effect. <i>Macroheterocycles</i> , 2017, 10, 196-202.	0.9	10
123	Azide-alkyne Click Approach to the Preparation of Dendrimer-Type Multi(thia)calix[4]arenes with Triazole Linkers. <i>Macroheterocycles</i> , 2017, 10, 203-214.	0.9	10
124	The First Example of a $\lambda^2$ -Dioxaphosphenium Cation, Stabilized by an Intramolecular Dative P+ $\rightarrow$ S Bond. <i>Organic Letters</i> , 2001, 3, 1299-1301.	2.4	9
125	Outer-sphere interactions between octahedral chiral cobalt(III) complexes and water-soluble calixarenes. <i>Russian Chemical Bulletin</i> , 2004, 53, 1511-1519.	0.4	9
126	Effect of the size of calixarene macrocycle on the thermodynamic parameters of formation of inclusion compounds in guest vapor-solid host systems. <i>Russian Chemical Bulletin</i> , 2004, 53, 1536-1543.	0.4	9



#	ARTICLE	IF	CITATIONS
127	Design and Ionophore Properties of Some Macrocyclic Calixarene-Based Ligands. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2004, 30, 227-244.	0.3	9
128	Synthesis and complexation properties of carbonyl-containing thiacalix[4]arenes. Russian Chemical Bulletin, 2008, 57, 1477-1485.	0.4	9
129	Regioselective alkylation of the lower rim of <i>p</i> -tert-butylthiacalix[4]arene with <i>N</i> -( <i>p</i> -nitrophenyl)- $\beta$ -bromoacetamide. Supramolecular Chemistry, 2009, 21, 564-571.	1.5	9
130	Interfacial adsorption and stripping of ions as a reason of stimuli responsive luminescence of Tb-doped silica nanoparticles. Materials Chemistry and Physics, 2012, 132, 488-493.	2.0	9
131	Synthesis, structure, and properties of a new representative of the family of calix[4]arene-containing [MnII 2MnIII 2]-clusters. Russian Chemical Bulletin, 2013, 62, 536-542.	0.4	9
132	Conformational diversity and dynamics of distally disubstituted calix and thiacalix[4]arenes in solution. Journal of Physical Organic Chemistry, 2013, 26, 407-414.	0.9	9
133	Synthesis and Characterization of Thiacalix[4]monocrowns Modified by Thioether Groups on the Lower Rim. Phosphorus, Sulfur and Silicon and the Related Elements, 2013, 188, 499-502.	0.8	9
134	Synthesis and structure of lower rim-substituted alkynyl derivatives of thiacalix[4]arene. Russian Journal of Organic Chemistry, 2015, 51, 1334-1342.	0.3	9
135	Unusual nanosized associates of carboxy-calix[4]resorcinarene and cetylpyridinium chloride: the macrocycle as a glue for surfactant micelles. Soft Matter, 2017, 13, 2004-2013.	1.2	9
136	New DNA-sensor based on thiacalix[4]arene-modified polydiacetylene particles. Russian Chemical Bulletin, 2019, 68, 1067-1074.	0.4	9
137	Investigation of hydrogen bonding in <i>p</i> -sulfonatocalix[4]arene and its thermal stability by vibrational spectroscopy. Journal of Molecular Structure, 2019, 1195, 403-410.	1.8	9
138	Vibrational spectra study of <i>p</i> -sulfonatocalix[4]arene containing azobenzene groups. Journal of Molecular Structure, 2020, 1200, 127058.	1.8	9
139	Synthesis of Ag-AgCl nanoparticles capped by calix[4]resorcinarene-mPEG conjugate and their antimicrobial activity. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2020, 602, 125124.	2.3	9
140	Photocatalytic properties of supramolecular nanoassociates based on gold and platinum nanoparticles, capped by amphiphilic calix[4]resorcinarenes, towards organic dyes. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2020, 596, 124700.	2.3	9
141	Self-Aggregation and Solubilizing Properties of the Supramolecular System Based on Azobenzenesulfonate Calix[4]arene and CTAB. Macrocyclics, 2017, 10, 454-459.	0.9	9
142	Photophysical and electrochemical properties of the outer-sphere associate of [Ru(bipy)3]2+ with <i>p</i> -sulfonatothiacalix[4]arene. Russian Chemical Bulletin, 2008, 57, 1897-1904.	0.4	8
143	Thiacalix[4]arenes with terminal thiol groups at the lower rim: synthesis and structure. Russian Chemical Bulletin, 2009, 58, 145-151.	0.4	8
144	Extraction of lanthanum and gadolinium(III) at the cloud point using <i>p</i> -sulfonatocalix[n]arenes as chelating agents. Colloid Journal, 2009, 71, 69-75.	0.5	8

#	ARTICLE	IF	CITATIONS
145	Synthesis of silver and lithium sub-micro- and nanoparticles coated with derivatives of p-tert-butyl thiacalix[4]arenes. <i>Journal of Nanoparticle Research</i> , 2011, 13, 6603-6611.	0.8	8
146	The interfacial interactions of Tb-doped silica nanoparticles with surfactants and phospholipids revealed through the fluorescent response. <i>Colloids and Surfaces B: Biointerfaces</i> , 2012, 92, 327-333.	2.5	8
147	Experimental and theoretical study of the influence of peripheral environment on magnetic properties of tetranuclear manganese skeleton in new representatives of calix[4]arene-containing [MnII <sub>2</sub> MnIII <sub>2</sub> ] clusters. <i>Journal of Molecular Structure</i> , 2015, 1081, 217-223.	1.8	8
148	Thiacalix[4]monocrowns with terpyridine functional groups as new structural units for luminescent polynuclear lanthanide complexes. <i>Supramolecular Chemistry</i> , 2016, 28, 589-600.	1.5	8
149	Interactions of New bis-Ammonium Thiacalix[4]arene Derivatives in 1,3-Alternate Stereoisomeric Form with Bovine Serum Albumin. <i>BioNanoScience</i> , 2016, 6, 427-430.	1.5	8
150	Nanoconjugates of a calixresorcinarene derivative with methoxy poly(ethylene glycol) fragments for drug encapsulation. <i>Bellstein Journal of Nanotechnology</i> , 2018, 9, 2057-2070.	1.5	8
151	FT-IR and FT-Raman study of p-sulfonatocalix [8]arene. <i>Journal of Molecular Structure</i> , 2020, 1203, 127474.	1.8	8
152	Mixed Tb/Dy coordination ladders based on tetra(carboxymethyl)thiacalix[4]arene: a new avenue towards luminescent molecular nanomagnets. <i>RSC Advances</i> , 2020, 10, 11755-11765.	1.7	8
153	Mono-, 1,3-Di- and Tetrasubstituted p-tert-Butylthiacalix[4]arenes Containing Phthalimide Groups: Synthesis and Functionalization with Ester, Amide, Hydrazone and Amino Groups. <i>Macrocyclics</i> , 2012, 5, 266-274.	0.9	8
154	Calixresorcinarene cavitands bearing lipophilic cationic fragments in the construction of mitochondrial-targeting supramolecular nanoparticles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 642, 128622.	2.3	8
155	Synthetic receptors based on calix[4]arene functionalized at the lower rim in molecular recognition of dicarboxylic, $\alpha$ -hydroxycarboxylic, and $\alpha$ -amino acids. <i>Russian Chemical Bulletin</i> , 2004, 53, 1172-1180.	0.4	7
156	New host molecules based on the thiacalix[4]arene platform for cation recognition. <i>Journal of Structural Chemistry</i> , 2005, 46, S22-S27.	0.3	7
157	IR and NMR spectra, intramolecular hydrogen bonding and conformations of mercaptothiacalix[4]arene molecules and their para-tert-butyl-derivative. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2008, 60, 281-291.	1.6	7
158	Self-assembly of nanosized aggregates based on the photoswitchable p-tert-butyl thiacalix[4]arene derivative and Fe III, CuII, and AgI cations. <i>Russian Chemical Bulletin</i> , 2009, 58, 101-107.	0.4	7
159	Composite materials on the basis of phenylencarboxylate framework MOF-5 and calix[4]arenes with various structures. <i>Russian Journal of Physical Chemistry A</i> , 2011, 85, 293-297.	0.1	7
160	Self-assembly of p-tert-butyl thiacalix[4]arenes and metal cations into nanoscale three-dimensional particles. <i>Journal of Physical Organic Chemistry</i> , 2012, 25, 1177-1185.	0.9	7
161	Regioselective synthesis of 1,2,3-triazolyl derivatives of calix[4]arenes based on 1,3-dipolar cycloaddition. <i>Russian Chemical Bulletin</i> , 2013, 62, 767-772.	0.4	7
162	Effect of ionizing radiation on the extraction of Am(III) with p-tert-butylthiacalix[4]arene from alkaline carbonate solutions. <i>Radiochemistry</i> , 2017, 59, 365-371.	0.2	7

#	ARTICLE	IF	CITATIONS
163	Cesium and americium extraction from carbonate-alkaline media with O-substituted p-alkylcalix[8]arenes. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2017, 314, 1257-1265.	0.7	7
164	Synthesis of Bifunctional Derivatives of Calix[4]arene Bearing Azidoalkyl Fragments in Cone Stereoisomeric Form. <i>Doklady Chemistry</i> , 2020, 490, 1-5.	0.2	7
165	Amphiphilic Pd <sup>II</sup> â€NHC Complexes on <i>1,3-Alternate p-tert-butylthiacalix[4]arene Platform: Synthesis and Catalytic Activities in Coupling and Hydrogenation Reactions. <i>European Journal of Organic Chemistry</i> , 2020, 2020, 2180-2189.	1.2	7
166	Polymer and supramolecular nanocontainers based on carboxylate derivatives of resorcinarenes for binding of substrates and design of composites for catalysis. <i>Russian Chemical Bulletin</i> , 2020, 69, 351-359.	0.4	7
167	Thiacalixarenes with Sulfur Functionalities at Lower Rim: Heavy Metal Ion Binding in Solution and 2D-Confined Space. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2341.	1.8	7
168	Chiral Î±-Aminophosphonates: Synthesis and Transport Properties. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1996, 111, 117-117.	0.8	6
169	Title is missing!. <i>Magyar Árvad KÅzlemÃnyek</i> , 1998, 54, 305-309.	1.4	6
170	Membrane extraction of organic compounds. <i>Russian Chemical Bulletin</i> , 1998, 47, 1697-1701.	0.4	6
171	Î±-Aminophosphonates: Effective Carriers for the Membrane Transport of Biorelevant Species. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1999, 144, 347-350.	0.8	6
172	1,3-Disubstituted p-tert-Butylcalix[4]arenes as Cholinesterase Inhibitors. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2001, 39, 339-346.	1.6	6
173	Thiacalix[4]arene-containing M2Ln2 complexes (M = MnII, CoII; Ln = EuIII, PrIII): synthesis, structure, and magnetic properties. <i>Russian Chemical Bulletin</i> , 2014, 63, 1465-1474.	0.4	6
174	Synthesis of tetrathioesters and tetrathioamides based p-tert-butylthiacalix[4]arene and studying their recognition abilities towards different metals by extraction. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2014, 78, 121-126.	0.9	6
175	Molecular tectonics: from a binuclear metallamacrocycle to a 1D isostructural coordination network based on tetracyanomethyl[1.1.1]metacyclophane and a silver cation. <i>Mendeleev Communications</i> , 2017, 27, 260-262.	0.6	6
176	New Amphiphilic Calix[4]Arene Derivatives with 4,5-Dicarboxytriazolyl Fragments: Synthesis and Use in Micellar Catalysis. <i>Russian Journal of Physical Chemistry B</i> , 2019, 13, 401-407.	0.2	6
177	Thermally Stable Nitrothiacalixarene Chromophores: Conformational Study and Aggregation Behavior. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6916.	1.8	6
178	New terpyridine derivatives of thiacalix[4]arenes in solution and at the water-air interface. <i>Russian Chemical Bulletin</i> , 2020, 69, 339-350.	0.4	6
179	Synthesis of Water-Soluble Polyammonium Thiacalix[4]arene Derivative and Its Interaction with Calf Thymus DNA. <i>Russian Journal of General Chemistry</i> , 2020, 90, 99-104.	0.3	6
180	Enantioselective Recognition of Amino Acids by Enantiomerically Pure Calix[4]arene Carboxylic Acid or Their Diastereomerically Pure N-(1-Phenyl)Äethyl Amides. <i>Macroheterocycles</i> , 2013, 6, 227-233.	0.9	6

#	ARTICLE	IF	CITATIONS
181	Template Synthesis of Tetrakis-triazolythiacalix[4]arene in the Cone Conformation and Supramolecular Structure of Its Hexanuclear Complex with Ag(I). <i>Macroheterocycles</i> , 2014, 7, 189-195.	0.9	6
182	Impact of flexible succinate connectors on the formation of tetrasulfonylcalix[4]arene based Nano-sized polynuclear cages: structural diversity and induced chirality study. <i>CrystEngComm</i> , 0, , .	1.3	6
183	New Calix[4]arene-Fluoresceine Conjugate by Click Approach-Synthesis and Preparation of Photocatalytically Active Solid Lipid Nanoparticles. <i>Molecules</i> , 2022, 27, 2436.	1.7	6
184	Title is missing!. <i>Russian Chemical Bulletin</i> , 2001, 50, 2134-2143.	0.4	5
185	Membrane transport of dicarboxylic and $\beta$ -hydroxy carboxylic acids induced by $\beta$ -amino phosphonates. <i>Russian Chemical Bulletin</i> , 2004, 53, 1577-1583.	0.4	5
186	Complexation of Gd(III) with tetra- <i>p</i> -tert-butylthiacalix[4]arenoic acid in micellar media. <i>Russian Chemical Bulletin</i> , 2009, 58, 1400-1407.	0.4	5
187	Photomagnetic effect in molecular magnets based on nitrosyl complexes of ruthenium and rare-earth ions. <i>Physics of the Solid State</i> , 2009, 51, 2095-2100.	0.2	5
188	Synthesis and fluorescent properties of thiacalix[4]arenes containing terpyridyl fragments at the lower rim. <i>Russian Chemical Bulletin</i> , 2014, 63, 214-222.	0.4	5
189	Molecular tectonics: tetracarboxythiacalix[4]arene derivatives as tectons for the formation of hydrogen-bonded networks. <i>CrystEngComm</i> , 2016, 18, 8622-8630.	1.3	5
190	Amphiphiles with polyethyleneoxide-polyethylenecarbonate chains for hydrophilic coating of iron oxide cores, loading by Gd(III) ions and tuning R2/R1 ratio. <i>Reactive and Functional Polymers</i> , 2016, 99, 107-113.	2.0	5
191	Nitrothiacalixarenes with alkyl groups at the lower rim: design, synthesis and aggregation behaviour at the air-water interface and in solution. <i>Mendeleev Communications</i> , 2017, 27, 413-415.	0.6	5
192	Calixarene alpha-ketoacetylenes: versatile platforms for reaction with hydrazine nucleophile. <i>RSC Advances</i> , 2018, 8, 32765-32769.	1.7	5
193	A Glucose-Responsive Polymer Nanocarrier Based on Sulfonated Resorcinarene for Controlled Insulin Delivery. <i>ChemPlusChem</i> , 2019, 84, 1560-1566.	1.3	5
194	Ag-Selective Nanotubes Based on Bisthiacalix[4]arene with Ethylene Sulfide Bridges. <i>Doklady Chemistry</i> , 2019, 487, 212-214.	0.2	5
195	Formation of Unsymmetrical Trinuclear Metallamacrocycles Based on Two Different Cone Calix[4]arene Macrocyclic Rings. <i>Crystals</i> , 2020, 10, 364.	1.0	5
196	Photocatalytic properties of hybrid materials based on a multicharged polymer matrix with encored TiO <sub>2</sub> and noble metal (Pt, Pd or Au) nanoparticles. <i>New Journal of Chemistry</i> , 2020, 44, 7169-7174.	1.4	5
197	Synthesis of C-29-phosphonium derivatives of 3,28-diacetoxylup-20(29)-en-30-oic acid. <i>Russian Chemical Bulletin</i> , 2020, 69, 487-491.	0.4	5
198	Amphiphilic N-Oligoethyleneglycol-imidazolium Derivatives of <i>p</i> -tert-Butylthiacalix[4]arene: Synthesis, Aggregation and Interaction with DNA. <i>Macroheterocycles</i> , 2021, 14, 171-179.	0.9	5

#	ARTICLE	IF	CITATIONS
199	DFT study of conformation, hydrogen bonds, IR, and Raman spectra of the sodium salt of p-hexasulfonatocalix[6]arene DFT. <i>Journal of Molecular Structure</i> , 2021, 1243, 130892.	1.8	5
200	Thiacalix[4]arenes with Triple Bonds at the Lower Rim: Synthesis and Structure. <i>Macroheterocycles</i> , 2013, 6, 47-52.	0.9	5
201	Molecular Tectonics: Grid and Porous Coordination Networks Based on Combinations of Iron Thiocyanate and Pyridyl Appended Derivatives of Tetrathiacalix[4]arene and Tetramercaptotetrathiacalix[4]arene. <i>Macroheterocycles</i> , 2015, 8, 113-119.	0.9	5
202	New Amphiphilic Bowl-Shaped Receptors on the Basis of Calix[4]arenes in Cone Conformation: Synthesis, Self-Aggregation and Eosin Y Dye Binding. <i>Macroheterocycles</i> , 2015, 8, 409-414.	0.9	5
203	New bifunctional amphiphilic oxyethylimidazolium derivatives of calix[4]arene containing alkynyl/azide fragments: regularities of aggregation and polymerization under azide/alkyne cycloaddition conditions. <i>Russian Chemical Bulletin</i> , 2022, 71, 131-138.	0.4	5
204	Structure and Biological Properties of 2-Phenylhydrazone Derivatives of Thiazolopyrimidines. <i>Doklady Chemistry</i> , 2022, 503, 45-50.	0.2	5
205	Membrane Transport of the Zwitterionic Aromatic $\hat{I}\pm$ -Amino Acids by $\hat{I}\pm$ -Aminophosphonates. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1999, 147, 11-11.	0.8	4
206	Combustion of Aluminum particles in flows of reactive gase. <i>Combustion, Explosion and Shock Waves</i> , 1999, 35, 36-42.	0.3	4
207	New materials based on tubular nanodimensional structures 1. Synthesis, structural studies and determination of interproton distances in solutions of functionalized thiacalix[4]arenes according to NMR spectroscopic data (NOESY). <i>Russian Chemical Bulletin</i> , 2004, 53, 2269-2275.	0.4	4
208	Spectral-luminescence and magnetic relaxation properties of lanthanide $\hat{e}$ "p-sulfonatothiacalix[4]arenes in aqueous solution of surfactants. <i>Russian Chemical Bulletin</i> , 2008, 57, 567-572.	0.4	4
209	Configuration effect of the tert-butylthiacalix[4]arene tetracarboxy derivative on its receptor properties toward vaporous organic compounds. <i>Russian Chemical Bulletin</i> , 2009, 58, 71-79.	0.4	4
210	tert-Butylthiacalix[4]arene monolayers as a biomimetic model for the oxidation of antioxidants with cytochrome c. <i>Russian Chemical Bulletin</i> , 2011, 60, 1948-1955.	0.4	4
211	Synthesis of Conjugates of the Iron(II) Tris-Dioximates and the Dithiol-Terminated Calix[4]Arenes. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2013, 188, 503-506.	0.8	4
212	A new type of polytopic coordination compound: The synthesis and NMR studies of the first hybrid thiacalix[4]arenoclathrochelates. <i>Polyhedron</i> , 2013, 50, 90-100.	1.0	4
213	Quantum chemical calculation of exchange interactions in supramolecularly arranged $\langle i \rangle N \langle /i \rangle$ , $\langle i \rangle N \langle /i \rangle \hat{a}^2$ -dioxy-2,6-diazaadamantane organic biradical. <i>International Journal of Quantum Chemistry</i> , 2016, 116, 1064-1070.	1.0	4
214	Molecular tectonics: high dimensional coordination networks based on methylenecarboxylate-appended tetramercaptothiacalix[4]arene in the 1,3-alternate conformation. <i>CrystEngComm</i> , 2018, 20, 1130-1140.	1.3	4
215	Imidazolium p-tert-Butylthiacalix[4]arene Amphiphiles $\hat{e}$ "Aggregation in Water Solutions and Binding with Adenosine 5 $\hat{e}$ "Triphosphate Dipotassium Salt. <i>BioNanoScience</i> , 2018, 8, 337-343.	1.5	4
216	Synthesis of Tetraazide Derivatives of p-tert-Butylcalix[4]arene Using Copper-Catalyzed Nucleophilic Aromatic Substitution. <i>Doklady Chemistry</i> , 2018, 479, 64-67.	0.2	4

#	ARTICLE	IF	CITATIONS
217	A New Approach to the Synthesis of Thiacrowns on a Thiacalix[4]arene Scaffold. <i>Doklady Chemistry</i> , 2019, 487, 188-191.	0.2	4
218	Doxorubicin delivery by polymer nanocarrier based on N-methylglucamine resorcinarene. <i>Supramolecular Chemistry</i> , 2020, 32, 150-161.	1.5	4
219	New poly-imidazolium-triazole particles by CuAAC cross-linking of calix[4]arene bis-azide/alkyne amphiphiles – a prospective support for Pd in the Mizoroki-Heck reaction. <i>RSC Advances</i> , 2021, 11, 584-591.	1.7	4
220	Switching Ion Binding Selectivity of Thiacalix[4]arene Monocrowns at Liquid-Liquid and 2D-Confined Interfaces. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3535.	1.8	4
221	Bifunctional Derivatives of (Thia)calix[4]-arenes with Terminal Double and Triple Bonds: Synthesis and Azide-Alkyne Click Reactions. <i>Macrocyclic Chemistry</i> , 2014, 7, 10-17.	0.9	4
222	Unusual Reactivity of Aliphatic and Aromatic Amines with Bromoalkyl Derivatives of Thiacalix[4]arene in 1,3-Alternate Stereoisomeric Form. <i>Macrocyclic Chemistry</i> , 2017, 10, 215-220.	0.9	4
223	Synthesis and Fluorescence Properties of Lower Rim Functionalized p-tert-Butyl Thiacalix[4]arenes Containing Anthraquinone and N,N-Diethylacetamide Fragments. <i>Macrocyclic Chemistry</i> , 2012, 5, 396-403.	0.9	4
224	NHC Polymeric Particles Obtained by Self-Assembly and Click Approach of Calix[4]Arene Amphiphiles as Support for Catalytically Active Pd Nanoclusters. <i>Molecules</i> , 2021, 26, 6864.	1.7	4
225	The outer-sphere association of p-sulfonatothiacalix[4]arene with some Co(III) complexes: the effect on their redox activity in aqueous solutions. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2007, 59, 25-32.	1.6	3
226	Electroswitchable binding of [Co(dipy)3]3+ and [Fe(dipy)3]2+ n-sulfonato(thia)calix[4]arenes. <i>Russian Journal of Electrochemistry</i> , 2010, 46, 1263-1279.	0.3	3
227	Reversible electrochemical pH-switching of luminescence in a p-sulfonatothiacalix[4]arene-terbium(3+) system. <i>Russian Chemical Bulletin</i> , 2010, 59, 1538-1542.	0.4	3
228	Thiacalix-monocrown ethers with terminal functional groups at the lower rim: Synthesis and structure. <i>Doklady Chemistry</i> , 2011, 438, 170-174.	0.2	3
229	Catalytic properties of supramolecular systems based on polyoxyethylated calixarenes and amines. <i>Kinetics and Catalysis</i> , 2011, 52, 529-535.	0.3	3
230	Combined Use of 2-D NMR Correlation Experiments, GIAO DFT 13C Chemical Shifts and 1-D NOESY Methods in Regioisomeric and Conformational Structure Determination of Cyclophanes in Solution. <i>Applied Magnetic Resonance</i> , 2011, 41, 467-475.	0.6	3
231	New organized systems based on amphiphilic oxyethylated calix[4]arene. <i>Colloid Journal</i> , 2012, 74, 67-77.	0.5	3
232	Synthesis, structure, and properties of nitronyl nitroxyl tetradical with calix[4]arene framework. <i>Russian Chemical Bulletin</i> , 2013, 62, 543-547.	0.4	3
233	Micellar and pre-micellar aggregates of oxyethylated calixarenes studied by ESR of spin probes and cyclic voltammetry. <i>Russian Chemical Bulletin</i> , 2013, 62, 1350-1353.	0.4	3
234	Beer classification based on the array of solid-contact potentiometric sensors with thiacalixarene receptors. <i>Russian Chemical Bulletin</i> , 2014, 63, 223-231.	0.4	3

#	ARTICLE	IF	CITATIONS
235	Composition of thiacalix[4]arene complexes with monovalent metal ions in the gas phase: MALDI mass spectrometry. Russian Chemical Bulletin, 2015, 64, 1823-1828.	0.4	3
236	Effect of copper(I) on the conformation of the thiacalixarene platform in azide-alkyne cycloaddition. Russian Chemical Bulletin, 2015, 64, 2114-2124.	0.4	3
237	Synthesis of new p-tert-butylcalix[4]arene derivatives containing photopolymerizable 1,3-butadiyne fragments. Russian Journal of General Chemistry, 2017, 87, 1946-1951.	0.3	3
238	Synthesis of four new carboxylic derivatives based on the [1.1.1.1]metacyclophane backbone blocked in 1,3-Alternate conformation. Tetrahedron Letters, 2018, 59, 1377-1381.	0.7	3
239	New copper-containing catalysts based on modified amorphous silica and their use in flow azide-alkyne cycloaddition. Russian Chemical Bulletin, 2018, 67, 461-468.	0.4	3
240	Data on binding of L-tryptophan and bovine serum albumin by novel gold nanoparticles capped with amphiphilic sulfonatomethylated calixresorcinarenes. Data in Brief, 2019, 25, 104241.	0.5	3
241	Amino-Modified Silica-Supported Copper-Palladium Alloy. Synthesis and Use in Selective Hydrogenation of Disubstituted Nitroarenes in a Flow Micro Reactor. Russian Journal of Organic Chemistry, 2019, 55, 1-6.	0.3	3
242	Synthesis, Structure and Magnetic Properties of Mn <sub>2</sub> Tb <sub>2</sub> Tetranuclear Complex with p-tert-Butylthiacalix[4]arene. Israel Journal of Chemistry, 2020, 60, 600-606.	1.0	3
243	A novel salt-responsive hydrogel on the base of calixresorcinarene-mPEG amide conjugate. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2021, 611, 125814.	2.3	3
244	Molecular Tectonics: 1D Tubular Type and 3D Diamond Like Mercury(II) Coordination Polymers Based on Pyridyl Appended p-tert-Butyltetrathiacalix[4]arene. Macrocyclic Chemistry, 2016, 9, 17-22.	0.9	3
245	Molecular Tectonics: Manganese(II), Copper(II) and Zinc(II) 1D Coordination Polymers Based on Tetramercaptothiacalix[4]arene Bearing Benzoate Coordinating Groups. Macrocyclic Chemistry, 2017, 10, 147-153.	0.9	3
246	Porous nickel and cobalt hexanuclear ring-like clusters built from two different kind of calixarene ligands – new molecular traps for small volatile molecules. CrystEngComm, 2022, 24, 330-340.	1.3	3
247	Amphiphilic N-oxyethylimidazolium calixarenes: synthesis, micellar solubilization and molecular recognition of Adenine-containing nucleotides. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2022, , 129236.	2.3	3
248	The Syntheses and Binding Properties of the Novel Organophosphorus Calixarenes. Phosphorus, Sulfur and Silicon and the Related Elements, 1999, 144, 701-704.	0.8	2
249	Synthesis and extraction properties of preorganized host molecules based on tetraamides of thiacalix[4]arene. Journal of Structural Chemistry, 2005, 46, S16-S21.	0.3	2
250	Structure-property relationship for clathrates formed in systems with guest vapor and 1,3-disubstituted tert-butylcalix[4]arene. Journal of Structural Chemistry, 2005, 46, S33-S38.	0.3	2
251	Synthesis and spatial structure of novel organosilicon derivatives of p-tert-butylthiacalix[4]arene from two-dimensional NMR data. Russian Chemical Bulletin, 2007, 56, 307-312.	0.4	2
252	Reactions of heteroaromatic chromophores with lanthanide complexes of p-sulfonatothiacalix[4]arene. Russian Chemical Bulletin, 2008, 57, 1905-1911.	0.4	2

#	ARTICLE	IF	CITATIONS
253	IR and NMR spectra, intramolecular hydrogen bonding and conformations of para-tert-butyl-aminothiacalix[4]arene in solid state and chloroform solution. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2010, 75, 872-879.	2.0	2
254	Molecular recognition of organic compounds by the data on polymorphic and pseudo-polymorphic transformations of tert-butylthiacalix[4]arene derivative. <i>Russian Chemical Bulletin</i> , 2014, 63, 201-206.	0.4	2
255	$^{13}\text{C}$ -Radiolysis of functionalized calixarenes and its effect on cesium and americium extraction. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2019, 322, 1931-1939.	0.7	2
256	Coordination Compounds Based on Metacyclophane Derivatives. <i>Macrocyclic Chemistry</i> , 2017, 10, 410-420.	0.9	2
257	Choline Esterase Inhibitors and Synthetic Oxalic Acid Receptors Based on Calix[4]arene Derivatives. <i>Russian Journal of General Chemistry</i> , 2005, 75, 278-284.	0.3	1
258	pH-Driven Variation of the Outer-Sphere Binding Mode of cis-[Co(Ad)(en)2Cl]Cl (en-Ethylenediamine, Tj ETQq0 0 0 rgBT /Overlock 10 Tf Chemistry, 2006, 56, 369-374.	1.6	1
259	Sorbents based on calix[4]arenes for extraction of technetium(vii) from acidic and alkaline media. <i>Russian Chemical Bulletin</i> , 2011, 60, 175-178.	0.4	1
260	One- and two-dimensional NMR study of structure of 1,2-disubstituted p-tert-butylthiacalix[4]arene containing amide fragment. <i>Russian Journal of General Chemistry</i> , 2013, 83, 698-702.	0.3	1
261	Complex formation of MnII with tetra(p-tert-butyl)thiacalix[4]arene acid in aqueous solutions of surfactants and polymers. <i>Russian Chemical Bulletin</i> , 2014, 63, 207-213.	0.4	1
262	Synthesis and aggregation properties of new biodegradable amphiphilic derivatives of p-tert-butylphenol for green separation of Gd(III) ions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015, 480, 343-350.	2.3	1
263	Synthesis and aggregation properties of thiacalix[4]arene tetra-N-acylamides. <i>Russian Journal of Organic Chemistry</i> , 2015, 51, 430-435.	0.3	1
264	Colloidal stability and photophysical characteristics of luminescent silica nanoparticles modified with various nitrogen/oxygen-containing trialkoxysilanes. <i>Russian Journal of General Chemistry</i> , 2016, 86, 661-667.	0.3	1
265	Synthesis, crystal structures and high-temperature spin-crossover of new inclusion compounds of iron(II) tris (pyrazol-1-yl)methane complex with p-sulfonatocalix[4]arene. <i>Inorganica Chimica Acta</i> , 2018, 476, 129-135.	1.2	1
266	Extraction of Cesium-137 and Americium-241 by Calix[n]arenes from Carbonate-Alkaline Media. <i>Doklady Chemistry</i> , 2018, 479, 36-40.	0.2	1
267	The construction of supramolecular and hybrid Ag-AgCl nanoparticles with photodynamic therapy action on the base of tetraundecylNalix[4]resorcinarene-mPEG conjugate. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 619, 126524.	2.3	1
268	Comparative study of the vibrational spectra of carboxylate azocalix[4]arenes and azothiacalix[4]arenes. <i>Journal of Molecular Structure</i> , 2021, 1241, 130662.	1.8	1
269	Equilibrium CH-acidities of dimethyl 2-dimethoxyphosphoryl malonate and its thiophosphoryl analog. <i>Russian Chemical Bulletin</i> , 1993, 42, 374-375.	0.4	0
270	Synthesis and Cation Transfer Properties of Alkyl Calix[4]Aryl Phosphates. A New Series of Molecular Receptors. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1996, 111, 58-58.	0.8	0



#	ARTICLE	IF	CITATIONS
271	The Novel Phosphadiazacalixcrown Compounds. Phosphorus, Sulfur and Silicon and the Related Elements, 1999, 147, 9-9.	0.8	0
272	Artificial Ion Channels. ChemInform, 2004, 35, no.	0.1	0
273	Molecular Recognition of Organic Guest Vapor by Solid Adamantylcalix[4]arene.. ChemInform, 2004, 35, no.	0.1	0
274	Synthetic Receptors Based on Calix[4]arene Functionalized at the Lower Rim in Molecular Recognition of Dicarboxylic, $\beta$ -Hydroxycarboxylic, and $\beta$ -Amino Acids.. ChemInform, 2005, 36, no.	0.1	0
275	Phosphorus Macrocycles and Cryptands. ChemInform, 2005, 36, no.	0.1	0
276	New Materials Based on Tubular Nanodimensional Structures. Part 1. Synthesis, Structural Studies and Determination of Interproton Distances in Solutions of Functionalized Thiacalix[4]arenes According to NMR Spectroscopic Data (NOESY).. ChemInform, 2005, 36, no.	0.1	0
277	Structure of the stereoisomers of tetrasubstituted p-t-butylcalix[4]arene containing a morpholine fragment: Data of 1D and 2D (NOESY) NMR spectroscopy. Russian Journal of General Chemistry, 2009, 79, 466-474.	0.3	0
278	Study of the structure of p-tert-butyl-substituted thiacalix[4]arenes containing amide fragment by one- and two-dimensional NMR spectroscopy. Russian Journal of General Chemistry, 2009, 79, 1850-1858.	0.3	0
279	The effect of the tert-butyl substituent at the phosphorus atom on the conformations of the 1,3,2-dioxaphosphepines with planar fragments. Doklady Chemistry, 2013, 448, 9-11.	0.2	0
280	Comparative analysis of the binding of thiacalix[4]arene-monocrown-ethers with monovalent metal salts using MALDI mass spectrometry. Journal of Analytical Chemistry, 2016, 71, 1352-1359.	0.4	0
281	Synthesis of functionally substituted benzaldehydes. Doklady Chemistry, 2017, 476, 227-229.	0.2	0
282	Exchange interaction mechanisms in 1,3,5,7-tetramethyl-2,6-diazaadamantane N,N $\epsilon$ <sup>TM</sup> -dioxyl biradical. Russian Chemical Bulletin, 2017, 66, 2028-2034.	0.4	0
283	Effect of core substituents on the intramolecular exchange interaction in $\langle i \rangle N \langle /i \rangle, \langle i \rangle N \langle /i \rangle \hat{\epsilon}^2 \hat{\epsilon} \text{dioxy} \hat{\epsilon} 2,6 \hat{\epsilon} \text{diazaadamantane biradical: DFT studies. International Journal of Quantum Chemistry, 2018, 118, e25568.$	1.0	0
284	Mono- and Di(dechloromethylthioylation) of Dichloromethylarenes with S-Methyl Diethylthiophosphate. Doklady Chemistry, 2019, 489, 257-260.	0.2	0
285	3,28-Diacetoxylup-20(29)-ene-30-oic Acid and Its $\dot{\%}$ -Bromoalkyl Esters. Russian Journal of Organic Chemistry, 2020, 56, 626-630.	0.3	0
286	Vibrational Spectra of p-Carboxylate and p-Sulfonate Azocalix[4]arene. Lecture Notes in Civil Engineering, 2021, , 22-30.	0.3	0
287	Photoswitchable Supramolecular Systems Based on Carboxyl Derivatives of Thiacalix[4]arene and Their Complexes with Zn(II) and Tb(III) Ions. Macrocyclics, 2018, 11, 173-180.	0.9	0
288	Self-Organization and Physicochemical Properties of Aqueous Solutions of the Sodium Salt of Azosulphonate Calix[4]arene. Macrocyclics, 2019, 12, 350-355.	0.9	0

#	ARTICLE	IF	CITATIONS
289	Cooperation Effect of Classical O-Hâ€¦N and Non-Classical C-Hâ€¦N Hydrogen Bonding at the Formation of Supramolecular Tubes Based on Novel 1,2,4-Triazolyl Derivative of Calix[4]arene in Crystalline Phase. <i>Macroheterocycles</i> , 2019, 12, 324-330.	0.9	0
290	Synthesis, Aggregation Behavior, and Catalytic Activity in the Ullmann Reaction of Amphiphilic p-tert-Butylthiacalix[4]arene with Azidoalkylimidazolium Moieties. <i>Macroheterocycles</i> , 2019, 12, 340-345.	0.9	0
291	Study of the conformation and hydrogen bonds of the p-tetrasulfonatothiacalix[4]arene pentasodium salt by vibrational spectroscopy and DFT. <i>Journal of Molecular Modeling</i> , 2021, 27, 326.	0.8	0
292	New 3D Coordination Polymer Based on the Tetrapyridyl Derivative of Thiacalix[4]arene in the 1,3-Alternate Configuration and Hexanuclear Clusters of Monovalent Silver: Synthesis and Structure. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2022, 48, 287-294.	0.3	0