## Igor S Antipin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7124961/publications.pdf Version: 2024-02-01



ICOP S ANTIDIN

#	Article	IF	CITATIONS
1	Structural, spectroscopic, FMOs, and non-linear optical properties exploration of three thiacaix(4)arenes derivatives. Arabian Journal of Chemistry, 2022, 15, 103656.	4.9	29
2	Porous nickel and cobalt hexanuclear ring-like clusters built from two different kind of calixarene ligands – new molecular traps for small volatile molecules. CrystEngComm, 2022, 24, 330-340.	2.6	3
3	New bifunctional amphiphilic oxyethylimidazolium derivatives of calix[4]arene containing alkynyl/azide fragments: regularities of aggregation and polymerization under azide/alkyne cycloaddition conditions. Russian Chemical Bulletin, 2022, 71, 131-138.	1.5	5
4	Thiacalixarenes with Sulfur Functionalities at Lower Rim: Heavy Metal Ion Binding in Solution and 2D-Confined Space. International Journal of Molecular Sciences, 2022, 23, 2341.	4.1	7
5	Ðjalixresorcine cavitands bearing lipophilic cationic fragments in the construction of mitochondrial-targeting supramolecular nanoparticles. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2022, 642, 128622.	4.7	8
6	New Calix[4]arene—Fluoresceine Conjugate by Click Approach—Synthesis and Preparation of Photocatalytically Active Solid Lipid Nanoparticles. Molecules, 2022, 27, 2436.	3.8	6
7	Amphiphilic N-oxyethylimidazolium calixarenes: synthesis, micellar solubilization and molecular recognition of Adenine-containing nucleotides. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2022, , 129236.	4.7	3
8	New 3D Coordination Polymer Based on the Tetrapyridyl Derivative of Thiacalix[4]arene in the 1,3-Alternate Configuration and Hexanuclear Clusters of Monovalent Silver: Synthesis and Structure. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2022, 48, 287-294.	1.0	0
9	Structure and Biological Properties of 2-Phenylhydrazone Derivatives of Thiazolopyrimidines. Doklady Chemistry, 2022, 503, 45-50.	0.9	5
10	A novel salt-responsive hydrogel on the base of calixresorcinarene–mPEG amide conjugate. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2021, 611, 125814.	4.7	3
11	Vibrational Spectra of p-Carboxylate and p-Sulfonate Azocalix[4]arene. Lecture Notes in Civil Engineering, 2021, , 22-30.	0.4	0
12	New poly-imidazolium–triazole particles by CuAAC cross-linking of calix[4]arene bis-azide/alkyne amphiphiles – a prospective support for Pd in the Mizoroki–Heck reaction. RSC Advances, 2021, 11, 584-591.	3.6	4
13	Amphiphilic N-Oligoethyleneglycol-imidazolium Derivatives of p-tert-Butylthiacalix[4]arene: Synthesis, Aggregation and Interaction with DNA. Macroheterocycles, 2021, 14, 171-179.	0.5	5
14	Switching Ion Binding Selectivity of Thiacalix[4]arene Monocrowns at Liquid–Liquid and 2D-Confined Interfaces. International Journal of Molecular Sciences, 2021, 22, 3535.	4.1	4
15	The construction of supramolecular and hybrid Ag-AgCl nanoparticles with photodynamic therapy action on the base of tetraundecylŇalix[4]resorcinarene-mPEG conjugate. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2021, 619, 126524.	4.7	1
16	Azocalix[4]arene-Rhodamine Supramolecular Hypoxia-Sensitive Systems: A Search for the Best Calixarene Hosts and Rhodamine Guests. Molecules, 2021, 26, 5451.	3.8	10
17	Functional supramolecular systems: design and applications. Russian Chemical Reviews, 2021, 90, 895-1107.	6.5	93
18	Comparative study of the vibrational spectra of carboxylate azocalix[4]arenes and azothiacalix[4]arenes. Journal of Molecular Structure, 2021, 1241, 130662.	3.6	1

#	Article	IF	CITATIONS
19	DFT study of conformation, hydrogen bonds, IR, and Raman spectra of the sodium salt of p-hexasulfonatocalix[6]arene DFT. Journal of Molecular Structure, 2021, 1243, 130892.	3.6	5
20	Study of the conformation and hydrogen bonds of the p-tetrasulfonatothiacalix[4]arene pentasodium salt by vibrational spectroscopy and DFT. Journal of Molecular Modeling, 2021, 27, 326.	1.8	0
21	NHC Polymeric Particles Obtained by Self-Assembly and Click Approach of Calix[4]Arene Amphiphiles as Support for Catalytically Active Pd Nanoclusters. Molecules, 2021, 26, 6864.	3.8	4
22	Vibrational spectra study of p-sulfonatocalix[4]arene containing azobenzene groups. Journal of Molecular Structure, 2020, 1200, 127058.	3.6	9
23	FT-IR and FT-Raman study of p-sulfonatocalix [8]arene. Journal of Molecular Structure, 2020, 1203, 127474.	3.6	8
24	Thermally Stable Nitrothiacalixarene Chromophores: Conformational Study and Aggregation Behavior. International Journal of Molecular Sciences, 2020, 21, 6916.	4.1	6
25	Nuclearity control in calix[4]arene-based zinc( <scp>ii</scp> ) coordination complexes. CrystEngComm, 2020, 22, 7693-7703.	2.6	10
26	Synthesis of Bifunctional Derivatives of Calix[4]arene Bearing Azidoalkyl Fragments in Cone Stereoisomeric Form. Doklady Chemistry, 2020, 490, 1-5.	0.9	7
27	3,28-Diacetoxylup-20(29)-ene-30-oic Acid and Its ω-Bromoalkyl Esters. Russian Journal of Organic Chemistry, 2020, 56, 626-630.	0.8	0
28	New Amphiphilic Imidazolium/Benzimidazolium Calix[4]arene Derivatives: Synthesis, Aggregation Behavior and Decoration of DPPC Vesicles for Suzuki Coupling in Aqueous Media. Nanomaterials, 2020, 10, 1143.	4.1	15
29	Synthesis of Ag-AgCl nanoparticles capped by calix[4]resorcinarene-mPEG conjugate and their antimicrobial activity. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2020, 602, 125124.	4.7	9
30	Formation of Unsymmetrical Trinuclear Metallamacrocycles Based on Two Different Cone Calix[4]arene Macrocyclic Rings. Crystals, 2020, 10, 364.	2.2	5
31	Synthesis, Structure and Magnetic Properties of Mn <sub>2</sub> Tb <sub>2</sub> Tetranuclear Complex with pâ€ŧertâ€Butylthiacalix[4]arene. Israel Journal of Chemistry, 2020, 60, 600-606.	2.3	3
32	Mixed Tb/Dy coordination ladders based on tetra(carboxymethyl)thiacalix[4]arene: a new avenue towards luminescent molecular nanomagnets. RSC Advances, 2020, 10, 11755-11765.	3.6	8
33	Photocatalytic properties of hybrid materials based on a multicharged polymer matrix with encored TiO <sub>2</sub> and noble metal (Pt, Pd or Au) nanoparticles. New Journal of Chemistry, 2020, 44, 7169-7174.	2.8	5
34	Amphiphilic Pd <sup>II</sup> â€NHC Complexes on <i>1,3â€Alternate pâ€ŧert</i> â€Butylthiacalix[4]arene Platform: Synthesis and Catalytic Activities in Coupling and Hydrogenation Reactions. European Journal of Organic Chemistry, 2020, 2020, 2180-2189.	2.4	7
35	The pH-responsive calix[4]resorcinarene-mPEG conjugates bearing acylhydrazone bonds: Synthesis and study of the potential as supramolecular drug delivery systems. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2020, 589, 124453.	4.7	20
36	Doxorubicin delivery by polymer nanocarrier based on N-methylglucamine resorcinarene. Supramolecular Chemistry, 2020, 32, 150-161.	1.2	4

#	Article	IF	CITATIONS
37	New terpyridine derivatives of thiacalix[4]arenes in solution and at the water-air interface. Russian Chemical Bulletin, 2020, 69, 339-350.	1.5	6
38	Polymer and supramolecular nanocontainers based on carboxylate derivatives of resorcinarenes for binding of substrates and design of composites for catalysis. Russian Chemical Bulletin, 2020, 69, 351-359.	1.5	7
39	Synthesis of C-29-phosphonium derivatives of 3,28-diacetoxylup-20(29)-en-30-oic acid. Russian Chemical Bulletin, 2020, 69, 487-491.	1.5	5
40	Synthesis of Water-Soluble Polyammonium Thiacalix[4]arene Derivative and Its Interaction with Calf Thymus DNA. Russian Journal of General Chemistry, 2020, 90, 99-104.	0.8	6
41	Photocatalytic properties of supramolecular nanoassociates based on gold and platinum nanoparticles, capped by amphiphilic calix[4]resorcinarenes, towards organic dyes. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2020, 596, 124700.	4.7	9
42	A New Approach to the Synthesis of Thiacrowns on a Thiacalix[4]arene Scaffold. Doklady Chemistry, 2019, 487, 188-191.	0.9	4
43	New Amphiphilic Calix[4]Arene Derivatives with 4,5-Dicarboxytriazolyl Fragments: Synthesis and Use in Micellar Catalysis. Russian Journal of Physical Chemistry B, 2019, 13, 401-407.	1.3	6
44	Data on binding of L-tryptophan and bovine serum albumin by novel gold nanoparticles capped with amphiphilic sulfonatomethylated calixresorcinarenes. Data in Brief, 2019, 25, 104241.	1.0	3
45	γ-Radiolysis of functionalized calixarenes and its effect on cesium and americium extraction. Journal of Radioanalytical and Nuclear Chemistry, 2019, 322, 1931-1939.	1.5	2
46	A Glucoseâ€Responsive Polymer Nanocarrier Based on Sulfonated Resorcinarene for Controlled Insulin Delivery. ChemPlusChem, 2019, 84, 1560-1566.	2.8	5
47	Ag-Selective Nanotubes Based on Bisthiacalix[4]arene with Ethylene Sulfide Bridges. Doklady Chemistry, 2019, 487, 212-214.	0.9	5
48	Control of dimensionality in Manganese Coordination Polymers using rigid tetrahedral-shaped [1.1.1.1]metacyclophane ligands bearing benzoate coordinating sites: From homochiral 1D to 3D diamond-like structures. Inorganic Chemistry Communication, 2019, 106, 197-201.	3.9	10
49	New DNA-sensor based on thiacalix[4]arene-modified polydiacetylene particles. Russian Chemical Bulletin, 2019, 68, 1067-1074.	1.5	9
50	Investigation of hydrogen bonding in p-sulfonatocalix[4]arene and its thermal stability by vibrational spectroscopy. Journal of Molecular Structure, 2019, 1195, 403-410.	3.6	9
51	Binding of l-tryptophan and bovine serum albumin by novel gold nanoparticles capped with amphiphilic sulfonatomethylated calixresorcinarenes. Journal of Molecular Liquids, 2019, 286, 110879.	4.9	14
52	Amino-Modified Silica-Supported Copper-Palladium Alloy. Synthesis and Use in Selective Hydrogenation of Disubstituted Nitroarenes in a Flow Micro Reactor. Russian Journal of Organic Chemistry, 2019, 55, 1-6.	0.8	3
53	Mono- and Di(dechloromethylthioylation) of Dichloromethylarenes with S-Methyl Diethylthiophosphinate. Doklady Chemistry, 2019, 489, 257-260.	0.9	0
54	Bimolecular Nucleophilic Substitution Reactions: Predictive Models for Rate Constants and Molecular Reaction Pairs Analysis. Molecular Informatics, 2019, 38, e1800104.	2.5	23

#	Article	IF	CITATIONS
55	Self-Organization and Physicochemical Properties of Aqueous Solutions of the Sodium Salt of Azosulphonate Calix[4]arene. Macroheterocycles, 2019, 12, 350-355.	0.5	0
56	Cooperation Effect of Classical O-H…N and Non-Classical C-H…N Hydrogen Bonding at the Formation of Supramolecular Tubes Based on Novel 1,2,4-Triazolyl Derivative of Calix[4]arene in Crystalline Phase. Macroheterocycles, 2019, 12, 324-330.	0.5	0
57	Synthesis, Aggregation Behavior, and Catalytic Activity in the Ullmann Reaction of Amphiphilic p-tert-Butylthiacalix[4]arene with Azidoalkylimidazolium Moieties. Macroheterocycles, 2019, 12, 340-345.	0.5	0
58	Synthesis, crystal structures and high-temperature spin-crossover of new inclusion compounds of iron(II) tris (pyrazol-1-yl)methane complex with p -sulfonatocalix[4]arene. Inorganica Chimica Acta, 2018, 476, 129-135.	2.4	1
59	Synthesis of four new carboxylic derivatives based on the [1.1.1.1]metacyclophane backbone blocked in 1,3-Alternate conformation. Tetrahedron Letters, 2018, 59, 1377-1381.	1.4	3
60	Molecular tectonics: high dimensional coordination networks based on methylenecarboxylate-appended tetramercaptothiacalix[4]arene in the 1,3-alternate conformation. CrystEngComm, 2018, 20, 1130-1140.	2.6	4
61	FT-IR and FT-Raman study of hydrogen bonding in p-alkylcalix[8]arenes. Vibrational Spectroscopy, 2018, 95, 38-43.	2.2	20
62	Assessment of tautomer distribution using the condensed reaction graph approach. Journal of Computer-Aided Molecular Design, 2018, 32, 401-414.	2.9	20
63	Novel amphiphilic conjugates of p-tert-butylthiacalix[4]arene with 10,12-pentacosadiynoic acid in 1,3-alternate stereoisomeric form. Synthesis and chromatic properties in the presence of metal ions. New Journal of Chemistry, 2018, 42, 2942-2951.	2.8	22
64	Effect of core substituents on the intramolecular exchange interaction in <i>N</i> , <i>N</i> ′â€dioxyâ€2,6â€diazaadamantane biradical: DFT studies. International Journal of Quantum Chemistry, 2018, 118, e25568.	2.0	0
65	lmidazolium p-tert-Butylthiacalix[4]arene Amphiphiles—Aggregation in Water Solutions and Binding with Adenosine 5′-Triphosphate Dipotassium Salt. BioNanoScience, 2018, 8, 337-343.	3.5	4
66	Calixarene alpha-ketoacetylenes: versatile platforms for reaction with hydrazine nucleophile. RSC Advances, 2018, 8, 32765-32769.	3.6	5
67	Synthesis of new <i>p-tert</i> -butylcalix[4]arene-based polyammonium triazolyl amphiphiles and their binding with nucleoside phosphates. Beilstein Journal of Organic Chemistry, 2018, 14, 1980-1993.	2.2	16
68	Synthesis of Tetraazide Derivatives of p-tert-Butylcalix[4]arene Using Copper-Catalyzed Nucleophilic Aromatic Substitution. Doklady Chemistry, 2018, 479, 64-67.	0.9	4
69	Modern Trends of Organic Chemistry in Russian Universities. Russian Journal of Organic Chemistry, 2018, 54, 157-371.	0.8	68
70	Extraction of Cesium-137 and Americium-241 by Calix[n]arenes from Carbonate-Alkaline Media. Doklady Chemistry, 2018, 479, 36-40.	0.9	1
71	New copper-containing catalysts based on modified amorphous silica and their use in flow azide—alkyne cycloaddition. Russian Chemical Bulletin, 2018, 67, 461-468.	1.5	3
72	Nanoconjugates of a calixresorcinarene derivative with methoxy poly(ethylene glycol) fragments for drug encapsulation. Beilstein Journal of Nanotechnology, 2018, 9, 2057-2070.	2.8	8

#	Article	IF	CITATIONS
73	Photoswitchable Supramolecular Systems Based on Carboxyl Derivatives of Thiacalix[4]arene and Their Complexes with Zn(II) and Tb(III) Ions. Macroheterocycles, 2018, 11, 173-180.	0.5	0
74	Unusual nanosized associates of carboxy-calix[4]resorcinarene and cetylpyridinium chloride: the macrocycle as a glue for surfactant micelles. Soft Matter, 2017, 13, 2004-2013.	2.7	9
75	The supramolecular approach to the phase transfer of carboxylic calixresorcinarene-capped silver nanoparticles. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2017, 524, 127-134.	4.7	18
76	Molecular tectonics: from a binuclear metallamacrocycle to a 1D isostructural coordination network based on tetracyanomethyl[1.1.1.1]metacyclophane and a silver cation. Mendeleev Communications, 2017, 27, 260-262.	1.6	6
77	Detection of sulfate surface-active substances via fluorescent response using new amphiphilic thiacalix[4]arenes bearing cationic headgroups with Eosin Y dye. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2017, 515, 41-49.	4.7	13
78	Structure–reactivity relationship in Diels–Alder reactions obtained using the condensed reaction graph approach. Journal of Structural Chemistry, 2017, 58, 650-656.	1.0	15
79	Effect of ionizing radiation on the extraction of Am(III) with p-tert-butylthiacalix[4]arene from alkaline carbonate solutions. Radiochemistry, 2017, 59, 365-371.	0.7	7
80	Coordination Polymers based on calixarene derivatives: Structures and properties. Coordination Chemistry Reviews, 2017, 352, 151-186.	18.8	106
81	Synthesis of new p-tert-butylcalix[4]arene derivatives containing photopolymerizable 1,3-butadiyne fragments. Russian Journal of General Chemistry, 2017, 87, 1946-1951.	0.8	3
82	Calixresorcinarene-capped silver nanoparticles as new supramolecular hybrid nanocontainers. Mendeleev Communications, 2017, 27, 335-337.	1.6	12
83	Nitrothiacalixarenes with alkyl groups at the lower rim: design, synthesis and aggregation behaviour at the air–water interface and in solution. Mendeleev Communications, 2017, 27, 413-415.	1.6	5
84	Artificial intelligence in synthetic chemistry: achievements and prospects. Russian Chemical Reviews, 2017, 86, 1127-1156.	6.5	45
85	Cesium and americium extraction from carbonate-alkaline media with O-substituted p-alkylcalix[8]arenes. Journal of Radioanalytical and Nuclear Chemistry, 2017, 314, 1257-1265.	1.5	7
86	Synthesis of functionally substituted benzaldehydes. Doklady Chemistry, 2017, 476, 227-229.	0.9	0
87	Micelle mediated extraction of americium and europium by calix[4]arene phosphine oxides from nitric acid media. Journal of Radioanalytical and Nuclear Chemistry, 2017, 311, 599-609.	1.5	11
88	Exchange interaction mechanisms in 1,3,5,7-tetramethyl-2,6-diazaadamantane N,N'-dioxyl biradical. Russian Chemical Bulletin, 2017, 66, 2028-2034.	1.5	0
89	Organic chemistry. History and mutual relations of universities of Russia. Russian Journal of Organic Chemistry, 2017, 53, 1275-1437.	0.8	48
90	Americium and Cesium Extraction from Alkaline Media by Calix[8]arenes with p-tert-Butyl and Isononyl Substituents on the Upper Rim: Aggregation Effect. Macroheterocycles, 2017, 10, 196-202.	0.5	10

#	Article	IF	CITATIONS
91	Molecular Tectonics: Manganese(II), Copper(II) and Zinc(II) 1D Coordination Polymers Based on Tetramercaptothiacalix[4]arene Bearing Benzoate Coordinating Groups. Macroheterocycles, 2017, 10, 147-153.	0.5	3
92	Azide–Akyne Click Approach to the Preparation of Dendrimer–Type Multi(thia)calix[4]arenes with Triazole Linkers. Macroheterocycles, 2017, 10, 203-214.	0.5	10
93	Thiacalix[4]arene's Lower Rim Derivatives: Synthesis and Supramolecular Properties. Macroheterocycles, 2017, 10, 134-146.	0.5	38
94	Unusual Reactivity of Aliphatic and Aromatic Amines with Bromoalkyl Derivatives of Thiacalix[4]arene in 1,3-Alternate Stereoisomeric Form. Macroheterocycles, 2017, 10, 215-220.	0.5	4
95	Self-Aggregation and Solubilizing Properties of the Supramolecular System Based on Azobenzenesulfonate Calix[4]arene and CTAB. Macroheterocycles, 2017, 10, 454-459.	0.5	9
96	Coordination Compounds Based on Metacyclophane Derivatives. Macroheterocycles, 2017, 10, 410-420.	0.5	2
97	Quantum chemical calculation of exchange interactions in supramolecularly arranged <i>N</i> , <i>N</i> ′-dioxy-2,6-diazaadamantane organic biradical. International Journal of Quantum Chemistry, 2016, 116, 1064-1070.	2.0	4
98	Comparative analysis of the binding of thiacalix[4]arene-monocrown-ethers with monovalent metal salts using MALDI mass spectrometry. Journal of Analytical Chemistry, 2016, 71, 1352-1359.	0.9	0
99	Thiacalix[4]monocrowns with terpyridine functional groups as new structural units for luminescent polynuclear lanthanide complexes. Supramolecular Chemistry, 2016, 28, 589-600.	1.2	8
100	"Clickable―thiacalix[4]arene derivatives bearing polymerizable 1,3-butadiyne fragments: synthesis and incorporation into polydiacetylene vesicles. RSC Advances, 2016, 6, 44873-44877.	3.6	20
101	Colloidal stability and photophysical characteristics of luminesent silica nanoparticles modified with various nitrogen/oxygen-containing trialkoxysilanes. Russian Journal of General Chemistry, 2016, 86, 661-667.	0.8	1
102	Molecular tectonics: tetracarboxythiacalix[4]arene derivatives as tectons for the formation of hydrogen-bonded networks. CrystEngComm, 2016, 18, 8622-8630.	2.6	5
103	Extraction of cesium and americium with p-alkylcalix[8]arenes from alkaline solutions. Radiochemistry, 2016, 58, 381-388.	0.7	16
104	Interactions of New bis-Ammonium Thiacalix[4]arene Derivatives in 1,3-Alternate Stereoisomeric Form with Bovine Serum Albumin. BioNanoScience, 2016, 6, 427-430.	3.5	8
105	Automatized Assessment of Protective Group Reactivity: A Step Toward Big Reaction Data Analysis. Journal of Chemical Information and Modeling, 2016, 56, 2140-2148.	5.4	37
106	Amphiphiles with polyethyleneoxide–polyethylenecarbonate chains for hydrophilic coating of iron oxide cores, loading by Gd(III) ions and tuning R2/R1 ratio. Reactive and Functional Polymers, 2016, 99, 107-113.	4.1	5
107	Molecular tectonics: dimensionality and geometry control of silver coordination networks based on pyrazolyl appended thiacalixarenes. CrystEngComm, 2016, 18, 691-703.	2.6	18
108	Molecular Tectonics: 1D Tubular Type and 3D Diamond Like Mercury(II) Coordination Polymers Based on Pyridyl Appended p-tert-Butyltetrathiacalix[4]arene. Macroheterocycles, 2016, 9, 17-22.	0.5	3

#	Article	IF	CITATIONS
109	Polycationic Derivatives of p-tert-Butylthiacalix[4]arene in 1,3-alternate Stereoisomeric Form: New DNA Condensing Agents. Macroheterocycles, 2016, 9, 433-441.	0.5	12
110	Composition of thiacalix[4]arene complexes with monovalent metal ions in the gas phase: MALDI mass spectrometry. Russian Chemical Bulletin, 2015, 64, 1823-1828.	1.5	3
111	Molecular tectonics: silver coordination networks based on tetramercaptothiacalix[4]arene in 1,3-alternate conformation bearing four nitrile groups. Russian Chemical Bulletin, 2015, 64, 1955-1962.	1.5	11
112	Effect of copper(I) on the conformation of the thiacalixarene platform in azide-alkyne cycloaddition. Russian Chemical Bulletin, 2015, 64, 2114-2124.	1.5	3
113	â€~Click chemistry' in the synthesis of new amphiphilic 1,3-alternate thiacalixarenes. Mendeleev Communications, 2015, 25, 177-179.	1.6	26
114	Experimental and theoretical study of the influence of peripheral environment on magnetic properties of tetranuclear manganese skeleton in new representatives of calix[4]arene-containing [MnII2 MnIII2] clusters. Journal of Molecular Structure, 2015, 1081, 217-223.	3.6	8
115	Structure–reactivity relationship in bimolecular elimination reactions based on the condensed graph of a reaction. Journal of Structural Chemistry, 2015, 56, 1227-1234.	1.0	25
116	Synthesis and aggregation properties of new biodegradable amphiphilic derivatives of p-tert-butylphenol for green separation of Gd(III) ions. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2015, 480, 343-350.	4.7	1
117	Synthesis and aggregation properties of thiacalix[4]arene tetra-N-acylamides. Russian Journal of Organic Chemistry, 2015, 51, 430-435.	0.8	1
118	Synthesis and structure of lower rim-substituted alkynyl derivatives of thiacalix[4]arene. Russian Journal of Organic Chemistry, 2015, 51, 1334-1342.	0.8	9
119	Thiacalix[4]arene-functionalized vesicles as phosphorescent indicators for pyridoxine detection in aqueous solution. RSC Advances, 2015, 5, 101177-101185.	3.6	18
120	Molecular Tectonics: Grid and Porous Coordination Networks Based on Combinations of Iron Thiocyanate and Pyridyl Appended Derivatives of Tetrathiacalix[4]arene and Tetramercaptotetrathiacalix[4]arene. Macroheterocycles, 2015, 8, 113-119.	0.5	5
121	New Amphiphilic Bowl-Shaped Receptors on the Basis of Calix[4]arenes in Cone Conformation: Synthesis, Self-Aggregation and Eosin Y Dye Binding. Macroheterocycles, 2015, 8, 409-414.	0.5	5
122	Langmuir Monolayers and Thin Films of Amphifilic Thiacalix[4]arenes. Properties and Matrix for the Immobilization of Cytochrome <i>c</i> . Langmuir, 2014, 30, 15153-15161.	3.5	12
123	Thiacalix[4]arene-containing M2Ln2 complexes (M = MnII, CoII; Ln = EuIII, PrIII): synthesis, structure, and magnetic properties. Russian Chemical Bulletin, 2014, 63, 1465-1474.	1.5	6
124	Development of "structure-property―models in nucleophilic substitution reactions involving azides. Journal of Structural Chemistry, 2014, 55, 1026-1032.	1.0	15
125	Synthesis of tetrathioesters and tetrathioamides based p-tert-butylthiacalix[4]arene and studying their recognition abilities towards different metals by extraction. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2014, 78, 121-126.	1.6	6
126	Cholinesterase sensor based on glassy carbon electrode modified with Ag nanoparticles decorated with macrocyclic ligands. Talanta, 2014, 127, 9-17.	5.5	51

#	Article	IF	CITATIONS
127	Molecular tectonics: generation of grid and porous diamondoid coordination networks by calixarene based tectons. CrystEngComm, 2014, 16, 3765-3772.	2.6	13
128	Beer classification based on the array of solid-contact potentiometric sensors with thiacalixarene receptors. Russian Chemical Bulletin, 2014, 63, 223-231.	1.5	3
129	Molecular recognition of organic compounds by the data on polymorphic and pseudo-polymorphic transformations of tert-butylthiacalix[4]arene derivative. Russian Chemical Bulletin, 2014, 63, 201-206.	1.5	2
130	Molecular tectonics: anion control of dimensionality and connectivity in meta-pyridyl appended tetramercaptotetrathiacalix[4]arene based silver coordination networks. Dalton Transactions, 2014, 43, 158-165.	3.3	19
131	Complex formation of MnII with tetra(p-tert-butyl)thiacalix[4]arene acid in aqueous solutions of surfactants and polymers. Russian Chemical Bulletin, 2014, 63, 207-213.	1.5	1
132	Synthesis and fluorescent properties of thiacalix[4]arenes containing terpyridyl fragments at the lower rim. Russian Chemical Bulletin, 2014, 63, 214-222.	1.5	5
133	Structure-reactivity relationships in terms of the condensed graphs of reactions. Russian Journal of Organic Chemistry, 2014, 50, 459-463.	0.8	29
134	Design of supramolecular biomimetic catalysts of high substrate specificity by noncovalent self-assembly of calix[4]arenes with amphiphilic and polymeric amines. Colloids and Surfaces B: Biointerfaces, 2014, 117, 497-504.	5.0	16
135	Phosphorylated amino derivatives of thiacalix[4]arene as membrane carriers: synthesis and host–guest molecular recognition of amino, hydroxy and dicarboxylic acids. Journal of Physical Organic Chemistry, 2014, 27, 57-65.	1.9	23
136	Bifunctional Derivatives of (Thia)calix[4]-arenes with Terminal Double and Triple Bonds: Synthesis and Azide-Alkyne Click Reactions. Macroheterocycles, 2014, 7, 10-17.	0.5	4
137	Template Synthesis of Tetrakis-triazolylthiacalix[4]arene in the Cone Conformation and Supramolecular Structure of Its Hexanuclear Complex with Ag(I). Macroheterocycles, 2014, 7, 189-195.	0.5	6
138	Phenylurea-Equipped p-tert-Butylthiacalix[4]Arenes as the Synthetic Receptors for Monocharged Anions. Mendeleev Communications, 2013, 23, 41-43.	1.6	14
139	Electrochemical Aptasensor for the Determination of Ochratoxin A at the Au Electrode Modified with Ag Nanoparticles Decorated with Macrocyclic Ligand. Electroanalysis, 2013, 25, 1847-1854.	2.9	49
140	One- and two-dimensional NMR study of structure of 1,2-disubstituted p-tert-butylthiacalix[4]arene containing amide fragment. Russian Journal of General Chemistry, 2013, 83, 698-702.	0.8	1
141	Regioselective synthesis of 1,2,3-triazolyl derivatives of calix[4]arenes based on 1,3-dipolar cycloaddition. Russian Chemical Bulletin, 2013, 62, 767-772.	1.5	7
142	Synthesis of Conjugates of the Iron(II) Tris-Dioximates and the Dithiol-Terminated Calix[4]Arenes. Phosphorus, Sulfur and Silicon and the Related Elements, 2013, 188, 503-506.	1.6	4
143	Synthesis, structure, and properties of nitronyl nitroxyl tetraradical with calix[4]arene framework. Russian Chemical Bulletin, 2013, 62, 543-547.	1.5	3
144	Synthesis, structure, and properties of a new representative of the family of calix[4]arene-containing [MnII 2MnIII 2]-clusters. Russian Chemical Bulletin, 2013, 62, 536-542.	1.5	9

#	Article	IF	CITATIONS
145	Molecular tectonics: pyridyl containing thiacalix[4]arene based tectons for the generation of 2- and 3-D silver coordination networks. Dalton Transactions, 2013, 42, 116-126.	3.3	29
146	2-Butyne-1,4-diol hydrogenation over palladium supported on Zn2+-based – MOF and host–guest MOF/calix[4]arene materials. Microporous and Mesoporous Materials, 2013, 166, 167-175.	4.4	39
147	A new type of polytopic coordination compound: The synthesis and NMR studies of the first hybrid thiacalix[4]arenoclathrochelates. Polyhedron, 2013, 50, 90-100.	2.2	4
148	Microwave-assisted Alkylation of p-tert-butylcalix[4]arene Lower Rim: The Effect of Alkyl Halides. Mendeleev Communications, 2013, 23, 113-115.	1.6	10
149	Conformational diversity and dynamics of distally disubstituted calix and thiacalix[4]arenes in solution. Journal of Physical Organic Chemistry, 2013, 26, 407-414.	1.9	9
150	The effect of the tert-butyl substituent at the phosphorus atom on the conformations of the 1,3,2-dioxaphosphepines with planar fragments. Doklady Chemistry, 2013, 448, 9-11.	0.9	0
151	Molecular tectonics: p-H-thiacalix[4]arene pyridyl appended positional isomers as tectons for the formation of 1D and 2D mercury coordination networks. Dalton Transactions, 2013, 42, 9946.	3.3	14
152	Molecular Tectonics: Control of the Dimensionality in Tetramercaptothiacalixarenes Based Coordination Networks. Inorganic Chemistry, 2013, 52, 6776-6778.	4.0	19
153	Micellar and pre-micellar aggregates of oxyethylated calixarenes studied by ESR of spin probes and cyclic voltammetry. Russian Chemical Bulletin, 2013, 62, 1350-1353.	1.5	3
154	Synthesis and Characterization of Thiacalix[4]monocrowns Modified by Thioether Groups on the Lower Rim. Phosphorus, Sulfur and Silicon and the Related Elements, 2013, 188, 499-502.	1.6	9
155	Thiacalix[4]arenes with Triple Bonds at the Lower Rim: Synthesis and Structure. Macroheterocycles, 2013, 6, 47-52.	0.5	5
156	Enantioselective Recognition of Amino Acids by Enantiomerically Pure Calix[4]arene Carboxylic Acid or Their Diastereomerically Pure N-(1-Phenyl)Âethyl Amides. Macroheterocycles, 2013, 6, 227-233.	0.5	6
157	Synthesis of Photo-Switchable Derivatives of p-tert-Butyl Thiacalix[4]arenes Containing Ethoxycarbonyl and 4-Amidoazobenzene Fragments in the Lower Rim Substituents. Macroheterocycles, 2013, 6, 219-226.	0.5	10
158	Thiacalix[4]monocrowns Substituted by Sulfur-Containing Anchoring Groups: New Ligands for Gold Surface Modification. Macroheterocycles, 2013, 6, 302-307.	0.5	11
159	Label-free aptasensor for thrombin determination based on the nanostructured phenazine mediator. Talanta, 2012, 102, 156-163.	5.5	15
160	Heteroditopic p-tert-butyl thiacalix[4]arenes for creating supramolecular self-assembles by cascade or commutative mechanisms. RSC Advances, 2012, 2, 3906.	3.6	19
161	Proton conductivity of calix[n]arene-para-sulfonic acids (n = 4, 8). Russian Chemical Bulletin, 2012, 61, 1892-1899.	1.5	19
162	Selfâ€assembly of <i>pâ€ŧert</i> â€butyl thiacalix[4]arenes and metal cations into nanoscale threeâ€dimensional particles. Journal of Physical Organic Chemistry, 2012, 25, 1177-1185.	1.9	7

#	Article	IF	CITATIONS
163	Complex Formation of dâ€Metal Ions at the Interface of Tb <sup>III</sup> â€Doped Silica Nanoparticles as a Basis of Substrateâ€Responsive Tb <sup>III</sup> â€Centered Luminescence. ChemPhysChem, 2012, 13, 3357-3364.	2.1	35
164	Step-by-step design of novel biomimetic nanoreactors based on amphiphilic calix[4]arene immobilized on polymer or mineral platforms for destruction of ecological toxicants. Chemical Engineering Journal, 2012, 185-186, 285-293.	12.7	15
165	The interfacial interactions of Tb-doped silica nanoparticles with surfactants and phospholipids revealed through the fluorescent response. Colloids and Surfaces B: Biointerfaces, 2012, 92, 327-333.	5.0	8
166	Interfacial adsorption and stripping of ions as a reason of stimuli responsive luminescence of Tb-doped silica nanoparticles. Materials Chemistry and Physics, 2012, 132, 488-493.	4.0	9
167	Phosphorylation of p-tert-butyl(thia)calixarenes by ethylene chlorophosphite. Mendeleev Communications, 2012, 22, 21-22.	1.6	10
168	Selective transmembrane carriers for hydroxycarboxylic acids: Influence of a macrocyclic calix[4]arene platform. Mendeleev Communications, 2012, 22, 80-82.	1.6	13
169	New organized systems based on amphiphilic oxyethylated calix[4]arene. Colloid Journal, 2012, 74, 67-77.	1.3	3
170	Electrochemical Aptasensor Based on a Macrocyclic Ligand Bearing Neutral Red. Electroanalysis, 2012, 24, 91-100.	2.9	15
171	Cholinesterase Biosensors Based on Screenâ€Printed Electrodes Modified with Coâ€Phtalocyanine and Polycarboxylated Thiacalixarenes. Electroanalysis, 2012, 24, 554-562.	2.9	15
172	Synthesis, Structure, and Exctraction Ability of Tetrasubstituted Thiacalix[4]Arenes with Crown Ether Fragments on the Lower Rim. Macroheterocycles, 2012, 5, 17-22.	0.5	11
173	Mono-, 1,3-Di- and Tetrasubstituted p-tert-Butylthiacalix[4]arenes Containing Phthalimide Groups: Synthesis and Functionalization with Ester, Amide, Hydrazide and Amino Groups. Macroheterocycles, 2012, 5, 266-274.	0.5	8
174	Synthesis and Fluorescence Properties of Lower Rim Functionalized p-tert-Butyl Thiacalix[4]arenes Containing Anthraquinone and N,N-Diethylacetamide Fragments. Macroheterocycles, 2012, 5, 396-403.	0.5	4
175	Cascade and Commutative Self-Assembles of Nanoscale Three-Component Systems Controlled by the Conformation of Thiacalix[4]arene. Langmuir, 2011, 27, 14053-14064.	3.5	18
176	p-tert-Butyl thiacalix[4]arenes functionalized at the lower rim by amide, hydroxyl and ester groups as anion receptors. Organic and Biomolecular Chemistry, 2011, 9, 3225.	2.8	29
177	Thiacalix-monocrown ethers with terminal functional groups at the lower rim: Synthesis and structure. Doklady Chemistry, 2011, 438, 170-174.	0.9	3
178	Catalytic properties of supramolecular systems based on polyoxyethylated calixarenes and amines. Kinetics and Catalysis, 2011, 52, 529-535.	1.0	3
179	Molecular recognition of chloroform by divergent polymorphic transitions in tert-butylthiacalix[4]arene tetrasubstituted with N-(2-hydroxyethyl)carbamoylmethoxy groups in a lower rim. Mendeleev Communications, 2011, 21, 291-292.	1.6	16
180	tert-Butylthiacalix[4]arene monolayers as a biomimetic model for the oxidation of antioxidants with cytochrome c. Russian Chemical Bulletin, 2011, 60, 1948-1955.	1.5	4

#	Article	IF	CITATIONS
181	Composite materials on the basis of phenylenecarboxylate framework MOF-5 and calix[4]arenes with various structures. Russian Journal of Physical Chemistry A, 2011, 85, 293-297.	0.6	7
182	Sorbents based on calix[4]arenes for extraction of technetium(vii) from acidic and alkaline media. Russian Chemical Bulletin, 2011, 60, 175-178.	1.5	1
183	Unusual functionalization of the lower rim of thiacalix[4]arene: competition of alkylation and transalkylation. Russian Chemical Bulletin, 2011, 60, 486-498.	1.5	15
184	Synthesis of silver and lithium sub-micro- and nanoparticles coated with derivatives of p-tert-butyl thiacalix[4]arenes. Journal of Nanoparticle Research, 2011, 13, 6603-6611.	1.9	8
185	Influence of Nature of Functional Groups on Interaction of Tetrasubstituted at Lower Rim p-tert-Butyl Thiacalix[4]arenes in 1,3-Alternate Configuration with Model Lipid Membranes. Applied Magnetic Resonance, 2011, 40, 231-243.	1.2	11
186	Combined Use of 2-D NMR Correlation Experiments, GIAO DFT 13C Chemical Shifts and 1-D NOESY Methods in Regioisomeric and Conformational Structure Determination of Cyclophanes in Solution. Applied Magnetic Resonance, 2011, 41, 467-475.	1.2	3
187	Chemo- and stereocontrolled alkylation of 1,2-disubstituted at the lower rim 1,2-alternate p-tert-butylthiacalix[4]arene. Mendeleev Communications, 2011, 21, 41-43.	1.6	13
188	Silica Nanoparticles with Proton Donor and Proton Acceptor Groups: Synthesis and Aggregation. Silicon, 2011, 3, 5-12.	3.3	11
189	Potentiometric Sensors Based on Polyaniline and Thiacalixarenes for Green Tea Discrimination. Electroanalysis, 2011, 23, 1081-1088.	2.9	14
190	Dopamine Sensor Based on a Composite of Silver Nanoparticles Implemented in the Electroactive Matrix of Calixarenes. Electroanalysis, 2011, 23, 2281-2289.	2.9	30
191	Electroswitchable binding of [Co(dipy)3]3+ and [Fe(dipy)3]2+ n-sulfonato(thia)calix[4]arenas. Russian Journal of Electrochemistry, 2010, 46, 1263-1279.	0.9	3
192	Novel membrane mimetic systems based on amphiphilic oxyethylated calix[4]arene: Aggregative and liquid crystalline behavior. Journal of Membrane Science, 2010, 364, 90-101.	8.2	36
193	Molecular transport in thiacalix[4]arene-modified nanoporous colloidal films. Microporous and Mesoporous Materials, 2010, 131, 378-384.	4.4	15
194	Reversible electrochemical pH-switching of luminescence in a p- sulfonatothiacalix[4]arene— terbium(3+) system. Russian Chemical Bulletin, 2010, 59, 1538-1542.	1.5	3
195	IR and NMR spectra, intramolecular hydrogen bonding and conformations of para-tert-butyl-aminothiacalix[4]arene in solid state and chloroform solution. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2010, 75, 872-879.	3.9	2
196	Solution behavior of mixed systems based on novel amphiphilic cyclophanes and Triton X100: Aggregation, cloud point phenomenon and cloud point extraction of lanthanide ions. Journal of Colloid and Interface Science, 2010, 346, 405-413.	9.4	32
197	Phosphorus-bridged calixarene phosphites: dramatic influence of a tert-butyl group at the upper rim of the macrocycle upon anion binding. Mendeleev Communications, 2010, 20, 359-360.	1.6	14
198	Redox induced pH-switch of Tb(III) centered luminescence of Tb(III) complex with p-sulfonatothiacalix[4]arene. Electrochemistry Communications, 2010, 12, 703-705.	4.7	18

#	Article	IF	CITATIONS
199	p-tert-Butyl thiacalix[4]arenes functionalized at the lower rim by 0-, m-, p-amido and 0-, m-, p-(amidomethyl)pyridine fragments as receptors for α-hydroxy- and dicarboxylic acids. Tetrahedron, 2010, 66, 359-367.	1.9	19
200	Using clathrate pseudopolymorphism for a single sensor detection of target component in the headspace of liquid mixture. Sensors and Actuators B: Chemical, 2010, 148, 264-268.	7.8	14
201	Discrimination of apple juice and herbal liqueur brands with solid-state electrodes covered with polyaniline and thiacalixarenes. Talanta, 2010, 82, 613-619.	5.5	17
202	Dual Visible and Near-Infrared Luminescent Silica Nanoparticles. Synthesis and Aggregation Stability. Journal of Physical Chemistry C, 2010, 114, 6350-6355.	3.1	23
203	Supramolecular self-assemblies of stereoisomers of p-tert-butyl thiacalix[4]arenes functionalized with hydrazide groups at the lower rim with some metal cations. Tetrahedron, 2009, 65, 7109-7114.	1.9	23
204	Configuration effect of the tert-butylthiacalix[4]arene tetracarboxy derivative on its receptor properties toward vaporous organic compounds. Russian Chemical Bulletin, 2009, 58, 71-79.	1.5	4
205	Self-assembly of nanosized aggregates based on the photoswitchable p-tert-butyl thiacalix[4]arene derivative and Fe III, Cull, and Agl cations. Russian Chemical Bulletin, 2009, 58, 101-107.	1.5	7
206	Thiacalix[4] arenes with terminal thiol groups at the lower rim: synthesis and structure. Russian Chemical Bulletin, 2009, 58, 145-151.	1.5	8
207	Synthesis of stereoisomers of p-tert-butylthiacalix[4]arenes tetrasubstituted at the lower rim containing secondary amide groups and their complexation with a number of singly charged anions. Russian Chemical Bulletin, 2009, 58, 1007-1014.	1.5	12
208	Complexation of GdIII with tetra-p-tert-butylthiacalix[4]arenoic acid in micellar media. Russian Chemical Bulletin, 2009, 58, 1400-1407.	1.5	5
209	Heterometallic complex formation on p-sulfonatothiacalix[4]arene platform resulting in pH- and redox-modification of [Ru(bpy)3]2+ luminescence. Inorganica Chimica Acta, 2009, 362, 3279-3284.	2.4	14
210	New membrane carrier for glutamic acid based on p-tert-butylcalix[4]arene 1,3-disubstituted at the lower rim. Mendeleev Communications, 2009, 19, 163-164.	1.6	12
211	Synthesis and complexation properties of 1,3-alternate stereoisomers of p-tert-butylthiacalix[4]arenes tetrasubstituted at the lower rim by the phthalimide group. Mendeleev Communications, 2009, 19, 193-195.	1.6	25
212	Modeling K+ and Ag+ Complexation by Thiacalix[4]arene Amides Using DFT: The Role of Intramolecular Hydrogen Bonding. Journal of Physical Chemistry A, 2009, 113, 5691-5699.	2.5	18
213	Structure of the stereoisomers of tetrasubstituted p-t-butylcalix[4]arene containing a morpholine fragment: Data of 1D and 2D (NOESY) NMR spectroscopy. Russian Journal of General Chemistry, 2009, 79, 466-474.	0.8	Ο
214	Study of the structure of p-tert-butyl-substituted thiacalix[4]arenes containing amide fragment by one- and two-dimensional NMR spectroscopy. Russian Journal of General Chemistry, 2009, 79, 1850-1858.	0.8	0
215	Extraction of lanthanum and gadolinium(III) at the cloud point using p-sulfonatocalyx[n]arenes as chelating agents. Colloid Journal, 2009, 71, 69-75.	1.3	8
216	Photomagnetic effect in molecular magnets based on nitrosyl complexes of ruthenium and rare-earth ions. Physics of the Solid State, 2009, 51, 2095-2100.	0.6	5

#	Article	IF	CITATIONS
217	Molecular tectonics: 3-D organisation of decanuclear silver nanoclusters. Chemical Communications, 2009, , 2514.	4.1	29
218	Novel Highly Charged Silica-Coated Tb(III) Nanoparticles with Fluorescent Properties Sensitive to Ion Exchange and Energy Transfer Processes in Aqueous Dispersions. Langmuir, 2009, 25, 3146-3151.	3.5	47
219	Regioselective alkylation of the lower rim of <i>p-tert</i> -butylthiacalix[4]arene with <i>N</i> -( <i>p</i> -nitrophenyl)-α-bromoacetamide. Supramolecular Chemistry, 2009, 21, 564-571.	1.2	9
220	Spectral-luminescence and magnetic relaxation properties of lanthanide—p-sulfonatothiacalix[4]arenes in aqueous solution of surfactants. Russian Chemical Bulletin, 2008, 57, 567-572.	1.5	4
221	Synthesis and complexation properties of carbonyl-containing thiacalix[4]arenes. Russian Chemical Bulletin, 2008, 57, 1477-1485.	1.5	9
222	Photophysical and electrochemical properties of the outer-sphere associate of [Ru(bipy)3]2+ with p-sulfonatothiacalix[4]arene. Russian Chemical Bulletin, 2008, 57, 1897-1904.	1.5	8
223	Reactions of heteroaromatic chromophores with lanthanide complexes of p-sulfonatothiacalix[4]arene. Russian Chemical Bulletin, 2008, 57, 1905-1911.	1.5	2
224	IR and NMR spectra, intramolecular hydrogen bonding and conformations of mercaptothiacalix[4]arene molecules and their para-tert-butyl-derivative. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2008, 60, 281-291.	1.6	7
225	Heterometallic Co <sup>III</sup> –Ln <sup>III</sup> (Ln = Gd, Tb, Dy) Complexes on a <i>p</i> ‣ulfonatothiacalix[4]arene Platform Exhibiting Redox‣witchable Metalâ€toâ€Metal Energy Transfer. European Journal of Inorganic Chemistry, 2008, 2008, 3957-3963.	2.0	19
226	Increasing permeability of phospholipid bilayer membranes to alanine with synthetic α-aminophosphonate carriers. Bioorganic and Medicinal Chemistry Letters, 2008, 18, 2320-2323.	2.2	26
227	The synthesis of p-tert-butyl thiacalix[4]arenes functionalized with secondary amide groups at the lower rim and their extraction properties and self-assembly into nanoscale aggregates. Tetrahedron, 2008, 64, 7112-7121.	1.9	40
228	Solvent extraction and self-assembly of nanosized aggregates of p-tert-butyl thiacalix[4]arenes tetrasubstituted at the lower rim by tertiary amide groups and monocharged metal cations in the organic phase. Tetrahedron, 2008, 64, 7489-7497.	1.9	34
229	Supramolecular systems based on calixarenes. Mendeleev Communications, 2008, 18, 229-237.	1.6	35
230	Selectivity of solid-contact Ag potentiometric sensors based on thiacalix[4]arene derivatives. Talanta, 2008, 76, 441-447.	5.5	25
231	Ag selective electrode based on glassy carbon electrode covered with polyaniline and thiacalix[4]arene as neutral carrier. Talanta, 2007, 71, 1720-1727.	5.5	46
232	The outer-sphere association of p-sulfonatothiacalix[4]arene with some Co(III) complexes: the effect on their redox activity in aqueous solutions. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2007, 59, 25-32.	1.6	3
233	Nonregular structure–property relationships for inclusion parameters of tert-butylcalix[5]arene. Organic and Biomolecular Chemistry, 2007, 5, 1472-1478.	2.8	27
234	Molecular tectonics: on the formation of 1-D silver coordination networks by thiacalixarenes bearing nitrile groups. Dalton Transactions, 2007, , 5126.	3.3	43

#	Article	IF	CITATIONS
235	Synthesis and spatial structure of novel organosilicon derivatives of p-tert-butylthiacalix[4]arene from two-dimensional NMR data. Russian Chemical Bulletin, 2007, 56, 307-312.	1.5	2
236	One-Step Heterylation at the Upper Rim of Calix[4]arene with 1,2,4-Triazin-5(2H)-ones. Journal of Organic Chemistry, 2006, 71, 8272-8275.	3.2	20
237	Synthetic receptors for transition metal cations – tetrahydrazides on the basis of p-tert-butylthiacalix[4]arene. Mendeleev Communications, 2006, 16, 248-249.	1.6	12
238	Array of fluorescent chemosensors for the molecular recognition of halide anions on the basis of the stereoisomers of thiacalix[4]arene tetranaphthylamides. Mendeleev Communications, 2006, 16, 294-297.	1.6	25
239	pH-Driven Variation of the Outer-Sphere Binding Mode of cis-[Co(Ad)(en)2Cl]Cl (en-Ethylendiamine,) Tj ETQq1 1 Chemistry, 2006, 56, 369-374.	0.784314 1.6	4 rgBT /Over 1
240	Analysis of the spatial structure of calixarenes in solutions by 2-D NMR (NOESY) spectroscopy. Applied Magnetic Resonance, 2006, 30, 165-173.	1.2	11
241	A first report on ternary complex formation between p-sulfonatothiacalix[4]arene, tetramethylammonium ion and gadolinium (III) ion in aqueous solutions. Inorganic Chemistry Communication, 2005, 8, 821-824.	3.9	19
242	Synthetic Receptors Based on Calix[4]arene Functionalized at the Lower Rim in Molecular Recognition of Dicarboxylic, ?-Hydroxycarboxylic, and ?-Amino Acids ChemInform, 2005, 36, no.	0.0	0
243	Phosphorus Macrocycles and Cryptands. ChemInform, 2005, 36, no.	0.0	0
244	New Materials Based on Tubular Nanodimensional Structures. Part 1. Synthesis, Structural Studies and Determination of Interproton Distances in Solutions of Functionalized Thiacalix[4]arenes According to NMR Spectroscopic Data (NOESY) ChemInform, 2005, 36, no.	0.0	0
245	Synthesis and extraction properties of preorganized host molecules based on tetraamides of thiacalix[4]arene. Journal of Structural Chemistry, 2005, 46, S16-S21.	1.0	2
246	New host molecules based on the thiacalix[4]arene platform for cation recognition. Journal of Structural Chemistry, 2005, 46, S22-S27.	1.0	7
247	Structure-property relationship for clathrates formed in systems with guest vapor and 1,3-disubstituted tert-butylcalix[4]arene. Journal of Structural Chemistry, 2005, 46, S33-S38.	1.0	2
248	Synthesis, structure, and complexation properties of tetraamide derivatives of thiacalix[4]arene in different conformations. Russian Chemical Bulletin, 2005, 54, 2104-2112.	1.5	15
249	Choline Esterase Inhibitors and Synthetic Oxalic Acid Receptors Based on Calix[4]arene Derivatives. Russian Journal of General Chemistry, 2005, 75, 278-284.	0.8	1
250	Vibrational spectra, co-operative intramolecular hydrogen bonding and conformations of calix[4]arene and thiacalix[4]arene molecules and their para-tert-butyl derivatives. Organic and Biomolecular Chemistry, 2005, 3, 2558.	2.8	41
251	Outer-Sphere Association of p-Sulfonatothiacalix[4]arene and Tetrasulfonatomethylated Calix[4]resorcinarene with Cobalt(III) Tris(dipyridyl):  The Effect on the Spectral and Electrochemical Properties of the Latter. Inorganic Chemistry, 2005, 44, 4017-4023.	4.0	38
252	Molecular recognition of organic guest vapor by solid adamantylcalix[4]arene. Russian Chemical Bulletin, 2004, 53, 60-65.	1.5	19

#	Article	IF	CITATIONS
253	Extraction of technetium(vii) by calix[4]arene tetraketones and tetraesters from acidic and basic media. Russian Chemical Bulletin, 2004, 53, 127-132.	1.5	10
254	Synthetic receptors based on calix[4]arene functionalized at the lower rim in molecular recognition of dicarboxylic, Â-hydroxycarboxylic, and Â-amino acids. Russian Chemical Bulletin, 2004, 53, 1172-1180.	1.5	7
255	Phosphorus macrocycles and cryptands. Russian Chemical Bulletin, 2004, 53, 1402-1416.	1.5	16
256	The use of a lyotropic liquid-crystalline medium and residual dipolar coupling constants for determination of the spatial structure of thiacalix[4]arenes in solutions. Russian Chemical Bulletin, 2004, 53, 1466-1470.	1.5	10
257	Outer-sphere interactions between octahedral chiral cobalt(iii) complexes and water-soluble calixarenes. Russian Chemical Bulletin, 2004, 53, 1511-1519.	1.5	9
258	Effect of the size of calixarene macrocycle on the thermodynamic parameters of formation of inclusion compounds in guest vapor—solid host systems. Russian Chemical Bulletin, 2004, 53, 1536-1543.	1.5	9
259	Membrane transport of dicarboxylic and α-hydroxy carboxylic acids induced by α-amino phosphonates. Russian Chemical Bulletin, 2004, 53, 1577-1583.	1.5	5
260	Design and Ionophore Properties of Some Macrocyclic Calixarene-Based Ligands. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2004, 30, 227-244.	1.0	9
261	New materials based on tubular nanodimensional structures 1. Synthesis, structural studies and determination of interproton distances in solutions of functionalized thiacalix[4]arenes according to NMR spectroscopic data (NOESY). Russian Chemical Bulletin, 2004, 53, 2269-2275.	1.5	4
262	Artificial Ion Channels. ChemInform, 2004, 35, no.	0.0	0
263	Molecular Recognition of Organic Guest Vapor by Solid Adamantylcalix[4]arene ChemInform, 2004, 35, no.	0.0	0
264	The synthesis of tetracarbonyl derivatives of thiacalix[4]arene in different conformations and their complexation properties towards alkali metal ions. Tetrahedron, 2003, 59, 1469-1476.	1.9	54
265	Artificial ion channels. Russian Chemical Reviews, 2003, 72, 1055-1077.	6.5	19
266	Nonlinear Structureâ^'Affinity Relationships for Vapor Guest Inclusion by Solid Calixarenes. Journal of Physical Chemistry B, 2002, 106, 5845-5851.	2.6	50
267	Cooperative intramolecular hydrogen bond and conformations of thiocalix[4]arene molecules. Russian Chemical Bulletin, 2002, 51, 825-827.	1.5	35
268	Title is missing!. Combustion, Explosion and Shock Waves, 2002, 38, 525-534.	0.8	14
269	The First Example of a σ2λ2-Dioxaphosphenium Cation, Stabilized by an Intramolecular Dative P+ ↕S Bond. Organic Letters, 2001, 3, 1299-1301.	4.6	9
270	Title is missing!. Russian Chemical Bulletin, 2001, 50, 2134-2143.	1.5	5

#	Article	IF	CITATIONS
271	1,3-Disubstituted p-tert-Butylcalix[4]arenes as Cholinesterase Inhibitors. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2001, 39, 339-346.	1.6	6
272	Lipophilic aminophosphonates and their calix[4]arene derivatives: synthesis and membrane transport of biorelevant species. Heteroatom Chemistry, 2000, 11, 518-527.	0.7	40
273	Thermodynamic comparison of molecular recognition of vaporous guests by solid calixarene and diol hosts. Perkin Transactions II RSC, 2000, , 2287-2294.	1.1	47
274	Phosphorylation of p-tert-butylthiacalix[4]arene: reaction with phosphorous triamides. Perkin Transactions II RSC, 2000, , 1741-1744.	1.1	13
275	The Novel Phosphadiazacalixcrown Compounds. Phosphorus, Sulfur and Silicon and the Related Elements, 1999, 147, 9-9.	1.6	0
276	Membrane Transport of the Zwitterionic Aromatic α-Amino Acids by α-Aminophosphonates. Phosphorus, Sulfur and Silicon and the Related Elements, 1999, 147, 11-11.	1.6	4
277	The Syntheses and Binding Properties of the Novel Organophosphorus Calixarenes. Phosphorus, Sulfur and Silicon and the Related Elements, 1999, 144, 701-704.	1.6	2
278	Phosphorylation of p-tert-butylthiocalix[4]arene: Reaction with phosphorus trichloride. Tetrahedron Letters, 1999, 40, 8461-8464.	1.4	20
279	Title is missing!. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 1999, 35, 389-396.	1.6	19
280	Influence of the guest molecular size on the thermodynamic parameters of host–guest complexes between solid tert-butylcalix[4]arene and vapours of organic compounds. Mendeleev Communications, 1999, 9, 11-13.	1.6	15
281	Combustion of Aluminum particles in flows of reactive gase. Combustion, Explosion and Shock Waves, 1999, 35, 36-42.	0.8	4
282	α-Aminophosphonates: Effective Carriers for the Membrane Transport of Biorelevant Species. Phosphorus, Sulfur and Silicon and the Related Elements, 1999, 144, 347-350.	1.6	6
283	Title is missing!. Magyar Apróvad Közlemények, 1998, 54, 305-309.	1.4	6
284	Mebbrane extraction of organic compounds. Russian Chemical Bulletin, 1998, 47, 1697-1701.	1.5	6
285	Phosphorus-containing calixarenes. Russian Chemical Reviews, 1998, 67, 905-922.	6.5	64
286	The cooperative effect of the third component on the isotherms of guest vapour inclusion in solid tert-butylcalix[4]arene. Mendeleev Communications, 1997, 7, 215-217.	1.6	12
287	Calix[4]arene based α-aminophosphonates: Novel carriers for zwitterionic amino acids transport. Tetrahedron Letters, 1997, 38, 5865-5868.	1.4	83
288	Synthesis and Cation Transfer Properties of Alkyl Calix[4]Aryl Phosphates. A New Series of Molecular Receptors. Phosphorus, Sulfur and Silicon and the Related Elements, 1996, 111, 58-58.	1.6	0

#	Article	IF	CITATIONS
289	Chiral α-Aminophosphonates: Synthesis and Transport Properties. Phosphorus, Sulfur and Silicon and the Related Elements, 1996, 111, 117-117.	1.6	6
290	Cryptate acidity scales. Solvent polarity effect on ion-pair and free ion acidity of organic compounds. Journal of Physical Organic Chemistry, 1994, 7, 181-191.	1.9	23
291	Equilibrium CH-acidities of dimethyl 2-dimethoxyphosphoryl malonate and its thiophosphoryl analog. Russian Chemical Bulletin, 1993, 42, 374-375.	1.5	0
292	Impact of flexible succinate connectors on the formation of tetrasulfonylcalix[4]arene based Nano-sized polynuclear cages: structural diversity and induced chirality study. CrystEngComm, 0, , .	2.6	6