

Yuditiya Purwosunu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7125029/yuditiya-purwosunu-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

34
papers

909
citations

21
h-index

30
g-index

34
ext. papers

990
ext. citations

2.5
avg, IF

3.26
L-index

| # | Paper | IF | Citations |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 34 | Lower rate of preeclampsia after antioxidant supplementation in pregnant women with low antioxidant status. <i>Hypertension in Pregnancy</i> , 2006 , 25, 241-53 | 2 | 82 |
| 33 | Gene expression in chorionic villous samples at 11 weeks gestation from women destined to develop preeclampsia. <i>Prenatal Diagnosis</i> , 2008 , 28, 956-61 | 3.2 | 74 |
| 32 | Cell-free mRNA concentrations of CRH, PLAC1, and selectin-P are increased in the plasma of pregnant women with preeclampsia. <i>Prenatal Diagnosis</i> , 2007 , 27, 772-7 | 3.2 | 62 |
| 31 | PP13 mRNA expression in trophoblasts from preeclamptic placentas. <i>Reproductive Sciences</i> , 2009 , 16, 408-13 | 3 | 57 |
| 30 | Cell-free mRNA concentrations of plasminogen activator inhibitor-1 and tissue-type plasminogen activator are increased in the plasma of pregnant women with preeclampsia. <i>Clinical Chemistry</i> , 2007 , 53, 399-404 | 5.5 | 49 |
| 29 | Quantitative distribution of a panel of circulating mRNA in preeclampsia versus controls. <i>Prenatal Diagnosis</i> , 2006 , 26, 1115-20 | 3.2 | 43 |
| 28 | Prediction of preeclampsia by analysis of cell-free messenger RNA in maternal plasma. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 386.e1-7 | 6.4 | 42 |
| 27 | Performance of messenger RNAs circulating in maternal blood in the prediction of preeclampsia at 10-14 weeks. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 575.e1-7 | 6.4 | 40 |
| 26 | Cellular mRNA expressions of anti-oxidant factors in the blood of preeclamptic women. <i>Prenatal Diagnosis</i> , 2009 , 29, 691-6 | 3.2 | 36 |
| 25 | The role of p53 mutation in the carcinomas arising from endometriosis. <i>International Journal of Gynecological Pathology</i> , 2007 , 26, 345-51 | 3.2 | 36 |
| 24 | Attitudes toward non-invasive prenatal diagnosis among pregnant women and health professionals in Japan. <i>Prenatal Diagnosis</i> , 2012 , 32, 674-9 | 3.2 | 35 |
| 23 | Evaluation of physiological alterations of the placenta through analysis of cell-free messenger ribonucleic acid concentrations of angiogenic factors. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 124.e1-7 | 6.4 | 29 |
| 22 | Expression of angiogenesis-related genes in the cellular component of the blood of preeclamptic women. <i>Reproductive Sciences</i> , 2009 , 16, 857-64 | 3 | 28 |
| 21 | Placenta-derived, cellular messenger RNA expression in the maternal blood of preeclamptic women. <i>Obstetrics and Gynecology</i> , 2007 , 110, 1130-6 | 4.9 | 27 |
| 20 | Performance of a panel of maternal serum markers in predicting preeclampsia at 11-15 weeks gestation. <i>Prenatal Diagnosis</i> , 2007 , 27, 1005-10 | 3.2 | 26 |
| 19 | Antioxidant supplementation in pregnant women with low antioxidant status. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 1152-61 | 1.9 | 25 |
| 18 | Gene expression in chorionic villous samples at 11 weeks of gestation in women who develop pre-eclampsia later in pregnancy: implications for screening. <i>Prenatal Diagnosis</i> , 2011 , 31, 181-5 | 3.2 | 25 |

| | | | |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 17 | PP13 mRNA expression in the cellular component of maternal blood as a marker for preeclampsia. <i>Prenatal Diagnosis</i> , 2009 , 29, 1231-6 | 3.2 | 25 |
| 16 | Recent advances in non-invasive prenatal DNA diagnosis through analysis of maternal blood. <i>Journal of Obstetrics and Gynaecology Research</i> , 2007 , 33, 747-64 | | 24 |
| 15 | Control of Postpartum Hemorrhage Using Vacuum-Induced Uterine Tamponade. <i>Obstetrics and Gynecology</i> , 2016 , 128, 33-36 | 4.9 | 21 |
| 14 | Enrichment of NRBC in maternal blood: a more feasible method for noninvasive prenatal diagnosis. <i>Prenatal Diagnosis</i> , 2006 , 26, 545-7 | 3.2 | 21 |
| 13 | Vitamin B ₁₂ supplementation in pregnant women with nausea and vomiting. <i>International Journal of Gynecology and Obstetrics</i> , 2012 , 116, 206-10 | 4 | 20 |
| 12 | Gene expression in chorionic villous samples at 11 weeks of gestation in women who develop preeclampsia later in pregnancy: implications for screening. <i>Prenatal Diagnosis</i> , 2009 , 29, 1038-44 | 3.2 | 20 |
| 11 | Vitamin K2 treatment for postmenopausal osteoporosis in Indonesia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2006 , 32, 230-4 | | 19 |
| 10 | Development of noninvasive fetal DNA diagnosis from nucleated erythrocytes circulating in maternal blood. <i>Prenatal Diagnosis</i> , 2007 , 27, 846-8 | 3.2 | 15 |
| 9 | Circulating mRNA for the PLAC1 gene as a second trimester marker (14-18 weeks gestation) in the screening for late preeclampsia. <i>Fetal Diagnosis and Therapy</i> , 2014 , 36, 196-201 | 2.4 | 11 |
| 8 | Influence of early self-diagnosis and treatment of bacterial vaginosis on preterm birth rate. <i>International Journal of Gynecology and Obstetrics</i> , 2012 , 117, 264-7 | 4 | 8 |
| 7 | Ultrasound evaluation of the amount of Wharton's jelly and the umbilical coiling index. <i>Fetal Diagnosis and Therapy</i> , 2009 , 26, 85-9 | 2.4 | 7 |
| 6 | Trans-arterial embolization of acquired uterine arteriovenous malformation after Cesarean section: A case series. <i>International Journal of Reproductive BioMedicine</i> , 2019 , 17, | 1.3 | 2 |
| 5 | Ureter injury in obstetric hysterectomy with placenta accreta spectrum: Case report. <i>International Journal of Surgery Case Reports</i> , 2021 , 88, 106489 | 0.8 | 0 |
| 4 | Relationship between Perineal Body Length and Degree of Perineal Tears in Primigravidas Undergoing Vaginal Delivery with Episiotomy. <i>Obstetrics and Gynecology International</i> , 2021 , 2021, 2621872 | | 0 |
| 3 | Analysis of Protein Oxidative Damage and Pregnancy Associated Plasma Protein-A (PAPP-A) Expression in Preeclamptic Placenta. <i>Advanced Science Letters</i> , 2017 , 23, 6644-6647 | 0.1 | |
| 2 | Quantitative RT-PCR gene expression analysis of a laser microdissected placenta: an approach to study preeclampsia. <i>Methods in Molecular Biology</i> , 2011 , 755, 477-89 | 1.4 | |
| 1 | Placenta accreta complicated with peripartum cardiomyopathy. <i>BMJ Case Reports</i> , 2018 , 2018, | 0.9 | |