## Maria Rosaria Melis

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7125501/maria-rosaria-melis-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70 3,295 33 56 g-index

72 3,532 4.4 5.07 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
70	Oxytocin-conjugated saporin injected into the substantia nigra of male rats alters the activity of the nigrostriatal dopaminergic system: A behavioral and neurochemical study. <i>Brain Research</i> , <b>2021</b> , 1773, 147705	3.7	
69	Oxytocin, Erectile Function and Sexual Behavior: Last Discoveries and Possible Advances. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	3
68	Erectile Function and Sexual Behavior: A Review of the Role of Nitric Oxide in the Central Nervous System <i>Biomolecules</i> , <b>2021</b> , 11,	5.9	2
67	Altered Sexual Behavior in Dopamine Transporter (DAT) Knockout Male Rats: A Behavioral, Neurochemical and Intracerebral Microdialysis Study. <i>Frontiers in Behavioral Neuroscience</i> , <b>2020</b> , 14, 58	3.5	14
66	The pesticide fipronil injected into the substantia nigra of male rats decreases striatal dopamine content: A neurochemical, immunohistochemical and behavioral study. <i>Behavioural Brain Research</i> , <b>2020</b> , 384, 112562	3.4	10
65	Chronic Administration of Fipronil Heterogeneously Alters the Neurochemistry of Monoaminergic Systems in the Rat Brain. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	7
64	Oxytocin induces penile erection and yawning when injected into the bed nucleus of the stria terminalis: A microdialysis and immunohistochemical study. <i>Behavioural Brain Research</i> , <b>2019</b> , 375, 1121	4A	3
63	c-Fos, <b>E</b> osB, BDNF, trkB and Arc Expression in the Limbic System of Male Roman High- and Low-Avoidance Rats that Show Differences in Sexual Behavior: Effect of Sexual Activity. <i>Neuroscience</i> , <b>2019</b> , 396, 1-23	3.9	9
62	Rats selectively bred for showing divergent behavioral traits in response to stress or novelty or spontaneous yawning with a divergent frequency show similar changes in sexual behavior: the role of dopamine. <i>Reviews in the Neurosciences</i> , <b>2019</b> , 30, 427-454	4.7	6
61	Oxytocin induces penile erection and yawning when injected into the bed nucleus of the stria terminalis: Involvement of glutamic acid, dopamine, and nitric oxide. <i>Hormones and Behavior</i> , <b>2017</b> , 96, 52-61	3.7	12
60	Involvement of nigral oxytocin in locomotor activity: A behavioral, immunohistochemical and lesion study in male rats. <i>Hormones and Behavior</i> , <b>2016</b> , 83, 23-38	3.7	21
59	Role of dopamine D4 receptors in copulatory behavior: Studies with selective D4 agonists and antagonists in male rats. <i>Pharmacology Biochemistry and Behavior</i> , <b>2015</b> , 137, 110-8	3.9	16
58	Involvement of dopamine in the differences in sexual behaviour between Roman high and low avoidance rats: an intracerebral microdialysis study. <i>Behavioural Brain Research</i> , <b>2015</b> , 281, 177-86	3.4	19
57	Oxytocin nasal spray in fibromyalgic patients: additional information: reply to the comment to the editor entitled "future directions for the investigation of intranasal oxytocin and pain". <i>Rheumatology International</i> , <b>2014</b> , 34, 1335-6	3.6	4
56	Dopamine is involved in the different patterns of copulatory behaviour of Roman high and low avoidance rats: studies with apomorphine and haloperidol. <i>Pharmacology Biochemistry and Behavior</i> , <b>2014</b> , 124, 211-9	3.9	20
55	Male Roman high and low avoidance rats show different patterns of copulatory behaviour: comparison with Sprague Dawley rats. <i>Physiology and Behavior</i> , <b>2014</b> , 127, 27-36	3.5	20
54	Neuropeptides and central control of sexual behaviour from the past to the present: a review. <i>Progress in Neurobiology</i> , <b>2013</b> , 108, 80-107	10.9	99

53	Neuroendocrine regulatory peptide-1 and neuroendocrine regulatory peptide-2 influence differentially feeding and penile erection in male rats: sites of action in the brain. <i>Regulatory Peptides</i> , <b>2012</b> , 177, 46-52		11
52	Oxytocin-induced yawning: sites of action in the brain and interaction with mesolimbic/mesocortical and incertohypothalamic dopaminergic neurons in male rats. <i>Hormones and Behavior</i> , <b>2012</b> , 62, 505-14	3.7	36
51	Dopamine agonist-induced penile erection and yawning: differential role of DIlike receptor subtypes and correlation with nitric oxide production in the paraventricular nucleus of the hypothalamus of male rats. <i>Behavioural Brain Research</i> , <b>2012</b> , 230, 355-64	3.4	31
50	Dopamine D2-like receptor agonists induce penile erection in male rats: differential role of D2, D3 and D4 receptors in the paraventricular nucleus of the hypothalamus. <i>Behavioural Brain Research</i> , <b>2011</b> , 225, 169-76	3.4	29
49	Oxytocin injected into the hippocampal ventral subiculum induces penile erection in male rats by increasing glutamatergic neurotransmission in the ventral tegmental area. <i>Neuropharmacology</i> , <b>2011</b> , 61, 181-8	5.5	28
48	Central control of penile erection: a re-visitation of the role of oxytocin and its interaction with dopamine and glutamic acid in male rats. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2011</b> , 35, 939-55	9	90
47	Oxytocin induces penile erection when injected into the ventral subiculum: role of nitric oxide and glutamic acid. <i>Neuropharmacology</i> , <b>2010</b> , 58, 1153-60	5.5	15
46	Phosphodiesterase type 5 inhibitors facilitate noncontact erections in male rats: site of action in the brain and mechanism of action. <i>Journal of Sexual Medicine</i> , <b>2009</b> , 6, 2680-9	1.1	20
45	Oxytocin injected into the ventral subiculum or the posteromedial cortical nucleus of the amygdala induces penile erection and increases extracellular dopamine levels in the nucleus accumbens of male rats. <i>European Journal of Neuroscience</i> , <b>2009</b> , 30, 1349-57	3.5	51
44	Oxytocin induces penile erection when injected into the ventral tegmental area of male rats: role of nitric oxide and cyclic GMP. <i>European Journal of Neuroscience</i> , <b>2008</b> , 28, 813-21	3.5	53
43	Oxytocin injected into the ventral tegmental area induces penile erection and increases extracellular dopamine in the nucleus accumbens and paraventricular nucleus of the hypothalamus of male rats. <i>European Journal of Neuroscience</i> , <b>2007</b> , 26, 1026-35	3.5	143
42	Stimulation of dopamine receptors in the paraventricular nucleus of the hypothalamus of male rats induces penile erection and increases extra-cellular dopamine in the nucleus accumbens: Involvement of central oxytocin. <i>Neuropharmacology</i> , <b>2007</b> , 52, 1034-43	5.5	98
41	The cannabinoid CB1 receptor antagonist SR 141716A induces penile erection by increasing extra-cellular glutamic acid in the paraventricular nucleus of male rats. <i>Behavioural Brain Research</i> , <b>2006</b> , 169, 274-81	3.4	40
40	Morphine reduces penile erection induced by the cannabinoid receptor antagonist SR 141617A in male rats: role of paraventricular glutamic acid and nitric oxide. <i>Neuroscience Letters</i> , <b>2006</b> , 404, 1-5	3.3	17
39	The cannabinoid receptor antagonist SR-141716A induces penile erection in male rats: involvement of paraventricular glutamic acid and nitric oxide. <i>Neuropharmacology</i> , <b>2006</b> , 50, 219-28	5.5	34
38	PIP3EA and PD-168077, two selective dopamine D4 receptor agonists, induce penile erection in male rats: site and mechanism of action in the brain. <i>European Journal of Neuroscience</i> , <b>2006</b> , 24, 2021-	30 <sup>3.5</sup>	38
37	PD-168077, a selective dopamine D4 receptor agonist, induces penile erection when injected into the paraventricular nucleus of male rats. <i>Neuroscience Letters</i> , <b>2005</b> , 379, 59-62	3.3	44
36	Central control of penile erection: role of the paraventricular nucleus of the hypothalamus. <i>Progress in Neurobiology</i> , <b>2005</b> , 76, 1-21	10.9	176

35	Pro-VGF-derived peptides induce penile erection in male rats: Involvement of paraventricular nitric oxide. <i>Neuropharmacology</i> , <b>2005</b> , 49, 1017-25	5.5	27
34	Pro-VGF-derived peptides induce penile erection in male rats: possible involvement of oxytocin. <i>European Journal of Neuroscience</i> , <b>2004</b> , 20, 3035-40	3.5	32
33	Extracellular excitatory amino acids increase in the paraventricular nucleus of male rats during sexual activity: main role of N-methyl-d-aspartic acid receptors in erectile function. <i>European Journal of Neuroscience</i> , <b>2004</b> , 19, 2569-75	3.5	32
32	The role of oxytocin and the paraventricular nucleus in the sexual behaviour of male mammals. <i>Physiology and Behavior</i> , <b>2004</b> , 83, 309-17	3.5	126
31	Antagonism of cannabinoid CB1 receptors in the paraventricular nucleus of male rats induces penile erection. <i>Neuroscience Letters</i> , <b>2004</b> , 359, 17-20	3.3	37
30	Activation of GABAA and opioid receptors reduce penile erection induced by hexarelin peptides. <i>Pharmacology Biochemistry and Behavior</i> , <b>2003</b> , 76, 563-70	3.9	6
29	Extra-cellular dopamine increases in the paraventricular nucleus of male rats during sexual activity. <i>European Journal of Neuroscience</i> , <b>2003</b> , 17, 1266-72	3.5	71
28	Reduction of drug-induced yawning and penile erection and of noncontact erections in male rats by the activation of GABAA receptors in the paraventricular nucleus: involvement of nitric oxide. <i>European Journal of Neuroscience</i> , <b>2002</b> , 15, 852-60	3.5	28
27	Penile erection induced by EP 80661 and other hexarelin peptide analogues: involvement of paraventricular nitric oxide. <i>European Journal of Pharmacology</i> , <b>2001</b> , 411, 305-10	5.3	15
26	The activation of gamma aminobutyric acid(A) receptors in the paraventricular nucleus of the hypothalamus reduces non-contact penile erections in male rats. <i>Neuroscience Letters</i> , <b>2001</b> , 314, 123-6	3.3	15
25	EP 91073 prevents EP 80661-induced penile erection: new evidence for the existence of specific EP peptide receptors mediating penile erection. <i>Neuropharmacology</i> , <b>2001</b> , 41, 254-62	5.5	14
24	Differential orexigenic effects of hexarelin and its analogs in the rat hypothalamus: indication for multiple growth hormone secretagogue receptor subtypes. <i>Neuroendocrinology</i> , <b>2000</b> , 72, 327-32	5.6	49
23	Effect of excitatory amino acid, dopamine, and oxytocin receptor antagonists on noncontact penile erections and paraventricular nitric oxide production in male rats <i>Behavioral Neuroscience</i> , <b>2000</b> , 114, 849-857	2.1	29
22	EP 60761 and EP 50885, two hexarelin analogues, induce penile erection in rats. <i>European Journal of Pharmacology</i> , <b>2000</b> , 404, 137-43	5.3	18
21	Activation of gamma-aminobutyric acid(A) receptors in the paraventricular nucleus of the hypothalamus reduces apomorphine-, N-methyl-D-aspartic acid- and oxytocin-induced penile erection and yawning in male rats. <i>Neuroscience Letters</i> , <b>2000</b> , 281, 127-30	3.3	30
20	Morphine injected into the paraventricular nucleus of the hypothalamus prevents noncontact penile erections and impairs copulation: involvement of nitric oxide. <i>European Journal of Neuroscience</i> , <b>1999</b> , 11, 1857-64	3.5	48
19	The oxytocin antagonist d(CH2)5Tyr(Me)2-Orn8-vasotocin reduces non-contact penile erections in male rats. <i>Neuroscience Letters</i> , <b>1999</b> , 265, 171-4	3.3	70
18	Different effects of omega-conotoxin on penile erection, yawning and paraventricular nitric oxide in male rats. <i>European Journal of Pharmacology</i> , <b>1998</b> , 359, 19-26	5.3	19

## LIST OF PUBLICATIONS

17	Nitric oxide production is increased in the paraventricular nucleus of the hypothalamus of male rats during non-contact penile erections and copulation. <i>European Journal of Neuroscience</i> , <b>1998</b> , 10, 1968-	74 <sup>3.5</sup>	67
16	The neuropharmacology of yawning. European Journal of Pharmacology, 1998, 343, 1-16	5.3	146
15	N-methyl-D-aspartic acid-induced penile erection and yawning: role of hypothalamic paraventricular nitric oxide. <i>European Journal of Pharmacology</i> , <b>1997</b> , 328, 115-23	5.3	52
14	Oxytocin increases nitric oxide production in the paraventricular nucleus of the hypothalamus of male rats: correlation with penile erection and yawning. <i>Regulatory Peptides</i> , <b>1997</b> , 69, 105-11		55
13	Role of central nitric oxide in the control of penile erection and yawning. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>1997</b> , 21, 899-922	5.5	75
12	Prevention by morphine of N-methyl-D-aspartic acid-induced penile erection and yawning: involvement of nitric oxide. <i>Brain Research Bulletin</i> , <b>1997</b> , 44, 689-94	3.9	33
11	Prevention by morphine of apomorphine- and oxytocin-induced penile erection and yawning: involvement of nitric oxide. <i>Naunyn-Schmiedeberg Archives of Pharmacology</i> , <b>1997</b> , 355, 595-600	3.4	29
10	Dopamine agonists increase nitric oxide production in the paraventricular nucleus of the hypothalamus: correlation with penile erection and yawning. <i>European Journal of Neuroscience</i> , <b>1996</b> , 8, 2056-63	3.5	114
9	Neuromodulation of penile erection: an overview of the role of neurotransmitters and neuropeptides. <i>Progress in Neurobiology</i> , <b>1995</b> , 47, 235-255	10.9	126
8	Nitric oxide donors induce penile erection and yawning when injected in the central nervous system of male rats. <i>European Journal of Pharmacology</i> , <b>1995</b> , 294, 1-9	5.3	42
7	Apomorphine-and oxytocin-induced penile erection and yawning in intact and castrated male rats: effect of sexual steroids. <i>Neuroendocrinology</i> , <b>1994</b> , 59, 349-54	5.6	44
6	Penile erection and yawning induced by 5-HT1C receptor agonists in male rats: relationship with dopaminergic and oxytocinergic transmission. <i>European Journal of Pharmacology</i> , <b>1994</b> , 261, 149-55	5.3	30
5	Nitric oxide synthase inhibitors prevent apomorphine- and oxytocin-induced penile erection and yawning in male rats. <i>Brain Research Bulletin</i> , <b>1993</b> , 32, 71-4	3.9	70
4	The oxytocin antagonist d(CH2)5Tyr(Me)-Orn8-vasotocin inhibits male copulatory behaviour in rats. <i>European Journal of Pharmacology</i> , <b>1988</b> , 149, 389-92	5.3	112
3	d(CH2)5Tyr(Me)-[Orn8]vasotocin, a potent oxytocin antagonist, antagonizes penile erection and yawning induced by oxytocin and apomorphine, but not by ACTH-(1-24). <i>European Journal of Pharmacology</i> , <b>1987</b> , 134, 221-4	5.3	96
2	Apomorphine-induced penile erection and yawning: site of action in brain. <i>Brain Research</i> , <b>1987</b> , 415, 98-104	3.7	218
1	Oxytocin: an extremely potent inducer of penile erection and yawning in male rats. <i>European Journal of Pharmacology</i> , <b>1986</b> , 130, 265-72	5.3	100