

Saifuddin Ahmed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7125792/publications.pdf>

Version: 2024-02-01

77
papers

2,802
citations

304368

22
h-index

197535

49
g-index

81
all docs

81
docs citations

81
times ranked

3550
citing authors

#	ARTICLE	IF	CITATIONS
1	Maternal deaths averted by contraceptive use: an analysis of 172 countries. <i>Lancet</i> , The, 2012, 380, 111-125.	6.3	576
2	Economic Status, Education and Empowerment: Implications for Maternal Health Service Utilization in Developing Countries. <i>PLoS ONE</i> , 2010, 5, e11190.	1.1	563
3	Effects of Domestic Violence on Perinatal and Early-Childhood Mortality: Evidence From North India. <i>American Journal of Public Health</i> , 2006, 96, 1423-1428.	1.5	128
4	Gender-Based Violence Against Adolescent and Young Adult Women in Low- and Middle-Income Countries. <i>Journal of Adolescent Health</i> , 2015, 56, 188-196.	1.2	127
5	Association between women's empowerment and infant and child feeding practices in sub-Saharan Africa: an analysis of Demographic and Health Surveys. <i>Public Health Nutrition</i> , 2015, 18, 3155-3165.	1.1	87
6	Trends in contraceptive prevalence rates in sub-Saharan Africa since the 2012 London Summit on Family Planning: results from repeated cross-sectional surveys. <i>The Lancet Global Health</i> , 2019, 7, e904-e911.	2.9	85
7	Measuring the incidence and prevalence of obstetric fistula: approaches, needs and recommendations. <i>Bulletin of the World Health Organization</i> , 2015, 93, 60-62.	1.5	72
8	Effect of patient navigation on colorectal cancer screening in a community-based randomized controlled trial of urban African American adults. <i>Cancer Causes and Control</i> , 2015, 26, 239-246.	0.8	60
9	Effect of Patient Navigation on Breast Cancer Screening Among African American Medicare Beneficiaries: A Randomized Controlled Trial. <i>Journal of General Internal Medicine</i> , 2016, 31, 68-76.	1.3	58
10	Impact of family planning programs in reducing high-risk births due to younger and older maternal age, short birth intervals, and high parity. <i>Seminars in Perinatology</i> , 2015, 39, 338-344.	1.1	47
11	Burden of obstetric fistula: from measurement to action. <i>The Lancet Global Health</i> , 2015, 3, e243-e244.	2.9	46
12	The health of Saudi older adults; results from the Saudi National Survey for Elderly Health (SNSEH) 2006-2015. <i>Saudi Pharmaceutical Journal</i> , 2018, 26, 292-300.	1.2	43
13	Protocol for PMA-Ethiopia: A new data source for cross-sectional and longitudinal data of reproductive, maternal, and newborn health. <i>Gates Open Research</i> , 2020, 4, 126.	2.0	43
14	Health Surveys Using Mobile Phones in Developing Countries: Automated Active Strata Monitoring and Other Statistical Considerations for Improving Precision and Reducing Biases. <i>Journal of Medical Internet Research</i> , 2017, 19, e121.	2.1	38
15	The Effect of Integrating Family Planning with a Maternal and Newborn Health Program on Postpartum Contraceptive Use and Optimal Birth Spacing in Rural Bangladesh. <i>Studies in Family Planning</i> , 2015, 46, 297-312.	1.0	37
16	Effect of airtime incentives on response and cooperation rates in non-communicable disease interactive voice response surveys: randomised controlled trials in Bangladesh and Uganda. <i>BMJ Global Health</i> , 2019, 4, e001604.	2.0	36
17	Does mobile phone survey method matter? Reliability of computer-assisted telephone interviews and interactive voice response non-communicable diseases risk factor surveys in low and middle income countries. <i>PLoS ONE</i> , 2019, 14, e0214450.	1.1	34
18	Cell phone ownership and modern contraceptive use in Burkina Faso: implications for research and interventions using mobile technology. <i>Contraception</i> , 2019, 99, 170-174.	0.8	34

#	ARTICLE	IF	CITATIONS
19	Operations research to add postpartum family planning to maternal and neonatal health to improve birth spacing in Sylhet District, Bangladesh. <i>Global Health, Science and Practice</i> , 2013, 1, 262-276.	0.6	31
20	Family structure effects on early sexual debut among adolescent girls in Rakai, Uganda. <i>Vulnerable Children and Youth Studies</i> , 2014, 9, 193-205.	0.5	30
21	Effect of integrating maternal health services and family planning services on postpartum family planning behavior in Ethiopia: results from a longitudinal survey. <i>BMC Public Health</i> , 2019, 19, 1448.	1.2	30
22	Evaluation of Mechanisms to Improve Performance of Mobile Phone Surveys in Low- and Middle-Income Countries: Research Protocol. <i>JMIR Research Protocols</i> , 2017, 6, e81.	0.5	30
23	Severe Maternal Morbidity at Delivery and Risk of Hospital Encounters Within 6 Weeks and 1 Year Postpartum. <i>Journal of Women's Health</i> , 2018, 27, 140-147.	1.5	29
24	Impact of integrating a postpartum family planning program into a community-based maternal and newborn health program on birth spacing and preterm birth in rural Bangladesh. <i>Journal of Global Health</i> , 2018, 8, 020406.	1.2	27
25	Risk factors for prevalent hepatitis C virus-infection among inmates in a state prison system in Mexico. <i>PLoS ONE</i> , 2017, 12, e0179931.	1.1	26
26	Where there is no nurse: an observational study of large-scale mentoring of auxiliary nurses to improve quality of care during childbirth at primary health centres in India. <i>BMJ Open</i> , 2019, 9, e027147.	0.8	22
27	Comparability of modern contraceptive use estimates between a face-to-face survey and a cellphone survey among women in Burkina Faso. <i>PLoS ONE</i> , 2020, 15, e0231819.	1.1	22
28	Antepartum complications and perinatal mortality in rural Bangladesh. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 81.	0.9	19
29	Can facility delivery reduce the risk of intrapartum complications-related perinatal mortality? Findings from a cohort study. <i>Journal of Global Health</i> , 2018, 8, 010408.	1.2	19
30	Potential Gains in Reproductive-Aged Life Expectancy by Eliminating Maternal Mortality: A Demographic Bonus of Achieving MDG 5. <i>PLoS ONE</i> , 2014, 9, e86694.	1.1	18
31	Assessing the Spectrum of Gender Norms Perceptions in Early Adolescence: A Cross-Cultural Analysis of the Global Early Adolescent Study. <i>Journal of Adolescent Health</i> , 2021, 69, S16-S22.	1.2	17
32	Levels, Trends, and Inequalities in Using Institutional Delivery Services in Low- and Middle-Income Countries: A Stratified Analysis by Facility Type. <i>Global Health, Science and Practice</i> , 2021, 9, 78-88.	0.6	16
33	Meeting the Global Target in Reproductive, Maternal, Newborn, and Child Health Care Services in Low- and Middle-Income Countries. <i>Global Health, Science and Practice</i> , 2020, 8, 654-665.	0.6	15
34	Association between experience of specific side-effects and contraceptive switching and discontinuation in Uganda: results from a longitudinal study. <i>Reproductive Health</i> , 2021, 18, 239.	1.2	15
35	Who are more responsive? Mixed-methods comparison of public and private sector physicians in rural Bangladesh. <i>Health Policy and Planning</i> , 2017, 32, iii14-iii24.	1.0	14
36	Double burden of underweight and overweight among women of reproductive age in Bangladesh. <i>Public Health Nutrition</i> , 2019, 22, 3163-3174.	1.1	14

#	ARTICLE	IF	CITATIONS
37	Evaluating consistency of recall of maternal and newborn care complications and intervention coverage using PMA panel data in SNNPR, Ethiopia. <i>PLoS ONE</i> , 2019, 14, e0216612.	1.1	14
38	Prevalence, associated factors, and disclosure of intimate partner violence among mothers in rural Bangladesh. <i>Journal of Health, Population and Nutrition</i> , 2020, 39, 14.	0.7	14
39	Concordance of obesity classification between body mass index and percent body fat among school children in Saudi Arabia. <i>BMC Pediatrics</i> , 2015, 15, 16.	0.7	13
40	Life Expectancy in 2040: What Do Clinical Experts Expect?. <i>North American Actuarial Journal</i> , 2016, 20, 276-285.	0.8	13
41	Non-governmental organization facilitation of a community-based nutrition and health program: Effect on program exposure and associated infant feeding practices in rural India. <i>PLoS ONE</i> , 2017, 12, e0183316.	1.1	13
42	Assessing the effect of the Expanding Maternal and Neonatal Survival program on improving stabilization and referral for maternal and newborn complications in Indonesia. <i>International Journal of Gynecology and Obstetrics</i> , 2019, 144, 30-41.	1.0	13
43	Social network-based measurement of abortion incidence: promising findings from population-based surveys in Nigeria, Cote d'Ivoire, and Rajasthan, India. <i>Population Health Metrics</i> , 2020, 18, 28.	1.3	13
44	Double burden of malnutrition among women of reproductive age in 55 low- and middle-income countries: progress achieved and opportunities for meeting the global target. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 277-287.	1.3	12
45	Anaemia in women of reproductive age in low- and middle-income countries: progress towards the 2025 global nutrition target. <i>Bulletin of the World Health Organization</i> , 2022, 100, 196-204.	1.5	12
46	Changes in obstetric case fatality and early newborn mortality rates in hospitals after the implementation of the Expanding Maternal and Neonatal Survival program in Indonesia: Results from a health information system. <i>International Journal of Gynecology and Obstetrics</i> , 2019, 144, 13-20.	1.0	10
47	Postabortion care availability, facility readiness and accessibility in Nigeria and Cote d'Ivoire. <i>Health Policy and Planning</i> , 2021, 36, 1077-1089.	1.0	10
48	Automated and Interviewer-Administered Mobile Phone Surveys in Burkina Faso: Sociodemographic Differences Among Female Mobile Phone Survey Respondents and Nonrespondents. <i>JMIR MHealth and UHealth</i> , 2020, 8, e17891.	1.8	10
49	Effect of the COVID-19 pandemic on health facility delivery in Ethiopia; results from PMA Ethiopia's longitudinal panel. <i>PLOS Global Public Health</i> , 2021, 1, e0000023.	0.5	10
50	Paying for Sex by Young Men Who Live on the Streets in Dhaka City: Compounded Sexual Risk in a Vulnerable Migrant Community. <i>Journal of Adolescent Health</i> , 2017, 60, S29-S34.	1.2	9
51	An integrated nutrition and health program package on IYCN improves breastfeeding but not complementary feeding and nutritional status in rural northern India: A quasi-experimental randomized longitudinal study. <i>PLoS ONE</i> , 2017, 12, e0185030.	1.1	9
52	The predictive utility of unmet need on time to contraceptive adoption: a panel study of non-contracepting Ugandan women. <i>Contraception</i> , 2020, 2, 100022.	0.6	9
53	Geographical variation and temporal trend in anemia among children aged 6-59 months in low- and middle-income countries during 2000-2018: forecasting the 2030 SDG target. <i>Public Health Nutrition</i> , 2021, 24, 6236-6246.	1.1	9
54	Challenges of reducing maternal and neonatal mortality in Indonesia: Ways forward. <i>International Journal of Gynecology and Obstetrics</i> , 2019, 144, 1-3.	1.0	8

#	ARTICLE	IF	CITATIONS
55	Patterns and Determinants of Care-Seeking for Antepartum and Intrapartum Complications in Rural Bangladesh: Results from a Cohort Study. PLoS ONE, 2016, 11, e0167814.	1.1	8
56	Do Health and Demographic Surveillance Systems benefit local populations? Maternal care utilisation in Butajira HDSS, Ethiopia. Global Health Action, 2014, 7, 24228.	0.7	7
57	The effect of Expanding Maternal and Neonatal Survival interventions on improving the coverage of labor monitoring and complication prevention practices in hospitals in Indonesia: A difference-in-difference analysis. International Journal of Gynecology and Obstetrics, 2019, 144, 21-29.	1.0	7
58	The Childhood Sexual Abuse Among Youth in Three Asian Cities. Asia-Pacific Journal of Public Health, 2015, 27, NP1566-NP1577.	0.4	6
59	Assessment of knowledge of evidence-based maternal and newborn care practices among midwives and nurses in six provinces in Indonesia. International Journal of Gynecology and Obstetrics, 2019, 144, 51-58.	1.0	6
60	The impact of a nurse mentoring program on the quality of labour and delivery care at primary health care facilities in Bihar, India. BMJ Global Health, 2019, 4, e001767.	2.0	6
61	Effect of integrating postpartum family planning into the health extension program in Ethiopia on postpartum adoption of modern contraception. Journal of Global Health Reports, 0, , .	1.0	6
62	Individual and facility-level factors associated with women's receipt of immediate postpartum family planning counseling in Ethiopia: results from national surveys of women and health facilities. BMC Pregnancy and Childbirth, 2021, 21, 809.	0.9	6
63	Maternal Depressive Symptoms and Attained Size Among Children in the First 2 Years of Life. Academic Pediatrics, 2016, 16, 75-81.	1.0	5
64	Presence of doctors and obstetrician/gynecologists for patients with maternal complications in hospitals in six provinces of Indonesia. International Journal of Gynecology and Obstetrics, 2019, 144, 42-50.	1.0	5
65	Capitalising on shared goals for family planning: a concordance assessment of two global initiatives using longitudinal statistical models. BMJ Open, 2019, 9, e031425.	0.8	5
66	Gendered power dynamics and threats to sexual and reproductive autonomy among adolescent girls and young adult women: A cross-sectional survey in three urban settings. PLoS ONE, 2021, 16, e0257009.	1.1	5
67	No one data source captures all: A nested case-control study of the completeness of maternal death reporting in Banten Province, Indonesia. PLoS ONE, 2020, 15, e0232080.	1.1	4
68	Mortality, fertility, and economic development: An analysis of 201 countries from 1960 to 2015. Gates Open Research, 2018, 2, 14.	2.0	4
69	Burden and risk factors for antenatal depression and its effect on preterm birth in South Asia: A population-based cohort study. PLoS ONE, 2022, 17, e0263091.	1.1	4
70	Ending fistula within a generation: making the dream a reality. The Lancet Global Health, 2017, 5, e747-e748.	2.9	3
71	A Panel Study of Fertility Preferences and Contraceptive Dynamics in the Presence of Competing Pregnancy Risks in Uganda. Demography, 2021, 58, 295-320.	1.2	3
72	Missed opportunities for family planning counselling among postpartum women in eleven counties in Kenya. BMC Public Health, 2022, 22, 253.	1.2	1

#	ARTICLE	IF	CITATIONS
73	Double Burden of Malnutrition Among Women of Reproductive Age in Low- and Middle-Income Countries: Progress Achieved and Opportunities for Meeting the Global Target. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa053_044.	0.1	0
74	Complementary feeding of children 6â€–23 months of age in Andhra Pradesh (AP) and Uttar Pradesh (UP) states in India. <i>FASEB Journal</i> , 2006, 20, A618.	0.2	0
75	Impact of CAREâ€™s India's Integrated Nutrition and Health Program (INHP II) on infant feeding practices and growth in rural Uttar Pradesh, India. <i>FASEB Journal</i> , 2011, 25, 232.8.	0.2	0
76	Validation of community health worker identification of maternal puerperal sepsis using a clinical diagnostic algorithm in Bangladesh and Pakistan. <i>Journal of Global Health</i> , 2021, 11, 04039.	1.2	0
77	Promised and Lottery Airtime Incentives to Improve Interactive Voice Response Survey Participation Among Adults in Bangladesh and Uganda: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2022, 24, e36943.	2.1	0