

Rosangela Alves Pereira

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7126995/rosangela-alves-pereira-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102

papers

1,623

citations

23

h-index

34

g-index

122

ext. papers

2,128

ext. citations

2.6

avg, IF

4.67

L-index

#	Paper	IF	Citations
102	Most consumed foods in Brazil: National Dietary Survey 2008-2009. <i>Revista De Saude Publica</i> , 2013 , 47 Suppl 1, 190S-9S	2.4	105
101	Validation and calibration of a semiquantitative food frequency questionnaire designed for adolescents. <i>Journal of the American Dietetic Association</i> , 2010 , 110, 1170-7	72	
100	Association of dietary patterns with BMI and waist circumference in a low-income neighbourhood in Brazil. <i>British Journal of Nutrition</i> , 2010 , 104, 908-13	3.6	61
99	Sources of excessive saturated fat, trans fat and sugar consumption in Brazil: an analysis of the first Brazilian nationwide individual dietary survey. <i>Public Health Nutrition</i> , 2014 , 17, 113-21	3.3	59
98	Macronutrient consumption and inadequate micronutrient intake in adults. <i>Revista De Saude Publica</i> , 2013 , 47 Suppl 1, 177S-89S	2.4	57
97	Effectiveness of a randomized school-based intervention involving families and teachers to prevent excessive weight gain among adolescents in Brazil. <i>PLoS ONE</i> , 2013 , 8, e57498	3.7	47
96	Meal consumption patterns and anthropometric measurements in adolescents from a low socioeconomic neighborhood in the metropolitan area of Rio de Janeiro, Brazil. <i>Appetite</i> , 2009 , 52, 735-739	4.5	45
95	Consumption of foods away from home in Brazil. <i>Revista De Saude Publica</i> , 2013 , 47 Suppl 1, 200S-11S	2.4	42
94	Software to record 24-hour food recall: application in the Study of Cardiovascular Risks in Adolescents. <i>Revista Brasileira De Epidemiologia</i> , 2016 , 19, 464-8	1.3	42
93	Unhealthy eating habits are associated with meal skipping. <i>Nutrition</i> , 2017 , 42, 114-120.e1	4.8	40
92	Inadequacy do consumo de nutrientes entre adolescentes brasileiros. <i>Revista De Saude Publica</i> , 2013 , 47, 212s-221s	2.4	40
91	Contribution of foods consumed away from home to energy intake in Brazilian urban areas: the 2008-9 Nationwide Dietary Survey. <i>British Journal of Nutrition</i> , 2013 , 109, 1276-83	3.6	37
90	Short stature and hypertension in the city of Rio de Janeiro, Brazil. <i>Public Health Nutrition</i> , 2000 , 3, 77-82	3.3	36
89	Associação entre fatores socioeconômicos e insegurança alimentar: estudo de base populacional na Região Metropolitana do Rio de Janeiro, Brasil. <i>Revista De Nutrição</i> , 21 , 99s-109s	1.8	36
88	Ingestão inadequada de nutrientes na população de idosos do Brasil: Inquérito Nacional de Alimentação 2008-2009. <i>Revista De Saude Publica</i> , 2013 , 47, 222s-230s	2.4	34
87	Factors associated with dietary patterns in adolescents: a school-based study in Cuiabá-Mato Grosso. <i>Revista Brasileira De Epidemiologia</i> , 2012 , 15, 662-74	1.3	30
86	Dietary availability patterns of the Brazilian macro-regions. <i>Nutrition Journal</i> , 2011 , 10, 79	4.3	30

85	Ultra-processed food consumption and adiposity trajectories in a Brazilian cohort of adolescents: ELANA study. <i>Nutrition and Diabetes</i> , 2018 , 8, 28	4.7	27
84	Beverage consumption in Brazil: results from the first National Dietary Survey. <i>Public Health Nutrition</i> , 2015 , 18, 1164-72	3.3	24
83	At-home and away-from-home dietary patterns and BMI z-scores in Brazilian adolescents. <i>Appetite</i> , 2018 , 120, 374-380	4.5	24
82	Water and sugar-sweetened beverage consumption and changes in BMI among Brazilian fourth graders after 1-year follow-up. <i>Public Health Nutrition</i> , 2013 , 16, 73-7	3.3	23
81	Inadequate nutrient intake in Brazilian adolescents. <i>Revista De Saude Publica</i> , 2013 , 47 Suppl 1, 212S-215S	2.4	23
80	Cross-continental comparison of national food consumption survey methods--a narrative review. <i>Nutrients</i> , 2015 , 7, 3587-620	6.7	19
79	Head injury and brain tumours in adults: A case-control study in Rio de Janeiro, Brazil. <i>European Journal of Cancer</i> , 2006 , 42, 917-21	7.5	19
78	Self-reported weight and height are valid measures to determine weight status: results from the Brazilian National Health Survey (PNS 2013). <i>Cadernos De Saude Publica</i> , 2018 , 34, e00063917	3.2	19
77	A comparison of three statistical methods applied in the identification of eating patterns. <i>Cadernos De Saude Publica</i> , 2010 , 26, 2138-48	3.2	18
76	Away-from-home eating: nutritional status and dietary intake among Brazilian adults. <i>Public Health Nutrition</i> , 2015 , 18, 1011-7	3.3	17
75	Dietary patterns associated with anthropometric indicators of abdominal fat in adults. <i>Cadernos De Saude Publica</i> , 2014 , 30, 502-10	3.2	17
74	Inadequate nutrient intake among the Brazilian elderly: National Dietary Survey 2008-2009. <i>Revista De Saude Publica</i> , 2013 , 47 Suppl 1, 222S-30S	2.4	17
73	How many 24-hour recalls or food records are required to estimate usual energy and nutrient intake?. <i>Cadernos De Saude Publica</i> , 2010 , 26, 2101-11	3.2	16
72	Family food insecurity and nutritional risk in adolescents from a low-income area of Rio de Janeiro, Brazil. <i>Journal of Biosocial Science</i> , 2013 , 45, 661-74	1.6	15
71	Dietary recommendations: comparing dietary guidelines from Brazil and the United States. <i>Cadernos De Saude Publica</i> , 2010 , 26, 2050-8	3.2	15
70	Dietary sources of sodium intake in Brazil in 2008-2009. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2013 , 113, 1359-65	3.9	14
69	The association between socioeconomic indicators and cardiovascular disease risk factors in Rio de Janeiro, Brazil. <i>Journal of Biosocial Science</i> , 2007 , 39, 221-9	1.6	14
68	Energy and macronutrient intakes in Brazil: results of the first nationwide individual dietary survey. <i>Public Health Nutrition</i> , 2015 , 18, 3086-95	3.3	13

67	Changes in breakfast frequency and composition during adolescence: The Adolescent Nutritional Assessment Longitudinal Study, a cohort from Brazil. <i>PLoS ONE</i> , 2018 , 13, e0200587	3.7	13
66	Adapting the standardised computer- and interview-based 24 h dietary recall method (GloboDiet) for dietary monitoring in Latin America. <i>Public Health Nutrition</i> , 2017 , 20, 2847-2858	3.3	13
65	Soft drink consumption, mainly diet ones, is associated with increased blood pressure in adolescents. <i>Journal of Hypertension</i> , 2016 , 34, 221-5	1.9	13
64	Factors associated with dietary patterns among low-income adults. <i>Public Health Nutrition</i> , 2011 , 14, 1579-85	3.3	11
63	Reproducibility, relative validity and calibration of a food frequency questionnaire for adults. <i>Cadernos De Saude Publica</i> , 2013 , 29, 1783-1794	3.2	11
62	Assessment of anthropometric indexes of children and adolescents with Down syndrome. <i>Jornal De Pediatria</i> , 2008 , 84, 350-6	2.6	11
61	Food Consumption According to the Days of the Week - National Food Survey, 2008-2009. <i>Revista De Saude Publica</i> , 2017 , 51, 93	2.4	10
60	Body adiposity is associated with risk of high blood pressure in Portuguese schoolchildren. <i>Revista Portuguesa De Cardiologia</i> , 2018 , 37, 285-292	1	10
59	Elabora�o de question�o de freq�u�cia alimentar semiquantitativo para adolescentes da regi�o metropolitana do Rio de Janeiro, Brasil. <i>Revista De Nutri�ao</i> , 2010 , 23, 179-189	1.8	9
58	Overweight and risk of overweight in schoolchildren in the city of Rio de Janeiro, Brazil: prevalence and characteristics. <i>Annals of Tropical Paediatrics</i> , 2002 , 22, 137-44		9
57	PAAPPAS community trial protocol: a randomized study of obesity prevention for adolescents combining school with household intervention. <i>BMC Public Health</i> , 2016 , 16, 809	4.1	8
56	Use of Table Sugar and Artificial Sweeteners in Brazil: National Dietary Survey 2008-2009. <i>Nutrients</i> , 2018 , 10,	6.7	8
55	Major food sources contributing to energy intake--a nationwide survey of Brazilians aged 10 years and older. <i>British Journal of Nutrition</i> , 2015 , 113, 1638-42	3.6	8
54	Alimentos mais consumidos no Brasil: Inqu�ito Nacional de Alimenta�o 2008-2009. <i>Revista De Saude Publica</i> , 2013 , 47, 190s-199s	2.4	8
53	Breakfast eating among Brazilian adolescents: Analysis of the National Dietary Survey 2008-2009. <i>Revista De Nutri�ao</i> , 2017 , 30, 463-476	1.8	7
52	Clustering of multiple energy balance related behaviors is associated with body fat composition indicators in adolescents: Results from the HELENA and ELANA studies. <i>Appetite</i> , 2018 , 120, 505-513	4.5	7
51	Longitudinal Study on the Lifestyle and Health of University Students (ELESEU): design, methodological procedures, and preliminary results. <i>Cadernos De Saude Publica</i> , 2018 , 34, e00145917	3.2	7
50	Factors associated with iron deficiency in pregnant women seen at a public prenatal care service. <i>Revista De Nutri�ao</i> , 2013 , 26, 455-464	1.8	6

49	[Development of a food frequency questionnaire for adults in a population-based sample in Cuiabá-Mid-Western Region of Brazil]. <i>Revista Brasileira De Epidemiologia</i> , 2010 , 13, 413-24	1.3	6
48	Reproducibility, relative validity and calibration of a food frequency questionnaire for adults. <i>Cadernos De Saude Publica</i> , 2013 , 29, 1783-94	3.2	6
47	Breakfast Consumption, Family Breakfast, and Adiposity Trajectory in Adolescence-The Adolescent Nutritional Assessment Longitudinal Cohort Study. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2019 , 119, 944-956	3.9	5
46	Hypertensive disorders of pregnancy in women with gestational diabetes mellitus from Rio de Janeiro, Brazil. <i>Pregnancy Hypertension</i> , 2017 , 10, 196-201	2.6	5
45	Design of a school randomized trial for nudging students towards healthy diet and physical activity to prevent obesity: PAAPAS Nudge study protocol. <i>Medicine (United States)</i> , 2017 , 96, e8898	1.8	5
44	Variation of BMI and anthropometric indicators of abdominal obesity in Brazilian adolescents from public schools, 2003-2008. <i>Public Health Nutrition</i> , 2014 , 17, 345-52	3.3	5
43	Validade relativa de questionário de frequência alimentar com suporte de imagens. <i>Ciencia E Saude Coletiva</i> , 2017 , 22, 457-468	2.2	5
42	Proposta metodológica para o módulo de consumo alimentar pessoal na pesquisa brasileira de orçamentos familiares. <i>Revista De Nutricao</i> , 2008 , 21, 767-776	1.8	5
41	Diet quality among adolescents has deteriorated: a panel study in Niterói-Rio de Janeiro State, Brazil, 2003-2008. <i>Cadernos De Saude Publica</i> , 2016 , 32, e00124715	3.2	5
40	Multiple risk behaviors for non-communicable diseases and associated factors in adolescents. <i>Revista De Nutricao</i> , 2016 , 29, 185-197	1.8	5
39	Adult food consumption by household composition: an analysis of the first National Dietary Survey, Brazil, 2008-2009. <i>Public Health Nutrition</i> , 2020 , 23, 193-201	3.3	5
38	Dietary patterns of Brazilian adults in 2008-2009 and 2017-2018. <i>Revista De Saude Publica</i> , 2021 , 55, 8s	2.4	5
37	Cut-off points of anthropometric markers associated with hypertension in the Brazilian population: National Health Survey, 2013. <i>Public Health Nutrition</i> , 2019 , 22, 2147-2154	3.3	4
36	. <i>Nutrire</i> , 2016 , 41,	2.2	4
35	12th IFDC 2017 Special issue Brazilian Nutrient Intake Evaluation Database: An essential tool for estimating nutrient intake data. <i>Journal of Food Composition and Analysis</i> , 2019 , 83, 103286	4.1	4
34	Validity of self-reported weight and stature in adolescents from Cuiabá-Central-Western Brazil. <i>Revista De Nutricao</i> , 2013 , 26, 283-290	1.8	4
33	Ingestão de energia e de nutrientes e baixo peso ao nascer: estudo de coorte com gestantes adolescentes. <i>Revista De Nutricao</i> , 2013 , 26, 551-561	1.8	4
32	Skipping breakfast is associated with the presence of cardiometabolic risk factors in adolescents: Study of Cardiovascular Risks in Adolescents - ERICA. <i>British Journal of Nutrition</i> , 2021 , 126, 276-284	3.6	4

31	Co-occurrence of behavioral risk factors for chronic non-communicable diseases in adolescents: Prevalence and associated factors. <i>Revista De Nutricao</i> , 2017, 30, 747-758	1.8	3
30	Effectiveness of school-home intervention for adolescent obesity prevention: parallel school randomised study. <i>British Journal of Nutrition</i> , 2019, 122, 1073-1080	3.6	3
29	Evaluation of photographs supporting an FFQ developed for adolescents. <i>Public Health Nutrition</i> , 2014, 17, 139-44	3.3	3
28	Prevalence of inadequate intake of folate after mandatory fortification: results from the first National Dietary Survey in Brazil. <i>European Journal of Nutrition</i> , 2020, 59, 2793-2803	5.2	3
27	Dietary quality varies according to data collection instrument: a comparison between a food frequency questionnaire and 24-hour recall. <i>Cadernos De Saude Publica</i> , 2016, 32, e00047215	3.2	3
26	Changes in beverage consumption among adolescents from public schools in the first decade of the century XXI. <i>Revista Brasileira De Epidemiologia</i> , 2016, 19, 348-61	1.3	3
25	Intake of saturated fat, trans fat, and added sugars by the Brazilian population: an indicator to evaluate diet quality. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 1316-1324	5.2	2
24	Risk and protection factors for cardiovascular diseases among adults of Cuiabá-Mato Grosso, Brazil. <i>Revista Brasileira De Epidemiologia</i> , 2015, 18, 425-38	1.3	2
23	Readiness for behavioral change and variation in food consumption among adolescents from a school-based community trial in Duque de Caxias, RJ. <i>Revista Brasileira De Epidemiologia</i> , 2015, 18, 655-65 ¹³	1.3	2
22	Procedimentos empregados na estimativa das medidas de massa e de volume de alimentos selecionados pelo Inquérito Nacional de Alimentação 2008-2009. <i>Revista De Nutricao</i> , 2012, 25, 646-655	1.8	2
21	Anthropometric measurements of adolescents from two Amazonian ecosystems: variations according to seasonality. <i>Journal of Biosocial Science</i> , 2010, 42, 145-60	1.6	2
20	Most consumed foods in Brazil: evolution between 2008-2009 and 2017-2018. <i>Revista De Saude Publica</i> , 2021, 55, 4s	2.4	2
19	Variáveis temporais do estado nutricional e do consumo alimentar no Brasil. <i>Physis</i> , 1997, 7, 31-50	0.8	2
18	Effectiveness of a school-based randomized controlled trial aimed at increasing physical activity time in adolescents. <i>European Journal of Public Health</i> , 2021, 31, 367-372	2.1	2
17	Evolution of out-of-home food consumption in Brazil in 2008-2009 and 2017-2018. <i>Revista De Saude Publica</i> , 2021, 55, 6s	2.4	2
16	Evolution of energy and nutrient intake in Brazil between 2008-2009 and 2017-2018.. <i>Revista De Saude Publica</i> , 2021, 55, 5s	2.4	2
15	Ten-year increase in the prevalence of obesity and reduction in fat intake in Brazilian women aged 35 years and older. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 252-4	5.1	1
14	Lifestyle-related behaviors and depressive symptoms in college students. <i>Cadernos De Saude Publica</i> , 2021, 37, e00202920	3.2	1

LIST OF PUBLICATIONS

13	Protein and energy intake and nutritional evolution of preterm infants after hospital discharge: A longitudinal study. <i>Early Human Development</i> , 2020 , 149, 105136	2.2	1
12	Incidence of depressive symptoms and its association with sociodemographic factors and lifestyle-related behaviors among Brazilian university students. <i>Psychology, Health and Medicine</i> , 2021 , 1-15	2.1	1
11	Meal habits and anthropometric indicators in adolescents from public and private schools of the metropolitan region of Rio de Janeiro. <i>Revista De Nutricao</i> , 2018 , 31, 35-47	1.8	1
10	School-based obesity interventions in the metropolitan area of Rio De Janeiro, Brazil: pooled analysis from five randomised studies. <i>British Journal of Nutrition</i> , 2021 , 126, 1373-1379	3.6	1
9	Limitations in the comparison of the Brazilian National Dietary Surveys of 2008-2009 and 2017-2018.. <i>Revista De Saude Publica</i> , 2021 , 55, 3s	2.4	1
8	Are there differences in nutrient intake of Brazilian adults according to weight status?. <i>Ciencia E Saude Coletiva</i> , 2019 , 24, 2411-2418	2.2	0
7	Prevalence of inadequate intake of folate in the post-fortification era: data from the Brazilian National Dietary Surveys 2008-2009 and 2017-2018. <i>British Journal of Nutrition</i> , 2021 , 1-9	3.6	0
6	Treatment of Childhood Obesity Based on Brazilian Dietary Guidelines Plus Energy Restriction (PAPPAS HUPE Study): Protocol for a Randomized Clinical Trial. <i>JMIR Research Protocols</i> , 2020 , 9, e16170 ²		0
5	INDICATORS OF ADIPOSITY ASSOCIATED WITH LOW BODY ESTEEM IN ADOLESCENTS. <i>Revista Paulista De Pediatria</i> , 2020 , 38, e2018383	1.2	
4	Empty calories consumption in Brazil: an analysis of the Brazilian National Dietary Survey 2008-2009. <i>FASEB Journal</i> , 2012 , 26, 378.7	0.9	
3	Foods consumed away from home and energy intake in urban areas of Brazil. <i>FASEB Journal</i> , 2012 , 26, 812.6	0.9	
2	Revista de Saude Publica: 50 years disseminating the knowledge in nutrition. <i>Revista De Saude Publica</i> , 2016 , 50, 72	2.4	
1	Invited letter to editor in response to: highlights about the association of health and skipping breakfast in adolescents and adults. <i>British Journal of Nutrition</i> , 2021 , 1-2	3.6	