Rosangela Alves Pereira

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7126995/rosangela-alves-pereira-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102
papers1,623
citations23
h-index34
g-index122
ext. papers2,128
ext. citations2.6
avg, IF4.67
L-index

#	Paper	IF	Citations
102	Most consumed foods in Brazil: evolution between 2008-2009 and 2017-2018. <i>Revista De Saude Publica</i> , 2021 , 55, 4s	2.4	2
101	Prevalence of inadequate intake of folate in the post-fortification era: data from the Brazilian National Dietary Surveys 2008-2009 and 2017-2018. <i>British Journal of Nutrition</i> , 2021 , 1-9	3.6	0
100	Lifestyle-related behaviors and depressive symptoms in college students. <i>Cadernos De Saude Publica</i> , 2021 , 37, e00202920	3.2	1
99	Effectiveness of a school-based randomized controlled trial aimed at increasing physical activity time in adolescents. <i>European Journal of Public Health</i> , 2021 , 31, 367-372	2.1	2
98	Skipping breakfast is associated with the presence of cardiometabolic risk factors in adolescents: Study of Cardiovascular Risks in Adolescents - ERICA. <i>British Journal of Nutrition</i> , 2021 , 126, 276-284	3.6	4
97	Incidence of depressive symptoms and its association with sociodemographic factors and lifestyle-related behaviors among Brazilian university students. <i>Psychology, Health and Medicine</i> , 2021 , 1-15	2.1	1
96	Invited letter to editor in response to: highlights about the association of health and skipping breakfast in adolescents and adults. <i>British Journal of Nutrition</i> , 2021 , 1-2	3.6	
95	School-based obesity interventions in the metropolitan area of Rio De Janeiro, Brazil: pooled analysis from five randomised studies. <i>British Journal of Nutrition</i> , 2021 , 126, 1373-1379	3.6	1
94	Evolution of out-of-home food consumption in Brazil in 2008-2009 and 2017-2018. <i>Revista De Saude Publica</i> , 2021 , 55, 6s	2.4	2
93	Dietary patterns of Brazilian adults in 2008-2009 and 2017-2018. Revista De Saude Publica, 2021, 55, 8s	2.4	5
92	Evolution of energy and nutrient intake in Brazil between 2008-2009 and 2017-2018 <i>Revista De Saude Publica</i> , 2021 , 55, 5s	2.4	2
91	Limitations in the comparison of the Brazilian National Dietary Surveys of 2008-2009 and 2017-2018 <i>Revista De Saude Publica</i> , 2021 , 55, 3s	2.4	1
90	Intake of saturated fat, trans fat, and added sugars by the Brazilian population: an indicator to evaluate diet quality. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 1316-1324	5.2	2
89	Treatment of Childhood Obesity Based on Brazilian Dietary Guidelines Plus Energy Restriction (PAPPAS HUPE Study): Protocol for a Randomized Clinical Trial. <i>JMIR Research Protocols</i> , 2020 , 9, e1617	'ð	0
88	INDICATORS OF ADIPOSITY ASSOCIATED WITH LOW BODY ESTEEM IN ADOLESCENTS. <i>Revista Paulista De Pediatria</i> , 2020 , 38, e2018383	1.2	
87	Prevalence of inadequate intake of folate after mandatory fortification: results from the first National Dietary Survey in Brazil. <i>European Journal of Nutrition</i> , 2020 , 59, 2793-2803	5.2	3
86	Protein and energy intake and nutritional evolution of preterm infants after hospital discharge: A longitudinal study. <i>Early Human Development</i> , 2020 , 149, 105136	2.2	1

(2017-2020)

85	Adult food consumption by household composition: an analysis of the first National Dietary Survey, Brazil, 2008-2009. <i>Public Health Nutrition</i> , 2020 , 23, 193-201	3.3	5
84	Cut-off points of anthropometric markers associated with hypertension in the Brazilian population: National Health Survey, 2013. <i>Public Health Nutrition</i> , 2019 , 22, 2147-2154	3.3	4
83	Breakfast Consumption, Family Breakfast, and Adiposity Trajectory in Adolescence-The Adolescent Nutritional Assessment Longitudinal Cohort Study. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2019 , 119, 944-956	3.9	5
82	Effectiveness of school-home intervention for adolescent obesity prevention: parallel school randomised study. <i>British Journal of Nutrition</i> , 2019 , 122, 1073-1080	3.6	3
81	Are there differences in nutrient intake of Brazilian adults according to weight status?. <i>Ciencia E Saude Coletiva</i> , 2019 , 24, 2411-2418	2.2	0
80	12th IFDC 2017 Special issue Brazilian Nutrient Intake Evaluation Database: An essential tool for estimating nutrient intake data. <i>Journal of Food Composition and Analysis</i> , 2019 , 83, 103286	4.1	4
79	At-home and away-from-home dietary patterns and BMI z-scores in Brazilian adolescents. <i>Appetite</i> , 2018 , 120, 374-380	4.5	24
78	Clustering of multiple energy balance related behaviors is associated with body fat composition indicators in adolescents: Results from the HELENA and ELANA studies. <i>Appetite</i> , 2018 , 120, 505-513	4.5	7
77	Use of Table Sugar and Artificial Sweeteners in Brazil: National Dietary Survey 2008-2009. <i>Nutrients</i> , 2018 , 10,	6.7	8
76	Longitudinal Study on the Lifestyle and Health of University Students (ELESEU): design, methodological procedures, and preliminary results. <i>Cadernos De Saude Publica</i> , 2018 , 34, e00145917	3.2	7
75	Changes in breakfast frequency and composition during adolescence: The Adolescent Nutritional Assessment Longitudinal Study, a cohort from Brazil. <i>PLoS ONE</i> , 2018 , 13, e0200587	3.7	13
74	Body adiposity is associated with risk of high blood pressure in Portuguese schoolchildren. <i>Revista Portuguesa De Cardiologia</i> , 2018 , 37, 285-292	1	10
73	Meal habits and anthropometric indicators in adolescents from public and private schools of the metropolitan region of Rio de Janeiro. <i>Revista De Nutricao</i> , 2018 , 31, 35-47	1.8	1
72	Self-reported weight and height are valid measures to determine weight status: results from the Brazilian National Health Survey (PNS 2013). <i>Cadernos De Saude Publica</i> , 2018 , 34, e00063917	3.2	19
71	Ultra-processed food consumption and adiposity trajectories in a Brazilian cohort of adolescents: ELANA study. <i>Nutrition and Diabetes</i> , 2018 , 8, 28	4.7	27
70	AdolescentsUnhealthy eating habits are associated with meal skipping. <i>Nutrition</i> , 2017 , 42, 114-120.e1	4.8	40
69	Breakfast eating among Brazilian adolescents: Analysis of the National Dietary Survey 2008-2009. <i>Revista De Nutricao</i> , 2017 , 30, 463-476	1.8	7
68	Food Consumption According to the Days of the Week - National Food Survey, 2008-2009. <i>Revista De Saude Publica</i> , 2017 , 51, 93	2.4	10

67	Co-occurrence of behavioral risk factors for chronic non-communicable diseases in adolescents: Prevalence and associated factors. <i>Revista De Nutricao</i> , 2017 , 30, 747-758	1.8	3
66	Hypertensive disorders of pregnancy in women with gestational diabetes mellitus from Rio de Janeiro, Brazil. <i>Pregnancy Hypertension</i> , 2017 , 10, 196-201	2.6	5
65	Adapting the standardised computer- and interview-based 24 h dietary recall method (GloboDiet) for dietary monitoring in Latin America. <i>Public Health Nutrition</i> , 2017 , 20, 2847-2858	3.3	13
64	Design of a school randomized trial for nudging students towards healthy diet and physical activity to prevent obesity: PAAPAS Nudge study protocol. <i>Medicine (United States)</i> , 2017 , 96, e8898	1.8	5
63	Validade relativa de questionfio de frequficia alimentar com suporte de imagens. <i>Ciencia E Saude Coletiva</i> , 2017 , 22, 457-468	2.2	5
62	PAAPPAS community trial protocol: a randomized study of obesity prevention for adolescents combining school with household intervention. <i>BMC Public Health</i> , 2016 , 16, 809	4.1	8
61	. Nutrire, 2016 , 41,	2.2	4
60	Dietary quality varies according to data collection instrument: a comparison between a food frequency questionnaire and 24-hour recall. <i>Cadernos De Saude Publica</i> , 2016 , 32, e00047215	3.2	3
59	Software to record 24-hour food recall: application in the Study of Cardiovascular Risks in Adolescents. <i>Revista Brasileira De Epidemiologia</i> , 2016 , 19, 464-8	1.3	42
58	Diet quality among adolescents has deteriorated: a panel study in Niter[] Rio de Janeiro State, Brazil, 2003-2008. <i>Cadernos De Saude Publica</i> , 2016 , 32, e00124715	3.2	5
57	Changes in beverage consumption among adolescents from public schools in the first decade of the century XXI. <i>Revista Brasileira De Epidemiologia</i> , 2016 , 19, 348-61	1.3	3
56	Multiple risk behaviors for non-communicable diseases and associated factors in adolescents. <i>Revista De Nutricao</i> , 2016 , 29, 185-197	1.8	5
55	Revista de Sade Pblica: 50 years disseminating the knowledge in nutrition. <i>Revista De Saude Publica</i> , 2016 , 50, 72	2.4	
54	Soft drink consumption, mainly diet ones, is associated with increased blood pressure in adolescents. <i>Journal of Hypertension</i> , 2016 , 34, 221-5	1.9	13
53	Beverage consumption in Brazil: results from the first National Dietary Survey. <i>Public Health Nutrition</i> , 2015 , 18, 1164-72	3.3	24
52	Energy and macronutrient intakes in Brazil: results of the first nationwide individual dietary survey. <i>Public Health Nutrition</i> , 2015 , 18, 3086-95	3.3	13
51	Major food sources contributing to energy intakea nationwide survey of Brazilians aged 10 years and older. <i>British Journal of Nutrition</i> , 2015 , 113, 1638-42	3.6	8
50	Risk and protection factors for cardiovascular diseases among adults of Cuiab‡Mato Grosso, Brazil. <i>Revista Brasileira De Epidemiologia</i> , 2015 , 18, 425-38	1.3	2

(2013-2015)

49	school-based community trial in Duque de Caxias, RJ. <i>Revista Brasileira De Epidemiologia</i> , 2015 , 18, 655-	-6 5 3	2
48	Cross-continental comparison of national food consumption survey methodsa narrative review. <i>Nutrients</i> , 2015 , 7, 3587-620	6.7	19
47	Away-from-home eating: nutritional status and dietary intake among Brazilian adults. <i>Public Health Nutrition</i> , 2015 , 18, 1011-7	3.3	17
46	Dietary patterns associated with anthropometric indicators of abdominal fat in adults. <i>Cadernos De Saude Publica</i> , 2014 , 30, 502-10	3.2	17
45	Variation of BMI and anthropometric indicators of abdominal obesity in Brazilian adolescents from public schools, 2003-2008. <i>Public Health Nutrition</i> , 2014 , 17, 345-52	3.3	5
44	Sources of excessive saturated fat, trans fat and sugar consumption in Brazil: an analysis of the first Brazilian nationwide individual dietary survey. <i>Public Health Nutrition</i> , 2014 , 17, 113-21	3.3	59
43	Evaluation of photographs supporting an FFQ developed for adolescents. <i>Public Health Nutrition</i> , 2014 , 17, 139-44	3.3	3
42	Dietary sources of sodium intake in Brazil in 2008-2009. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2013 , 113, 1359-65	3.9	14
41	Alimentos mais consumidos no Brasil: Inquêito Nacional de Alimenta ® 2008-2009. <i>Revista De Saude Publica</i> , 2013 , 47, 190s-199s	2.4	8
40	Effectiveness of a randomized school-based intervention involving families and teachers to prevent excessive weight gain among adolescents in Brazil. <i>PLoS ONE</i> , 2013 , 8, e57498	3.7	47
39	Family food insecurity and nutritional risk in adolescents from a low-income area of Rio de Janeiro, Brazil. <i>Journal of Biosocial Science</i> , 2013 , 45, 661-74	1.6	15
38	Contribution of foods consumed away from home to energy intake in Brazilian urban areas: the 2008-9 Nationwide Dietary Survey. <i>British Journal of Nutrition</i> , 2013 , 109, 1276-83	3.6	37
37	Water and sugar-sweetened beverage consumption and changes in BMI among Brazilian fourth graders after 1-year follow-up. <i>Public Health Nutrition</i> , 2013 , 16, 73-7	3.3	23
36	Most consumed foods in Brazil: National Dietary Survey 2008-2009. <i>Revista De Saude Publica</i> , 2013 , 47 Suppl 1, 190S-9S	2.4	105
35	Factors associated with iron deficiency in pregnant women seen at a public prenatal care service. <i>Revista De Nutricao</i> , 2013 , 26, 455-464	1.8	6
34	Validity of self-reported weight and stature in adolescents from Cuiab∏Central-Western Brazil. <i>Revista De Nutricao</i> , 2013 , 26, 283-290	1.8	4
33	Macronutrient consumption and inadequate micronutrient intake in adults. <i>Revista De Saude Publica</i> , 2013 , 47 Suppl 1, 177S-89S	2.4	57
32	Consumption of foods away from home in Brazil. <i>Revista De Saude Publica</i> , 2013 , 47 Suppl 1, 200S-11S	2.4	42

31	Inadequaß do consumo de nutrientes entre adolescentes brasileiros. <i>Revista De Saude Publica</i> , 2013 , 47, 212s-221s	2.4	40
30	Ingestő de energia e de nutrientes e baixo peso ao nascer: estudo de coorte com gestantes adolescentes. <i>Revista De Nutricao</i> , 2013 , 26, 551-561	1.8	4
29	Ingestő inadequada de nutrientes na populaő de idosos do Brasil: Inquêito Nacional de Alimentaő 2008-2009. <i>Revista De Saude Publica</i> , 2013 , 47, 222s-230s	2.4	34
28	Reproducibility, relative validity and calibration of a food frequency questionnaire for adults. <i>Cadernos De Saude Publica</i> , 2013 , 29, 1783-94	3.2	6
27	Inadequate nutrient intake in Brazilian adolescents. <i>Revista De Saude Publica</i> , 2013 , 47 Suppl 1, 212S-21	I S 2.4	23
26	Inadequate nutrient intake among the Brazilian elderly: National Dietary Survey 2008-2009. <i>Revista De Saude Publica</i> , 2013 , 47 Suppl 1, 222S-30S	2.4	17
25	Reproducibility, relative validity and calibration of a food frequency questionnaire for adults. <i>Cadernos De Saude Publica</i> , 2013 , 29, 1783-1794	3.2	11
24	Procedimentos empregados na estimativa das medidas de massa e de volume de alimentos selecionados pelo Inqufito Nacional de Alimenta 2008-2009. <i>Revista De Nutricao</i> , 2012 , 25, 646-655	1.8	2
23	Factors associated with dietary patterns in adolescents: a school-based study in Cuiab Mato Grosso. <i>Revista Brasileira De Epidemiologia</i> , 2012 , 15, 662-74	1.3	30
22	Empty calories consumption in Brazil: an analysis of the Brazilian National Dietary Survey 2008 2009. <i>FASEB Journal</i> , 2012 , 26, 378.7	0.9	
21	Foods consumed away from home and energy intake in urban areas of Brazil. <i>FASEB Journal</i> , 2012 , 26, 812.6	0.9	
20	Factors associated with dietary patterns among low-income adults. <i>Public Health Nutrition</i> , 2011 , 14, 1579-85	3.3	11
19	Dietary availability patterns of the Brazilian macro-regions. <i>Nutrition Journal</i> , 2011 , 10, 79	4.3	30
18	A comparison of three statistical methods applied in the identification of eating patterns. <i>Cadernos De Saude Publica</i> , 2010 , 26, 2138-48	3.2	18
17	[Development of a food frequency questionnaire for adults in a population-based sample in Cuiab[] Mid-Western Region of Brazil]. <i>Revista Brasileira De Epidemiologia</i> , 2010 , 13, 413-24	1.3	6
16	How many 24-hour recalls or food records are required to estimate usual energy and nutrient intake?. <i>Cadernos De Saude Publica</i> , 2010 , 26, 2101-11	3.2	16
15	Dietary recommendations: comparing dietary guidelines from Brazil and the United States. <i>Cadernos De Saude Publica</i> , 2010 , 26, 2050-8	3.2	15
14	Elabora ß de question ß io de frequ ß cia alimentar semiquantitativo para adolescentes da regi ß metropolitana do Rio de Janeiro, Brasil. <i>Revista De Nutricao</i> , 2010 , 23, 179-189	1.8	9

LIST OF PUBLICATIONS

13	Ten-year increase in the prevalence of obesity and reduction in fat intake in Brazilian women aged 35 years and older. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 252-4	5.1	1	
12	Anthropometric measurements of adolescents from two Amazonian ecosystems: variations according to seasonality. <i>Journal of Biosocial Science</i> , 2010 , 42, 145-60	1.6	2	
11	Association of dietary patterns with BMI and waist circumference in a low-income neighbourhood in Brazil. <i>British Journal of Nutrition</i> , 2010 , 104, 908-13	3.6	61	
10	Validation and calibration of a semiquantitative food frequency questionnaire designed for adolescents. <i>Journal of the American Dietetic Association</i> , 2010 , 110, 1170-7		72	
9	Meal consumption patterns and anthropometric measurements in adolescents from a low socioeconomic neighborhood in the metropolitan area of Rio de Janeiro, Brazil. <i>Appetite</i> , 2009 , 52, 735	-1435	45	
8	Proposta metodolĝica para o milulo de consumo alimentar pessoal na pesquisa brasileira de orimentos familiares. <i>Revista De Nutricao</i> , 2008 , 21, 767-776	1.8	5	
7	Assessment of anthropometric indexes of children and adolescents with Down syndrome. <i>Jornal De Pediatria</i> , 2008 , 84, 350-6	2.6	11	
6	The association between socioeconomic indicators and cardiovascular disease risk factors in Rio de Janeiro, Brazil. <i>Journal of Biosocial Science</i> , 2007 , 39, 221-9	1.6	14	
5	Head injury and brain tumours in adults: A case-control study in Rio de Janeiro, Brazil. <i>European Journal of Cancer</i> , 2006 , 42, 917-21	7.5	19	
4	Overweight and risk of overweight in schoolchildren in the city of Rio de Janeiro, Brazil: prevalence and characteristics. <i>Annals of Tropical Paediatrics</i> , 2002 , 22, 137-44		9	
3	Short stature and hypertension in the city of Rio de Janeiro, Brazil. <i>Public Health Nutrition</i> , 2000 , 3, 77-8	3 2 3.3	36	
2	Variales temporais do estado nutricional e do consumo alimentar no Brasil. <i>Physis</i> , 1997 , 7, 31-50	0.8	2	
1	Associa ö entre fatores socioecon ï nicos e inseguran ä alimentar: estudo de base populacional na Regi ö Metropolitana do Rio de Janeiro, Brasil. <i>Revista De Nutricao</i> ,21, 99s-109s	1.8	36	