

# Peter McGuffin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7127614/publications.pdf>

Version: 2024-02-01

579  
papers

62,140  
citations

1301

109  
h-index

1254

226  
g-index

621  
all docs

621  
docs citations

621  
times ranked

46514  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome-wide association study of 14,000 cases of seven common diseases and 3,000 shared controls. <i>Nature</i> , 2007, 447, 661-678.	27.8	8,895
2	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018, 50, 668-681.	21.4	2,224
3	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013, 45, 984-994.	21.4	2,067
4	A Polydiagnostic Application of Operational Criteria in Studies of Psychotic Illness. <i>Archives of General Psychiatry</i> , 1991, 48, 764.	12.3	1,386
5	Association scan of 14,500 nonsynonymous SNPs in four diseases identifies autoimmunity variants. <i>Nature Genetics</i> , 2007, 39, 1329-1337.	21.4	1,298
6	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. <i>Nature Genetics</i> , 2011, 43, 977-983.	21.4	1,283
7	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	21.4	1,191
8	Collaborative genome-wide association analysis supports a role for ANK3 and CACNA1C in bipolar disorder. <i>Nature Genetics</i> , 2008, 40, 1056-1058.	21.4	1,102
9	The Heritability of Bipolar Affective Disorder and the Genetic Relationship to Unipolar Depression. <i>Archives of General Psychiatry</i> , 2003, 60, 497.	12.3	1,039
10	The Genetic Basis of Complex Human Behaviors. <i>Science</i> , 1994, 264, 1733-1739.	12.6	1,031
11	A mega-analysis of genome-wide association studies for major depressive disorder. <i>Molecular Psychiatry</i> , 2013, 18, 497-511.	7.9	1,002
12	Genome-wide association study of CNVs in 16,000 cases of eight common diseases and 3,000 shared controls. <i>Nature</i> , 2010, 464, 713-720.	27.8	737
13	Heritability Estimates for Psychotic Disorders. <i>Archives of General Psychiatry</i> , 1999, 56, 162.	12.3	677
14	Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. <i>Nature Genetics</i> , 2019, 51, 1207-1214.	21.4	641
15	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	21.4	629
16	Gene-environment interaction analysis of serotonin system markers with adolescent depression. <i>Molecular Psychiatry</i> , 2004, 9, 908-915.	7.9	612
17	Meta-analysis and imputation refines the association of 15q25 with smoking quantity. <i>Nature Genetics</i> , 2010, 42, 436-440.	21.4	581
18	The analysis of 51 genes in DSM-IV combined type attention deficit hyperactivity disorder: association signals in DRD4, DAT1 and 16 other genes. <i>Molecular Psychiatry</i> , 2006, 11, 934-953.	7.9	480

#	ARTICLE	IF	CITATIONS
19	The bipolar disorder risk allele at CACNA1C also confers risk of recurrent major depression and of schizophrenia. <i>Molecular Psychiatry</i> , 2010, 15, 1016-1022.	7.9	458
20	The moderation by the serotonin transporter gene of environmental adversity in the aetiology of mental illness: review and methodological analysis. <i>Molecular Psychiatry</i> , 2008, 13, 131-146.	7.9	455
21	A Twin Study of Genetic Relationships Between Psychotic Symptoms. <i>American Journal of Psychiatry</i> , 2002, 159, 539-545.	7.2	410
22	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , 2017, 174, 850-858.	7.2	410
23	Genome-wide association study of major depressive disorder: new results, meta-analysis, and lessons learned. <i>Molecular Psychiatry</i> , 2012, 17, 36-48.	7.9	405
24	Rare loss-of-function variants in SETD1A are associated with schizophrenia and developmental disorders. <i>Nature Neuroscience</i> , 2016, 19, 571-577.	14.8	388
25	The moderation by the serotonin transporter gene of environmental adversity in the etiology of depression: 2009 update. <i>Molecular Psychiatry</i> , 2010, 15, 18-22.	7.9	373
26	Candidate Genes Expression Profile Associated with Antidepressants Response in the GENDEP Study: Differentiating between Baseline "Predictors"™ and Longitudinal "Targets"™. <i>Neuropsychopharmacology</i> , 2013, 38, 377-385.	5.4	372
27	Reliability and Comparability of Psychosis Patients' Retrospective Reports of Childhood Abuse. <i>Schizophrenia Bulletin</i> , 2011, 37, 546-553.	4.3	361
28	Genome-wide association for major depressive disorder: a possible role for the presynaptic protein piccolo. <i>Molecular Psychiatry</i> , 2009, 14, 359-375.	7.9	354
29	An Inflammatory Biomarker as a Differential Predictor of Outcome of Depression Treatment With Escitalopram and Nortriptyline. <i>American Journal of Psychiatry</i> , 2014, 171, 1278-1286.	7.2	336
30	Blind Analysis of Denaturing High-Performance Liquid Chromatography as a Tool for Mutation Detection. <i>Genomics</i> , 1998, 52, 44-49.	2.9	334
31	A Hospital-Based Twin Register of the Heritability of DSM-IV Unipolar Depression. <i>Archives of General Psychiatry</i> , 1996, 53, 129.	12.3	325
32	The diagnostic interview for psychoses (DIP): development, reliability and applications. <i>Psychological Medicine</i> , 2006, 36, 69-80.	4.5	314
33	Genome-Wide Pharmacogenetics of Antidepressant Response in the GENDEP Project. <i>American Journal of Psychiatry</i> , 2010, 167, 555-564.	7.2	314
34	Depression symptom dimensions as predictors of antidepressant treatment outcome: replicable evidence for interest-activity symptoms. <i>Psychological Medicine</i> , 2012, 42, 967-980.	4.5	298
35	Genetic basis of schizophrenia. <i>Lancet, The</i> , 1995, 346, 678-682.	13.7	285
36	Fecundity of Patients With Schizophrenia, Autism, Bipolar Disorder, Depression, Anorexia Nervosa, or Substance Abuse vs Their Unaffected Siblings. <i>JAMA Psychiatry</i> , 2013, 70, 22.	11.0	284

#	ARTICLE	IF	CITATIONS
37	A Clinical Scale for the Self-assessment of Irritability. <i>British Journal of Psychiatry</i> , 1978, 132, 164-171.	2.8	282
38	Genome-wide association and meta-analysis of bipolar disorder in individuals of European ancestry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 7501-7506.	7.1	274
39	Hippocampal atrophy in first episode depression: A meta-analysis of magnetic resonance imaging studies. <i>Journal of Affective Disorders</i> , 2011, 134, 483-487.	4.1	262
40	Examining the comorbidity of ADHD-related behaviours and conduct problems using a twin study design. <i>British Journal of Psychiatry</i> , 2001, 179, 224-229.	2.8	246
41	Association between schizophrenia and T102C polymorphism of the 5-hydroxytryptamine type 2a-receptor gene. <i>Lancet, The</i> , 1996, 347, 1294-1296.	13.7	240
42	A family based association study of T102C polymorphism in 5HT2A and schizophrenia plus identification of new polymorphisms in the promoter. <i>Molecular Psychiatry</i> , 1998, 3, 42-49.	7.9	232
43	A Sib-Pair Study of the Temperament and Character Inventory Scales in Major Depression. <i>Archives of General Psychiatry</i> , 2003, 60, 490.	12.3	232
44	Interaction between stress and the BDNFVal66Met polymorphism in depression: a systematic review and meta-analysis. <i>BMC Medicine</i> , 2014, 12, 7.	5.5	228
45	Measuring depression: comparison and integration of three scales in the GENDEP study. <i>Psychological Medicine</i> , 2008, 38, 289-300.	4.5	227
46	Joint Analysis of Psychiatric Disorders Increases Accuracy of Risk Prediction for Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. <i>American Journal of Human Genetics</i> , 2015, 96, 283-294.	6.2	225
47	Genome-Wide Association Study of Major Recurrent Depression in the U.K. Population. <i>American Journal of Psychiatry</i> , 2010, 167, 949-957.	7.2	221
48	The Strength of the Genetic Effect. <i>British Journal of Psychiatry</i> , 1994, 164, 593-599.	2.8	217
49	Validity of the shortened Mood and Feelings Questionnaire in a community sample of children and adolescents: a preliminary research note. <i>Psychiatry Research</i> , 1998, 81, 259-268.	3.3	215
50	Expanded CAG repeats in schizophrenia and bipolar disorder. <i>Nature Genetics</i> , 1995, 10, 380-381.	21.4	212
51	Genome-wide association analysis identifies TXNRD2, ATXN2 and FOXC1 as susceptibility loci for primary open-angle glaucoma. <i>Nature Genetics</i> , 2016, 48, 189-194.	21.4	211
52	A combined analysis of D22S278 marker alleles in affected sib-pairs: Support for a susceptibility locus for schizophrenia at chromosome 22q12. , 1996, 67, 40-45.		205
53	Adverse reactions to antidepressants. <i>British Journal of Psychiatry</i> , 2009, 195, 202-210.	2.8	205
54	Chromosome 9p21 in sporadic amyotrophic lateral sclerosis in the UK and seven other countries: a genome-wide association study. <i>Lancet Neurology, The</i> , 2010, 9, 986-994.	10.2	205

#	ARTICLE	IF	CITATIONS
55	Twin Concordance for Operationally Defined Schizophrenia. Archives of General Psychiatry, 1984, 41, 541.	12.3	203
56	Association between C-reactive protein (CRP) with depression symptom severity and specific depressive symptoms in major depression. Brain, Behavior, and Immunity, 2017, 62, 344-350.	4.1	202
57	Clinical Genetics as Clues to the "Real" Genetics of Schizophrenia (A Decade of Modest Gains While) Tj ETQq1 1 0.784314 rgBT /Over 4.3 199	4.3	199
58	A Twin Study of Depressive Symptoms in Childhood. British Journal of Psychiatry, 1994, 165, 259-265.	2.8	199
59	Contribution of Common Genetic Variants to Antidepressant Response. Biological Psychiatry, 2013, 73, 679-682.	1.3	199
60	The Genetics of Depression and Manic-Depressive Disorder. British Journal of Psychiatry, 1989, 155, 294-304.	2.8	194
61	Genetic predictors of response to antidepressants in the GENDEP project. Pharmacogenomics Journal, 2009, 9, 225-233.	2.0	188
62	Common variants near ABCA1, AFAP1 and GMDS confer risk of primary open-angle glaucoma. Nature Genetics, 2014, 46, 1120-1125.	21.4	186
63	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. American Journal of Psychiatry, 2019, 176, 651-660.	7.2	186
64	Wake-up call for British psychiatry. British Journal of Psychiatry, 2008, 193, 6-9.	2.8	183
65	SELF-REPORT AND CLINICIAN-RATED MEASURES OF DEPRESSION SEVERITY: CAN ONE REPLACE THE OTHER?. Depression and Anxiety, 2012, 29, 1043-1049.	4.1	182
66	The Camberwell Collaborative Depression Study III. Depression and Adversity in the Relatives of Depressed Probands. British Journal of Psychiatry, 1988, 152, 775-782.	2.8	180
67	Gender differences in the association between childhood abuse and psychosis. British Journal of Psychiatry, 2009, 194, 319-325.	2.8	180
68	Rare Copy Number Variants<sub>title</sub>>A Point of Rarity in Genetic Risk for Bipolar Disorder and Schizophrenia</sub>>&lt;alt-title>Rare Copy Number Variants</alt-title>. Archives of General Psychiatry, 2010, 67, 318.	12.3	173
69	Differential efficacy of escitalopram and nortriptyline on dimensional measures of depression. British Journal of Psychiatry, 2009, 194, 252-259.	2.8	170
70	Additional support for schizophrenia linkage on chromosomes 6 and 8: A multicenter study. , 1996, 67, 580-594.		166
71	Common Genetic Determinants of Intraocular Pressure and Primary Open-Angle Glaucoma. PLoS Genetics, 2012, 8, e1002611.	3.5	164
72	Meta-analysis of association between the 5-HT2a receptor T102C polymorphism and schizophrenia. Lancet, The, 1997, 349, 1221.	13.7	163

#	ARTICLE	IF	CITATIONS
73	A meta-analysis and transmission disequilibrium study of association between the dopamine D3 receptor gene and schizophrenia. <i>Molecular Psychiatry</i> , 1998, 3, 141-149.	7.9	163
74	The varying impact of type, timing and frequency of exposure to childhood adversity on its association with adult psychotic disorder. <i>Psychological Medicine</i> , 2010, 40, 1967-1978.	4.5	163
75	Low activity allele of catechol-O-methyltransferase gene associated with rapid cycling bipolar disorder. <i>Molecular Psychiatry</i> , 1998, 3, 342-345.	7.9	162
76	The Dysfunctional Attitude Scale (DAS). <i>Journal of Research in Personality</i> , 1994, 28, 263-276.	1.7	160
77	Childhood hyperactivity scores are highly heritable and show sibling competition effects: Twin study evidence. <i>Behavior Genetics</i> , 1995, 25, 537-544.	2.1	153
78	Morbid risk of schizophrenia for relatives of patients with cannabis-associated psychosis. <i>Schizophrenia Research</i> , 1995, 15, 277-281.	2.0	153
79	Meta-analysis of genome-wide association data of bipolar disorder and major depressive disorder. <i>Molecular Psychiatry</i> , 2011, 16, 2-4.	7.9	150
80	Combining clinical variables to optimize prediction of antidepressant treatment outcomes. <i>Journal of Psychiatric Research</i> , 2016, 78, 94-102.	3.1	149
81	Follow-up of a report of a potential linkage for schizophrenia on chromosome 22q12-q13.1: Part 2. <i>American Journal of Medical Genetics Part A</i> , 1994, 54, 44-50.	2.4	145
82	Association studies of bipolar disorder at the human serotonin transporter gene (hSERT; 5HTT). <i>Molecular Psychiatry</i> , 1997, 2, 398-402.	7.9	145
83	Neuroticism, extraversion, life events and depression. <i>British Journal of Psychiatry</i> , 2002, 181, 118-122.	2.8	144
84	Familiality of Postpartum Depression in Unipolar Disorder: Results of a Family Study. <i>American Journal of Psychiatry</i> , 2006, 163, 1549-1553.	7.2	144
85	No evidence for allelic association between schizophrenia and a polymorphism determining high or low catechol O-methyltransferase activity. <i>American Journal of Psychiatry</i> , 1996, 153, 268-270.	7.2	143
86	Moderation of antidepressant response by the serotonin transporter gene. <i>British Journal of Psychiatry</i> , 2009, 195, 30-38.	2.8	143
87	The Camberwell Collaborative Depression Study I. Depressed Probands: Adversity and the Form of Depression. <i>British Journal of Psychiatry</i> , 1988, 152, 754-765.	2.8	142
88	Whole genome linkage scan of recurrent depressive disorder from the depression network study. <i>Human Molecular Genetics</i> , 2005, 14, 3337-3345.	2.9	142
89	A family-based and case-control association study of the dopamine D4 receptor gene and dopamine transporter gene in attention deficit hyperactivity disorder. <i>Molecular Psychiatry</i> , 2000, 5, 523-530.	7.9	141
90	Toward Behavioral Genomics. <i>Science</i> , 2001, 291, 1232-1249.	12.6	141

#	ARTICLE	IF	CITATIONS
91	Does the Definition of ADHD Affect Heritability?. Journal of the American Academy of Child and Adolescent Psychiatry, 2000, 39, 1528-1536.	0.5	140
92	Linkage and associated studies of schizophrenia. , 2000, 97, 23-44.		138
93	Past and Present State Examination: the assessment of "lifetime ever"™ psychopathology. Psychological Medicine, 1986, 16, 461-465.	4.5	137
94	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. Biological Psychiatry, 2020, 88, 169-184.	1.3	137
95	A Two-Stage Genome Scan for Schizophrenia Susceptibility Genes in 196 Affected Sibling Pairs. Human Molecular Genetics, 1999, 8, 1729-1739.	2.9	136
96	Associations Between Sleep Problems, Anxiety, and Depression in Twins at 8 Years of Age. Pediatrics, 2006, 118, 1124-1132.	2.1	136
97	Familial Cosegregation of Major Affective Disorder and Darier's Disease (Keratosis Follicularis). British Journal of Psychiatry, 1994, 164, 355-358.	2.8	134
98	Observer effects and heritability of childhood attention-deficit hyperactivity disorder symptoms. British Journal of Psychiatry, 2002, 180, 260-265.	2.8	131
99	DSM-IV combined type ADHD shows familial association with sibling trait scores: A sampling strategy for QTL linkage. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 1450-1460.	1.7	129
100	A multicentre inter-rater reliability study using the OPCRIT computerized diagnostic system. Psychological Medicine, 1996, 26, 775-783.	4.5	127
101	Is There Really A Split in Schizophrenia?. British Journal of Psychiatry, 1987, 150, 581-592.	2.8	126
102	Confirmation of association between expanded CAG/CTG repeats and both schizophrenia and bipolar disorder. Psychological Medicine, 1996, 26, 1145-1153.	4.5	126
103	What Can Psychiatric Genetics Offer Suicidology?. Crisis, 2001, 22, 61-65.	1.2	126
104	White matter abnormalities and illness severity in major depressive disorder. British Journal of Psychiatry, 2012, 201, 33-39.	2.8	126
105	Depressive symptoms in children and adolescents: changing aetiological influences with development. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2003, 44, 968-976.	5.2	125
106	Concurrent Validity of the Opcrit Diagnostic System. British Journal of Psychiatry, 1996, 169, 58-63.	2.8	121
107	Are Anxiety Symptoms in Childhood Heritable?. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1995, 36, 439-447.	5.2	120
108	A Simple Method for Analyzing Microsatellite Allele Image Patterns Generated from DNA Pools and Its Application to Allelic Association Studies. American Journal of Human Genetics, 1998, 62, 1189-1197.	6.2	119

#	ARTICLE	IF	CITATIONS
109	Twin study of symptom dimensions in psychoses. <i>British Journal of Psychiatry</i> , 2001, 179, 39-45.	2.8	118
110	Clinical differences between bipolar and unipolar depression. <i>British Journal of Psychiatry</i> , 2008, 192, 388-389.	2.8	118
111	Heterogeneity in schizophrenia: A cluster-analytic approach. <i>Psychiatry Research</i> , 1983, 8, 1-12.	3.3	117
112	Early and Delayed Onset of Response to Antidepressants in Individual Trajectories of Change During Treatment of Major Depression. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1478-1484.	2.2	117
113	The gene for Darier's disease maps to chromosome 12q23-q24.1. <i>Human Molecular Genetics</i> , 1993, 2, 1941-1943.	2.9	114
114	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2022, 91, 313-327.	1.3	114
115	Comorbid medical illness in bipolar disorder. <i>British Journal of Psychiatry</i> , 2014, 205, 465-472.	2.8	113
116	Examining for association between candidate gene polymorphisms in the dopamine pathway and attention-deficit hyperactivity disorder: A family-based study. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 464-470.	2.4	112
117	Suggestive evidence for linkage of schizophrenia to markers on chromosome 13q14.1-q32. <i>Psychiatric Genetics</i> , 1995, 5, 117-126.	1.1	112
118	Strong genetic evidence for a selective influence of GABAA receptors on a component of the bipolar disorder phenotype. <i>Molecular Psychiatry</i> , 2010, 15, 146-153.	7.9	111
119	Genetic Predictors of Response to Serotonergic and Noradrenergic Antidepressants in Major Depressive Disorder: A Genome-Wide Analysis of Individual-Level Data and a Meta-Analysis. <i>PLoS Medicine</i> , 2012, 9, e1001326.	8.4	110
120	The genetics of major depressive disorder. <i>Current Psychiatry Reports</i> , 2000, 2, 165-169.	4.5	109
121	Association of DRD4 in children with ADHD and comorbid conduct problems. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 150-153.	2.4	109
122	Family Dysfunction Interacts with Genes in the Causation of Antisocial Symptoms. <i>Behavior Genetics</i> , 2005, 35, 115-120.	2.1	109
123	Medical disorders in people with recurrent depression. <i>British Journal of Psychiatry</i> , 2008, 192, 351-355.	2.8	109
124	Linkage studies of bipolar disorder in the region of the Darier's disease gene on chromosome 12q23-24.1. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 94-102.	2.4	107
125	Genome-wide linkage analysis of a composite index of neuroticism and mood-related scales in extreme selected sibships. <i>Human Molecular Genetics</i> , 2004, 13, 2173-2182.	2.9	107
126	Trajectories of change in depression severity during treatment with antidepressants. <i>Psychological Medicine</i> , 2010, 40, 1367-1377.	4.5	107



#	ARTICLE	IF	CITATIONS
127	Relationship between antisocial behaviour, attention-deficit hyperactivity disorder and maternal prenatal smoking. <i>British Journal of Psychiatry</i> , 2005, 187, 155-160.	2.8	106
128	Genome-wide association study of bipolar disorder in Canadian and UK populations corroborates disease loci including SYNE1 and CSMD1. <i>BMC Medical Genetics</i> , 2014, 15, 2.	2.1	106
129	Genetic Predictors of Increase in Suicidal Ideation During Antidepressant Treatment in the GENDEP Project. <i>Neuropsychopharmacology</i> , 2009, 34, 2517-2528.	5.4	105
130	DNA markers associated with high versus low IQ: The IQ quantitative trait loci (QTL) project. <i>Behavior Genetics</i> , 1994, 24, 107-118.	2.1	104
131	Can linkage and marker association resolve the genetic aetiology of psychiatric disorders? Review and argument. <i>Psychological Medicine</i> , 1985, 15, 455-462.	4.5	103
132	Association studies in psychiatric genetics. <i>Molecular Psychiatry</i> , 1997, 2, 270-273.	7.9	103
133	Genetic Differences in the Immediate Transcriptome Response to Stress Predict Risk-Related Brain Function and Psychiatric Disorders. <i>Neuron</i> , 2015, 86, 1189-1202.	8.1	102
134	Anxiety and Depressive Symptoms in Childhood? A Genetic Study of Comorbidity. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1997, 38, 651-656.	5.2	101
135	Male-Biased Autosomal Effect of 16p13.11 Copy Number Variation in Neurodevelopmental Disorders. <i>PLoS ONE</i> , 2013, 8, e61365.	2.5	101
136	Catechol-O-methyltransferase polymorphisms and schizophrenia. <i>Psychiatric Genetics</i> , 1997, 7, 97-102.	1.1	100
137	Functional effects of a tandem duplication polymorphism in the 5' flanking region of the DRD4 gene. <i>Biological Psychiatry</i> , 2004, 56, 691-697.	1.3	100
138	The relationship of maternal smoking to psychological problems in the offspring. <i>Early Human Development</i> , 2007, 83, 727-732.	1.8	100
139	Heritability of social cognitive skills in children and adolescents. <i>British Journal of Psychiatry</i> , 1999, 175, 559-564.	2.8	99
140	Genetic relationships between suicide attempts, suicidal ideation and major psychiatric disorders: A genome-wide association and polygenic scoring study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014, 165, 428-437.	1.7	99
141	Family-based association mapping provides evidence for a gene for reading disability on chromosome 15q. <i>Human Molecular Genetics</i> , 2000, 9, 843-848.	2.9	98
142	Genomewide Association Scan of Suicidal Thoughts and Behaviour in Major Depression. <i>PLoS ONE</i> , 2011, 6, e20690.	2.5	98
143	Genetic influences on eating attitudes in a normal female twin population. <i>Psychological Medicine</i> , 1993, 23, 425-436.	4.5	97
144	Familiality of Symptom Dimensions in Depression. <i>Archives of General Psychiatry</i> , 2004, 61, 468.	12.3	97

#	ARTICLE	IF	CITATIONS
145	Nature, nurture and depression: a twin study. <i>Psychological Medicine</i> , 1991, 21, 329-335.	4.5	96
146	Imprinting and Anticipation. <i>British Journal of Psychiatry</i> , 1994, 164, 619-624.	2.8	94
147	Genetic Markers in Schizophrenia. <i>Human Heredity</i> , 1986, 36, 65-88.	0.8	93
148	Melancholic, atypical and anxious depression subtypes and outcome of treatment with escitalopram and nortriptyline. <i>Journal of Affective Disorders</i> , 2011, 132, 112-120.	4.1	93
149	Obsessive-Compulsive Neurosis Following Head Injury. <i>British Journal of Psychiatry</i> , 1984, 144, 190-192.	2.8	92
150	Genome-wide association study of increasing suicidal ideation during antidepressant treatment in the GENDEP project. <i>Pharmacogenomics Journal</i> , 2012, 12, 68-77.	2.0	92
151	DNA Pooling Identifies QTLs on Chromosome 4 for General Cognitive Ability in Children. <i>Human Molecular Genetics</i> , 1999, 8, 915-922.	2.9	91
152	Cognitive style in bipolar disorder. <i>British Journal of Psychiatry</i> , 2005, 187, 431-437.	2.8	89
153	Body weight as a predictor of antidepressant efficacy in the GENDEP project. <i>Journal of Affective Disorders</i> , 2009, 118, 147-154.	4.1	89
154	The Genetic Architecture of Depression in Individuals of East Asian Ancestry. <i>JAMA Psychiatry</i> , 2021, 78, 1258.	11.0	88
155	A mitochondrial DNA sequence variant associated with schizophrenia and oxidative stress. <i>Schizophrenia Research</i> , 2003, 65, 33-38.	2.0	87
156	Subregional hippocampal deformations in major depressive disorder. <i>Journal of Affective Disorders</i> , 2010, 126, 272-277.	4.1	87
157	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018, 84, 138-147.	1.3	87
158	A family study of HLA antigens and other genetic markers in schizophrenia. <i>Psychological Medicine</i> , 1983, 13, 31-43.	4.5	86
159	The Genetics of Personality Disorder. <i>British Journal of Psychiatry</i> , 1992, 160, 12-23.	2.8	84
160	Genetic utility of broadly defined bipolar schizoaffective disorder as a diagnostic concept. <i>British Journal of Psychiatry</i> , 2009, 195, 23-29.	2.8	83
161	Cardiff Depression Study. <i>British Journal of Psychiatry</i> , 2000, 176, 150-155.	2.8	81
162	Linkage studies on chromosome 22 in familial schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 139-146.	2.4	80

#	ARTICLE	IF	CITATIONS
163	Allelic associations between 100 DNA markers and high versus low IQ. <i>Intelligence</i> , 1995, 21, 31-48.	3.0	80
164	A genome-wide scan of 1842 DNA markers for allelic associations with general cognitive ability: a five-stage design using DNA pooling and extreme selected groups. <i>Behavior Genetics</i> , 2001, 31, 497-509.	2.1	80
165	Association at SYNE1 in both bipolar disorder and recurrent major depression. <i>Molecular Psychiatry</i> , 2013, 18, 614-617.	7.9	80
166	Changes in dopamine D1, D2 and D3 receptor mRNA levels in rat brain following antipsychotic treatment. <i>Psychopharmacology</i> , 1992, 106, 479-483.	3.1	79
167	The development of prosocial behaviour in children and adolescents: a twin study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2004, 45, 927-935.	5.2	79
168	No effect of 5HTTLPR or BDNF Val66Met polymorphism on hippocampal morphology in major depression. <i>Genes, Brain and Behavior</i> , 2011, 10, 756-764.	2.2	78
169	Familiality of symptom dimensions in schizophrenia. <i>Schizophrenia Research</i> , 2001, 47, 223-232.	2.0	77
170	Copy number variant study of bipolar disorder in Canadian and UK populations implicates synaptic genes. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014, 165, 303-313.	1.7	76
171	The Camberwell Collaborative Depression Study II. Investigation of Family Members. <i>British Journal of Psychiatry</i> , 1988, 152, 766-774.	2.8	75
172	Lack of effect of antidepressant drugs on the levels of mRNAs encoding serotonergic receptors, synthetic enzymes and 5HT transporter. <i>Neuropharmacology</i> , 1994, 33, 433-440.	4.1	75
173	Genetic differences in cytochrome P450 enzymes and antidepressant treatment response. <i>Journal of Psychopharmacology</i> , 2014, 28, 133-141.	4.0	75
174	Differences in depressive symptom profile between males and females. <i>Journal of Affective Disorders</i> , 2008, 108, 279-284.	4.1	74
175	Searching for the split in schizophrenia: A twin study perspective. <i>Psychiatry Research</i> , 1984, 13, 109-118.	3.3	73
176	The genetics of bipolar affective disorder. <i>Current Opinion in Psychiatry</i> , 2007, 20, 8-12.	6.3	73
177	The current state of play on the molecular genetics of depression. <i>Psychological Medicine</i> , 2013, 43, 673-687.	4.5	73
178	Depressive disorder moderates the effect of the FTO gene on body mass index. <i>Molecular Psychiatry</i> , 2012, 17, 604-611.	7.9	72
179	The reliability of the SADS-LA in a family study setting. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1991, 241, 165-169.	3.2	71
180	A study of chromosome 4p markers and dopamine D5 receptor gene in schizophrenia and bipolar disorder. <i>Molecular Psychiatry</i> , 1998, 3, 310-320.	7.9	71

#	ARTICLE	IF	CITATIONS
181	Pharmacogenetics of antidepressant response: A polygenic approach. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 75, 128-134.	4.8	71
182	Differential methylation of the X chromosome is a possible source of discordance for bipolar disorder female monozygotic twins. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 459-462.	1.7	70
183	Interaction between serotonin transporter gene variants and life events predicts response to antidepressants in the GENDEP project. <i>Pharmacogenomics Journal</i> , 2011, 11, 138-145.	2.0	70
184	Modulation of amygdala response and connectivity in depression by serotonin transporter polymorphism and diagnosis. <i>Journal of Affective Disorders</i> , 2013, 150, 96-103.	4.1	70
185	Psychopathology in the Postgenomic Era. <i>Annual Review of Psychology</i> , 2003, 54, 205-228.	17.7	69
186	<i>CYP2C19</i> genotype predicts steady state escitalopram concentration in GENDEP. <i>Journal of Psychopharmacology</i> , 2012, 26, 398-407.	4.0	69
187	The Classification of the Depressions. <i>British Journal of Psychiatry</i> , 1989, 155, 437-443.	2.8	68
188	Stressful life events and the brain-derived neurotrophic factor gene in bipolar disorder. <i>Journal of Affective Disorders</i> , 2010, 125, 345-349.	4.1	68
189	Tumor necrosis factor and its targets in the inflammatory cytokine pathway are identified as putative transcriptomic biomarkers for escitalopram response. <i>European Neuropsychopharmacology</i> , 2013, 23, 1105-1114.	0.7	68
190	Factor analysis of schizophrenic symptoms using the OPCRIT checklist. <i>Schizophrenia Research</i> , 1996, 22, 233-239.	2.0	67
191	Genetic Overlap Between Measures of Hyperactivity/Inattention and Mood in Children and Adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009, 48, 1094-1101.	0.5	67
192	Polygenic dissection of the bipolar phenotype. <i>British Journal of Psychiatry</i> , 2011, 198, 284-288.	2.8	67
193	Evaluation of the validity and utility of a transdiagnostic psychosis dimension encompassing schizophrenia and bipolar disorder. <i>British Journal of Psychiatry</i> , 2016, 209, 107-113.	2.8	67
194	Humiliation, loss and other types of life events and difficulties: a comparison of depressed subjects, healthy controls and their siblings. <i>Psychological Medicine</i> , 2003, 33, 1169-1175.	4.5	66
195	DNA Modification Study of Major Depressive Disorder: Beyond Locus-by-Locus Comparisons. <i>Biological Psychiatry</i> , 2015, 77, 246-255.	1.3	66
196	Neuroticism in familial depression. <i>Psychological Medicine</i> , 1987, 17, 155-161.	4.5	65
197	Genetic influences on life events in childhood. <i>Psychological Medicine</i> , 1996, 26, 813-820.	4.5	65
198	No evidence for allelic association between bipolar disorder and monoamine oxidase a gene polymorphisms. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 322-324.	2.4	64

#	ARTICLE	IF	CITATIONS
199	Further support for an association between a polymorphic CAG repeat in the hKCa3 gene and schizophrenia. <i>Molecular Psychiatry</i> , 1998, 3, 266-269.	7.9	64
200	Life Events and Depressive Symptoms in Childhood—Shared Genes or Shared Adversity? A Research Note. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1998, 39, 1153-1158.	5.2	64
201	Effect of cytochrome CYP2C19 metabolizing activity on antidepressant response and side effects: Meta-analysis of data from genome-wide association studies. <i>European Neuropsychopharmacology</i> , 2018, 28, 945-954.	0.7	64
202	A genomewide linkage study of age at onset in schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 439-445.	2.4	63
203	Bi-directional changes in the levels of messenger RNAs encoding $\hat{1}$ $\beta$ -aminobutyric acidA receptor $\hat{1}$ $\pm$ subunits after flurazepam treatment. <i>European Journal of Pharmacology</i> , 1992, 226, 335-341.	2.6	62
204	Relationship between obesity and the risk of clinically significant depression: Mendelian randomisation study. <i>British Journal of Psychiatry</i> , 2014, 205, 24-28.	2.8	62
205	Identical Triplets: Non-Identical Psychosis?. <i>British Journal of Psychiatry</i> , 1982, 140, 1-6.	2.8	61
206	Life events and depression in a community sample of siblings. <i>Psychological Medicine</i> , 2001, 31, 401-410.	4.5	61
207	Differential Activity by Polymorphic Variants of a Remote Enhancer that Supports Galanin Expression in the Hypothalamus and Amygdala: Implications for Obesity, Depression and Alcoholism. <i>Neuropsychopharmacology</i> , 2011, 36, 2211-2221.	5.4	60
208	Meta-analysis of genome-wide association studies in five cohorts reveals common variants in RBFOX1, a regulator of tissue-specific splicing, associated with refractive error. <i>Human Molecular Genetics</i> , 2013, 22, 2754-2764.	2.9	60
209	Genetic risk score analysis indicates migraine with and without comorbid depression are genetically different disorders. <i>Human Genetics</i> , 2014, 133, 173-186.	3.8	60
210	The Functional Psychoses in Afro-Caribbeans. <i>British Journal of Psychiatry</i> , 1990, 157, 515-522.	2.8	59
211	Is disabling fatigue in childhood influenced by genes?. <i>Psychological Medicine</i> , 1999, 29, 279-282.	4.5	59
212	<i>P2RX7</i> : A bipolar and unipolar disorder candidate susceptibility gene?. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 1063-1069.	1.7	59
213	Association of DISC1 and TSNAX genes and affective disorders in the depression case—control (DeCC) and bipolar affective case—control (BACCS) studies. <i>Molecular Psychiatry</i> , 2010, 15, 844-849.	7.9	59
214	A linkage study of schizophrenia with DNA markers from the long arm of chromosome 11. <i>Psychological Medicine</i> , 1993, 23, 27-44.	4.5	58
215	Linkage and association studies of schizophrenia. <i>Current Psychiatry Reports</i> , 2003, 5, 121-127.	4.5	56
216	Conduct Problems in Children and Adolescents. <i>Archives of General Psychiatry</i> , 2004, 61, 489.	12.3	56

#	ARTICLE	IF	CITATIONS
217	Depression Case Control (DeCC) Study fails to support involvement of the muscarinic acetylcholine receptor M2 (CHRM2) gene in recurrent major depressive disorder. <i>Human Molecular Genetics</i> , 2009, 18, 1504-1509.	2.9	56
218	Common Genetic Variants and Gene-Expression Changes Associated with Bipolar Disorder Are Over-Represented in Brain Signaling Pathway Genes. <i>Biological Psychiatry</i> , 2012, 72, 311-317.	1.3	56
219	A genetic risk score combining 32 SNPs is associated with body mass index and improves obesity prediction in people with major depressive disorder. <i>BMC Medicine</i> , 2015, 13, 86.	5.5	56
220	Modulatory effects of brain-derived neurotrophic factor Val66Met polymorphism on prefrontal regions in major depressive disorder. <i>British Journal of Psychiatry</i> , 2015, 206, 379-384.	2.8	56
221	The dopamine D4 receptor and the hyperactivity phenotype: a developmental-epidemiological study. <i>Molecular Psychiatry</i> , 2002, 7, 383-391.	7.9	55
222	The genetics of affective disorder and suicide. <i>European Psychiatry</i> , 2010, 25, 275-277.	0.2	55
223	Integrative mouse and human mRNA studies using WGCNA nominates novel candidate genes involved in the pathogenesis of major depressive disorder. <i>Pharmacogenomics</i> , 2013, 14, 1979-1990.	1.3	55
224	Factor-derived subsyndromes of schizophrenia and familial morbid risks. <i>Schizophrenia Research</i> , 1997, 23, 231-238.	2.0	54
225	Genetic variation in the serotonin transporter modulates neural system-wide response to fearful faces. <i>Genes, Brain and Behavior</i> , 2008, 7, 543-551.	2.2	53
226	Epidemiology and symptomatology of depression in Sri Lanka: A cross-sectional population-based survey in Colombo District. <i>Journal of Affective Disorders</i> , 2010, 123, 188-196.	4.1	53
227	Trauma, post-traumatic stress disorder and psychiatric disorders in a middle-income setting: prevalence and comorbidity. <i>British Journal of Psychiatry</i> , 2014, 205, 383-389.	2.8	53
228	Association and linkage: complementary strategies for complex disorders.. <i>Journal of Medical Genetics</i> , 1993, 30, 638-639.	3.2	52
229	Can the social environment cause schizophrenia?. <i>British Journal of Psychiatry</i> , 2003, 182, 291-292.	2.8	52
230	A genome-wide association study of a sustained pattern of antidepressant response. <i>Journal of Psychiatric Research</i> , 2013, 47, 1157-1165.	3.1	52
231	The endogenous and reactive depression subtypes revisited: integrative animal and human studies implicate multiple distinct molecular mechanisms underlying major depressive disorder. <i>BMC Medicine</i> , 2014, 12, 73.	5.5	52
232	Admixture analysis of age at onset in bipolar disorder. <i>Psychiatry Research</i> , 2011, 185, 27-32.	3.3	51
233	A Genome-Wide Significant Linkage for Severe Depression on Chromosome 3: The Depression Network Study. <i>American Journal of Psychiatry</i> , 2011, 168, 840-847.	7.2	51
234	A Polymorphism Associated with Depressive Disorders Differentially Regulates Brain Derived Neurotrophic Factor Promoter IV Activity. <i>Biological Psychiatry</i> , 2012, 71, 618-626.	1.3	51

#	ARTICLE	IF	CITATIONS
235	The interaction between stress and genetic factors in the etiopathogenesis of depression. <i>World Psychiatry</i> , 2015, 14, 161-163.	10.4	51
236	Antidepressant drug-specific prediction of depression treatment outcomes from genetic and clinical variables. <i>Scientific Reports</i> , 2018, 8, 5530.	3.3	51
237	No Evidence for a Pseudoautosomal Locus for Schizophrenia. <i>British Journal of Psychiatry</i> , 1992, 161, 63-68.	2.8	50
238	A pilot study of positive mood induction in euthymic bipolar subjects compared with healthy controls. <i>Psychological Medicine</i> , 2006, 36, 1213-1218.	4.5	49
239	Interaction between the <i>FTO</i> gene, body mass index and depression: meta-analysis of 13701 individuals. <i>British Journal of Psychiatry</i> , 2017, 211, 70-76.	2.8	49
240	Cerebral Ventricular Enlargement in Chronic Schizophrenia: Consistencies and Contradictions. <i>British Journal of Psychiatry</i> , 1987, 150, 324-330.	2.8	48
241	OPCRIT+: an electronic system for psychiatric diagnosis and data collection in clinical and research settings. <i>British Journal of Psychiatry</i> , 2011, 199, 151-155.	2.8	48
242	CAG repeat length in the hKCa3 gene and symptom dimensions in schizophrenia. <i>Biological Psychiatry</i> , 1999, 45, 1592-1596.	1.3	47
243	Methodological Issues in Using a Polydiagnostic Approach to Define Psychotic Illness. <i>British Journal of Psychiatry</i> , 1992, 161, 824-830.	2.8	46
244	No association between bipolar disorder and alleles at a functional polymorphism in the COMT gene. <i>British Journal of Psychiatry</i> , 1997, 170, 526-528.	2.8	46
245	Socio-economic factors that predict psychiatric admissions at a local level. <i>Psychological Medicine</i> , 1999, 29, 1235-1241.	4.5	46
246	In the Face of Uncertainty: A Twin Study of Ambiguous Information, Anxiety and Depression in Children. <i>Journal of Abnormal Child Psychology</i> , 2008, 36, 55-65.	3.5	46
247	Estimating the heritability of reporting stressful life events captured by common genetic variants. <i>Psychological Medicine</i> , 2013, 43, 1965-1971.	4.5	46
248	Methylenetetrahydrofolate Reductase Gene Variant (MTHFR C677T) and Migraine: A Case Control Study and Meta-analysis. <i>BMC Neurology</i> , 2011, 11, 66.	1.8	45
249	Genome-wide association analysis of copy number variation in recurrent depressive disorder. <i>Molecular Psychiatry</i> , 2013, 18, 183-189.	7.9	45
250	Primary structure of the rat beta-2 adrenergic receptor gene. <i>Nucleic Acids Research</i> , 1990, 18, 682-682.	14.5	44
251	The truth about genetic variation in the serotonin transporter gene and response to stress and medication. <i>British Journal of Psychiatry</i> , 2011, 198, 424-427.	2.8	44
252	Variation in GNB3 predicts response and adverse reactions to antidepressants. <i>Journal of Psychopharmacology</i> , 2011, 25, 867-874.	4.0	44

#	ARTICLE	IF	CITATIONS
253	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470.	7.9	44
254	The risk of minor depression before age 65: results from a community survey. <i>Psychological Medicine</i> , 1989, 19, 393-400.	4.5	43
255	A transmission disequilibrium and linkage analysis of D22S278 marker alleles in 574 families: further support for a susceptibility locus for schizophrenia at 22q12. <i>Schizophrenia Research</i> , 1998, 32, 115-121.	2.0	43
256	The Depression Network (DeNT) Study: methodology and sociodemographic characteristics of the first 470 affected sibling pairs from a large multi-site linkage genetic study. <i>BMC Psychiatry</i> , 2004, 4, 42.	2.6	43
257	Suicidal ideation during treatment of depression with escitalopram and nortriptyline in Genome-Based Therapeutic Drugs for Depression (GENDEP): a clinical trial. <i>BMC Medicine</i> , 2009, 7, 60.	5.5	43
258	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. <i>Biological Psychiatry</i> , 2019, 86, 577-586.	1.3	43
259	HLA antigens and subtypes of schizophrenia. <i>Psychiatry Research</i> , 1981, 5, 115-122.	3.3	42
260	Changes in dopa decarboxylase mRNA but not tyrosine hydroxylase mRNA levels in rat brain following antipsychotic treatment. <i>Psychopharmacology</i> , 1992, 108, 98-102.	3.1	42
261	Clozapine and sulpiride up-regulate dopamine D3 receptor mRNA levels. <i>Neuropharmacology</i> , 1993, 32, 901-907.	4.1	42
262	Science, medicine, and the future: Behaviour and genes. <i>BMJ: British Medical Journal</i> , 1999, 319, 37-40.	2.3	42
263	Interrelationship of childhood trauma, neuroticism, and depressive phenotype. <i>Depression and Anxiety</i> , 2007, 24, 163-168.	4.1	42
264	Migraine in recurrent depression: case-control study. <i>British Journal of Psychiatry</i> , 2009, 194, 350-354.	2.8	42
265	Adverse life event reporting and worst illness episodes in unipolar and bipolar affective disorders: measuring environmental risk for genetic research. <i>Psychological Medicine</i> , 2010, 40, 1829-1837.	4.5	42
266	Hazard, heredity and depression. A family study. <i>Journal of Psychiatric Research</i> , 1987, 21, 365-375.	3.1	41
267	Changes in body weight during pharmacological treatment of depression. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 367-375.	2.1	41
268	Interplay Between Childhood Physical Abuse and Familial Risk in the Onset of Psychotic Disorders. <i>Schizophrenia Bulletin</i> , 2014, 40, 1443-1451.	4.3	41
269	No association between the Catechol-O-Methyltransferase (COMT) val158met polymorphism and cognitive improvement following cognitive remediation therapy (CRT) in schizophrenia. <i>Neuroscience Letters</i> , 2011, 496, 65-69.	2.1	40
270	Interaction between specific forms of childhood maltreatment and the serotonin transporter gene (5-HTT) in recurrent depressive disorder. <i>Journal of Affective Disorders</i> , 2013, 145, 136-141.	4.1	39



#	ARTICLE	IF	CITATIONS
271	Putative Transcriptomic Biomarkers in the Inflammatory Cytokine Pathway Differentiate Major Depressive Disorder Patients from Control Subjects and Bipolar Disorder Patients. PLoS ONE, 2014, 9, e91076.	2.5	39
272	One year double blind study of high vs low frequency subcallosal cingulate stimulation for depression. Journal of Psychiatric Research, 2018, 96, 124-134.	3.1	39
273	The ventricular-brain ratio (VBR) in functional psychoses: the relationship of lateral ventricular and total intracranial area. Psychological Medicine, 1990, 20, 55-62.	4.5	38
274	A twin study of antisocial and neurotic symptoms in childhood. Psychological Medicine, 1996, 26, 1111-1118.	4.5	38
275	Heritability of Schneider's first-rank symptoms. British Journal of Psychiatry, 2002, 180, 35-38.	2.8	38
276	The effects of antipsychotic drugs on the mRNA levels of serotonin 5HT2A and 5HT2C receptors. Molecular Brain Research, 1997, 48, 45-52.	2.3	37
277	The ventricle-brain ratio (VBR) in functional psychoses: An admixture analysis. Psychiatry Research - Neuroimaging, 1990, 35, 61-69.	1.8	36
278	Antipsychotic regulation of dopamine D1, D2 and D3 receptor mRNA. Neuropharmacology, 1997, 36, 1689-1696.	4.1	36
279	Sibling pairs with schizophrenia or schizoaffective disorder: associations of subtypes, symptoms and demographic variables. Psychological Medicine, 1998, 28, 815-823.	4.5	36
280	A genome-wide association study of suicide severity scores in bipolar disorder. Journal of Psychiatric Research, 2015, 65, 23-29.	3.1	36
281	Chromosome 22 markers demonstrate transmission disequilibrium with schizophrenia. Psychiatric Genetics, 1995, 5, 127-130.	1.1	36
282	Obsessive-Compulsive Neurosis: Two Identical Twin Pairs. British Journal of Psychiatry, 1980, 137, 285-287.	2.8	35
283	A commingling analysis of platelet monoamine oxidase activity. Psychiatry Research, 1982, 7, 325-335.	3.3	35
284	Homing in on Depression Genes. American Journal of Psychiatry, 2007, 164, 195-197.	7.2	35
285	The Cardiff Sib-Pair Study. Crisis, 2001, 22, 71-73.	1.2	35
286	Histocompatibility Antigens and Schizophrenia. British Journal of Psychiatry, 1978, 132, 149-151.	2.8	34
287	Pre- and Perinatal Factors and the Risk of Subsequent Referral for Hyperactivity. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1992, 33, 1077-1090.	5.2	34
288	DNA pooling and dense marker maps. NeuroReport, 1999, 10, 843-848.	1.2	34

#	ARTICLE	IF	CITATIONS
289	Is schizophrenia an HLA-associated disease?. <i>Psychological Medicine</i> , 1979, 9, 721-728.	4.5	33
290	Polydiagnostic approaches to measuring and classifying psychopathology. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 39-41.	2.4	33
291	Pathways to childhood depressive symptoms: The role of social, cognitive, and genetic risk factors.. <i>Developmental Psychology</i> , 2007, 43, 1402-1414.	1.6	33
292	Colombo Twin and Singleton Study (CoTASS): A description of a population based twin study of mental disorders in Sri Lanka. <i>BMC Psychiatry</i> , 2008, 8, 49.	2.6	33
293	Association of the dystrobrevin binding protein 1 gene ( <i>DTNBP1</i> ) in a bipolar case-control study (BACCS). <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 836-844.	1.7	33
294	Genetic Vulnerability to Schizophrenia. <i>Psychiatric Clinics of North America</i> , 1986, 9, 3-16.	1.3	32
295	A polymorphism in mitochondrial DNA associated with IQ?. <i>Intelligence</i> , 1995, 21, 1-11.	3.0	32
296	No association between general cognitive ability and the A1 allele of the D2 dopamine receptor gene. <i>Behavior Genetics</i> , 1997, 27, 29-31.	2.1	32
297	Linked polymorphisms upstream of exons 1 and 2 of the human cholecystokinin gene are not associated with schizophrenia or bipolar disorder. <i>Molecular Psychiatry</i> , 1998, 3, 67-71.	7.9	32
298	Sensation-seeking, life events and depression. <i>British Journal of Psychiatry</i> , 2001, 178, 549-552.	2.8	32
299	Age and Birth Cohort Effects on Rates of Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2003, 27, 93-99.	2.4	32
300	Stressful life events, cognitive symptoms of depression and response to antidepressants in GENDEP. <i>Journal of Affective Disorders</i> , 2010, 127, 337-342.	4.1	32
301	Evidence for rare and common genetic risk variants for schizophrenia at protein kinase C, alpha. <i>Molecular Psychiatry</i> , 2010, 15, 1101-1111.	7.9	32
302	Life-event specificity: bipolar disorder compared with unipolar depression. <i>British Journal of Psychiatry</i> , 2012, 201, 458-465.	2.8	32
303	The role of loss and danger events in symptom exacerbation in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2012, 46, 1584-1589.	3.1	32
304	A twin study of schizoaffective mania, schizoaffective depression, and other psychotic syndromes. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 172-182.	1.7	32
305	Resistance to antidepressant treatment is associated with polymorphisms in the leptin gene, decreased leptin mRNA expression, and decreased leptin serum levels. <i>European Neuropsychopharmacology</i> , 2013, 23, 653-662.	0.7	32
306	Simultaneous quantification of several mRNA species by solution hybridisation with oligonucleotides. <i>Nucleic Acids Research</i> , 1991, 19, 3466-3466.	14.5	31

#	ARTICLE	IF	CITATIONS
307	No evidence for expanded polyglutamine sequences in bipolar disorder and schizophrenia. <i>Molecular Psychiatry</i> , 1997, 2, 478-482.	7.9	31
308	Dopamine markers and general cognitive ability. <i>NeuroReport</i> , 1998, 9, 347-349.	1.2	31
309	Sexual dysfunction during treatment with serotonergic and noradrenergic antidepressants: Clinical description and the role of the 5-HTTLPR. <i>World Journal of Biological Psychiatry</i> , 2011, 12, 528-538.	2.6	31
310	Dissecting the Genetic Heterogeneity of Depression Through Age at Onset. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 859-868.	1.7	31
311	Whole-exome sequencing identifies a polymorphism in the BMP5 gene associated with SSRI treatment response in major depression. <i>Journal of Psychopharmacology</i> , 2013, 27, 915-920.	4.0	31
312	Exploring the role of drug-metabolising enzymes in antidepressant side effects. <i>Psychopharmacology</i> , 2015, 232, 2609-2617.	3.1	31
313	Immune signatures and disorder-specific patterns in a cross-disorder gene expression analysis. <i>British Journal of Psychiatry</i> , 2016, 209, 202-208.	2.8	31
314	Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 115-126.	2.2	31
315	Genetic basis of bad behaviour in adolescents. <i>Lancet, The</i> , 1997, 350, 411-412.	13.7	30
316	Susceptibility genes for a trait measure of attention deficit hyperactivity disorder: a pilot study in a non-clinical sample of twins. <i>Psychiatry Research</i> , 2001, 105, 273-278.	3.3	30
317	Clinical Variables and Genetic Loading for Schizophrenia: Analysis of Published Danish Adoption Study Data. <i>Schizophrenia Bulletin</i> , 2002, 28, 393-400.	4.3	30
318	Cognitive style, personality and vulnerability to postnatal depression. <i>British Journal of Psychiatry</i> , 2010, 196, 200-205.	2.8	30
319	Diagnosing migraine in research and clinical settings: The validation of the Structured Migraine Interview (SMI). <i>BMC Neurology</i> , 2010, 10, 7.	1.8	30
320	Convergent Animal and Human Evidence Suggests a Role of PPM1A Gene in Response to Antidepressants. <i>Biological Psychiatry</i> , 2011, 69, 360-365.	1.3	30
321	Non-steroidal anti-inflammatory drugs and efficacy of antidepressants in major depressive disorder. <i>Psychological Medicine</i> , 2012, 42, 2027-2035.	4.5	30
322	Genetic analysis of manic-depressive illness. <i>American Journal of Physical Anthropology</i> , 1983, 62, 51-59.	2.1	29
323	Approaches to the Genetics of Affective Disorders. <i>Annals of Medicine</i> , 1993, 25, 317-322.	3.8	29
324	Do aggressive and non-aggressive antisocial behaviors in adolescents result from the same genetic and environmental effects?. <i>American Journal of Medical Genetics Part A</i> , 2004, 129B, 59-63.	2.4	29

#	ARTICLE	IF	CITATIONS
325	Is depression severity the sole cause of psychotic symptoms during an episode of unipolar major depression? A study both between and within subjects. <i>Journal of Affective Disorders</i> , 2009, 114, 103-109.	4.1	29
326	Replication of association of 3p21.1 with susceptibility to bipolar disorder but not major depression. <i>Nature Genetics</i> , 2011, 43, 3-5.	21.4	29
327	Genome-wide association study of intraocular pressure identifies the GLCCI1/ICAI region as a glaucoma susceptibility locus. <i>Human Molecular Genetics</i> , 2013, 22, 4653-4660.	2.9	29
328	The relationship between schizophrenia and rheumatoid arthritis revisited: Genetic and epidemiological analyses. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 81-88.	1.7	29
329	Lack of effect of antipsychotic and antidepressant drugs on glutamate receptor mRNA levels in rat brains. <i>Neuroscience Letters</i> , 1994, 177, 39-43.	2.1	28
330	Personality and the bipolar spectrum: normative and classification data for the Eysenck Personality Questionnaire—Revised. <i>Comprehensive Psychiatry</i> , 2009, 50, 48-53.	3.1	28
331	Meta-analyses of genome-wide linkage scans of anxiety-related phenotypes. <i>European Journal of Human Genetics</i> , 2012, 20, 1078-1084.	2.8	28
332	Shared genetic risk between eating disorder and substance use related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , 2021, 26, e12880.	2.6	28
333	Antidepressant-dependent mRNA changes in mouse associated with hippocampal neurogenesis in a mouse model of depression. <i>Pharmacogenetics and Genomics</i> , 2012, 22, 765-776.	1.5	28
334	Age and birth cohort effects on rates of alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2003, 27, 93-9.	2.4	28
335	Nature and Nurture Interplay: Schizophrenia. <i>Psychiatrische Praxis</i> , Supplement, 2004, 31, 189-193.	0.0	27
336	The classification of depression: are we still confused?. <i>British Journal of Psychiatry</i> , 2008, 192, 83-85.	2.8	27
337	Stressful life events and catechol-O-methyl-transferase (COMT) gene in bipolar disorder. <i>Depression and Anxiety</i> , 2017, 34, 419-426.	4.1	27
338	Unravelling the GSK3 $\beta$ -related genotypic interaction network influencing hippocampal volume in recurrent major depressive disorder. <i>Psychiatric Genetics</i> , 2018, 28, 77-84.	1.1	27
339	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020, 87, 419-430.	1.3	27
340	Collaborative Strategies in the Molecular Genetics of the Major Psychoses. <i>British Journal of Psychiatry</i> , 1991, 158, 605-610.	2.8	26
341	Does phenylethylamine have a role in schizophrenia?: LSD and PCP up-regulate aromatic l-amino acid decarboxylase mRNA levels. <i>Molecular Brain Research</i> , 1997, 49, 266-270.	2.3	26
342	The high affinity neurotensin receptor gene (NTSR1): comparative sequencing and association studies in schizophrenia. <i>Molecular Psychiatry</i> , 2000, 5, 552-557.	7.9	26

#	ARTICLE	IF	CITATIONS
343	The Bipolar Association Caseâ€“Control Study (BACCS) and metaâ€“analysis: No association with the 5,10â€“Methylenetetrahydrofolate reductase gene and bipolar disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 1298-1304.	1.7	26
344	Heritability estimates for psychotic symptom dimensions in twins with psychotic disorders. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2011, 156, 89-98.	1.7	26
345	Major Genes for Major Affective Disorder?. British Journal of Psychiatry, 1988, 153, 591-596.	2.8	25
346	Problems and Pitfalls of the Family History Positive and Negative Dichotomy: Response to Dalen. Schizophrenia Bulletin, 1990, 16, 367-370.	4.3	25
347	Association study of bipolar disorder at the phospholipase A2 gene (PLA2A) in the Darierâ€“s disease (DAR) region of chromosome 12q23-q24.1. Psychiatric Genetics, 1996, 6, 195-200.	1.1	25
348	Comparative sequencing of the proneurotensin gene and association studies in schizophrenia. Molecular Psychiatry, 2000, 5, 208-212.	7.9	25
349	The Cardiff Depression Study: a sib-pair study of dysfunctional attitudes in depressed probands and healthy control subjects. Psychological Medicine, 2001, 31, 627-633.	4.5	25
350	Familiality of clinical characteristics in schizophrenia. Journal of Psychiatric Research, 2002, 36, 325-329.	3.1	25
351	Genome-wide Burden of Rare Short Deletions Is Enriched in Major Depressive Disorder in Four Cohorts. Biological Psychiatry, 2019, 85, 1065-1073.	1.3	25
352	Complex Segregation Analysis of Thyroid Autoantibodies: Are They Inherited as an Autosomal Dominant Trait?. Human Heredity, 1993, 43, 141-146.	0.8	24
353	A transmission/disequilibrium study of the DRB1*04 gene locus on chromosome 6p21.3 with schizophrenia. Schizophrenia Research, 1998, 32, 75-80.	2.0	24
354	A genomewide linkage study on suicidality in major depressive disorder confirms evidence for linkage to 2p12. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 1465-1473.	1.7	24
355	Genetic influence on the psychoses. British Medical Bulletin, 1987, 43, 531-556.	6.9	23
356	A father's imprint on his daughter's thinking. Nature, 1997, 387, 652-653.	27.8	23
357	The genetic basis for psychiatric illness in man*. European Journal of Neuroscience, 2002, 16, 403-407.	2.6	23
358	Attributional style and depression. British Journal of Psychiatry, 2008, 192, 275-278.	2.8	23
359	Amphetamine and vigabatrin down regulate aromatic l-amino acid decarboxylase mRNA levels. Molecular Brain Research, 1996, 35, 69-76.	2.3	22
360	Psychiatry in primary care. , 0, , 479-497.		22

#	ARTICLE	IF	CITATIONS
361	Stressful life events and the serotonin transporter gene ( 5-HTT ) in recurrent clinical depression. <i>Journal of Affective Disorders</i> , 2012, 136, 189-193.	4.1	22
362	Residual association at C9orf72 suggests an alternative amyotrophic lateral sclerosis-causing hexanucleotide repeat. <i>Neurobiology of Aging</i> , 2013, 34, 2234.e1-2234.e7.	3.1	22
363	The genetic etiology of childhood depressive symptoms: A developmental perspective. <i>Development and Psychopathology</i> , 1996, 8, 751-760.	2.3	21
364	Expanded CAG/CTG repeats in bipolar disorder: No correlation with phenotypic measures of illness severity. <i>Biological Psychiatry</i> , 1997, 42, 876-881.	1.3	21
365	Sex differences in symptom patterns of recurrent major depression in siblings. <i>Depression and Anxiety</i> , 2008, 25, 527-534.	4.1	21
366	Genetic and environmental contributions to depression in Sri Lanka. <i>British Journal of Psychiatry</i> , 2009, 195, 504-509.	2.8	21
367	Aetiology of fatigue in Sri Lanka and its overlap with depression. <i>British Journal of Psychiatry</i> , 2010, 197, 106-113.	2.8	21
368	The interaction between child maltreatment, adult stressful life events and the 5-HTTLPR in major depression. <i>Journal of Psychiatric Research</i> , 2013, 47, 1032-1035.	3.1	21
369	A Method to Exploit the Structure of Genetic Ancestry Space to Enhance Case-Control Studies. <i>American Journal of Human Genetics</i> , 2016, 98, 857-868.	6.2	21
370	Phenotypic Association Analyses With Copy Number Variation in Recurrent Depressive Disorder. <i>Biological Psychiatry</i> , 2016, 79, 329-336.	1.3	21
371	Levels of GABA <sub>A</sub> receptor subunit mRNA in rat brain following flurazepam treatment. <i>Journal of Psychopharmacology</i> , 1992, 6, 364-369.	4.0	20
372	Autosome search for schizophrenia susceptibility genes in multiply affected families. <i>Molecular Psychiatry</i> , 1999, 4, 353-359.	7.9	20
373	Schizophrenia: From genes to phenes to disease. <i>Current Psychiatry Reports</i> , 2008, 10, 339-343.	4.5	20
374	Genetic and Environmental Contributions to the Overlap Between Psychological, Fatigue and Somatic Symptoms: A Twin Study in Sri Lanka. <i>Twin Research and Human Genetics</i> , 2011, 14, 53-63.	0.6	20
375	ATP-binding cassette sub-family F member 1 (ABCF1) is identified as a putative therapeutic target of escitalopram in the inflammatory cytokine pathway. <i>Journal of Psychopharmacology</i> , 2013, 27, 609-615.	4.0	20
376	Linkage studies in bipolar affective disorder with markers on chromosome 21. <i>Journal of Affective Disorders</i> , 1996, 41, 217-221.	4.1	19
377	Exclusion of CAG/CTG trinucleotide repeat loci which map to chromosome 4 in bipolar disorder and schizophrenia. , 1997, 74, 204-206.		19
378	Transcriptomics and the mechanisms of antidepressant efficacy. <i>European Neuropsychopharmacology</i> , 2016, 26, 105-112.	0.7	19

#	ARTICLE	IF	CITATIONS
379	Genes associated with anhedonia: a new analysis in a large clinical trial (GENDEP). <i>Translational Psychiatry</i> , 2018, 8, 150.	4.8	19
380	The lymphoblast $\beta$ -adrenergic receptor in bipolar depressed patients: characterization and down-regulation. <i>Journal of Affective Disorders</i> , 1993, 27, 163-172.	4.1	18
381	The Genetics of Mental Retardation. <i>British Journal of Psychiatry</i> , 1994, 164, 747-758.	2.8	18
382	Genetics and psychiatry. <i>British Journal of Psychiatry</i> , 1997, 171, 201-202.	2.8	18
383	The Genetic Relationship Between Social Cognition and Conduct Problems. <i>Behavior Genetics</i> , 2004, 34, 377-383.	2.1	18
384	Genetic and environmental influences on interpersonal cognitions and associations with depressive symptoms in 8-year-old twins.. <i>Journal of Abnormal Psychology</i> , 2007, 116, 762-775.	1.9	18
385	Association of the serotonin transporter gene, neuroticism and smoking behaviours. <i>Journal of Human Genetics</i> , 2008, 53, 239-246.	2.3	18
386	History of suicide attempts among patients with depression in the GENDEP project. <i>Journal of Affective Disorders</i> , 2010, 123, 131-137.	4.1	18
387	Housekeeping gene expression is affected by antidepressant treatment in a mouse fibroblast cell line. <i>Journal of Psychopharmacology</i> , 2010, 24, 1253-1259.	4.0	18
388	Pharmacoproteomic investigation into antidepressant response in two mouse inbred strains. <i>Proteomics</i> , 2012, 12, 2355-2365.	2.2	18
389	Genetic predictors of antidepressant side effects: A grouped candidate gene approach in the Genome-Based Therapeutic Drugs for Depression (GENDEP) study. <i>Journal of Psychopharmacology</i> , 2014, 28, 142-150.	4.0	18
390	Genetic disposition to inflammation and response to antidepressants in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2018, 105, 17-22.	3.1	18
391	Genetic Markers in Late Paraphrenia: A Study of HLA Antigens. <i>British Journal of Psychiatry</i> , 1987, 150, 124-127.	2.8	17
392	The molecular genetics of schizophrenia. <i>Journal of Molecular Neuroscience</i> , 1996, 7, 147-157.	2.3	17
393	Comparative sequencing and association studies of aromatic L-amino acid decarboxylase in schizophrenia and bipolar disorder. <i>Molecular Psychiatry</i> , 2000, 5, 327-331.	7.9	17
394	The Kings Schizotypy Questionnaire as a quantitative measure of schizophrenia liability. <i>Schizophrenia Research</i> , 2000, 45, 213-221.	2.0	17
395	Variation at the GABA <sub>A</sub> receptor gene, Rho 1 ( <i>GABRR1</i> ) associated with susceptibility to bipolar schizoaffective disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1347-1349.	1.7	17
396	Commingling Analyses of Central Corneal Thickness and Adjusted Intraocular Pressure in an Older Australian Population. , 2010, 51, 2512.		17

#	ARTICLE	IF	CITATIONS
397	Genome-wide association study of co-occurring anxiety in major depression. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 611-621.	2.6	17
398	Who believes estimating heritability as an end in itself?. <i>Behavioral and Brain Sciences</i> , 1990, 13, 141-142.	0.7	16
399	Amyloid precursor protein mRNA levels in the mononuclear blood cells of Alzheimer's and Down's patients. <i>Molecular Brain Research</i> , 1993, 18, 316-320.	2.3	16
400	Both splicing variants of the dopamine D2 receptor mRNA are up-regulated by antipsychotic drugs. <i>Neuroscience Letters</i> , 1993, 150, 25-28.	2.1	16
401	Bipolar Affective Puerperal Psychosis Associated with Consanguinity. <i>British Journal of Psychiatry</i> , 1994, 164, 359-364.	2.8	16
402	Darier's disease cosegregating with affective disorder. <i>British Journal of Psychiatry</i> , 1994, 165, 272-272.	2.8	16
403	A linkage study of schizophrenia with DNA markers from chromosome 8p21-p22 in 25 multiplex families. <i>Schizophrenia Research</i> , 1996, 22, 61-68.	2.0	16
404	EFFECTS OF CHRONIC ADMINISTRATION AND SUBSEQUENT WITHDRAWAL OF ETHANOL-CONTAINING LIQUID DIET ON RAT LIVER TRYPTOPHAN PYRROLASE AND TRYPTOPHAN METABOLISM. <i>Alcohol and Alcoholism</i> , 1996, 31, 205-215.	1.6	16
405	Neuroticism, extraversion, life events and depression. <i>British Journal of Psychiatry</i> , 2002, 181, 118-122.	2.8	16
406	Personality as a determinant of social functioning in depression. <i>Journal of Affective Disorders</i> , 2005, 84, 73-76.	4.1	16
407	Genome-wide approaches to antidepressant treatment: working towards understanding and predicting response. <i>Genome Medicine</i> , 2012, 4, 52.	8.2	16
408	Genome-wide association analysis accounting for environmental factors through propensity score matching: Application to stressful life events in major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013, 162, 521-529.	1.7	16
409	Genetic susceptibility for bipolar disorder and response to antidepressants in major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014, 165, 77-83.	1.7	16
410	Advancing psychiatric genetics through dissecting heterogeneity. <i>Human Molecular Genetics</i> , 2017, 26, R160-R165.	2.9	16
411	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 91-100.	1.5	16
412	No evidence for linkage between the X-chromosome marker DXS7 and schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 461-464.	2.4	15
413	Expanded CAG/CTG Repeats in Schizophrenia. <i>British Journal of Psychiatry</i> , 1996, 169, 766-771.	2.8	15
414	Psychiatry and the "new genetics": hunting for genes for behaviour and drug response. <i>British Journal of Psychiatry</i> , 2005, 186, 91-92.	2.8	15



#	ARTICLE	IF	CITATIONS
415	Genetics and delusional disorder. <i>Behavioral Sciences and the Law</i> , 2006, 24, 257-276.	0.8	15
416	Replication Study and Meta-Analysis in European Samples Supports Association of the 3p21.1 Locus with Bipolar Disorder. <i>Biological Psychiatry</i> , 2012, 72, 645-650.	1.3	15
417	Investigating the genetic variation underlying episodicity in major depressive disorder: Suggestive evidence for a bipolar contribution. <i>Journal of Affective Disorders</i> , 2014, 155, 81-89.	4.1	15
418	Investigating rare pathogenic/likely pathogenic exonic variation in bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 5239-5250.	7.9	15
419	Exclusion of expansion of 50 CAG/CTG trinucleotide repeats in bipolar disorder. <i>American Journal of Psychiatry</i> , 1997, 154, 1146-1147.	7.2	14
420	Failure to replicate a QTL association between a DNA marker identified by EST00083 and IQ. <i>Intelligence</i> , 1997, 25, 179-184.	3.0	14
421	Genetic and non-genetic subtypes of major depressive disorder. <i>British Journal of Psychiatry</i> , 1998, 173, 523-526.	2.8	14
422	Commingling Analysis of Intraocular Pressure and Glaucoma in an Older Australian Population. <i>Annals of Human Genetics</i> , 2004, 68, 489-497.	0.8	14
423	Current strategies for investigating the genetic and environmental risk factors for affective disorders. <i>British Journal of Psychiatry</i> , 2005, 186, 179-181.	2.8	14
424	Phenotype evaluation and genomewide linkage study of clinical variables in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 929-940.	1.7	14
425	Allele-specific Differences in Activity of a Novel Cannabinoid Receptor 1 (CNR1) Gene Intronic Enhancer in Hypothalamus, Dorsal Root Ganglia, and Hippocampus. <i>Journal of Biological Chemistry</i> , 2012, 287, 12828-12834.	3.4	14
426	Genomic structural variation in psychiatric disorders. <i>Development and Psychopathology</i> , 2012, 24, 1335-1344.	2.3	14
427	The Sri Lankan Twin Registry: 2012 Update. <i>Twin Research and Human Genetics</i> , 2013, 16, 307-312.	0.6	14
428	Mood stabilizers differentially affect housekeeping gene expression in human cells. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 279-288.	2.1	14
429	No association between RFLPs at the porphobilinogen deaminase gene and schizophrenia. <i>Human Genetics</i> , 1992, 90, 131-132.	3.8	13
430	A SCAN-SADS comparison study of psychotic subjects and their first-degree relatives. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1993, 242, 352-356.	3.2	13
431	DNA markers associated with general and specific cognitive abilities. <i>Intelligence</i> , 1996, 23, 191-203.	3.0	13
432	Functional effects of polymorphisms on glucocorticoid receptor modulation of human anxiogenic substance-P gene promoter activity in primary amygdala neurones. <i>Psychoneuroendocrinology</i> , 2014, 47, 43-55.	2.7	13

#	ARTICLE	IF	CITATIONS
433	The molecular genetics of schizophrenia: An overview and forward view. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1991, 240, 169-173.	0.9	12
434	Linkage analysis of the fragile X gene FMR-1 and schizophrenia. <i>Psychiatric Genetics</i> , 1996, 6, 81-86.	1.1	12
435	Genes and social skills. <i>BioEssays</i> , 1997, 19, 1125-1127.	2.5	12
436	Bioethics and genetic research in psychiatry. <i>British Journal of Psychiatry</i> , 2000, 176, 105-108.	2.8	12
437	Genome-Wide Searches for Bipolar Disorder Genes. <i>Current Psychiatry Reports</i> , 2011, 13, 522-527.	4.5	12
438	Non-random dropout and the relative efficacy of escitalopram and nortriptyline in treating major depressive disorder. <i>Journal of Psychiatric Research</i> , 2012, 46, 1333-1338.	3.1	12
439	Childhood maltreatment and the medical morbidity in bipolar disorder: a case-control study. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 30.	2.2	12
440	Familial factors in going to medical school. <i>Medical Education</i> , 1991, 25, 13-15.	2.1	11
441	Linkage analysis between bipolar affective disorder and markers on chromosome X. <i>Psychiatric Genetics</i> , 1998, 8, 183-186.	1.1	11
442	Genetic markers and affective disorder. , 1991, , 165-181.		11
443	Genes, adversity, and depression.. , 1993, , 217-230.		11
444	Heterogeneity in schizophrenia: An extended replication of the hebephrenic-like and paranoid-like subtypes. <i>Psychiatry Research</i> , 1993, 49, 199-210.	3.3	10
445	IQ and variation in the number of fragile X CCG repeats: No association in a normal sample. <i>Intelligence</i> , 1994, 19, 45-50.	3.0	10
446	The lymphoblast $\beta$ -adrenergic receptor in bipolar depressed patients: effect of chronic incubation with lithium chloride. <i>Journal of Affective Disorders</i> , 1994, 30, 185-192.	4.1	10
447	A sib-pair study of psychoticism, life events and depression. <i>Personality and Individual Differences</i> , 2003, 34, 613-623.	2.9	10
448	The role of personality in childhood sexual abuse. <i>Personality and Individual Differences</i> , 2004, 36, 1295-1303.	2.9	10
449	Twin study refining psychotic symptom dimensions as phenotypes for genetic research. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1213-1221.	1.7	10
450	Environmental exposures and their genetic or environmental contribution to depression and fatigue: a twin study in Sri Lanka. <i>BMC Psychiatry</i> , 2010, 10, 13.	2.6	10

#	ARTICLE	IF	CITATIONS
451	Harnessing Clinical Psychiatric Data with an Electronic Assessment Tool (OPCRIT+): The Utility of Symptom Dimensions. <i>PLoS ONE</i> , 2013, 8, e58790.	2.5	10
452	Highly polygenic architecture of antidepressant treatment response: Comparative analysis of SSRI and NRI treatment in an animal model of depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 235-250.	1.7	10
453	Effect of antidepressant switching between nortriptyline and escitalopram after a failed first antidepressant treatment among patients with major depressive disorder. <i>British Journal of Psychiatry</i> , 2019, 215, 494-501.	2.8	10
454	Family functioning, trauma exposure and PTSD: A cross sectional study. <i>Journal of Affective Disorders</i> , 2019, 245, 645-652.	4.1	10
455	PREVENTION BY CYCLOHEXIMIDE OF THE AUDIOGENIC SEIZURES AND TRYPTOPHAN METABOLIC DISTURBANCES OF ETHANOL WITHDRAWAL IN RATS. <i>Alcohol and Alcoholism</i> , 1996, 31, 243-247.	1.6	9
456	Major Genetic Effects in Glaucoma: Commingling Analysis of Optic Disc Parameters in an Older Australian Population. , 2009, 50, 5275.		9
457	From age correction to genome-wide association. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 355-362.	4.5	9
458	Association analysis of <i>DAOA</i> and <i>DAO</i> in bipolar disorder: results from two independent case-control studies. <i>Bipolar Disorders</i> , 2010, 12, 579-581.	1.9	9
459	A comparison of mental state examination documentation by junior clinicians in electronic health records before and after the introduction of a semi-structured assessment template (OPCRIT+). <i>International Journal of Medical Informatics</i> , 2015, 84, 675-682.	3.3	9
460	Biological markers and psychosis. <i>Psychological Medicine</i> , 1984, 14, 255-258.	4.5	8
461	The Pathogenesis and Management of Schizophrenia. <i>Drugs</i> , 1988, 35, 177-185.	10.9	8
462	Schizophrenia scepticism. <i>Nature Genetics</i> , 1992, 2, 12-12.	21.4	8
463	Have schizophrenia genes been found?. <i>Current Opinion in Psychiatry</i> , 2004, 17, 107-113.	6.3	8
464	The Social, Genetic and Developmental Psychiatry Centre: its origins, conception and initial accomplishments. <i>Psychological Medicine</i> , 2004, 34, 933-947.	4.5	8
465	Twin study of illness history variables in psychosis. <i>Schizophrenia Research</i> , 2009, 115, 237-244.	2.0	8
466	Polygenic Heterogeneity: A Complex Model of Genetic Inheritance in Psychiatric Disorders. <i>Biological Psychiatry</i> , 2010, 68, 312-313.	1.3	8
467	The Genetic Basis of Depression. <i>Current Topics in Behavioral Neurosciences</i> , 2012, 14, 81-99.	1.7	8
468	Schizophrenia as a Human Leukocyte Antigen-Associated Disease Revisited. <i>American Journal of Psychiatry</i> , 2013, 170, 821-823.	7.2	8

#	ARTICLE	IF	CITATIONS
469	Variation at the fragile X locus does not influence susceptibility to bipolar disorder. American Journal of Medical Genetics Part A, 1994, 54, 141-143.	2.4	7
470	The molecular genetics of schizophrenia. Neuropathology and Applied Neurobiology, 1994, 20, 344-349.	3.2	7
471	Fifty Years of the Double Helix and its Impact on Psychiatry. Australian and New Zealand Journal of Psychiatry, 2003, 37, 657-661.	2.3	7
472	Allele-specific expression of the serotonin transporter and its transcription factors following lamotrigine treatment in vitro. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2013, 162, 474-483.	1.7	7
473	Trajectories of Suicidal Ideation During 12 Weeks of Escitalopram or Nortriptyline Antidepressant Treatment Among 811 Patients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2019, 80, .	2.2	7
474	Life Events and Depressive Symptoms in Childhood – Shared Genes or Shared Adversity? A Research Note. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1998, 39, 1153-1158.	5.2	7
475	The effects of antidepressant drugs on kainate receptor mRNA levels. Neuropharmacology, 1991, 30, 675-677.	4.1	6
476	Defining schizophrenia: Operational criteria. Journal of Mental Health, 1993, 2, 209-222.	1.9	6
477	Systematic search for major genes in schizophrenia: Methodological issues and results from chromosome 12. American Journal of Medical Genetics Part A, 1995, 60, 424-433.	2.4	6
478	Involvement of expanded trinucleotide repeats in common diseases. Lancet, The, 1996, 348, 1739-1740.	13.7	6
479	Depression, Migraine With Aura and Migraine Without Aura: Their Familiality and Interrelatedness. Cephalalgia, 2009, 29, 848-854.	3.9	6
480	Genetic and Environmental Etiology of Nicotine Use in Sri Lankan Male Twins. Behavior Genetics, 2012, 42, 798-807.	2.1	6
481	The DAOA gene is associated with schizophrenia in the Taiwanese population. Psychiatry Research, 2017, 252, 201-207.	3.3	6
482	Genetic models of madness. , 1991, , 27-43.		6
483	Lack of effect of chronic antipsychotic treatment on dopamine D5 receptor mRNA level. European Neuropsychopharmacology, 1992, 2, 405-409.	0.7	5
484	Comparing ICD-10 and DSM-IV. British Journal of Psychiatry, 1999, 175, 587-588.	2.8	5
485	Familial risks and genetic counselling for common psychiatric disorders. Advances in Psychiatric Treatment, 1999, 5, 39-45.	0.5	5
486	RAT LIVER TRYPTOPHAN PYRROLASE ACTIVITY AND GENE EXPRESSION DURING ALCOHOL WITHDRAWAL. Alcohol and Alcoholism, 2000, 35, 427-434.	1.6	5

#	ARTICLE	IF	CITATIONS
487	A decade of the Social, Genetic and Developmental Psychiatry Centre at the Institute of Psychiatry. British Journal of Psychiatry, 2004, 185, 280-282.	2.8	5
488	Gene polymorphisms and behavior. Pediatric Blood and Cancer, 2007, 48, 736-737.	1.5	5
489	Schizophrenia: How far can we go in defining the phenotype?. , 1991, , 71-84.		5
490	Major genes, minor genes and molecular neurobiology of mental illness: a comment on 'Quantitative trait loci and psychopharmacology' by Plomin, McClearn and Gora-Maslak. Journal of Psychopharmacology, 1991, 5, 18-22.	4.0	4
491	Is personality disorder inherited? An overview of the evidence. Journal of Psychopathology and Behavioral Assessment, 1993, 15, 325-345.	1.2	4
492	No Evidence for Linkage between Schizophrenia and Eight Microsatellite Markers on Chromosome 19. Human Heredity, 1996, 46, 191-196.	0.8	4
493	Suicide and self-harm. , 2008, , 451-476.		4
494	The mental state and states of mind. , 2008, , 3-38.		4
495	Schizophrenia and related disorders. , 2008, , 284-319.		4
496	Clinical characteristics of unipolar disorder and bipolar disorder according to the lifetime presence of recurrent panic attacks. Bipolar Disorders, 2009, 11, 307-315.	1.9	4
497	Moving from DSM-5 to ICD-11: A joint problem?. Australian and New Zealand Journal of Psychiatry, 2014, 48, 194-196.	2.3	4
498	Chipping away at major depressive disorder. Genome Biology, 2014, 15, 421.	8.8	4
499	Aetiological theories of schizophrenia. Current Opinion in Psychiatry, 1996, 9, 45-49.	6.3	4
500	What Have Transplant Antigens Got to Do with Psychosis?. British Journal of Psychiatry, 1980, 136, 510-512.	2.8	4
501	Schizophrenics Who Wear Earplugs. British Journal of Psychiatry, 1979, 134, 651-652.	2.8	3
502	The Role of Candidate Genes in the Etiology of Schizophrenia. Molecular Medicine, 1996, 2, 665-669.	4.4	3
503	Assessing the statistical power to detect linkage in a sample of 51 bipolar affective disorder pedigrees. Behavior Genetics, 1996, 26, 113-122.	2.1	3
504	Polydactyly and psychosis. British Journal of Psychiatry, 1998, 172, 184-185.	2.8	3

#	ARTICLE	IF	CITATIONS
505	Mechanism of Enhancement of Rat Brain Serotonin Synthesis by Acute Fluoxetine Administration. <i>Journal of Neurochemistry</i> , 1996, 66, 436-437.	3.9	3
506	Affective disorders. , 0, , 250-283.		3
507	Utility of the pooling approach as applied to whole genome association scans with high-density Affymetrix microarrays. <i>BMC Research Notes</i> , 2010, 3, 274.	1.4	3
508	The successful search for genetic loci associated with depression. <i>Genome Medicine</i> , 2015, 7, 92.	8.2	3
509	Genome-wide association study of suicidal behaviour severity in mood disorders. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 1-19.	2.6	3
510	The familial aggregation of affective disorders: relation to symptom severity and social provocation. , 1991, , 130-145.		3
511	Dimensions of temperament and character as predictors of antidepressant discontinuation, response and adverse reactions during treatment with nortriptyline and escitalopram. <i>Psychological Medicine</i> , 2021, , 1-9.	4.5	3
512	Genetics, chance and dysmorphogenesis in schizophrenia. <i>British Journal of Psychiatry</i> , 1994, 165, 693-694.	2.8	2
513	Genome scan for association and linkage. <i>Genetic Epidemiology</i> , 1995, 12, 613-618.	1.3	2
514	Molecular genetic research on IQ: can it be done? Should it be done?. <i>Journal of Biosocial Science</i> , 1996, 28, 490-507.	1.2	2
515	Restrict genetic susceptibility tests. <i>Nature</i> , 1998, 395, 317-317.	27.8	2
516	Association between functional psychosis and expanded CAG/CTG repeats is not explained by health stratification. <i>Psychiatric Genetics</i> , 1998, 8, 29-32.	1.1	2
517	Psychiatric genetics: recent advances and clinical implications. <i>Epidemiology and Psychiatric Sciences</i> , 2001, 10, 253-259.	3.9	2
518	Postgenomic psychiatry: Great hopes or great hype?. <i>Current Psychiatry Reports</i> , 2004, 6, 75-76.	4.5	2
519	The Quantitative and Molecular Genetics of Human Intelligence. <i>Novartis Foundation Symposium</i> , 2008, 233, 243-259.	1.1	2
520	Personality disorder. , 0, , 135-146.		2
521	Social and cultural determinants of mental health. , 2008, , 419-433.		2
522	Cognitive behavioural therapy. , 0, , 636-651.		2

#	ARTICLE	IF	CITATIONS
523	S.07.04 CYP2D6 genotype predicts antidepressant dose in the GENDEP project. <i>European Neuropsychopharmacology</i> , 2010, 20, S172-S173.	0.7	2
524	Bipolar disorder susceptibility region on chromosome 3q29 not confirmed in a case-control association study. <i>World Journal of Biological Psychiatry</i> , 2011, 12, 309-315.	2.6	2
525	The Bethlem and Maudsley Hospital item sheets (B-MIS). <i>Bulletin of the Royal College of Psychiatrists</i> , 1988, 12, 422-426.	0.0	2
526	<i>Psychopathology and Genetics.</i> , 1984, , 47-75.		2
527	Evidence from a transmission/disequilibrium study that alleles of the DRB1*04 gene on chromosome 6p21.3 may protect against schizophrenia. <i>Schizophrenia Research</i> , 1997, 24, 51.	2.0	1
528	<i>Psychiatric disorders in childhood and adolescence.</i> , 0, , 97-134.		1
529	<i>Alcohol problems.</i> , 2008, , 198-229.		1
530	<i>Drug use and drug dependence.</i> , 0, , 230-249.		1
531	<i>Psychodynamic psychotherapy.</i> , 2008, , 665-677.		1
532	Integrating Phenotypic Data For Depression. <i>Journal of Integrative Bioinformatics</i> , 2010, 7, 290-299.	1.5	1
533	P.3.010 CYP2D6 and CYP2C19 genotypes predict antidepressant dose in the GENDEP project. <i>European Neuropsychopharmacology</i> , 2010, 20, S70-S71.	0.7	1
534	Antidepressant effects of nortriptyline and escitalopram in the GENDEP study: Is one better than the other?. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 330-330.	4.5	1
535	Different genetic factors influence specific symptom dimensions of DSM-IV major depression. <i>Evidence-Based Mental Health</i> , 2014, 17, 18-18.	4.5	1
536	Authors' reply. <i>British Journal of Psychiatry</i> , 2015, 207, 363-364.	2.8	1
537	Irving Gottesman. <i>BJPsych Bulletin</i> , 2017, 41, 124-125.	1.1	1
538	<i>Behavioral Genomics: Where Molecular Genetics Is Taking Psychiatry and Psychology..</i> , 2004, , 191-204.		1
539	Genetics, chance and dysmorphogenesis in schizophrenia. <i>British Journal of Psychiatry</i> , 1994, 165, 694-695.	2.8	1
540	IDENTICAL TWINS REARED APART: A REANALYSIS. <i>Psychiatric Annals</i> , 1982, 12, 358-358.	0.1	1

#	ARTICLE	IF	CITATIONS
541	Of Sound and Mind: Deafness, Personality and Mental Health. (Papers presented to the Scottish) Tj ETQq1 1 0.784314 rgBT /Overlock 1978. Pp 165. No price stated.. British Journal of Psychiatry, 1980, 136, 513-513.	2.8	0
542	Psychobiology and Psychopathology, Vol. 1: Genetic Research Strategies in Psychobiology and Psychiatry. American Journal of Psychiatry, 1982, 139, 1505-1506.	7.2	0
543	Genetic Analysis of Complex Traits. Part II: Affective Disorders. Edited by John P. Rice, Neil Risch and Lynn R. Goldin. New York: Alan R. Liss. 1989. 170 pp. \$48.00.. British Journal of Psychiatry, 1990, 156, 300.	2.8	0
544	Basic Molecular and Cell Biology (2nd edn). By the British Medical Journal. London: BMJ. 1993. 209 pp. £8.95.. British Journal of Psychiatry, 1994, 165, 426-427.	2.8	0
545	Meta-analysis of association studies between schizophrenia and polymorphisms of the 5-hydroxytryptamine type 2A receptor gene. Schizophrenia Research, 1997, 24, 91.	2.0	0
546	Tryptophan pyrrolase gene expression in an alcohol preferring and non-preferring mouse strain. Addiction Biology, 1998, 3, 71-77.	2.6	0
547	Genetics of human behaviour. Psychiatric Bulletin, 1998, 22, 518-518.	0.3	0
548	Methodology of genetic research in psychiatry. Acta Neuropsychiatrica, 1999, 11, 45-47.	2.1	0
549	Genetic Research in Psychiatry. , 0, , 1-28.		0
550	The impact of genetics on child psychiatry: A 20-year perspective. Current Psychiatry Reports, 2005, 7, 115-116.	4.5	0
551	P.1.31 Gene expression analyses of mouse fibroblast cell line L929 after antidepressant treatment. European Neuropsychopharmacology, 2007, 17, S27-S28.	0.7	0
552	Major psychiatric disorders in adult life. , 2007, , 454-468.		0
553	Why do we need to understand the molecular basis of depression?. Biomarkers in Medicine, 2008, 2, 101-104.	1.4	0
554	Current approaches to classification. , 2008, , 39-52.		0
555	Research methods in psychiatry. , 0, , 53-67.		0
556	The psychiatry of old age. , 2008, , 350-382.		0
557	Sexual problems. , 2008, , 395-416.		0
558	Biological treatments for psychotic disorders. , 2008, , 586-621.		0



#	ARTICLE	IF	CITATIONS
559	Imaging of brain structure and function: relevance to psychiatric disorders. , 0, , 68-79.		0
560	Genetic epidemiology. , 2008, , 80-94.		0
561	Neuropsychiatry. , 2008, , 320-349.		0
562	The psychiatry of intellectual disability. , 2008, , 383-394.		0
563	General hospital psychiatry. , 2008, , 515-539.		0
564	Biological treatments: general considerations. , 0, , 567-585.		0
565	Biological treatments of depression and anxiety. , 0, , 622-635.		0
566	Interpersonal psychotherapy. , 0, , 652-664.		0
567	Psychiatric disorders of menses, pregnancy, postpartum and menopause. , 0, , 434-450.		0
568	Community psychiatry and service delivery models. , 2008, , 498-514.		0
569	Childhood adversity and psychosis. International Clinical Psychopharmacology, 2011, 26, e96.	1.7	0
570	Response to the letter from Dr. Maher and colleagues Re. Linkage on suicidality. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2011, 156, 864-865.	1.7	0
571	Gottesman, the Enemy of Genetic Determinism and His Role in a Curious Legal Case. Clinical Psychological Science, 2017, 5, 427-428.	4.0	0
572	What Can Psychiatric Genetics Offer Suicidology?. Crisis, 2000, 21, 190-191.	1.2	0
573	Towards "systems psychiatry". Revista Brasileira De Psiquiatria, 2008, 30, 97-98.	1.7	0
574	Genetic and epigenetic factors in schizophrenia. Medical Psychiatry, 2009, , 78-86.	0.2	0
575	Genetics and Affective Changes in Schizophrenia. , 1989, , 13-28.		0
576	Genetics and the Development of Behavior. , 1989, , 37-54.		0

#	ARTICLE	IF	CITATIONS
577	Genetic Analysis of Complex Traits. Part II: Affective Disorders. Edited by John P. Rice, Neil Risch and Lynn R. Goldin. New York: Alan R. Liss. 1989. 170 pp. \$48.00.. British Journal of Psychiatry, 1990, 156, 300-300.	2.8	0
578	From Phenotype to Gene in Common Disorders. Proceedings of a Symposium held in Oslo, 05 1989. 313 pp. DKK 3709.00. Published by Munksgaard.. British Journal of Psychiatry, 1992, 161, 140-141.	2.8	0
579	Academic departmental meetings via video link: the Welsh experience. Psychiatric Bulletin, 1992, 16, 709-711.	0.3	0