

Ivo Feussner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7127804/publications.pdf>

Version: 2024-02-01

336
papers

24,659
citations

7251

80
h-index

12638

137
g-index

442
all docs

442
docs citations

442
times ranked

25119
citing authors

#	ARTICLE	IF	CITATIONS
1	Diversity in sphingolipid metabolism across land plants. <i>Journal of Experimental Botany</i> , 2022, 73, 2785-2798.	2.4	22
2	Overexpression of the vacuolar sugar importer <i>BvTST1</i> from sugar beet in <i>Camelina</i> improves seed properties and leads to altered root characteristics. <i>Physiologia Plantarum</i> , 2022, 174, e13653.	2.6	6
3	Lipidomics of <i>Thalassiosira pseudonana</i> as a function of valve SDV synthesis. <i>Journal of Applied Phycology</i> , 2022, 34, 1471-1481.	1.5	3
4	Heat stress leads to rapid lipid remodeling and transcriptional adaptations in <i>Nicotiana tabacum</i> pollen tubes. <i>Plant Physiology</i> , 2022, , .	2.3	5
5	Sphingolipid-Induced Programmed Cell Death is a Salicylic Acid and EDS1-Dependent Phenotype in <i>Arabidopsis</i> <i>Fatty Acid Hydroxylase</i> (<i>Fah1</i> , <i>Fah2</i>) and <i>Ceramide Synthase</i> (<i>Loh2</i>) Triple Mutants. <i>Plant and Cell Physiology</i> , 2022, 63, 317-325.	1.5	10
6	Effector-mediated relocalization of a maize lipoxygenase protein triggers susceptibility to <i>Ustilago maydis</i> . <i>Plant Cell</i> , 2022, 34, 2785-2805.	3.1	17
7	Cell wall-localized BETA-XYLOSIDASE4 contributes to immunity of <i>Arabidopsis</i> against <i>Botrytis cinerea</i> . <i>Plant Physiology</i> , 2022, 189, 1794-1813.	2.3	14
8	Multi-omics analysis of xylem sap uncovers dynamic modulation of poplar defenses by ammonium and nitrate. <i>Plant Journal</i> , 2022, 111, 282-303.	2.8	11
9	The <i>Sporisorium reilianum</i> Effector <i>Vag2</i> Promotes Head Smut Disease via Suppression of Plant Defense Responses. <i>Journal of Fungi</i> (Basel, Switzerland), 2022, 8, 498.	1.5	1
10	<i>Ustilago maydis</i> effector <i>Jsi1</i> interacts with <i>Topless</i> corepressor, hijacking plant jasmonate/ethylene signaling. <i>New Phytologist</i> , 2021, 229, 3393-3407.	3.5	54
11	Chemokine-like MDL proteins modulate flowering time and innate immunity in plants. <i>Journal of Biological Chemistry</i> , 2021, 296, 100611.	1.6	10
12	Targeted Analysis of the Plant Lipidome by UPLC-NanoESI-MS/MS. <i>Methods in Molecular Biology</i> , 2021, 2295, 135-155.	0.4	13
13	Mitochondrial Small Heat Shock Proteins Are Essential for Normal Growth of <i>Arabidopsis thaliana</i> . <i>Frontiers in Plant Science</i> , 2021, 12, 600426.	1.7	11
14	Jasmonic acid biosynthesis by fungi: derivatives, first evidence on biochemical pathways and culture conditions for production. <i>PeerJ</i> , 2021, 9, e10873.	0.9	21
15	Sphingolipid long-chain base hydroxylation influences plant growth and callose deposition in <i>Physcomitrium patens</i> . <i>New Phytologist</i> , 2021, 231, 297-314.	3.5	14
16	Mitochondrial small heat shock protein and chilling tolerance in tomato fruit. <i>Postharvest Biology and Technology</i> , 2021, 175, 111491.	2.9	8
17	Fettsäuren und Fettsäurederivate als nachwachsende Plattformmoleküle für die chemische Industrie. <i>Angewandte Chemie</i> , 2021, 133, 20304-20326.	1.6	11
18	Fatty Acids and their Derivatives as Renewable Platform Molecules for the Chemical Industry. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 20144-20165.	7.2	114

#	ARTICLE	IF	CITATIONS
19	Sphingolipid Δ^4 -desaturation is an important metabolic step for glycosylceramide formation in <i>Physcomitrium patens</i> . <i>Journal of Experimental Botany</i> , 2021, 72, 5569-5583.	2.4	6
20	Inheritance of seed quality and seed germination in two doubled haploid populations of oilseed rape segregating for acid detergent lignin (ADL) content. <i>Euphytica</i> , 2021, 217, 1.	0.6	6
21	The evolution of the phenylpropanoid pathway entailed pronounced radiations and divergences of enzyme families. <i>Plant Journal</i> , 2021, 107, 975-1002.	2.8	67
22	Warm temperature triggers JOX and ST2A-mediated jasmonate catabolism to promote plant growth. <i>Nature Communications</i> , 2021, 12, 4804.	5.8	20
23	Wood Formation under Severe Drought Invokes Adjustment of the Hormonal and Transcriptional Landscape in Poplar. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9899.	1.8	17
24	Convergence of sphingolipid desaturation across over 500 million years of plant evolution. <i>Nature Plants</i> , 2021, 7, 219-232.	4.7	31
25	The glycosyltransferase UGT76B1 modulates <i>N</i> -hydroxy-pipecolic acid homeostasis and plant immunity. <i>Plant Cell</i> , 2021, 33, 735-749.	3.1	71
26	Plastidial wax ester biosynthesis as a tool to synthesize shorter and more saturated wax esters. <i>Biotechnology for Biofuels</i> , 2021, 14, 238.	6.2	1
27	Insights Into Oxidized Lipid Modification in Barley Roots as an Adaptation Mechanism to Salinity Stress. <i>Frontiers in Plant Science</i> , 2020, 11, 1.	1.7	477
28	Pheophorbide <i>a</i> May Regulate Jasmonate Signaling during Dark-Induced Senescence. <i>Plant Physiology</i> , 2020, 182, 776-791.	2.3	32
29	Disruption of Arabidopsis neutral ceramidases 1 and 2 results in specific sphingolipid imbalances triggering different phytohormone-dependent plant cell death programmes. <i>New Phytologist</i> , 2020, 226, 170-188.	3.5	33
30	Update on LIPID MAPS classification, nomenclature, and shorthand notation for MS-derived lipid structures. <i>Journal of Lipid Research</i> , 2020, 61, 1539-1555.	2.0	372
31	The Fifth WS/DGAT Enzyme of the Bacterium <i>Marinobacter aquaeolei</i> Δ VT8. <i>Lipids</i> , 2020, 55, 479-494.	0.7	7
32	ABA-Dependent Salt Stress Tolerance Attenuates Botrytis Immunity in Arabidopsis. <i>Frontiers in Plant Science</i> , 2020, 11, 594827.	1.7	11
33	Quantitative Hormone Signaling Output Analyses of Arabidopsis thaliana Interactions With Virulent and Avirulent Hyaloperonospora arabidopsidis Isolates at Single-Cell Resolution. <i>Frontiers in Plant Science</i> , 2020, 11, 603693.	1.7	6
34	Acyltransferases Regulate Oil Quality in Camelina sativa Through Both Acyl Donor and Acyl Acceptor Specificities. <i>Frontiers in Plant Science</i> , 2020, 11, 1144.	1.7	18
35	Verticillium longisporum Elicits Media-Dependent Secretome Responses With Capacity to Distinguish Between Plant-Related Environments. <i>Frontiers in Microbiology</i> , 2020, 11, 1876.	1.5	18
36	Ectomycorrhizal fungi induce systemic resistance against insects on a nonmycorrhizal plant in a CERK1-dependent manner. <i>New Phytologist</i> , 2020, 228, 728-740.	3.5	32

#	ARTICLE	IF	CITATIONS
37	The Microalga <i>Nannochloropsis</i> during Transition from Quiescence to Autotrophy in Response to Nitrogen Availability. <i>Plant Physiology</i> , 2020, 182, 819-839.	2.3	54
38	<i>Lolium perenne</i> apoplast metabolomics for identification of novel metabolites produced by the symbiotic fungus <i>Epichloa festucae</i> . <i>New Phytologist</i> , 2020, 227, 559-571.	3.5	24
39	The genome of jojoba (<i>Simmondsia chinensis</i>): A taxonomically isolated species that directs wax ester accumulation in its seeds. <i>Science Advances</i> , 2020, 6, eaay3240.	4.7	53
40	Ex Vivo Metabolomics: A Powerful Approach for Functional Gene Annotation. <i>Trends in Plant Science</i> , 2020, 25, 829-830.	4.3	7
41	Carotenoid Content and Composition in Exponential, Stationary and Biofilm States of <i>Staphylococcus aureus</i> and their Influence on Membrane Biophysical Properties. <i>Biophysical Journal</i> , 2020, 118, 321a.	0.2	0
42	Wax biosynthesis in response to danger: its regulation upon abiotic and biotic stress. <i>New Phytologist</i> , 2020, 227, 698-713.	3.5	177
43	Identification of client iron-sulfur proteins of the chloroplastic NFU2 transfer protein in <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2020, 71, 4171-4187.	2.4	25
44	Quantitative Jasmonate Profiling Using a High-Throughput UPLC-NanoESI-MS/MS Method. <i>Methods in Molecular Biology</i> , 2020, 2085, 169-187.	0.4	22
45	Isochorismate-derived biosynthesis of the plant stress hormone salicylic acid. <i>Science</i> , 2019, 365, 498-502.	6.0	273
46	Comprehensive LC-MS-Based Metabolite Fingerprinting Approach for Plant and Fungal-Derived Samples. <i>Methods in Molecular Biology</i> , 2019, 1978, 167-185.	0.4	21
47	The glycosyltransferase UGT76E1 significantly contributes to 12-O-glucopyranosyl-jasmonic acid formation in wounded <i>Arabidopsis thaliana</i> leaves. <i>Journal of Biological Chemistry</i> , 2019, 294, 9858-9872.	1.6	28
48	Signal peptide peptidase activity connects the unfolded protein response to plant defense suppression by <i>Ustilago maydis</i> . <i>PLoS Pathogens</i> , 2019, 15, e1007734.	2.1	25
49	<i>Arabidopsis mlo3</i> mutant plants exhibit spontaneous callose deposition and signs of early leaf senescence. <i>Plant Molecular Biology</i> , 2019, 101, 21-40.	2.0	16
50	RUBY, a Putative Galactose Oxidase, Influences Pectin Properties and Promotes Cell-To-Cell Adhesion in the Seed Coat Epidermis of <i>Arabidopsis</i> . <i>Plant Cell</i> , 2019, 31, 809-831.	3.1	38
51	Iron-sulfur protein NFU2 is required for branched-chain amino acid synthesis in <i>Arabidopsis</i> roots. <i>Journal of Experimental Botany</i> , 2019, 70, 1875-1889.	2.4	25
52	Membrane Lipids, Waxes and Oxylipins in the Moss Model Organism <i>Physcomitrella patens</i> . <i>Plant and Cell Physiology</i> , 2019, 60, 1166-1175.	1.5	24
53	Variations in carotenoid content and acyl chain composition in exponential, stationary and biofilm states of <i>Staphylococcus aureus</i> , and their influence on membrane biophysical properties. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2019, 1861, 978-987.	1.4	18
54	Elevated Ω -Linolenic Acid Content in Extra-plastidial Membranes of Tomato Accelerates Wound-Induced Jasmonate Generation and Improves Tolerance to the Herbivorous Insects <i>Heliothis peltigera</i> and <i>Spodoptera littoralis</i> . <i>Journal of Plant Growth Regulation</i> , 2019, 38, 723-738.	2.8	9

#	ARTICLE	IF	CITATIONS
55	The green microalga <i>Lobosphaera incisa</i> harbours an arachidonate 15 S Δ^6 -lipoyxygenase. <i>Plant Biology</i> , 2019, 21, 131-142.	1.8	10
56	Current trends to comprehend lipid metabolism in diatoms. <i>Progress in Lipid Research</i> , 2018, 70, 1-16.	5.3	144
57	MYB72-dependent coumarin exudation shapes root microbiome assembly to promote plant health. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5213-E5222.	3.3	608
58	Cyanophage-encoded lipid desaturases: oceanic distribution, diversity and function. <i>ISME Journal</i> , 2018, 12, 343-355.	4.4	23
59	DGAT1 from the arachidonic-acid-producing microalga <i>Lobosphaera incisa</i> shows late gene expression under nitrogen starvation and substrate promiscuity in a heterologous system. <i>Journal of Applied Phycology</i> , 2018, 30, 2773-2791.	1.5	5
60	High-level accumulation of oleyl oleate in plant seed oil by abundant supply of oleic acid substrates to efficient wax ester synthesis enzymes. <i>Biotechnology for Biofuels</i> , 2018, 11, 53.	6.2	14
61	A high-resolution HPLC-QqTOF platform using parallel reaction monitoring for in-depth lipid discovery and rapid profiling. <i>Analytica Chimica Acta</i> , 2018, 1026, 87-100.	2.6	47
62	The Oxylipin Pathways: Biochemistry and Function. <i>Annual Review of Plant Biology</i> , 2018, 69, 363-386.	8.6	372
63	One-pot synthesis of bioactive cyclopentenones from \pm -linolenic acid and docosahexaenoic acid. <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 1356-1364.	1.4	12
64	The type 2 acyl-CoA:diacylglycerol acyltransferase family of the oleaginous microalga <i>Lobosphaera incisa</i> . <i>BMC Plant Biology</i> , 2018, 18, 298.	1.6	15
65	The codon sequences predict protein lifetimes and other parameters of the protein life cycle in the mouse brain. <i>Scientific Reports</i> , 2018, 8, 16913.	1.6	17
66	Precisely measured protein lifetimes in the mouse brain reveal differences across tissues and subcellular fractions. <i>Nature Communications</i> , 2018, 9, 4230.	5.8	219
67	Integrative omics - from data to biology. <i>Expert Review of Proteomics</i> , 2018, 15, 463-466.	1.3	20
68	Cellular substrate limitations of lysine acetylation turnover by sirtuins investigated with engineered futile cycle enzymes. <i>Metabolic Engineering</i> , 2018, 47, 453-462.	3.6	8
69	Effect of 1 and 2 Month High Dose Alpha-Linolenic Acid Treatment on ¹³ C-Labeled Alpha-Linolenic Acid Incorporation and Conversion in Healthy Subjects. <i>Molecular Nutrition and Food Research</i> , 2018, 62, e1800271.	1.5	9
70	Allene oxide synthase, allene oxide cyclase and jasmonic acid levels in <i>Lotus japonicus</i> nodules. <i>PLoS ONE</i> , 2018, 13, e0190884.	1.1	27
71	Nannochloropsis, a rich source of diacylglycerol acyltransferases for engineering of triacylglycerol content in different hosts. <i>Biotechnology for Biofuels</i> , 2017, 10, 8.	6.2	85
72	Two Acyltransferases Contribute Differently to Linolenic Acid Levels in Seed Oil. <i>Plant Physiology</i> , 2017, 173, 2081-2095.	2.3	74

#	ARTICLE	IF	CITATIONS
73	Green light for lipid fingerprinting. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2017, 1862, 782-785.	1.2	4
74	Large-scale reduction of the <i>Bacillus subtilis</i> genome: consequences for the transcriptional network, resource allocation, and metabolism. <i>Genome Research</i> , 2017, 27, 289-299.	2.4	137
75	Production of wax esters in the wild oil species <i>Lepidium campestre</i> . <i>Industrial Crops and Products</i> , 2017, 108, 535-542.	2.5	12
76	Central metabolite and sterol profiling divides tobacco male gametophyte development and pollen tube growth into eight metabolic phases. <i>Plant Journal</i> , 2017, 92, 129-146.	2.8	40
77	Lipoxygenase 2 from <i>Cyanothece</i> sp. controls dioxygen insertion by steric shielding and substrate fixation. <i>Scientific Reports</i> , 2017, 7, 2069.	1.6	14
78	Eudicot plant-specific sphingolipids determine host selectivity of microbial NLP cytolysins. <i>Science</i> , 2017, 358, 1431-1434.	6.0	167
79	Analysis of the lipid body proteome of the oleaginous alga <i>Lobosphaera incisa</i> . <i>BMC Plant Biology</i> , 2017, 17, 98.	1.6	44
80	The effect of hypoxia on the lipidome of recombinant <i>Pichia pastoris</i> . <i>Microbial Cell Factories</i> , 2017, 16, 86.	1.9	25
81	Choline transporter-like1 (<i>CHER1</i>) is crucial for plasmodesmata maturation in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2017, 89, 394-406.	2.8	58
82	Key Components of Different Plant Defense Pathways Are Dispensable for Powdery Mildew Resistance of the <i>Arabidopsis mlo2 mlo6 mlo12</i> Triple Mutant. <i>Frontiers in Plant Science</i> , 2017, 8, 1006.	1.7	45
83	Heterologous co-expression of a yeast diacylglycerol acyltransferase (<i>ScDGA1</i>) and a plant oleosin (<i>AtOLEO3</i>) as an efficient tool for enhancing triacylglycerol accumulation in the marine diatom <i>Phaeodactylum tricornutum</i> . <i>Biotechnology for Biofuels</i> , 2017, 10, 187.	6.2	44
84	Optimized Jasmonic Acid Production by <i>Lasiodiplodia theobromae</i> Reveals Formation of Valuable Plant Secondary Metabolites. <i>PLoS ONE</i> , 2016, 11, e0167627.	1.1	26
85	Crystal Structure of Alcohol Oxidase from <i>Pichia pastoris</i> . <i>PLoS ONE</i> , 2016, 11, e0149846.	1.1	39
86	Volatiles Emitted from Maize Ears Simultaneously Infected with Two <i>Fusarium</i> Species Mirror the Most Competitive Fungal Pathogen. <i>Frontiers in Plant Science</i> , 2016, 7, 1460.	1.7	13
87	OPDA Has Key Role in Regulating Plant Susceptibility to the Root-Knot Nematode <i>Meloidogyne hapla</i> in <i>Arabidopsis</i> . <i>Frontiers in Plant Science</i> , 2016, 7, 1565.	1.7	66
88	Contrasting biodiversity-ecosystem functioning relationships in phylogenetic and functional diversity. <i>New Phytologist</i> , 2016, 212, 409-420.	3.5	36
89	Circadian Stress Regimes Affect the Circadian Clock and Cause Jasmonic Acid-Dependent Cell Death in Cytokinin-Deficient <i>Arabidopsis</i> Plants. <i>Plant Cell</i> , 2016, 28, tpc.00016.2016.	3.1	66
90	Dedicated Industrial Oilseed Crops as Metabolic Engineering Platforms for Sustainable Industrial Feedstock Production. <i>Scientific Reports</i> , 2016, 6, 22181.	1.6	46

#	ARTICLE	IF	CITATIONS
91	Plant lipid biology. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016, 1861, 1205-1206.	1.2	3
92	Oil is on the agenda: Lipid turnover in higher plants. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016, 1861, 1253-1268.	1.2	38
93	Synthesis of oleyl oleate wax esters in <i>Arabidopsis thaliana</i> and <i>Camelina sativa</i> seed oil. <i>Plant Biotechnology Journal</i> , 2016, 14, 252-259.	4.1	45
94	Potato tuber expression of <i>Arabidopsis WRINKLED1</i> increase triacylglycerol and membrane lipids while affecting central carbohydrate metabolism. <i>Plant Biotechnology Journal</i> , 2016, 14, 1883-1898.	4.1	74
95	Characterization of a Pipecolic Acid Biosynthesis Pathway Required for Systemic Acquired Resistance. <i>Plant Cell</i> , 2016, 28, 2603-2615.	3.1	121
96	A directed mutational approach demonstrates that a putative linoleate isomerase from <i>Lactobacillus acidophilus</i> does not hydrate or isomerize linoleic acid. <i>European Journal of Lipid Science and Technology</i> , 2016, 118, 841-848.	1.0	6
97	Kinetics of Bisallylic Hydroperoxide Synthesis in the Iron-Containing Lipoxygenase 2 from <i>Cyanotheca</i> and the Effects of Manganese Substitution. <i>Lipids</i> , 2016, 51, 335-347.	0.7	9
98	Hydrogen sulfide is a novel potential virulence factor of <i>Mycoplasma pneumoniae</i> : characterization of the unusual cysteine desulfurase/desulfhydrase HapE. <i>Molecular Microbiology</i> , 2016, 100, 42-54.	1.2	48
99	A previously undescribed jasmonate compound in flowering <i>Arabidopsis thaliana</i> – The identification of cis-(+)-OPDA-Ile. <i>Phytochemistry</i> , 2016, 122, 230-237.	1.4	38
100	Crystal structure of a lipoxygenase from <i>Cyanotheca</i> sp. may reveal novel features for substrate acquisition. <i>Journal of Lipid Research</i> , 2016, 57, 276-287.	2.0	30
101	Reduced Biosynthesis of Digalactosyldiacylglycerol, a Major Chloroplast Membrane Lipid, Leads to Oxylin Overproduction and Phloem Cap Lignification in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2016, 28, 219-232.	3.1	56
102	A <i>Caenorhabditis elegans</i> model for ether lipid biosynthesis and function. <i>Journal of Lipid Research</i> , 2016, 57, 265-275.	2.0	49
103	Changes of global gene expression and secondary metabolite accumulation during light-dependent <i>Aspergillus nidulans</i> development. <i>Fungal Genetics and Biology</i> , 2016, 87, 30-53.	0.9	56
104	Metabolic engineering of light-driven cytochrome P450 dependent pathways into <i>Synechocystis</i> sp. PCC 6803. <i>Metabolic Engineering</i> , 2016, 33, 1-11.	3.6	66
105	Functional Characterization of CYP94-Genes and Identification of a Novel Jasmonate Catabolite in Flowers. <i>PLoS ONE</i> , 2016, 11, e0159875.	1.1	43
106	Metabolome Analysis Reveals Betaine Lipids as Major Source for Triglyceride Formation, and the Accumulation of Sedoheptulose during Nitrogen-Starvation of <i>Phaeodactylum tricornutum</i> . <i>PLoS ONE</i> , 2016, 11, e0164673.	1.1	70
107	<i>Camelina</i> -a promising oilseed crop to contribute to the growing demand for vegetable oils. <i>European Journal of Lipid Science and Technology</i> , 2015, 117, 271-273.	1.0	4
108	An enhanced plant lipidomics method based on multiplexed liquid chromatography-mass spectrometry reveals additional insights into cold- and drought-induced membrane remodeling. <i>Plant Journal</i> , 2015, 84, 621-633.	2.8	136

#	ARTICLE	IF	CITATIONS
109	Two Predicted Transmembrane Domains Exclude Very Long Chain Fatty acyl-CoAs from the Active Site of Mouse Wax Synthase. PLoS ONE, 2015, 10, e0145797.	1.1	11
110	What the transcriptome does not tell â€” proteomics and metabolomics are closer to the plantsâ€™ patho-phenotype. Current Opinion in Plant Biology, 2015, 26, 26-31.	3.5	124
111	VIH2 Regulates the Synthesis of Inositol Pyrophosphate InsP ₈ and Jasmonate-Dependent Defenses in Arabidopsis. Plant Cell, 2015, 27, 1082-1097.	3.1	153
112	Tissue-Specific Accumulation and Regulation of Zeaxanthin Epoxidase in Arabidopsis Reflect the Multiple Functions of the Enzyme in Plastids. Plant and Cell Physiology, 2015, 56, 346-357.	1.5	70
113	Lipoxygenaseâ€derived 9â€hydro(pero)xides of linoleoylethanolamide interact with ABA signaling to arrest root development during Arabidopsis seedling establishment. Plant Journal, 2015, 82, 315-327.	2.8	25
114	MarVis-Pathway: integrative and exploratory pathway analysis of non-targeted metabolomics data. Metabolomics, 2015, 11, 764-777.	1.4	72
115	Meta-Analysis of Pathway Enrichment: Combining Independent and Dependent Omics Data Sets. PLoS ONE, 2014, 9, e89297.	1.1	44
116	Vorstellungsberichte der neuen Mitglieder. Pflanzliche Fette sind mehr als nur wertvolle Nahrungsmittel. Akademie Der Wissenschaften Zu Goettingen Jahrbuch, 2014, 2014, .	0.0	0
117	Secreted Fungal Effector Lipase Releases Free Fatty Acids to Inhibit Innate Immunity-Related Callose Formation during Wheat Head Infection. Plant Physiology, 2014, 165, 346-358.	2.3	130
118	Phosphatidylinositol 4,5-Bisphosphate Influences PIN Polarization by Controlling Clathrin-Mediated Membrane Trafficking in Arabidopsis. Plant Cell, 2014, 25, 4894-4911.	3.1	158
119	Two Fatty Acid Desaturases, STEAROYL-ACYL CARRIER PROTEIN ⁹ -DESATURASE6 and FATTY ACID DESATURASE3, Are Involved in Drought and Hypoxia Stress Signaling in Arabidopsis Crown Galls. Plant Physiology, 2014, 164, 570-583.	2.3	75
120	Isolation and characterization of the plasma membrane from the yeast Pichia pastoris. Biochimica Et Biophysica Acta - Biomembranes, 2014, 1838, 1889-1897.	1.4	59
121	The lipidome and proteome of microsomes from the methylotrophic yeast Pichia pastoris. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2014, 1841, 215-226.	1.2	34
122	Characterization of Pichia pastoris Golgi and plasma membrane. New Biotechnology, 2014, 31, S152.	2.4	0
123	Infection of Corn Ears by Fusarium spp. Induces the Emission of Volatile Sesquiterpenes. Journal of Agricultural and Food Chemistry, 2014, 62, 5226-5236.	2.4	33
124	The Novel Monocot-Specific 9-Lipoxygenase ZmLOX12 Is Required to Mount an Effective Jasmonate-Mediated Defense Against Fusarium verticillioides in Maize. Molecular Plant-Microbe Interactions, 2014, 27, 1263-1276.	1.4	89
125	The Reductase Activity of the Arabidopsis Caleosin RESPONSIVE TO DESSICATION20 Mediates Gibberellin-Dependent Flowering Time, Abscisic Acid Sensitivity, and Tolerance to Oxidative Stress. Plant Physiology, 2014, 166, 109-124.	2.3	53
126	Soluble phenylpropanoids are involved in the defense response of Arabidopsis against Verticillium longisporum. New Phytologist, 2014, 202, 823-837.	3.5	110

#	ARTICLE	IF	CITATIONS
127	Temperature-induced lipocalin (TIL) is translocated under salt stress and protects chloroplasts from ion toxicity. <i>Journal of Plant Physiology</i> , 2014, 171, 250-259.	1.6	44
128	<i>S. Aureus</i> Adapt to Growth Conditions by Changing Membrane Order. <i>Biophysical Journal</i> , 2014, 106, 580a.	0.2	4
129	The fatty acyl-CoA reductase Waterproof mediates airway clearance in <i>Drosophila</i> . <i>Developmental Biology</i> , 2014, 385, 23-31.	0.9	61
130	<i>Dictyostelium discoideum</i> Dgat2 Can Substitute for the Essential Function of Dgat1 in Triglyceride Production but Not in Ether Lipid Synthesis. <i>Eukaryotic Cell</i> , 2014, 13, 517-526.	3.4	12
131	Membrane-Bound Methyltransferase Complex VapA-VipC-VapB Guides Epigenetic Control of Fungal Development. <i>Developmental Cell</i> , 2014, 29, 406-420.	3.1	63
132	A secreted <i>Ustilago maydis</i> effector promotes virulence by targeting anthocyanin biosynthesis in maize. <i>ELife</i> , 2014, 3, e01355.	2.8	217
133	Integrative study of <i>Arabidopsis thaliana</i> metabolomic and transcriptomic data with the interactive MarVis-Graph software. <i>PeerJ</i> , 2014, 2, e239.	0.9	6
134	Wax ester profiling of seed oil by nano-electrospray ionization tandem mass spectrometry. <i>Plant Methods</i> , 2013, 9, 24.	1.9	46
135	Degradation of lipoxygenase-derived oxylipins by glyoxysomes from sunflower and cucumber cotyledons. <i>BMC Plant Biology</i> , 2013, 13, 177.	1.6	7
136	Lichen substance concentrations in the lichen <i>Hypogymnia physodes</i> are correlated with heavy metal concentrations in the substratum. <i>Environmental and Experimental Botany</i> , 2013, 85, 58-63.	2.0	26
137	Bacterial Biofilm Formation Induces Strong Shifts in Lipid Composition Resulting in Increased Resistance Towards Antimicrobial Peptide Activity. <i>Biophysical Journal</i> , 2013, 104, 20a.	0.2	2
138	SUCROSE TRANSPORTER 5 supplies <i>Arabidopsis</i> embryos with biotin and affects triacylglycerol accumulation. <i>Plant Journal</i> , 2013, 73, 392-404.	2.8	42
139	The maize lipoxygenase, <i>ZmLOX10</i> , mediates green leaf volatile, jasmonate and herbivore-induced plant volatile production for defense against insect attack. <i>Plant Journal</i> , 2013, 74, 59-73.	2.8	217
140	Mapping of QTL for seed dormancy in a winter oilseed rape doubled haploid population. <i>Theoretical and Applied Genetics</i> , 2013, 126, 2405-2415.	1.8	39
141	A structural model of PpoA derived from SAXS-analysis—Implications for substrate conversion. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013, 1831, 1449-1457.	1.2	9
142	<i>Dictyostelium</i> Lipid Droplets Host Novel Proteins. <i>Eukaryotic Cell</i> , 2013, 12, 1517-1529.	3.4	32
143	Ethanolamide Oxylipins of Linolenic Acid Can Negatively Regulate <i>Arabidopsis</i> Seedling Development. <i>Plant Cell</i> , 2013, 25, 3824-3840.	3.1	32
144	Crystal structure analysis of a fatty acid double-bond hydratase from <i>Lactobacillus acidophilus</i> . <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2013, 69, 648-657.	2.5	46

#	ARTICLE	IF	CITATIONS
145	A Rapid Freeze-Quench Setup for Multi-Frequency EPR Spectroscopy of Enzymatic Reactions. <i>ChemPhysChem</i> , 2013, 14, 4094-4101.	1.0	22
146	Identification and characterization of an oleate hydratase-encoding gene from <i>Bifidobacterium breve</i> . <i>Bioengineered</i> , 2013, 4, 313-321.	1.4	40
147	An Iron 13S-Lipoxygenase with an Ω -Linolenic Acid Specific Hydroperoxidase Activity from <i>Fusarium oxysporum</i> . <i>PLoS ONE</i> , 2013, 8, e64919.	1.1	72
148	Analysis of the subcellular localisation of lipoxygenase in legume and actinorhizal nodules. <i>Plant Biology</i> , 2012, 14, 56-63.	1.8	9
149	MarVis-Filter: Ranking, Filtering, Adduct and Isotope Correction of Mass Spectrometry Data. <i>Journal of Biomedicine and Biotechnology</i> , 2012, 2012, 1-7.	3.0	49
150	Crystal Structures of <i>Physcomitrella patens</i> AOC1 and AOC2: Insights into the Enzyme Mechanism and Differences in Substrate Specificity. <i>Plant Physiology</i> , 2012, 160, 1251-1266.	2.3	36
151	Transcriptional Activation and Production of Tryptophan-Derived Secondary Metabolites in <i>Arabidopsis</i> Roots Contributes to the Defense against the Fungal Vascular Pathogen <i>Verticillium longisporum</i> . <i>Molecular Plant</i> , 2012, 5, 1389-1402.	3.9	120
152	Production of wax esters in plant seed oils by oleosomal cotargeting of biosynthetic enzymes. <i>Journal of Lipid Research</i> , 2012, 53, 2153-2161.	2.0	43
153	The Vascular Pathogen <i>Verticillium longisporum</i> Requires a Jasmonic Acid-Independent COI1 Function in Roots to Elicit Disease Symptoms in <i>Arabidopsis</i> Shoots. <i>Plant Physiology</i> , 2012, 159, 1192-1203.	2.3	61
154	Cadmium interferes with auxin physiology and lignification in poplar. <i>Journal of Experimental Botany</i> , 2012, 63, 1413-1421.	2.4	136
155	Breaking the Silence: Protein Stabilization Uncovers Silenced Biosynthetic Gene Clusters in the Fungus <i>Aspergillus nidulans</i> . <i>Applied and Environmental Microbiology</i> , 2012, 78, 8234-8244.	1.4	64
156	Chloroplasts of <i>Arabidopsis</i> Are the Source and a Primary Target of a Plant-Specific Programmed Cell Death Signaling Pathway. <i>Plant Cell</i> , 2012, 24, 3026-3039.	3.1	199
157	Intraspecific genotypic variability determines concentrations of key truffle volatiles. <i>New Phytologist</i> , 2012, 194, 823-835.	3.5	83
158	Biosynthesis of allene oxides in <i>Physcomitrella patens</i> . <i>BMC Plant Biology</i> , 2012, 12, 228.	1.6	39
159	<i>Arabidopsis</i> mutants of sphingolipid fatty acid Ω -hydroxylases accumulate ceramides and salicylates. <i>New Phytologist</i> , 2012, 196, 1086-1097.	3.5	83
160	<i>Verticillium longisporum</i> Infection Affects the Leaf Apoplastic Proteome, Metabolome, and Cell Wall Properties in <i>Arabidopsis thaliana</i> . <i>PLoS ONE</i> , 2012, 7, e31435.	1.1	112
161	Xenobiotic- and Jasmonic Acid-Inducible Signal Transduction Pathways Have Become Interdependent at the <i>Arabidopsis</i> <i>CYP81D11</i> Promoter. <i>Plant Physiology</i> , 2012, 159, 391-402.	2.3	41
162	Semi-Synthesis and Analysis of Chemically Modified Zif268 Zinc-Finger Domains. <i>ChemistryOpen</i> , 2012, 1, 26-32.	0.9	3

#	ARTICLE	IF	CITATIONS
163	Fertility in barley flowers depends on <i>Jekyll</i> functions in male and female sporophytes. <i>New Phytologist</i> , 2012, 194, 142-157.	3.5	9
164	Linoleic acid positioning in psi factor producing oxygenase A, a fusion protein with an atypical cytochrome P450 activity. <i>FEBS Journal</i> , 2012, 279, 1594-1606.	2.2	10
165	Metabolic priming by a secreted fungal effector. <i>Nature</i> , 2011, 478, 395-398.	13.7	509
166	Multifrequency Electron Paramagnetic Resonance Characterization of PpoA, a CYP450 Fusion Protein that Catalyzes Fatty Acid Dioxygenation. <i>Journal of the American Chemical Society</i> , 2011, 133, 9052-9062.	6.6	17
167	<i>Sporisorium reilianum</i> Infection Changes Inflorescence and Branching Architectures of Maize. <i>Plant Physiology</i> , 2011, 156, 2037-2052.	2.3	89
168	The alphabet of galactolipids in <i>Arabidopsis thaliana</i> . <i>Frontiers in Plant Science</i> , 2011, 2, 95.	1.7	62
169	Jasmonic acid perception by CO11 involves inositol polyphosphates in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2011, 65, 949-957.	2.8	134
170	Jasmonate biosynthesis in legume and actinorhizal nodules. <i>New Phytologist</i> , 2011, 189, 568-579.	3.5	39
171	Disruption of the ceramide synthase LOH1 causes spontaneous cell death in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2011, 192, 841-854.	3.5	90
172	Oxylipins in fungi. <i>FEBS Journal</i> , 2011, 278, 1047-1063.	2.2	162
173	The ectomycorrhizal fungus (<i>Paxillus involutus</i>) modulates leaf physiology of poplar towards improved salt tolerance. <i>Environmental and Experimental Botany</i> , 2011, 72, 304-311.	2.0	55
174	Fatty acid profiles and their distribution patterns in microalgae: a comprehensive analysis of more than 2000 strains from the SAG culture collection. <i>BMC Plant Biology</i> , 2011, 11, 124.	1.6	400
175	Myosin-cross-reactive antigen (MCRA) protein from <i>Bifidobacterium breve</i> is a FAD-dependent fatty acid hydratase which has a function in stress protection. <i>BMC Biochemistry</i> , 2011, 12, 9.	4.4	75
176	Identification of a Δ^4 desaturase from the microalga <i>Ostreococcus lucimarinus</i> . <i>European Journal of Lipid Science and Technology</i> , 2011, 113, 832-840.	1.0	14
177	Influence of Substrate Dideuteration on the Reaction of the Bifunctional Heme Enzyme Psi Factor Producing Oxygenase A (PpoA). <i>ChemBioChem</i> , 2011, 12, 728-737.	1.3	6
178	Two Pathways of Sphingolipid Biosynthesis Are Separated in the Yeast <i>Pichia pastoris</i> . <i>Journal of Biological Chemistry</i> , 2011, 286, 11401-11414.	1.6	58
179	Phloem-Specific Expression of Yang Cycle Genes and Identification of Novel Yang Cycle Enzymes in <i>Plantago</i> and <i>Arabidopsis</i> . <i>Plant Cell</i> , 2011, 23, 1904-1919.	3.1	63
180	Lipoxygenase-mediated Oxidation of Polyunsaturated N-Acylethanolamines in <i>Arabidopsis</i> . <i>Journal of Biological Chemistry</i> , 2011, 286, 15205-15214.	1.6	29

#	ARTICLE	IF	CITATIONS
181	The lipoxygenase-dependent oxygenation of lipid body membranes is promoted by a patatin-type phospholipase in cucumber cotyledons. <i>Journal of Experimental Botany</i> , 2011, 62, 749-760.	2.4	49
182	Limitation of Nocturnal ATP Import into Chloroplasts Seems to Affect Hormonal Crosstalk, Prime Defense, and Enhance Disease Resistance in <i>Arabidopsis thaliana</i> . <i>Molecular Plant-Microbe Interactions</i> , 2010, 23, 1584-1591.	1.4	17
183	Identification and characterization of an acyl-CoA:diacylglycerol acyltransferase 2 (DGAT2) gene from the microalga <i>O. tauri</i> . <i>Plant Physiology and Biochemistry</i> , 2010, 48, 407-416.	2.8	97
184	Effect of nitrate supply and mycorrhizal inoculation on characteristics of tobacco root plasma membrane vesicles. <i>Planta</i> , 2010, 231, 425-436.	1.6	52
185	Comparative molecular and biochemical characterization of segmentally duplicated 9-lipoxygenase genes ZmLOX4 and ZmLOX5 of maize. <i>Planta</i> , 2010, 231, 1425-1437.	1.6	44
186	Oxylipins are not required for R gene-mediated resistance in potato. <i>European Journal of Plant Pathology</i> , 2010, 127, 437-442.	0.8	5
187	Lauroylethanolamide is a potent competitive inhibitor of lipoxygenase activity. <i>FEBS Letters</i> , 2010, 584, 3215-3222.	1.3	16
188	The moss <i>Physcomitrella patens</i> contains cyclopentenones but no jasmonates: mutations in allene oxide cyclase lead to reduced fertility and altered sporophyte morphology. <i>New Phytologist</i> , 2010, 188, 740-749.	3.5	125
189	The COP9 signalosome mediates transcriptional and metabolic response to hormones, oxidative stress protection and cell wall rearrangement during fungal development. <i>Molecular Microbiology</i> , 2010, 78, 964-979.	1.2	81
190	Exosome Secretion Ameliorates Lysosomal Storage of Cholesterol in Niemann-Pick Type C Disease. <i>Journal of Biological Chemistry</i> , 2010, 285, 26279-26288.	1.6	199
191	Phosphoenolpyruvate Provision to Plastids Is Essential for Gametophyte and Sporophyte Development in <i>Arabidopsis thaliana</i> . <i>Plant Cell</i> , 2010, 22, 2594-2617.	3.1	66
192	Myosin Cross-reactive Antigen of <i>Streptococcus pyogenes</i> M49 Encodes a Fatty Acid Double Bond Hydratase That Plays a Role in Oleic Acid Detoxification and Bacterial Virulence. <i>Journal of Biological Chemistry</i> , 2010, 285, 10353-10361.	1.6	112
193	A Bisallylic Mini-lipoxygenase from Cyanobacterium <i>Cyanothece</i> sp. That Has an Iron as Cofactor. <i>Journal of Biological Chemistry</i> , 2010, 285, 14178-14186.	1.6	48
194	PpoC from <i>Aspergillus nidulans</i> is a fusion protein with only one active haem. <i>Biochemical Journal</i> , 2010, 425, 553-565.	1.7	53
195	Oxylipin Signaling and Plant Growth. <i>Plant Cell Monographs</i> , 2010, , 277-291.	0.4	7
196	On the Mechanism of a Polyunsaturated Fatty Acid Double Bond Isomerase from <i>Propionibacterium acnes</i> . <i>Journal of Biological Chemistry</i> , 2009, 284, 8005-8012.	1.6	24
197	Inactivation of the Lipoxygenase <i>ZmLOX3</i> Increases Susceptibility of Maize to <i>Aspergillus</i> spp.. <i>Molecular Plant-Microbe Interactions</i> , 2009, 22, 222-231.	1.4	124
198	Truffles Regulate Plant Root Morphogenesis via the Production of Auxin and Ethylene. <i>Plant Physiology</i> , 2009, 150, 2018-2029.	2.3	171

#	ARTICLE	IF	CITATIONS
199	Attacks by a piercing-sucking insect (<i>Myzus persicae</i> Sultzer) or a chewing insect (<i>Leptinotarsa</i> Tj ETQq1 1 0.784314 rgBT /Overlock 10 compound release and oxylipin synthesis. <i>Journal of Experimental Botany</i> , 2009, 60, 1231-1240.	2.4	92
200	1O ₂ -mediated retrograde signaling during late embryogenesis predetermines plastid differentiation in seedlings by recruiting abscisic acid. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 9920-9924.	3.3	58
201	Identification of PpoA from <i>Aspergillus nidulans</i> as a Fusion Protein of a Fatty Acid Heme Dioxygenase/Peroxidase and a Cytochrome P450. <i>Journal of Biological Chemistry</i> , 2009, 284, 11792-11805.	1.6	80
202	The ABC Transporter PXA1 and Peroxisomal \hat{I}^2 -Oxidation Are Vital for Metabolism in Mature Leaves of <i>Arabidopsis</i> during Extended Darkness \hat{A} \hat{A} . <i>Plant Cell</i> , 2009, 21, 2733-2749.	3.1	150
203	The \hat{I}^{\pm} -subunit of the heterotrimeric G-protein affects jasmonate responses in <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2009, 60, 1991-2003.	2.4	35
204	MarVis: a tool for clustering and visualization of metabolic biomarkers. <i>BMC Bioinformatics</i> , 2009, 10, 92.	1.2	42
205	Identification of metabolic changes after wounding in <i>Arabidopsis thaliana</i> by an unbiased UPLC-MS approach. <i>Chemistry and Physics of Lipids</i> , 2009, 160, S26.	1.5	1
206	On the Substrate Binding of Linoleate \hat{I} -Lipoxygenases. <i>Lipids</i> , 2009, 44, 207-15.	0.7	18
207	Fatty acid metabolism in the ectomycorrhizal fungus <i>Laccaria bicolor</i> . <i>New Phytologist</i> , 2009, 182, 950-964.	3.5	30
208	<i>Physcomitrella patens</i> has lipoxygenases for both eicosanoid and octadecanoid pathways. <i>Phytochemistry</i> , 2009, 70, 40-52.	1.4	43
209	Lipoxygenases \hat{I} Structure and reaction mechanism. <i>Phytochemistry</i> , 2009, 70, 1504-1510.	1.4	321
210	Methods for the analysis of oxylipins in plants. <i>Phytochemistry</i> , 2009, 70, 1485-1503.	1.4	79
211	Oxylipins: Structurally diverse metabolites from fatty acid oxidation. <i>Plant Physiology and Biochemistry</i> , 2009, 47, 511-517.	2.8	351
212	Upgrading Root Physiology for Stress Tolerance by Ectomycorrhizas: Insights from Metabolite and Transcriptional Profiling into Reprogramming for Stress Anticipation. <i>Plant Physiology</i> , 2009, 151, 1902-1917.	2.3	186
213	Biosynthesis of oxylipins in non-mammals. <i>Progress in Lipid Research</i> , 2009, 48, 148-170.	5.3	265
214	The <i>Arabidopsis</i> Patatin-Like Protein 2 (PLP2) Plays an Essential Role in Cell Death Execution and Differentially Affects Biosynthesis of Oxylipins and Resistance to Pathogens. <i>Molecular Plant-Microbe Interactions</i> , 2009, 22, 469-481.	1.4	141
215	Quantitative imaging of oil storage in developing crop seeds. <i>Plant Biotechnology Journal</i> , 2008, 6, 31-45.	4.1	60
216	Reciprocal oxylipin-mediated cross-talk in the <i>Aspergillus</i> seed pathosystem. <i>Molecular Microbiology</i> , 2008, 67, 378-391.	1.2	83

#	ARTICLE	IF	CITATIONS
217	Biochemistry of PUFA Double Bond Isomerases Producing Conjugated Linoleic Acid. <i>ChemBioChem</i> , 2008, 9, 1867-1872.	1.3	27
218	Multifunctional Enzymes in Oxylipin Metabolism. <i>ChemBioChem</i> , 2008, 9, 2373-2375.	1.3	3
219	Properties of a mini 9R-lipoxygenase from <i>Nostoc</i> sp. PCC 7120 and its mutant forms. <i>Phytochemistry</i> , 2008, 69, 1832-1837.	1.4	39
220	Identification of an amino acid determinant of pH regiospecificity in a seed lipoxygenase from <i>Momordica charantia</i> . <i>Phytochemistry</i> , 2008, 69, 2774-2780.	1.4	17
221	The genome of <i>Laccaria bicolor</i> provides insights into mycorrhizal symbiosis. <i>Nature</i> , 2008, 452, 88-92.	13.7	1,003
222	Enzymatic, but not non-enzymatic, O_2 -mediated peroxidation of polyunsaturated fatty acids forms part of the EXECUTER1-dependent stress response program in the <i>flu</i> mutant of <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2008, 54, 236-248.	2.8	115
223	Metabolite-based clustering and visualization of mass spectrometry data using one-dimensional self-organizing maps. <i>Algorithms for Molecular Biology</i> , 2008, 3, 9.	0.3	57
224	Maize 9-Lipoxygenase ZmLOX3 Controls Development, Root-Specific Expression of Defense Genes, and Resistance to Root-Knot Nematodes. <i>Molecular Plant-Microbe Interactions</i> , 2008, 21, 98-109.	1.4	157
225	A lipoxygenase with linoleate diol synthase activity from <i>Nostoc</i> sp. PCC 7120. <i>Biochemical Journal</i> , 2008, 410, 347-357.	1.7	35
226	The Role of Oxylipins and Antioxidants on Off-Flavor Precursor Formation during Potato Flake Processing. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 11285-11292.	2.4	11
227	Phosphoinositide and Inositolpolyphosphate Signalling in Defense Responses of <i>Arabidopsis thaliana</i> Challenged by Mechanical Wounding. <i>Molecular Plant</i> , 2008, 1, 249-261.	3.9	78
228	Divinyl ether synthesis in garlic bulbs. <i>Journal of Experimental Botany</i> , 2008, 59, 907-915.	2.4	28
229	Peripheral membrane proteins mediate binding of vacuolar storage proteins to membranes of the secretory pathway of developing pea cotyledons. <i>Journal of Experimental Botany</i> , 2008, 59, 1327-1340.	2.4	6
230	GH3::GUS reflects cell-specific developmental patterns and stress-induced changes in wood anatomy in the poplar stem. <i>Tree Physiology</i> , 2008, 28, 1305-1315.	1.4	44
231	Metabolic Engineering of ω -3-Very Long Chain Polyunsaturated Fatty Acid Production by an Exclusively Acyl-CoA-dependent Pathway. <i>Journal of Biological Chemistry</i> , 2008, 283, 22352-22362.	1.6	93
232	A Small Membrane-peripheral Region Close to the Active Center Determines Regioselectivity of Membrane-bound Fatty Acid Desaturases from <i>Aspergillus nidulans</i> . <i>Journal of Biological Chemistry</i> , 2007, 282, 26666-26674.	1.6	35
233	Characterization of a Divinyl Ether Biosynthetic Pathway Specifically Associated with Pathogenesis in Tobacco. <i>Plant Physiology</i> , 2007, 143, 378-388.	2.3	81
234	Oxo-Phytodienoic Acid-Containing Galactolipids in <i>Arabidopsis</i> : Jasmonate Signaling Dependence. <i>Plant Physiology</i> , 2007, 145, 1658-1669.	2.3	104

#	ARTICLE	IF	CITATIONS
235	Disruption of a Maize 9-Lipoxygenase Results in Increased Resistance to Fungal Pathogens and Reduced Levels of Contamination with Mycotoxin Fumonisin. <i>Molecular Plant-Microbe Interactions</i> , 2007, 20, 922-933.	1.4	167
236	Reduction of divinyl ether-containing polyunsaturated fatty acids in transgenic potato plants. <i>Phytochemistry</i> , 2007, 68, 797-801.	1.4	34
237	Oxylipin formation in <i>Nostoc punctiforme</i> (PCC73102). <i>Phytochemistry</i> , 2007, 68, 1120-1127.	1.4	35
238	<i>Piriformospora indica</i> affects plant growth by auxin production. <i>Physiologia Plantarum</i> , 2007, 131, 581-589.	2.6	247
239	Warm and cold parental reproductive environments affect seed properties, fitness, and cold responsiveness in <i>Arabidopsis thaliana</i> progenies. <i>Plant, Cell and Environment</i> , 2007, 30, 165-175.	2.8	95
240	Antisense inhibition of the plastidial glucose-6-phosphate/phosphate translocator in <i>Vicia</i> seeds shifts cellular differentiation and promotes protein storage. <i>Plant Journal</i> , 2007, 51, 468-484.	2.8	42
241	A novel plastidial lipoxygenase of maize (<i>Zea mays</i>) ZmLOX6 encodes for a fatty acid hydroperoxide lyase and is uniquely regulated by phytohormones and pathogen infection. <i>Planta</i> , 2007, 227, 491-503.	1.6	46
242	Study of Precursors Responsible for Off-Flavor Formation during Storage of Potato Flakes. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 5445-5452.	2.4	12
243	Allene oxide synthase from <i>Arabidopsis thaliana</i> (CYP74A1) exhibits dual specificity that is regulated by monomer-micelle association. <i>FEBS Letters</i> , 2006, 580, 4188-4194.	1.3	29
244	Biosynthesis of C9-aldehydes in the moss <i>Physcomitrella patens</i> . <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006, 1761, 301-312.	1.2	54
245	The wound response in tomato – Role of jasmonic acid. <i>Journal of Plant Physiology</i> , 2006, 163, 297-306.	1.6	259
246	Lipoxygenases: Occurrence, functions and catalysis. <i>Journal of Plant Physiology</i> , 2006, 163, 348-357.	1.6	358
247	In-house SIRAS phasing of the polyunsaturated fatty-acid isomerase from <i>Propionibacterium acnes</i> . <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2006, 62, 153-156.	0.7	5
248	The role of EDS1 (enhanced disease susceptibility) during singlet oxygen-mediated stress responses of <i>Arabidopsis</i> . <i>Plant Journal</i> , 2006, 47, 445-456.	2.8	95
249	Identification of an allene oxide synthase (CYP74C) that leads to formation of α -ketols from 9-hydroperoxides of linoleic and linolenic acid in below-ground organs of potato. <i>Plant Journal</i> , 2006, 47, 883-896.	2.8	58
250	Transgenic barley plants overexpressing a 13-lipoxygenase to modify oxylipin signature. <i>Phytochemistry</i> , 2006, 67, 264-276.	1.4	26
251	Lipoxygenases during <i>Brassica napus</i> seed germination. <i>Phytochemistry</i> , 2006, 67, 2030-2040.	1.4	13
252	Jasmonate Biosynthesis in <i>Arabidopsis thaliana</i> - Enzymes, Products, Regulation. <i>Plant Biology</i> , 2006, 8, 297-306.	1.8	152

#	ARTICLE	IF	CITATIONS
253	Formation of oxylipins by CYP74 enzymes. <i>Phytochemistry Reviews</i> , 2006, 5, 347-357.	3.1	118
254	Biosynthesis of fatty acid derived aldehydes is induced upon mechanical wounding and its products show fungicidal activities in cucumber. <i>Phytochemistry</i> , 2006, 67, 649-657.	1.4	76
255	Oxylipin Profiling of the Hypersensitive Response in <i>Arabidopsis thaliana</i> . <i>Journal of Biological Chemistry</i> , 2006, 281, 31528-31537.	1.6	136
256	Duplicate maize 13-lipoxygenase genes are differentially regulated by circadian rhythm, cold stress, wounding, pathogen infection, and hormonal treatments. <i>Journal of Experimental Botany</i> , 2006, 57, 3767-3779.	2.4	123
257	Structure and mechanism of the <i>Propionibacterium acnes</i> polyunsaturated fatty acid isomerase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 2576-2581.	3.3	100
258	Oxylipin Profiling of the Hypersensitive Response in <i>Arabidopsis thaliana</i> . <i>Journal of Biological Chemistry</i> , 2006, 281, 31528-31537.	1.6	20
259	Application of Lipoxygenases and Related Enzymes for the Preparation of Oxygenated Lipids. , 2005, , 307-336.		4
260	<i>Aspergillus</i> Infection Inhibits the Expression of Peanut 13S-HPODE-Forming Seed Lipoxygenases. <i>Molecular Plant-Microbe Interactions</i> , 2005, 18, 1081-1089.	1.4	46
261	Lipid metabolism in arbuscular mycorrhizal roots of <i>Medicago truncatula</i> . <i>Phytochemistry</i> , 2005, 66, 781-791.	1.4	121
262	Gradients of lipid storage, photosynthesis and plastid differentiation in developing soybean seeds. <i>New Phytologist</i> , 2005, 167, 761-776.	3.5	109
263	Unprecedented Lipoxygenase/Hydroperoxide Lyase Pathways in the Moss <i>Physcomitrella patens</i> . <i>Angewandte Chemie - International Edition</i> , 2005, 44, 158-161.	7.2	49
264	Lipoxygenase-mediated metabolism of storage lipids in germinating sunflower cotyledons and ω -oxidation of (9Z,11E,13S)-13-hydroxy-octadeca-9,11-dienoic acid by the cotyledonary glyoxysomes. <i>Planta</i> , 2005, 220, 919-930.	1.6	24
265	A Multifunctional Lipoxygenase with Fatty Acid Hydroperoxide Cleaving Activity from the Moss <i>Physcomitrella patens</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 7588-7596.	1.6	89
266	Specific formation of arachidonic acid and eicosapentaenoic acid by a front-end ω 5-desaturase from. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2005, 1686, 181-189.	1.2	26
267	Production of (10E,12Z)-conjugated linoleic acid in yeast and tobacco seeds. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2005, 1738, 105-114.	1.2	70
268	Expression of <i>Arabidopsis</i> phospholipase A genes in <i>Petunia x hybrida</i> . Increased hypersensitive-like response after infection with <i>Botrytis cinerea</i> and <i>Pseudomonas syringae</i> pv. tomato DC3000 demonstrates a function for phospholipase A in pathogen defence. <i>Physiological and Molecular Plant Pathology</i> , 2005, 67, 2-14.	1.3	9
269	Actinorhizal Symbioses. , 2005, , 157-160.		0
270	The jasmonate-insensitive mutant <i>jin1</i> shows increased resistance to biotrophic as well as necrotrophic pathogens. <i>Molecular Plant Pathology</i> , 2004, 5, 425-434.	2.0	95

#	ARTICLE	IF	CITATIONS
271	Constitutive overexpression of allene oxide cyclase in tomato (<i>Lycopersicon esculentum</i> cv. Lukullus) elevates levels of some jasmonates and octadecanoids in flower organs but not in leaves. <i>Phytochemistry</i> , 2004, 65, 847-856.	1.4	39
272	Chemotaxis and activation of human peripheral blood eosinophils induced by pollen-associated lipid mediators. <i>Journal of Allergy and Clinical Immunology</i> , 2004, 113, 1152-1160.	1.5	79
273	Jasmonate biosynthesis and the allene oxide cyclase family of <i>Arabidopsis thaliana</i> . <i>Plant Molecular Biology</i> , 2003, 51, 895-911.	2.0	246
274	Kinetics of barley FA hydroperoxide lyase are modulated by salts and detergents. <i>Lipids</i> , 2003, 38, 1167-1172.	0.7	19
275	Development of <i>Agrobacterium tumefaciens</i> C58-induced plant tumors and impact on host shoots are controlled by a cascade of jasmonic acid, auxin, cytokinin, ethylene and abscisic acid. <i>Planta</i> , 2003, 216, 512-522.	1.6	80
276	Reports on Symposia and Congresses: Eur. J. Lipid Sci. Technol. 11/2003. <i>European Journal of Lipid Science and Technology</i> , 2003, 105, 718-721.	1.0	0
277	Reports on Symposia and Congresses: Eur. J. Lipid Sci. Technol. 12/2003. <i>European Journal of Lipid Science and Technology</i> , 2003, 105, 784-792.	1.0	4
278	On the specificity of lipid hydroperoxide fragmentation by fatty acid hydroperoxide lyase from <i>Arabidopsis thaliana</i> . <i>Journal of Plant Physiology</i> , 2003, 160, 803-809.	1.6	20
279	Lipid Peroxidation during the Hypersensitive Response in Potato in the Absence of 9-Lipoxygenases. <i>Journal of Biological Chemistry</i> , 2003, 278, 52834-52840.	1.6	96
280	Rapid Induction of Distinct Stress Responses after the Release of Singlet Oxygen in <i>Arabidopsis</i> [W]. <i>Plant Cell</i> , 2003, 15, 2320-2332.	3.1	679
281	Shift in Fatty Acid and Oxylipin Pattern of Tomato Leaves Following Overexpression of the Allene Oxide Cyclase. , 2003, , 275-278.		0
282	The Lipoxygenase Pathway in Mycorrhizal Roots of <i>Medicago Truncatula</i> . , 2003, , 287-290.		0
283	Jasmonate-Induced Lipid Peroxidation in Barley Leaves Initiated by Distinct 13-LOX Forms of Chloroplasts. <i>Biological Chemistry</i> , 2002, 383, 1645-57.	1.2	56
284	Characterization of a Novel Lipoxygenase-Independent Senescence Mechanism in <i>Alstroemeria peruviana</i> Floral Tissue. <i>Plant Physiology</i> , 2002, 130, 273-283.	2.3	58
285	Lipid mediators from pollen act as chemoattractants and activators of polymorphonuclear granulocytes. <i>Journal of Allergy and Clinical Immunology</i> , 2002, 109, 831-838.	1.5	99
286	THE LIPOXYGENASE PATHWAY. <i>Annual Review of Plant Biology</i> , 2002, 53, 275-297.	8.6	1,277
287	Oxylipin profiling in pathogen-infected potato leaves. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2002, 1584, 55-64.	1.2	131
288	Metabolic profiling of oxylipins in germinating cucumber seedlings - lipoxygenase-dependent degradation of triacylglycerols and biosynthesis of volatile aldehydes. <i>Planta</i> , 2002, 215, 612-619.	1.6	50

#	ARTICLE	IF	CITATIONS
289	Formation of conjugated $\hat{1}^{11}\hat{1}^{13}$ -double bonds by $\hat{1}^{12}$ -linoleic acid (1,4)-acyl-lipid-desaturase in pomegranate seeds. FEBS Journal, 2002, 269, 4852-4859.	0.2	87
290	Systemic Accumulation of 12-oxo-phytodienoic Acid in SAR-induced Potato Plants. European Journal of Plant Pathology, 2002, 108, 279-283.	0.8	23
291	Activity of Soybean Lipoxygenase Isoforms against Esterified Fatty Acids Indicates Functional Specificity. Archives of Biochemistry and Biophysics, 2001, 388, 146-154.	1.4	42
292	Oxylipin Profiling Reveals the Preferential Stimulation of the 9-Lipoxygenase Pathway in Elicitor-treated Potato Cells. Journal of Biological Chemistry, 2001, 276, 6267-6273.	1.6	150
293	Lipoxygenase-dependent degradation of storage lipids. Trends in Plant Science, 2001, 6, 268-273.	4.3	167
294	Enzymatic and non-enzymatic lipid peroxidation in leaf development. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2001, 1533, 266-276.	1.2	88
295	A pathogen-inducible divinyl ether synthase (CYP74D) from elicitor-treated potato suspension cells ¹ . FEBS Letters, 2001, 507, 371-376.	1.3	87
296	Preferential induction of a 9-lipoxygenase by salt in salt-tolerant cells of Citrus sinensis L. Osbeck. Planta, 2001, 212, 367-375.	1.6	25
297	Structural Basis for Lipoxygenase Specificity. Journal of Biological Chemistry, 2001, 276, 773-779.	1.6	79
298	Creating lipoxygenases with new positional specificities by site-directed mutagenesis. Biochemical Society Transactions, 2000, 28, 825-826.	1.6	11
299	Metabolic profiling of oxylipins upon sorbitol treatment in barley leaves. Biochemical Society Transactions, 2000, 28, 861-862.	1.6	13
300	Allene oxide synthases of barley (<i>Hordeum vulgare</i> cv. Salome): tissue specific regulation in seedling development. Plant Journal, 2000, 21, 199-213.	2.8	163
301	Expression of cucumber lipid-body lipoxygenase in transgenic tobacco: lipid-body lipoxygenase is correctly targeted to seed lipid bodies. Planta, 2000, 210, 708-714.	1.6	31
302	Cloning and Functional Expression in <i>Escherichia coli</i> of a cDNA Encoding Cardenolide 16 $\hat{2}$ -O-Glucohydrolase from <i>Digitalis lanata</i> Ehrh.. Plant and Cell Physiology, 2000, 41, 1293-1298.	1.5	11
303	Oxygenation of (3Z)-Alkenals to 4-Hydroxy-(2E)-Alkenals in Plant Extracts: A Nonenzymatic Process. Biochemical and Biophysical Research Communications, 2000, 277, 112-116.	1.0	30
304	Fatty acid 9- and 13-hydroperoxide lyases from cucumber ¹ . FEBS Letters, 2000, 481, 183-188.	1.3	104
305	Creating lipoxygenases with new positional specificities by site-directed mutagenesis. Biochemical Society Transactions, 2000, 28, 825-6.	1.6	0
306	Formation of 4-hydroxy-2-alkenals in barley leaves. Biochemical Society Transactions, 2000, 28, 850-1.	1.6	2

#	ARTICLE	IF	CITATIONS
307	Metabolic profiling of oxylipins upon sorbitol treatment in barley leaves. <i>Biochemical Society Transactions</i> , 2000, 28, 861-2.	1.6	1
308	Conversion of cucumber linoleate 13-lipoxygenase to a 9-lipoxygenating species by site-directed mutagenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 4192-4197.	3.3	138
309	Title is missing!. <i>Plant Growth Regulation</i> , 1999, 29, 113-122.	1.8	13
310	Formation of lipoxygenase-pathway-derived aldehydes in barley leaves upon methyl jasmonate treatment. <i>FEBS Journal</i> , 1999, 260, 885-895.	0.2	68
311	Isolation and characterization of a calendic acid producing (8,11)-linoleoyl desaturase1. <i>FEBS Letters</i> , 1999, 462, 249-253.	1.3	19
312	Metabolic profiling of oxylipins upon salicylate treatment in barley leaves - preferential induction of the reductase pathway by salicylate1. <i>FEBS Letters</i> , 1999, 464, 133-137.	1.3	83
313	Characterization of a methyljasmonate-inducible lipoxygenase from barley (<i>Hordeum vulgare</i> cv.) Tj ETQq1 1 0.784314 rgBT /Overlock 1 0,2 70	0.2	70
314	Characterization of a 13-lipoxygenase from virgin olive oil and oil bodies of olive endosperms. <i>Lipid - Fett</i> , 1998, 100, 554-560.	0.6	42
315	Jasmonic acid: biosynthesis, signal transduction, gene expression. <i>Lipid - Fett</i> , 1998, 100, 139-146.	0.6	28
316	Lipoxygenase catalyzed oxygenation of lipids. <i>Lipid - Fett</i> , 1998, 100, 146-152.	0.6	41
317	Alteration of V-type H ⁺ -ATPase during methyljasmonate-induced senescence in barley (<i>Hordeum</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 1 1,6 12	1.6	12
318	Diversity in octadecanoid-induced gene expression of tomato. <i>Journal of Plant Physiology</i> , 1998, 152, 345-352.	1.6	53
319	All three acyl moieties of trilinolein are efficiently oxygenated by recombinant His-tagged lipid body lipoxygenase in vitro. <i>FEBS Letters</i> , 1998, 431, 433-436.	1.3	39
320	Cloning and expression of a new cDNA from monocotyledonous plants coding for a diadenosine 5â€™,5â€™-P ₁ ,P ₄ -tetrphosphate hydrolase from barley (<i>Hordeum vulgare</i>). <i>FEBS Letters</i> , 1998, 431, 481-485.	1.3	6
321	Differential Induction of Lipoxygenase Isoforms in Wheat upon Treatment with Rust Fungus Elicitor, Chitin Oligosaccharides, Chitosan, and Methyl Jasmonate. <i>Plant Physiology</i> , 1997, 114, 679-685.	2.3	79
322	Structural Elucidation of Oxygenated Storage Lipids in Cucumber Cotyledons. <i>Journal of Biological Chemistry</i> , 1997, 272, 21635-21641.	1.6	67
323	Induction of a new Lipoxygenase Form in Cucumber Leaves by Salicylic Acid or 2,6â€Dichloroisonicotinic Acid*. <i>Botanica Acta</i> , 1997, 110, 101-108.	1.6	7
324	Do specific linoleate 13-lipoxygenases initiate Î²-oxidation?1. <i>FEBS Letters</i> , 1997, 406, 1-5.	1.3	38

#	ARTICLE	IF	CITATIONS
325	Isolation of a cDNA coding for an ubiquitin-conjugating enzyme UBC1 of tomato - the first stress-induced UBC of higher plants. FEBS Letters, 1997, 409, 211-215.	1.3	40
326	Lipoxygenase-2 Oxygenates Storage Lipids in Embryos of Germinating Barley. FEBS Journal, 1997, 248, 452-458.	0.2	44
327	Lipid-body lipoxygenase is expressed in cotyledons during germination prior to other lipoxygenase forms. Planta, 1996, 198, 288.	1.6	21
328	Lipoxygenase-catalyzed oxygenation of storage lipids is implicated in lipid mobilization during germination.. Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 11849-11853.	3.3	124
329	Jasmonate-induced lipoxygenase forms are localized in chloroplasts of barley leaves (Hordeum) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	2.8	80
330	Synthesis of jasmonate-induced proteins in barley (Hordeum vulgare) is inhibited by the growth retardant tetcyclacis. Physiologia Plantarum, 1995, 94, 335-341.	2.6	14
331	The lipid body lipoxygenase from cucumber seedlings exhibits unusual reaction specificity. FEBS Letters, 1995, 367, 12-14.	1.3	29
332	Jasmonate- and Stress-Induced Lipoxygenase Forms in Barley Leaf Segments (Hordeum Vulgare CV.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5		
333	Synthesis of jasmonate-induced proteins in barley (Hordeum vulgare) is inhibited by the growth retardant tetcyclacis. Physiologia Plantarum, 1995, 94, 335-341.	2.6	4
334	Particulate and soluble lipoxygenase isoenzymes. Planta, 1994, 194, 22.	1.6	52
335	Transient occurrence of lipoxygenase and glycoprotein gp49 in lipid bodies during fat mobilization in anise seedlings. Planta, 1993, 191, 166.	1.6	11
336	A lipoxygenase is the main lipid body protein in cucumber and soybean cotyledons during the stage of triglyceride mobilization. FEBS Letters, 1992, 298, 223-225.	1.3	62