

Marinãz Isaac Marques

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7128825/publications.pdf>

Version: 2024-02-01

37
papers

954
citations

687363

13
h-index

454955

30
g-index

38
all docs

38
docs citations

38
times ranked

1042
citing authors

#	ARTICLE	IF	CITATIONS
1	Passive acoustic monitoring of the Ferruginous Pygmy-Owl (<i>Glaucidium brasilianum</i>) over a complete annual cycle: seasonality and monitoring recommendations. <i>Studies on Neotropical Fauna and Environment</i> , 2023, 58, 213-220.	1.0	2
2	Addicted to the moon: vocal output and diel pattern of vocal activity in two Neotropical nightjars is related to moon phase. <i>Ethology Ecology and Evolution</i> , 2022, 34, 66-81.	1.4	10
3	Effects of hydrological cycles and water body connectivity on abundance and co-occurrence of two Neotropical Curculionidae species. <i>Biota Neotropica</i> , 2022, 22, .	0.5	0
4	Life history patterns of coleopteran pollinators of <i>Annona crassiflora</i> Mart. in the Brazilian Cerrado. <i>Journal of Natural History</i> , 2022, 56, 743-767.	0.5	1
5	Coleopterans (Hexapoda, Coleoptera) associated with canopies of <i>Callisthene fasciculata</i> (Spr.) Mart. (Vochysiaceae) in the Brazilian Pantanal. <i>Biota Neotropica</i> , 2021, 21, .	0.5	0
6	Coleopteran Pollinators of Annonaceae in the Brazilian Cerrado – A Review. <i>Diversity</i> , 2021, 13, 438.	1.7	3
7	Vocal activity of the Ferruginous pygmy-owl (<i>Glaucidium brasilianum</i>) is strongly correlated with moon phase and nocturnal temperature. <i>Ethology Ecology and Evolution</i> , 2021, 33, 62-72.	1.4	12
8	Diversity of Insect Flower Visitors of <i>Xylopia aromatica</i> (Magnoliales, Annonaceae) in a Brazilian Savanna. <i>Diversity</i> , 2021, 13, 661.	1.7	1
9	Calling behaviour of <i>Elachistocleis matogrosso</i> (Anura, Microhylidae) is associated with habitat temperature and rainfall. <i>Bioacoustics</i> , 2020, 29, 670-683.	1.7	10
10	Vocal behavior of the Undulated Tinamou (<i>Crypturellus undulatus</i>) over an annual cycle in the Brazilian Pantanal: New ecological information. <i>Biotropica</i> , 2020, 52, 165-171.	1.6	19
11	Seasonality in the Brazilian Pantanal influences avian functional diversity. <i>Studies on Neotropical Fauna and Environment</i> , 2020, , 1-11.	1.0	2
12	NEOTROPICAL ALIEN MAMMALS: a data set of occurrence and abundance of alien mammals in the Neotropics. <i>Ecology</i> , 2020, 101, e03115.	3.2	22
13	NEOTROPICAL CARNIVORES: a data set on carnivore distribution in the Neotropics. <i>Ecology</i> , 2020, 101, e03128.	3.2	26
14	Avian Beta Diversity in a Neotropical Wetland: the Effects of Flooding and Vegetation Structure. <i>Wetlands</i> , 2020, 40, 1513-1527.	1.5	22
15	Arthropods associated with <i>Callisthene fasciculata</i> (Vochysiaceae) canopy in the Pantanal of Mato Grosso, Brazil. <i>Revista Colombiana De Entomologia</i> , 2020, 46, e10168.	0.4	1
16	Ground spiders (Arachnida, Araneae) associated with urban forest fragments in southern Amazon. <i>Biota Neotropica</i> , 2020, 20, .	0.5	0
17	Sustainability Agenda for the Pantanal Wetland: Perspectives on a Collaborative Interface for Science, Policy, and Decision-Making. <i>Tropical Conservation Science</i> , 2019, 12, 194008291987263.	1.2	88
18	NEOTROPICAL XENARTHTRANS: a data set of occurrence of xenarthran species in the Neotropics. <i>Ecology</i> , 2019, 100, e02663.	3.2	54

#	ARTICLE	IF	CITATIONS
19	Elucidating the diel and seasonal calling behaviour of <i>Elachistocleis matogrosso</i> (Anura: Tj ETQq1 1 0.784314 rgBT/Overlock 5 Tf 507	0.5	5
20	New non-invasive photo-identification technique for free-ranging giant anteaters (Myrmecophaga) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 507	0.5	5
21	Soil and canopy Pseudoscorpiones (Arthropoda, Arachnida) in a monodominant forest of <i>Attalea phalerata</i> Mart. (Arecaceae) in the Brazilian Pantanal. <i>Studies on Neotropical Fauna and Environment</i> , 2017, 52, 87-94.	1.0	7
22	Temporal variation in the spider assemblage (Arachnida, Araneae) in canopies of <i>Callisthene fasciculata</i> (Vochysiaceae) in the Brazilian Pantanal biome. <i>Iheringia - Serie Zoologia</i> , 2017, 107, .	0.5	8
23	Automated Sound Recognition Provides Insights into the Behavioral Ecology of a Tropical Bird. <i>PLoS ONE</i> , 2017, 12, e0169041.	2.5	29
24	Vertical and time distribution of Pseudoscorpiones (Arthropoda: Arachnida) in a floodplain forest in the Brazilian Pantanal. <i>Revista De Biologia Tropical</i> , 2017, 65, .	0.4	8
25	Spider assemblage (Arachnida: Araneae) associated with canopies of <i>Vochysia divergens</i> (Vochysiaceae) in the northern region of the Brazilian Pantanal. <i>Zoologia</i> , 2016, 33, .	0.5	7
26	Diversity of Soil Beetles (Hexapoda, Coleoptera) in an Area at the Pantanal of PoconÃ©, Mato Grosso, Brazil. <i>EntomoBrasilis</i> , 2016, 9, 89-96.	0.2	5
27	Ant community (Hymenoptera: Formicidae) associated with <i>Callisthene fasciculata</i> (Spr.) Mart. (Vochysiaceae) canopies in the Pantanal of PoconÃ©, Mato Grosso, Brazil. <i>Sociobiology</i> , 2016, 63, 735.	0.5	7
28	Bird acoustic activity detection based on morphological filtering of the spectrogram. <i>Applied Acoustics</i> , 2015, 98, 34-42.	3.3	54
29	Coleoptera (Arthropoda, Insecta) Associados Ãs Copas de <i>Attalea phalerata</i> Mart. (Arecaceae) no Pantanal de Mato Grosso, Brasil. <i>EntomoBrasilis</i> , 2014, 7, 20-28.	0.2	6
30	Cerambycidae (Insecta, Coleoptera) Associados Ã <i>Vochysia divergens</i> Pohl (Vochysiaceae) na RegiÃ£o Norte do Pantanal de Mato Grosso, Brasil. <i>EntomoBrasilis</i> , 2014, 7, 159-160.	0.2	8
31	Comunidade edÃfica de Araneae (Arthropoda, Arachnida) em uma floresta sazonalmente inundÃvel na regiÃ£o Norte do Pantanal de Mato Grosso, Brasil. <i>Biota Neotropica</i> , 2010, 10, 173-183.	1.0	11
32	Terrestrial arthropods from tree canopies in the Pantanal of Mato Grosso, Brazil. <i>Revista Brasileira De Entomologia</i> , 2006, 50, 257-267.	0.4	32
33	Biodiversity and its conservation in the Pantanal of Mato Grosso, Brazil. <i>Aquatic Sciences</i> , 2006, 68, 278-309.	1.5	409
34	Aspectos ecolÃgicos da comunidade de Araneae (Arthropoda, Arachnida) em copas da palmeira <i>Attalea phalerata</i> Mart. (Arecaceae) no Pantanal de PoconÃ©, Mato Grosso, Brasil. <i>Revista Brasileira De Entomologia</i> , 2004, 48, 421-430.	0.4	19
35	ArtrÃpodos associados Ã copa de <i>Attalea phalerata</i> Mart. (Arecaceae), na regiÃ£o do Pantanal de PoconÃ©, Mato Grosso, Brasil. <i>Revista Brasileira De Entomologia</i> , 2003, 47, 211-224.	0.4	31
36	Arthropod Biodiversity in the Canopy of <i>Vochysia divergens</i> (Vochysiaceae), a Forest Dominant in the Brazilian Pantanal. <i>Studies on Neotropical Fauna and Environment</i> , 2001, 36, 205-210.	1.0	13

#	ARTICLE	IF	CITATIONS
37	Reproduction phenology of a high conservation priority cracid the bare-faced Curassow (<i>Crax fasciolata</i> ; Aves, Galliformes, Cracidae). <i>Papeis Avulsos De Zoologia</i> , 0, 62, e202262031.	0.4	1