

Brian S H Ho

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7129946/publications.pdf>

Version: 2024-02-01

8
papers

120
citations

1684188

5
h-index

1588992

8
g-index

8
all docs

8
docs citations

8
times ranked

162
citing authors

#	ARTICLE	IF	CITATIONS
1	Second generation of temporary implantable nitinol device for the relief of lower urinary tract symptoms due to benign prostatic hyperplasia: results of a prospective, multicentre study at 1 year of follow-up. <i>BJU International</i> , 2019, 123, 1061-1069.	2.5	47
2	Second generation of temporary implantable nitinol device (iTind) in men with LUTS: 2-year results of the MT-02-study. <i>World Journal of Urology</i> , 2020, 38, 3235-3244.	2.2	30
3	Is prostate specific antigen (PSA) density necessary in selecting prostate cancer patients for active surveillance and what should be the cutoff in the Asian population?. <i>Prostate International</i> , 2019, 7, 73-77.	2.3	12
4	Psychometric properties of Functional Assessment of Cancer Therapy-Prostate (FACT-P) in Chinese patients with prostate cancer. <i>Quality of Life Research</i> , 2015, 24, 2397-2402.	3.1	11
5	The performance characteristics of prostate-specific antigen and prostate-specific antigen density in Chinese men. <i>Asian Journal of Andrology</i> , 2017, 19, 113.	1.6	8
6	Multiparametric magnetic resonance imaging/transrectal ultrasound fusion prostate biopsy with semi-robotic navigation in the Chinese population: initial results. <i>Asian Journal of Andrology</i> , 2018, 20, 93.	1.6	6
7	Risk factors in the prediction of long-term patency of Resonance metallic ureteric stent in malignant ureteric obstruction. <i>BJUI Compass</i> , 2020, 1, 74-81.	1.3	4
8	Pathological outcome for Chinese patients with low-risk prostate cancer eligible for active surveillance and undergoing radical prostatectomy: comparison of six different active surveillance protocols. <i>Hong Kong Medical Journal</i> , 2017, 23, 609-15.	0.1	2