

Marc P Pusztaszeri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/713046/publications.pdf>

Version: 2024-02-01

88
papers

3,046
citations

186209

28
h-index

175177

52
g-index

90
all docs

90
docs citations

90
times ranked

3988
citing authors

#	ARTICLE	IF	CITATIONS
1	Immunohistochemical Expression of Endothelial Markers CD31, CD34, von Willebrand Factor, and Fli-1 in Normal Human Tissues. <i>Journal of Histochemistry and Cytochemistry</i> , 2006, 54, 385-395.	1.3	680
2	Impact of reclassifying noninvasive follicular variant of papillary thyroid carcinoma on the risk of malignancy in The Bethesda System for Reporting Thyroid Cytopathology. <i>Cancer Cytopathology</i> , 2016, 124, 181-187.	1.4	266
3	The Milan System for Reporting Salivary Gland Cytopathology: Analysis and suggestions of initial survey. <i>Cancer Cytopathology</i> , 2017, 125, 757-766.	1.4	138
4	The Bethesda System for Reporting Thyroid Cytopathology: Proposed Modifications and Updates for the Second Edition from an International Panel. <i>Acta Cytologica</i> , 2016, 60, 399-405.	0.7	110
5	Update on the Cytologic and Molecular Features of Medullary Thyroid Carcinoma. <i>Advances in Anatomic Pathology</i> , 2014, 21, 26-35.	2.4	86
6	Circadian Clock Characteristics Are Altered in Human Thyroid Malignant Nodules. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 4446-4456.	1.8	74
7	Fine-needle aspiration biopsy of secondary neoplasms of the thyroid gland: A multi-institutional study of 62 cases. <i>Cancer Cytopathology</i> , 2015, 123, 19-29.	1.4	73
8	Update in salivary gland cytopathology: Recent molecular advances and diagnostic applications. <i>Seminars in Diagnostic Pathology</i> , 2015, 32, 264-274.	1.0	63
9	The Milan System for Reporting Salivary Gland Cytopathology (MSRSGC): an ASC-IAC-sponsored system for reporting salivary gland fine-needle aspiration. <i>Journal of the American Society of Cytopathology</i> , 2018, 7, 111-118.	0.2	63
10	Apparent Diffusion Coefficient Histograms of Human Papillomavirus-Positive and Human Papillomavirus-Negative Head and Neck Squamous Cell Carcinoma: Assessment of Tumor Heterogeneity and Comparison with Histopathology. <i>American Journal of Neuroradiology</i> , 2017, 38, 2153-2160.	1.2	60
11	Riedel's Thyroiditis with Increased IgG4 Plasma Cells: Evidence for an Underlying IgG4-Related Sclerosing Disease?. <i>Thyroid</i> , 2012, 22, 964-968.	2.4	58
12	Local recurrence of squamous cell carcinoma of the head and neck after radio(chemo)therapy: Diagnostic performance of FDG-PET/MRI with diffusion-weighted sequences. <i>European Radiology</i> , 2018, 28, 651-663.	2.3	56
13	MYB immunostaining is a useful ancillary test for distinguishing adenoid cystic carcinoma from pleomorphic adenoma in fine-needle aspiration biopsy specimens. <i>Cancer Cytopathology</i> , 2014, 122, 257-265.	1.4	50
14	Salivary Gland Fine Needle Aspiration and Introduction of the Milan Reporting System. <i>Advances in Anatomic Pathology</i> , 2019, 26, 84-92.	2.4	48
15	Ultrasound Measurement of the Fibrous Cap in Symptomatic and Asymptomatic Atheromatous Carotid Plaques. <i>Circulation</i> , 2005, 111, 2776-2782.	1.6	47
16	H2O2 Metabolism in Normal Thyroid Cells and in Thyroid Tumorigenesis: Focus on NADPH Oxidases. <i>Antioxidants</i> , 2019, 8, 126.	2.2	45
17	Application of the Milan System for Reporting Submandibular Gland Cytopathology: An international, multi-institutional study. <i>Cancer Cytopathology</i> , 2019, 127, 306-315.	1.4	45
18	Update on the cytologic features of papillary thyroid carcinoma variants. <i>Diagnostic Cytopathology</i> , 2017, 45, 714-730.	0.5	43

#	ARTICLE	IF	CITATIONS
19	Why Do Parotid Pleomorphic Adenomas Recur? A Systematic Review of Pathological and Surgical Variables. <i>Frontiers in Surgery</i> , 2017, 4, 26.	0.6	42
20	Histopathological study of breast cancer and normal breast tissue after magnetic resonance-guided cryotherapy ablation. <i>Cryobiology</i> , 2007, 55, 44-51.	0.3	41
21	The Role of the ThyroSeq v3 Molecular Test in the Surgical Management of Thyroid Nodules in the Canadian Public Health Care Setting. <i>Thyroid</i> , 2020, 30, 1280-1287.	2.4	40
22	Molecular mutations as a possible factor for determining extent of thyroid surgery. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2019, 48, 51.	0.9	39
23	Application of the Milan system for reporting risk stratification in salivary gland cytopathology. <i>Cancer Cytopathology</i> , 2018, 126, 69-70.	1.4	38
24	Adenosquamous carcinoma of the head and neck: report of 20 cases and review of the literature. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2013, 116, 313-320.	0.2	37
25	Salivary gland <scp>FNA</scp>: New markers and new opportunities for improved diagnosis. <i>Cancer Cytopathology</i> , 2016, 124, 307-316.	1.4	37
26	Cytologic evaluation of cervical lymph node metastases from cancers of unknown primary origin. <i>Seminars in Diagnostic Pathology</i> , 2015, 32, 32-41.	1.0	35
27	MRI with DWI for the Detection of Posttreatment Head and Neck Squamous Cell Carcinoma: Why Morphologic MRI Criteria Matter. <i>American Journal of Neuroradiology</i> , 2018, 39, 748-755.	1.2	34
28	Columnar cell variant of papillary thyroid carcinoma: Cytomorphological characteristics of 11 cases with histological correlation and literature review. <i>Cancer Cytopathology</i> , 2017, 125, 389-397.	1.4	32
29	DGCR8 microprocessor defect characterizes familial multinodular goiter with schwannomatosis. <i>Journal of Clinical Investigation</i> , 2020, 130, 1479-1490.	3.9	31
30	FNA biopsy of secondary nonlymphomatous malignancies in salivary glands: A multi-institutional study of 184 cases. <i>Cancer Cytopathology</i> , 2017, 125, 91-103.	1.4	28
31	FNAB of benign thyroid nodules with papillary hyperplasia: A cytological and histological evaluation. <i>Cancer Cytopathology</i> , 2014, 122, 666-677.	1.4	26
32	Cytologic grading of primary malignant salivary gland tumors: A blinded review by an international panel. <i>Cancer Cytopathology</i> , 2020, 128, 392-402.	1.4	24
33	Identification of new biomarkers for human papillary thyroid carcinoma employing NanoString analysis. <i>Oncotarget</i> , 2015, 6, 10978-10993.	0.8	24
34	CD117: A novel ancillary marker for papillary thyroid carcinoma in fine-needle aspiration biopsies. <i>Cancer Cytopathology</i> , 2014, 122, 596-603.	1.4	23
35	<i>BRAF</i> testing and thyroid FNA. <i>Cancer Cytopathology</i> , 2015, 123, 689-695.	1.4	23
36	The Bethesda System for Reporting Thyroid Cytopathology: proposed modifications and updates for the second edition from an international panel. <i>Journal of the American Society of Cytopathology</i> , 2016, 5, 245-251.	0.2	23

#	ARTICLE	IF	CITATIONS
37	Triage of the indeterminate thyroid aspirate: What are the options for the practicing cytopathologist?. <i>Cancer Cytopathology</i> , 2017, 125, 477-485.	1.4	23
38	Fine-Needle Aspiration of Primary Langerhans Cell Histiocytosis of the Thyroid Gland, a Potential Mimic of Papillary Thyroid Carcinoma. <i>Acta Cytologica</i> , 2013, 57, 406-412.	0.7	22
39	Macrofollicular Variant of Follicular Thyroid Carcinoma: A Rare Underappreciated Pitfall in the Diagnosis of Thyroid Carcinoma. <i>Thyroid</i> , 2020, 30, 72-80.	2.4	22
40	Identification of CHEK1, SLC26A4, c-KIT, TPO and TG as new biomarkers for human follicular thyroid carcinoma. <i>Oncotarget</i> , 2016, 7, 45776-45788.	0.8	22
41	The impact of non-invasive follicular thyroid neoplasm with papillary-like nuclear features (NIFTP) on the diagnosis of thyroid nodules. <i>Gland Surgery</i> , 2019, 8, S86-S97.	0.5	21
42	Thyroid FNA: International perspectives from the European Congress of Cytopathologyâ€”Can we cross the bridge of classifications?. <i>Cancer Cytopathology</i> , 2015, 123, 207-211.	1.4	17
43	Non-Neoplastic. , 2018, , 21-41.		17
44	Identification of Differential Transcriptional Patterns in Primary and Secondary Hyperparathyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 2189-2198.	1.8	17
45	Association of CD1aâ€”positive dendritic cells with papillary thyroid carcinoma in thyroid fineâ€”needle aspirations. <i>Cancer Cytopathology</i> , 2013, 121, 206-213.	1.4	16
46	Tumor-Associated Inflammatory Cells in Thyroid Carcinomas. <i>Surgical Pathology Clinics</i> , 2014, 7, 501-514.	0.7	16
47	<i>BRAF</i> <i>V600E</i> mutation is associated with aggressive features in papillary thyroid carcinomasâ€”1.5Åcm. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2021, 50, 63.	0.9	16
48	Cellular and molecular basis for thyroid cancer imaging in nuclear medicine. <i>Clinical and Translational Imaging</i> , 2013, 1, 149-161.	1.1	14
49	Well-Differentiated Follicular Patterned Tumors of the Thyroid With High-Grade Features Can Metastasize in the Absence of Capsular or Vascular Invasion. <i>International Journal of Surgical Pathology</i> , 2014, 22, 749-756.	0.4	13
50	Diffusion in prostate cancer detection on a 3T scanner: How many bâ€”values are needed?. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 601-609.	1.9	13
51	Giant Hemosiderotic Dermatofibroma: A Case Report and Review of the Literature. <i>Case Reports in Dermatology</i> , 2011, 3, 32-36.	0.3	12
52	Cytology of Primary Salivary Gland-Type Tumors of the Lower Respiratory Tract: Report of 15 Cases and Review of the Literature. <i>Frontiers in Medicine</i> , 2017, 4, 43.	1.2	12
53	Ectopic Thyroid Tissue in the Adrenal Gland. <i>Endocrine Pathology</i> , 2014, 25, 353-355.	5.2	11
54	Molecular testing for cytologically suspicious and malignant (Bethesda V and VI) thyroid nodules to optimize the extent of surgical intervention: a retrospective chart review. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2021, 50, 29.	0.9	11

#	ARTICLE	IF	CITATIONS
55	The American Thyroid Association (ATA) integrates molecular testing into its framework for managing patients with anaplastic thyroid carcinoma (ATC): Update on the 2021 ATA ATC guidelines. <i>Cancer Cytopathology</i> , 2022, 130, 174-180.	1.4	11
56	Mutational status may supersede tumor size in predicting the presence of aggressive pathologic features in well differentiated thyroid cancer. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2022, 51, 9.	0.9	11
57	The Milan System for Reporting Salivary Gland Cytopathology (MSRSGC): An ASC-IAC-Sponsored System for Reporting Salivary Gland Fine-Needle Aspiration. <i>Acta Cytologica</i> , 2018, 62, 157-165.	0.7	10
58	Thyroid Rosai-Dorfman disease with infiltration of IgG4-bearing plasma cells associated with multiple small pulmonary cysts. <i>BMC Pulmonary Medicine</i> , 2019, 19, 83.	0.8	10
59	A Noninvasive Encapsulated Macrofollicular Variant of Papillary Thyroid Carcinoma Presenting with Gross Lymph Node Metastasis: A Case Report and Literature Review. <i>Thyroid</i> , 2013, 23, 1178-1179.	2.4	9
60	Validation of molecular biomarkers for preoperative diagnostics of human papillary thyroid carcinoma in fine needle aspirates. <i>Gland Surgery</i> , 2019, 8, S62-S76.	0.5	9
61	Metastatic adenoid cystic carcinoma with high-grade transformation (dedifferentiation) in pleural effusion and neck lymph node: A diagnostic challenge on cytology?. <i>Diagnostic Cytopathology</i> , 2020, 48, 679-683.	0.5	9
62	<i>Neoplasms</i> , 2018, , 55-83.		8
63	Images in Endocrine Pathology: Psammomatoid Calcifications in Oncocytic Neoplasms of the Thyroid, a Potential Pitfall for Papillary Carcinoma. <i>Endocrine Pathology</i> , 2013, 24, 246-247.	5.2	7
64	MYB Is a Helpful Diagnostic Marker for Adenoid Cystic Carcinoma in Fine-Needle Aspiration Biopsy. <i>Archives of Pathology and Laboratory Medicine</i> , 2015, 139, 157-158.	1.2	7
65	Oncocytic Adrenocortical Neoplasm with Concomitant Papillary Thyroid Cancer. <i>Frontiers in Endocrinology</i> , 2018, 8, 384.	1.5	7
66	Active surveillance for low-risk small papillary thyroid cancer in North American countries: past, present and future (bridging the gap between North American and Asian practices). <i>Gland Surgery</i> , 2020, 9, 1685-1697.	0.5	7
67	Severe pneumonia due to <i>Parachlamydia acanthamoebae</i> following intranasal inoculation: a mice model. <i>Microbes and Infection</i> , 2015, 17, 755-760.	1.0	6
68	Follicular Variant of Papillary Thyroid Carcinoma: Distinct Biologic Behavior Based on Ultrasonographic Features. <i>Thyroid</i> , 2014, 24, 1067-1068.	2.4	5
69	Noninvasive Follicular Thyroid Neoplasm With Papillary-Like Nuclear Features With Focal Spindle Cell Metaplasia. <i>International Journal of Surgical Pathology</i> , 2018, 26, 261-265.	0.4	5
70	Thyroidectomy for Graves' Disease Predicts Postoperative Neck Hematoma and Hypocalcemia: A North American cohort study. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2022, 131, 341-351.	0.6	5
71	Application of the Milan system for reporting salivary gland cytopathology using cell blocks. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 481, 575-583.	1.4	5
72	Cervical lymph node metastasis of a micropapillary carcinoma of the bladder: A case report with fine-needle aspiration cytology and differential diagnosis. <i>Diagnostic Cytopathology</i> , 2013, 41, 617-619.	0.5	4

#	ARTICLE	IF	CITATIONS
73	Macrofollicular Variant of Follicular Thyroid Carcinoma: A Case Report. <i>Endocrine Pathology</i> , 2013, 24, 167-168.	5.2	4
74	Birefringent crystals in thyroid fineâ€ needle aspiration cytology. <i>Diagnostic Cytopathology</i> , 2016, 44, 814-815.	0.5	4
75	Immunocytochemistry for diagnostic cytopathologyâ€”A practical guide. <i>Cytopathology</i> , 2021, 32, 562-587.	0.4	4
76	Glomus tumor of kidney: differential diagnosis from juxtaglomerular cell tumor. <i>Human Pathology</i> , 2012, 43, 616.	1.1	3
77	Papillary thyroid microcarcinoma associated with metastasis and fatal outcome: is the microcarcinoma an incidental finding?. <i>Human Pathology</i> , 2013, 44, 1961.	1.1	3
78	Ancillary Studies for Salivary Gland Cytology. , 2018, , 139-155.		3
79	Are Bethesda III Thyroid Nodules More Aggressive than Bethesda IV Thyroid Nodules When Found to Be Malignant?. <i>Cancers</i> , 2020, 12, 2563.	1.7	3
80	Serum 25-hydroxyvitamin D level is unreliable as a risk factor and prognostic marker in papillary thyroid cancer. <i>Annals of Translational Medicine</i> , 2022, 10, 193-193.	0.7	3
81	Do we need PDâ€L1 as a biomarker for thyroid cytologic and histologic specimens?. <i>Cancer Cytopathology</i> , 2020, 128, 160-165.	1.4	2
82	Fineâ€ needle aspiration biopsy for the diagnosis of metastatic type B thymoma to lymph nodes: A case report. <i>Diagnostic Cytopathology</i> , 2014, 42, 683-685.	0.5	1
83	Cellular swirls and cellular swirlâ€like structures are not restricted to papillary thyroid carcinoma. <i>Diagnostic Cytopathology</i> , 2015, 43, 34-35.	0.5	1
84	Fever of unknown origin as the major manifestation of subacute thyroiditis. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2021, 2021, .	0.2	1
85	Subcategorizing salivary gland neoplasm of uncertain malignant potential (<scp>SUMP</scp>) in the Milan System for Reporting Salivary Gland Cytopathology. <i>Cancer Cytopathology</i> , 0, , .	1.4	1
86	Introduction to the Second Edition of the Bethesda System for Reporting Thyroid Cytopathology. , 2019, , 59-68.		0
87	RARE-22. GERMLINE PATHOGENIC VARIANT c.1552G>A;p.E518K IN DGCR8 CONFERS SUSCEPTIBILITY FOR SCHWANNOMATOSIS AND THYROID TUMORS. <i>Neuro-Oncology</i> , 2020, 22, iii447-iii447.	0.6	0
88	Molecular immunoâ€ imaging improves tumor detection in head and neck cancer. <i>FASEB Journal</i> , 2022, 36, e22092.	0.2	0