

Marc P Pusztaszeri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/713046/publications.pdf>

Version: 2024-02-01

88
papers

3,046
citations

186265

28
h-index

175258

52
g-index

90
all docs

90
docs citations

90
times ranked

3988
citing authors

#	ARTICLE	IF	CITATIONS
1	Thyroidectomy for Graves' Disease Predicts Postoperative Neck Hematoma and Hypocalcemia: A North American cohort study. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2022, 131, 341-351.	1.1	5
2	The American Thyroid Association (ATA) integrates molecular testing into its framework for managing patients with anaplastic thyroid carcinoma (ATC): Update on the 2021 ATA ATC guidelines. <i>Cancer Cytopathology</i> , 2022, 130, 174-180.	2.4	11
3	Serum 25-hydroxyvitamin D level is unreliable as a risk factor and prognostic marker in papillary thyroid cancer. <i>Annals of Translational Medicine</i> , 2022, 10, 193-193.	1.7	3
4	Mutational status may supersede tumor size in predicting the presence of aggressive pathologic features in well differentiated thyroid cancer. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2022, 51, 9.	1.9	11
5	Molecular immunoimaging improves tumor detection in head and neck cancer. <i>FASEB Journal</i> , 2022, 36, e22092.	0.5	0
6	Application of the Milan system for reporting salivary gland cytopathology using cell blocks. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 481, 575-583.	2.8	5
7	Fever of unknown origin as the major manifestation of subacute thyroiditis. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2021, 2021, .	0.5	1
8	Molecular testing for cytologically suspicious and malignant (Bethesda V and VI) thyroid nodules to optimize the extent of surgical intervention: a retrospective chart review. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2021, 50, 29.	1.9	11
9	Immunocytochemistry for diagnostic cytopathology—A practical guide. <i>Cytopathology</i> , 2021, 32, 562-587.	0.7	4
10	<i>BRAF</i> V600E mutation is associated with aggressive features in papillary thyroid carcinomas ≤1.5 cm. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2021, 50, 63.	1.9	16
11	Macrofollicular Variant of Follicular Thyroid Carcinoma: A Rare Underappreciated Pitfall in the Diagnosis of Thyroid Carcinoma. <i>Thyroid</i> , 2020, 30, 72-80.	4.5	22
12	Do we need PD-L1 as a biomarker for thyroid cytologic and histologic specimens?. <i>Cancer Cytopathology</i> , 2020, 128, 160-165.	2.4	2
13	Active surveillance for low-risk small papillary thyroid cancer in North American countries: past, present and future (bridging the gap between North American and Asian practices). <i>Gland Surgery</i> , 2020, 9, 1685-1697.	1.1	7
14	Are Bethesda III Thyroid Nodules More Aggressive than Bethesda IV Thyroid Nodules When Found to Be Malignant?. <i>Cancers</i> , 2020, 12, 2563.	3.7	3
15	The Role of the ThyroSeq v3 Molecular Test in the Surgical Management of Thyroid Nodules in the Canadian Public Health Care Setting. <i>Thyroid</i> , 2020, 30, 1280-1287.	4.5	40
16	Cytologic grading of primary malignant salivary gland tumors: A blinded review by an international panel. <i>Cancer Cytopathology</i> , 2020, 128, 392-402.	2.4	24
17	Metastatic adenoid cystic carcinoma with high-grade transformation (dedifferentiation) in pleural effusion and neck lymph node: A diagnostic challenge on cytology?. <i>Diagnostic Cytopathology</i> , 2020, 48, 679-683.	1.0	9
18	DGCR8 microprocessor defect characterizes familial multinodular goiter with schwannomatosis. <i>Journal of Clinical Investigation</i> , 2020, 130, 1479-1490.	8.2	31

#	ARTICLE	IF	CITATIONS
19	RARE-22. GERMLINE PATHOGENIC VARIANT c.1552G>A;p.E518K IN DGCR8 CONFERS SUSCEPTIBILITY FOR SCHWANNOMATOSIS AND THYROID TUMORS. <i>Neuro-Oncology</i> , 2020, 22, iii447-iii447.	1.2	0
20	Molecular mutations as a possible factor for determining extent of thyroid surgery. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2019, 48, 51.	1.9	39
21	The impact of non-invasive follicular thyroid neoplasm with papillary-like nuclear features (NIFTP) on the diagnosis of thyroid nodules. <i>Gland Surgery</i> , 2019, 8, S86-S97.	1.1	21
22	Validation of molecular biomarkers for preoperative diagnostics of human papillary thyroid carcinoma in fine needle aspirates. <i>Gland Surgery</i> , 2019, 8, S62-S76.	1.1	9
23	Introduction to the Second Edition of the Bethesda System for Reporting Thyroid Cytopathology. , 2019, , 59-68.		0
24	H2O2 Metabolism in Normal Thyroid Cells and in Thyroid Tumorigenesis: Focus on NADPH Oxidases. <i>Antioxidants</i> , 2019, 8, 126.	5.1	45
25	Thyroid Rosai-Dorfman disease with infiltration of IgG4-bearing plasma cells associated with multiple small pulmonary cysts. <i>BMC Pulmonary Medicine</i> , 2019, 19, 83.	2.0	10
26	Application of the Milan System for Reporting Submandibular Gland Cytopathology: An international, multi-institutional study. <i>Cancer Cytopathology</i> , 2019, 127, 306-315.	2.4	45
27	Salivary Gland Fine Needle Aspiration and Introduction of the Milan Reporting System. <i>Advances in Anatomic Pathology</i> , 2019, 26, 84-92.	4.3	48
28	The Milan System for Reporting Salivary Gland Cytopathology (MSRSGC): an ASC-IAC-sponsored system for reporting salivary gland fine-needle aspiration. <i>Journal of the American Society of Cytopathology</i> , 2018, 7, 111-118.	0.5	63
29	MRI with DWI for the Detection of Posttreatment Head and Neck Squamous Cell Carcinoma: Why Morphologic MRI Criteria Matter. <i>American Journal of Neuroradiology</i> , 2018, 39, 748-755.	2.4	34
30	Non-Neoplastic. , 2018, , 21-41.		17
31	Neoplasm. , 2018, , 55-83.		8
32	Ancillary Studies for Salivary Gland Cytology. , 2018, , 139-155.		3
33	Noninvasive Follicular Thyroid Neoplasm With Papillary-Like Nuclear Features With Focal Spindle Cell Metaplasia. <i>International Journal of Surgical Pathology</i> , 2018, 26, 261-265.	0.8	5
34	Application of the Milan system for reporting risk stratification in salivary gland cytopathology. <i>Cancer Cytopathology</i> , 2018, 126, 69-70.	2.4	38
35	Local recurrence of squamous cell carcinoma of the head and neck after radio(chemo)therapy: Diagnostic performance of FDG-PET/MRI with diffusion-weighted sequences. <i>European Radiology</i> , 2018, 28, 651-663.	4.5	56
36	The Milan System for Reporting Salivary Gland Cytopathology (MSRSGC): An ASC-IAC-Sponsored System for Reporting Salivary Gland Fine-Needle Aspiration. <i>Acta Cytologica</i> , 2018, 62, 157-165.	1.3	10

#	ARTICLE	IF	CITATIONS
37	Oncocytic Adrenocortical Neoplasm with Concomitant Papillary Thyroid Cancer. <i>Frontiers in Endocrinology</i> , 2018, 8, 384.	3.5	7
38	Identification of Differential Transcriptional Patterns in Primary and Secondary Hyperparathyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 2189-2198.	3.6	17
39	Update on the cytologic features of papillary thyroid carcinoma variants. <i>Diagnostic Cytopathology</i> , 2017, 45, 714-730.	1.0	43
40	Triage of the indeterminate thyroid aspirate: What are the options for the practicing cytopathologist?. <i>Cancer Cytopathology</i> , 2017, 125, 477-485.	2.4	23
41	Columnar cell variant of papillary thyroid carcinoma: Cytomorphological characteristics of 11 cases with histological correlation and literature review. <i>Cancer Cytopathology</i> , 2017, 125, 389-397.	2.4	32
42	FNA biopsy of secondary nonlymphomatous malignancies in salivary glands: A multi-institutional study of 184 cases. <i>Cancer Cytopathology</i> , 2017, 125, 91-103.	2.4	28
43	Apparent Diffusion Coefficient Histograms of Human Papillomavirus-Positive and Human Papillomavirus-Negative Head and Neck Squamous Cell Carcinoma: Assessment of Tumor Heterogeneity and Comparison with Histopathology. <i>American Journal of Neuroradiology</i> , 2017, 38, 2153-2160.	2.4	60
44	The Milan System for Reporting Salivary Gland Cytopathology: Analysis and suggestions of initial survey. <i>Cancer Cytopathology</i> , 2017, 125, 757-766.	2.4	138
45	Why Do Parotid Pleomorphic Adenomas Recur? A Systematic Review of Pathological and Surgical Variables. <i>Frontiers in Surgery</i> , 2017, 4, 26.	1.4	42
46	Cytology of Primary Salivary Gland-Type Tumors of the Lower Respiratory Tract: Report of 15 Cases and Review of the Literature. <i>Frontiers in Medicine</i> , 2017, 4, 43.	2.6	12
47	Salivary gland FNA: New markers and new opportunities for improved diagnosis. <i>Cancer Cytopathology</i> , 2016, 124, 307-316.	2.4	37
48	Birefringent crystals in thyroid fine-needle aspiration cytology. <i>Diagnostic Cytopathology</i> , 2016, 44, 814-815.	1.0	4
49	The Bethesda System for Reporting Thyroid Cytopathology: proposed modifications and updates for the second edition from an international panel. <i>Journal of the American Society of Cytopathology</i> , 2016, 5, 245-251.	0.5	23
50	The Bethesda System for Reporting Thyroid Cytopathology: Proposed Modifications and Updates for the Second Edition from an International Panel. <i>Acta Cytologica</i> , 2016, 60, 399-405.	1.3	110
51	Diffusion in prostate cancer detection on a 3T scanner: How many b-values are needed?. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 601-609.	3.4	13
52	Impact of reclassifying noninvasive follicular variant of papillary thyroid carcinoma on the risk of malignancy in The Bethesda System for Reporting Thyroid Cytopathology. <i>Cancer Cytopathology</i> , 2016, 124, 181-187.	2.4	266
53	Identification of CHEK1, SLC26A4, c-KIT, TPO and TG as new biomarkers for human follicular thyroid carcinoma. <i>Oncotarget</i> , 2016, 7, 45776-45788.	1.8	22
54	BRAF testing and thyroid FNA. <i>Cancer Cytopathology</i> , 2015, 123, 689-695.	2.4	23

#	ARTICLE	IF	CITATIONS
55	Cellular swirls and cellular swirl-like structures are not restricted to papillary thyroid carcinoma. <i>Diagnostic Cytopathology</i> , 2015, 43, 34-35.	1.0	1
56	Fine-needle aspiration biopsy of secondary neoplasms of the thyroid gland: A multi-institutional study of 62 cases. <i>Cancer Cytopathology</i> , 2015, 123, 19-29.	2.4	73
57	Severe pneumonia due to <i>Parachlamydia acanthamoebae</i> following intranasal inoculation: a mice model. <i>Microbes and Infection</i> , 2015, 17, 755-760.	1.9	6
58	Thyroid FNA: International perspectives from the European Congress of Cytopathology-Can we cross the bridge of classifications?. <i>Cancer Cytopathology</i> , 2015, 123, 207-211.	2.4	17
59	MYB Is a Helpful Diagnostic Marker for Adenoid Cystic Carcinoma in Fine-Needle Aspiration Biopsy. <i>Archives of Pathology and Laboratory Medicine</i> , 2015, 139, 157-158.	2.5	7
60	Cytologic evaluation of cervical lymph node metastases from cancers of unknown primary origin. <i>Seminars in Diagnostic Pathology</i> , 2015, 32, 32-41.	1.5	35
61	Update in salivary gland cytopathology: Recent molecular advances and diagnostic applications. <i>Seminars in Diagnostic Pathology</i> , 2015, 32, 264-274.	1.5	63
62	Identification of new biomarkers for human papillary thyroid carcinoma employing NanoString analysis. <i>Oncotarget</i> , 2015, 6, 10978-10993.	1.8	24
63	Fine-needle aspiration biopsy for the diagnosis of metastatic type B thymoma to lymph nodes: A case report. <i>Diagnostic Cytopathology</i> , 2014, 42, 683-685.	1.0	1
64	FNAB of benign thyroid nodules with papillary hyperplasia: A cytological and histological evaluation. <i>Cancer Cytopathology</i> , 2014, 122, 666-677.	2.4	26
65	Update on the Cytologic and Molecular Features of Medullary Thyroid Carcinoma. <i>Advances in Anatomic Pathology</i> , 2014, 21, 26-35.	4.3	86
66	Ectopic Thyroid Tissue in the Adrenal Gland. <i>Endocrine Pathology</i> , 2014, 25, 353-355.	9.0	11
67	Tumor-Associated Inflammatory Cells in Thyroid Carcinomas. <i>Surgical Pathology Clinics</i> , 2014, 7, 501-514.	1.7	16
68	CD117: A novel ancillary marker for papillary thyroid carcinoma in fine-needle aspiration biopsies. <i>Cancer Cytopathology</i> , 2014, 122, 596-603.	2.4	23
69	MYB immunostaining is a useful ancillary test for distinguishing adenoid cystic carcinoma from pleomorphic adenoma in fine-needle aspiration biopsy specimens. <i>Cancer Cytopathology</i> , 2014, 122, 257-265.	2.4	50
70	Follicular Variant of Papillary Thyroid Carcinoma: Distinct Biologic Behavior Based on Ultrasonographic Features. <i>Thyroid</i> , 2014, 24, 1067-1068.	4.5	5
71	Well-Differentiated Follicular Patterned Tumors of the Thyroid With High-Grade Features Can Metastasize in the Absence of Capsular or Vascular Invasion. <i>International Journal of Surgical Pathology</i> , 2014, 22, 749-756.	0.8	13
72	Cervical lymph node metastasis of a micropapillary carcinoma of the bladder: A case report with fine-needle aspiration cytology and differential diagnosis. <i>Diagnostic Cytopathology</i> , 2013, 41, 617-619.	1.0	4

#	ARTICLE	IF	CITATIONS
73	Images in Endocrine Pathology: Psammomatoid Calcifications in Oncocytic Neoplasms of the Thyroid, a Potential Pitfall for Papillary Carcinoma. Endocrine Pathology, 2013, 24, 246-247.	9.0	7
74	Macrofollicular Variant of Follicular Thyroid Carcinoma: A Case Report. Endocrine Pathology, 2013, 24, 167-168.	9.0	4
75	Cellular and molecular basis for thyroid cancer imaging in nuclear medicine. Clinical and Translational Imaging, 2013, 1, 149-161.	2.1	14
76	Papillary thyroid microcarcinoma associated with metastasis and fatal outcome: is the microcarcinoma an incidental finding?. Human Pathology, 2013, 44, 1961.	2.0	3
77	Adenosquamous carcinoma of the head and neck: report of 20 cases and review of the literature. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2013, 116, 313-320.	0.4	37
78	Fine-Needle Aspiration of Primary Langerhans Cell Histiocytosis of the Thyroid Gland, a Potential Mimic of Papillary Thyroid Carcinoma. Acta Cytologica, 2013, 57, 406-412.	1.3	22
79	Circadian Clock Characteristics Are Altered in Human Thyroid Malignant Nodules. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 4446-4456.	3.6	74
80	A Noninvasive Encapsulated Macrofollicular Variant of Papillary Thyroid Carcinoma Presenting with Gross Lymph Node Metastasis: A Case Report and Literature Review. Thyroid, 2013, 23, 1178-1179.	4.5	9
81	Association of CD1aâ€positive dendritic cells with papillary thyroid carcinoma in thyroid fineâ€needle aspirations. Cancer Cytopathology, 2013, 121, 206-213.	2.4	16
82	Riedel's Thyroiditis with Increased IgG4 Plasma Cells: Evidence for an Underlying IgG4-Related Sclerosing Disease?. Thyroid, 2012, 22, 964-968.	4.5	58
83	Clonus tumor of kidney: differential diagnosis from juxtaglomerular cell tumor. Human Pathology, 2012, 43, 616.	2.0	3
84	Giant Hemosiderotic Dermatofibroma: A Case Report and Review of the Literature. Case Reports in Dermatology, 2011, 3, 32-36.	0.8	12
85	Histopathological study of breast cancer and normal breast tissue after magnetic resonance-guided cryotherapy ablation. Cryobiology, 2007, 55, 44-51.	0.7	41
86	Immunohistochemical Expression of Endothelial Markers CD31, CD34, von Willebrand Factor, and Fli-1 in Normal Human Tissues. Journal of Histochemistry and Cytochemistry, 2006, 54, 385-395.	2.5	680
87	Ultrasound Measurement of the Fibrous Cap in Symptomatic and Asymptomatic Atheromatous Carotid Plaques. Circulation, 2005, 111, 2776-2782.	1.6	47
88	Subcategorizing salivary gland neoplasm of uncertain malignant potential (<scp>SUMP</scp>) in the Milan System for Reporting Salivary Gland Cytopathology. Cancer Cytopathology, 0, , .	2.4	1