

Haydn M Prosser

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7131924/publications.pdf>

Version: 2024-02-01

19
papers

1,597
citations

759233

12
h-index

996975

15
g-index

19
all docs

19
docs citations

19
times ranked

3349
citing authors

#	ARTICLE	IF	CITATIONS
1	Hearing impairment due to <i>Mir183/96/182</i> mutations suggests both loss-of-function and gain-of-function effects. <i>DMM Disease Models and Mechanisms</i> , 2021, 14, .	2.4	14
2	Loss of miR-183/96 Alters Synaptic Strength via Presynaptic and Postsynaptic Mechanisms at a Central Synapse. <i>Journal of Neuroscience</i> , 2021, 41, 6796-6811.	3.6	9
3	<i>miR-200</i> deficiency promotes lung cancer metastasis by activating Notch signaling in cancer-associated fibroblasts. <i>Genes and Development</i> , 2021, 35, 1109-1122.	5.9	35
4	Mesenchyme-derived IGF2 is a major paracrine regulator of pancreatic growth and function. <i>PLoS Genetics</i> , 2020, 16, e1009069.	3.5	15
5	Mesenchyme-derived IGF2 is a major paracrine regulator of pancreatic growth and function. , 2020, 16, e1009069.		0
6	Mesenchyme-derived IGF2 is a major paracrine regulator of pancreatic growth and function. , 2020, 16, e1009069.		0
7	Mesenchyme-derived IGF2 is a major paracrine regulator of pancreatic growth and function. , 2020, 16, e1009069.		0
8	Mesenchyme-derived IGF2 is a major paracrine regulator of pancreatic growth and function. , 2020, 16, e1009069.		0
9	Contribution of postsynaptic $\text{T}\ddot{\text{a}}\text{C}$ type calcium channels to parallel fibre P urkinje cell synaptic responses. <i>Journal of Physiology</i> , 2016, 594, 915-936.	2.9	15
10	Genetic and hypoxic alterations of the micro R NA I SCU I /2 axis promote iron S ulfur deficiency and pulmonary hypertension. <i>EMBO Molecular Medicine</i> , 2015, 7, 695-713.	6.9	120
11	MiR-210 Is Induced by Oct-2, Regulates B Cells, and Inhibits Autoantibody Production. <i>Journal of Immunology</i> , 2013, 191, 3037-3048.	0.8	48
12	Multi-isotope imaging mass spectrometry reveals slow protein turnover in hair-cell stereocilia. <i>Nature</i> , 2012, 481, 520-524.	27.8	210
13	A resource of vectors and ES cells for targeted deletion of microRNAs in mice. <i>Nature Biotechnology</i> , 2011, 29, 840-845.	17.5	92
14	The $\text{C}\text{a}^{\text{V}}3.3$ calcium channel is the major sleep spindle pacemaker in thalamus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 13823-13828.	7.1	180
15	Agouti C57BL/6N embryonic stem cells for mouse genetic resources. <i>Nature Methods</i> , 2009, 6, 493-495.	19.0	340
16	Mosaic Complementation Demonstrates a Regulatory Role for Myosin VIIa in Actin Dynamics of Stereocilia. <i>Molecular and Cellular Biology</i> , 2008, 28, 1702-1712.	2.3	71
17	Prokineticin receptor 2 (<i>Prokr2</i>) is essential for the regulation of circadian behavior by the suprachiasmatic nuclei. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 648-653.	7.1	128
18	Olfactory bulb hypoplasia in <i>Prokr2</i> null mice stems from defective neuronal progenitor migration and differentiation. <i>European Journal of Neuroscience</i> , 2007, 26, 3339-3344.	2.6	60

#	ARTICLE	IF	CITATIONS
19	Epileptogenesis and Enhanced Prepulse Inhibition in GABAB1-Deficient Mice. <i>Molecular and Cellular Neurosciences</i> , 2001, 17, 1059-1070.	2.2	260