Jae-Hoon Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7132758/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prognostic Value of Metabolic Tumor Volume and Total Lesion Glycolysis on Preoperative ¹⁸ F-FDG PET/CT in Patients with Pancreatic Cancer. Journal of Nuclear Medicine, 2014, 55, 898-904.	2.8	173
2	The Role of 18 F-FDG PET/CT in Assessing Therapy Response in Cervix Cancer after Concurrent Chemoradiation Therapy. Nuclear Medicine and Molecular Imaging, 2014, 48, 130-136.	0.6	34
3	Prognostic Significance of Volume-Based FDG PET/CT Parameters in Patients with Locally Advanced Pancreatic Cancer Treated with Chemoradiation Therapy. Yonsei Medical Journal, 2014, 55, 1498.	0.9	32
4	The diagnostic ability of 18F-FDG PET/CT for mediastinal lymph node staging using 18F-FDG uptake and volumetric CT histogram analysis in non-small cell lung cancer. European Radiology, 2016, 26, 4515-4523.	2.3	24
5	Temporal trajectories of in vivo tau and amyloid-β accumulation in Alzheimer's disease. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 2879-2886.	3.3	24
6	Relationship Between 18F-Fluorodeoxyglucose Uptake and V-Ki-Ras2 Kirsten Rat Sarcoma Viral Oncogene Homolog Mutation in Colorectal Cancer Patients. Medicine (United States), 2016, 95, e2236.	0.4	19
7	ls there an additive value of 18 F-FDG PET-CT to CT/MRI for detecting nodal metastasis in oropharyngeal squamous cell carcinoma patients with palpably negative neck?. Acta Radiologica, 2016, 57, 1352-1359.	0.5	18
8	PET quantification of brain O-GlcNAcase with [18F]LSN3316612 in healthy human volunteers. EJNMMI Research, 2020, 10, 20.	1.1	16
9	Impact of subcutaneous and visceral fat adiposity in patients with colorectal cancer. Clinical Nutrition, 2021, 40, 5631-5638.	2.3	15
10	Synthesis and Screening in Mice of Fluorine-Containing PET Radioligands for TSPO: Discovery of a Promising ¹⁸ F-Labeled Ligand. Journal of Medicinal Chemistry, 2021, 64, 16731-16745.	2.9	15
11	Supraclavicular Lymph Nodes Detected by18F-FDG PET/CT in Cancer Patients: Assessment With18F-FDG PET/CT and Sonography. American Journal of Roentgenology, 2012, 198, 187-193.	1.0	14
12	Significance of Metabolic Tumor Volume and Total Lesion Glycolysis Measured Using ¹⁸ F-FDG PET/CT in Locally Advanced and Metastatic Gallbladder Carcinoma. Yonsei Medical Journal, 2019, 60, 604.	0.9	12
13	Association of Albumin-Bilirubin Grade and Myosteatosis with its Prognostic Significance for Patients with Colorectal Cancer. Annals of Surgical Oncology, 2022, 29, 3868-3876.	0.7	12
14	Comparison of standardized uptake value of 18F-FDG-PET-CT with 21-gene recurrence score in estrogen receptor-positive, HER2-negative breast cancer. PLoS ONE, 2017, 12, e0175048.	1.1	11
15	Prognostic Value of Metabolic Activity Measured by 18F-FDG PET/CT in Patients with Advanced Endometrial Cancer. Nuclear Medicine and Molecular Imaging, 2013, 47, 257-262.	0.6	10
16	¹⁸ <scp>F</scp> â€ <scp>FDG PET</scp> â€ <scp>CT</scp> as a supplement to <scp>CT</scp> / <scp>MRI</scp> for detection of nodal metastasis in hypopharyngeal <scp>SCC</scp> with palpably negative neck. Laryngoscope, 2015, 125, 1607-1612.	1.1	10
17	Radiomics Features of 18F-Fluorodeoxyglucose Positron-Emission Tomography as a Novel Prognostic Signature in Colorectal Cancer. Cancers, 2021, 13, 392.	1.7	10
18	InÂVivo Evaluation of 6 Analogs of ¹¹ C-ER176 as Candidate ¹⁸ F-Labeled Radioligands for 18-kDa Translocator Protein. Journal of Nuclear Medicine, 2022, 63, 1252-1258.	2.8	10

Jae-Hoon Lee

#	Article	IF	CITATIONS
19	Effects of hypothyroidism on serotonin 1A receptors in the rat brain. Psychopharmacology, 2018, 235, 729-736.	1.5	6
20	Elevated Neutrophil-to-Lymphocyte Ratio in Perioperative Periods is Suggestive of Poor Prognosis in Patients with Colorectal Cancer. Journal of Inflammation Research, 2021, Volume 14, 4457-4466.	1.6	5
21	Association of Body Mass Index with Survival in Asian Patients with Colorectal Cancer. Cancer Research and Treatment, 2022, 54, 860-872.	1.3	5
22	Prognostic significance of bone marrow and spleen 18F-FDG uptake in patients with colorectal cancer. Scientific Reports, 2021, 11, 12137.	1.6	4
23	Optimal timing of [18 F]Mefway PET for imaging the serotonin 1A receptor in healthy male subjects. Applied Radiation and Isotopes, 2016, 107, 127-132.	0.7	3
24	Visual Rating and Computer-Assisted Analysis of FDG PET in the Prediction of Conversion to Alzheimer's Disease in Mild Cognitive Impairment. Molecular Diagnosis and Therapy, 2018, 22, 475-483.	1.6	3
25	Region- and voxel-based quantification in human brain of [18F]LSN3316612, a radioligand for O-GlcNAcase. EJNMMI Research, 2021, 11, 35.	1.1	2
26	Different prognostic impact of glucose uptake in visceral adipose tissue according to sex in patients with colorectal cancer. Scientific Reports, 2021, 11, 21556.	1.6	2
27	ASO Visual Abstract: Association Between Albumin–Bilirubin Grade and Myosteatosis and Its Prognostic Significance for Patients with Colorectal Cancer. Annals of Surgical Oncology, 2022, , .	0.7	2
28	Fixed prosthesis with a milled bar for correcting misangled implants: A clinical report. Journal of Prosthetic Dentistry, 2007, 97, 129-132.	1.1	1
29	Prognostic value of metabolic tumor volume and total lesion glycolysis on preoperative 18F-FDG PET/CT in patients with pancreatic cancer Journal of Clinical Oncology, 2014, 32, 190-190.	0.8	1
30	The Clinical Impact of Combining Neutrophil-to-Lymphocyte Ratio with Sarcopenia for Improved Discrimination of Progression-Free Survival in Patients with Colorectal Cancer. Journal of Clinical Medicine, 2022, 11, 431.	1.0	1
31	Red nail folds and Gottron's sign in a patient with leukemic infiltration of pelvic muscles. JDDG - Journal of the German Society of Dermatology, 2015, 13, 581-582.	0.4	0
32	Rote Nagelfalze und Gottron-Zeichen bei einem Patienten mit leukÃmischer Infiltration der Beckenmuskulatur. JDDG - Journal of the German Society of Dermatology, 2015, 13, 581-583.	0.4	0