Kazuo Kadowaki

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7132768/publications.pdf

Version: 2024-02-01

314 papers

16,461 citations

28736 57 h-index 123 g-index

314 all docs

314 docs citations

314 times ranked

5586 citing authors

#	Article	IF	CITATIONS
1	Characteristic terahertz absorption spectra of paramylon and paramylon-ester compounds. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2021, 244, 118828.	2.0	18
2	Study of Radiation Characteristics of Intrinsic Josephson Junction Terahertz Emitters with Different Thickness of Bi2Sr2CaCu2O8+Î′Crystals. Materials, 2021, 14, 1135.	1.3	4
3	Design and characterization of microstrip patch antennas for high-T _c superconducting terahertz emitters. Optics Express, 2021, 29, 16980.	1.7	5
4	Experimental validation of a microstrip antenna model for high- $\langle i \rangle T \langle i \rangle \langle i \rangle c \langle i \rangle$ superconducting terahertz emitters. Journal of Applied Physics, 2021, 129, .	1.1	3
5	Millimeter-Wave-to-Terahertz Superconducting Plasmonic Waveguides for Integrated Nanophotonics at Cryogenic Temperatures. Materials, 2021, 14, 4291.	1.3	3
6	Fabrication of Bi $\{2\}$ Sr $\{2\}$ CaCu $\{2\}$ SO $\{8+x\}$ \$ <i>ab</i> Plane Josephson Junctions by a Focused Helium Ion Beam. IEEE Transactions on Applied Superconductivity, 2021, 31, 1-4.	1.1	4
7	Investigation of wet etching solutions and method for thicker stand alone type of mesa structures of Bi2212 single crystals. Japanese Journal of Applied Physics, 2021, 60, 126501.	0.8	4
8	Molecular vibration and Boson peak analysis of glucose polymers and ester via terahertz spectroscopy. Carbohydrate Polymers, 2020, 232, 115789.	5.1	12
9	Stacked Intrinsic Josephson Junction Bi2 Sr2 CaCu2 O8 Terahertz Sources: Design Issues for Achieving High Power Output Close to Tc., 2020, , .		0
10	Integrated, Portable, Tunable, and Coherent Terahertz Sources and Sensitive Detectors Based on Layered Superconductors. Proceedings of the IEEE, 2020, 108, 721-734.	16.4	50
11	Liquid helium-free high- <i>T</i> _c superconducting terahertz emission system and its applications. Japanese Journal of Applied Physics, 2020, 59, 105004.	0.8	6
12	Boson Peak Analysis of Glucose Polymers via Terahertz Time-Domain Spectroscopy., 2020,,.		0
13	Cavity modes in broadly tunable superconducting coherent terahertz sources. Journal of Physics: Conference Series, 2019, 1182, 012011.	0.3	10
14	High- <i>T</i> c superconducting THz emitters fabricated by wet etching. AIP Advances, 2019, 9, .	0.6	8
15	Attractive interaction between superconducting vortices in tilted magnetic fields. Communications Physics, 2019, 2, .	2.0	9
16	Unusual 209Bi NMR quadrupole effects in topological insulator Bi2Se3. Journal of Magnetic Resonance, 2019, 302, 34-42.	1.2	7
17	Superconducting and tetragonal-to-orthorhombic transitions in single crystals of <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:msub><mml:mi>FeSe</mml:mi><mml:math< td=""><td>ıl:mrow><ı</td><td>mml:mn>1</td></mml:math<></mml:msub></mml:mrow></mml:math>	ıl:mrow><ı	mml:mn>1

#	Article	IF	CITATIONS
19	Improved excitation mode selectivity of high-Tc superconducting terahertz emitters. Journal of Applied Physics, 2018, 124, .	1.1	20
20	Transport and structural properties of Cu _{0.25} Bi ₂ (Te <i>_x</i> Se _{1â^'} <i>_x</i>) ₃	/su b	x
21	Cavity mode enhancement of terahertz emission from equilateral triangular microstrip antennas of the high- <i>T</i> _c superconductor Bi ₂ Sr ₂ CaCu ₂ O _{8 +<i>Î</i>} . Journal of Physics Condensed Matter, 2017, 29, 015601.	0.7	29
22	High-resolution Thermal Micro-imaging Using Europium Chelate Luminescent Coatings. Journal of Visualized Experiments, $2017, \ldots$	0.2	0
23	Thermoreflectance microscopy measurements of the Joule heating characteristics of high-Tc superconducting terahertz emitters. Journal of Applied Physics, 2017, 122, .	1.1	10
24	Terahertz emission from the intrinsic Josephson junctions of high-symmetry thermally-managed Bi ₂ Sr ₂ CaCu ₂ O _{8+<i>I´</i>} microstrip antennas. IOP Conference Series: Materials Science and Engineering, 2017, 279, 012017.	0.3	13
25	Electrical potential distribution in terahertz-emitting rectangular mesa devices of high- high- b> <i>T_c</i> Bi ₂ Sr ₂ CaCu ₂ O\${}_{8+delta}\$. Superconductor Science and Tenhineth, 2016, 29, 065022.	1.8	13
26	xmlns:mml="http://www.w3.org/1998/Math/MathML"> <mml:mmultiscripts><mml:mi>Se</mml:mi><mml:mpre></mml:mpre><mml:none></mml:none><mml:mn>77</mml:mn></mml:mmultiscripts> nuclear magnetic resonance of topological insulator <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:msub><mml:mi>Bi</mml:mi><mml:r< td=""><td>1.1</td><td>17</td></mml:r<></mml:msub></mml:mrow></mml:math>	1.1	17
27	Physical Review B, 2016, 93, . Cavity mode identification for coherent terahertz emission from high-Tc superconductors. Optics Express, 2016, 24, 4591.	1.7	24
28	Applications using high-Tc superconducting terahertz emitters. Scientific Reports, 2016, 6, 23178.	1.6	30
29	Isovalent Substitution Effect of P to as on Magnetic Characteristics of EuFe2(As1â°'xPx)2 Single Crystals. Physics Procedia, 2015, 75, 192-199.	1.2	O
30	A high-Tc intrinsic Josephson junction emitter tunable from 0.5 to 2.4 terahertz. Applied Physics Letters, 2015, 107, .	1.5	65
31	Effect of Bias Electrode Position on Terahertz Radiation From Pentagonal Mesas of Superconducting & lt;formula formulatype="inline"> <tex notation="TeX">\${hbox{Bi}}_{2}{hbox{Sr}}_{2}{hbox{CaCu}}_{2}{hbox{O}}_{8+delta}\$</tex> <:/formula>. IEEE Transactions on Terahertz Science and Technology, 2015, 5, 505-511.	2.0	26
32	Generation of electromagnetic waves from 0.3 to 1.6 terahertz with a high-Tc superconducting Bi2Sr2CaCu2O8+ <i>î'</i> intrinsic Josephson junction emitter. Applied Physics Letters, 2015, 106, .	1.5	65
33	Broadly tunable, high-power terahertz radiation up to 73 K from a stand-alone Bi2Sr2CaCu2O8+ <i>δ</i> mesa. Applied Physics Letters, 2014, 105, .	1.5	45
34	Local SiC photoluminescence evidence of hot spot formation and sub-THz coherent emission from a rectangular <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msub><mml:mrow><mml:mtext>Bi</mml:mtext>Physical Review B, 2014, 89, .</mml:mrow></mml:msub></mml:math>	<td>ow><mml:mn< td=""></mml:mn<></td>	ow> <mml:mn< td=""></mml:mn<>
35	Josephson effect in Al/Bi2Se3/Al coplanar hybrid devices. Physica C: Superconductivity and Its Applications, 2014, 503, 162-165.	0.6	7
36	Terahertz Oscillating Devices Based Upon the Intrinsic Josephson Junctions in a High Temperature Superconductor. Journal of Infrared, Millimeter, and Terahertz Waves, 2014, 35, 131-146.	1.2	26

Spectral Investigation of hot spot and cavity resonance effects on the terahettz rodation from high-of-of-of-of-ot-ot-ot-ot-ot-ot-ot-ot-ot-ot-ot-ot-ot-	#	Article	IF	CITATIONS
activated flux flow activation energy in polycrystalline CeFeAsO 1-x F x superconductors. Physica C: Superconductivity and its Applications, 2014, 507, 35-2 Magneto-resistance study of AFe-(SUB align="right">22 (A - Sr., Ba) inon-based Compounds. International Journal of Nanotechnology, 2014, 11, 403. Ountrum terahertz electronics (QTE) using coherent radiation from high temperature superconducting BDS-2CaCau2O8+I intrinsic Josephson junctions. Physica C: Superconductivity and Its Applications, 2013, 491, 2-6. Study of coherent and continuous terahertz wave emission in equilateral triangular meass of superconducting BDS-2CaCau2O8+I intrinsic Josephson junctions. Physica C: Superconductivity and Its Applications, 2013, 491, 16-19. Modeling the electromagnetic cavity mode contributions to the THz emission from triangular Bi2Sr2CaCu2O8+I meass. Physica C: Superconductivity and Its Applications, 2013, 491, 30-34. Effects of magnetic fields on the coherent THz emission from meass of single crystal Bi2Sr2CaCu2O8+I. Physica C: Superconductivity and Its Applications, 2013, 494, 117-120. 6.6 9 Effects of magnetic fields on the coherent THz emission from meass of single crystal Bi2Sr2CaCu2O8+I. Physica C: Superconductivity and Its Applications, 2013, 494, 117-120. 6.6 9 Cossouer from crossing to titled vortex phase in Bi2Sr2CaCu2O8+I single crystals near ab-plane. Physica C: Superconductivity and Its Applications, 2013, 484, 77-80. 6. 0 An analysis of three dimensional radiation patterns from intrinsic Josephson junctions with hot spot. Physica C: Superconductivity and Its Applications, 2013, 494, 117-120. 6. 2 Tunable terahertz emission from the intrinsic Josephson junctions in acute isosceles triangular Bi2Sr2CaCu2O8-Bi measu. Optics Express, 2013, 191, 35-39. 6. 2 Continuous 306C%aliaW terahertz source by a high-critical substances. Direct imaging of hot spots in Bi2Sr2CaCu2O8-I meas terahertz sources. Journal of Applied Physics, 2013, 113, 113. 6. 2 Continuous 306C%aliaW terahertz source by a high-cr	37	high- <i>T</i> <sūb>csuperconducting Bi₂Sr₂CaCu₂O_{8+<i>î´</i>}mesas. Journal of Physics</sūb>	0.7	35
Compounds. International Journal of Nanotechnology, 2014, 11, 403. Quantum trahentz electronics (QTE) using coherent radiation from high temperature superconducting Bi25/2CaCu2084F intrinsic losephson junctions. Physica C: Superconductivity and its Applications, 2013, 491, 2-6. Study of coherent and continuous terahertz wave emission in equilateral trangular mesas of superconducting Bi25/2CaCu2084F intrinsic Josephson junctions. Physica C: Superconductivity and Its Applications, 2013, 491, 16-19. Modeling the electromagnetic cavity mode contributions to the THz emission from triangular Bi25/2CaCu2084F mesas. Physica C: Superconductivity and Its Applications, 2013, 491, 30-34. Modeling the electromagnetic cavity mode contributions to the THz emission from triangular Bi25/2CaCu2084F mesas. Physica C: Superconductivity and Its Applications, 2013, 491, 30-34. Cuperconducting emitters of THz radiation. Nature Photonics, 2013, 7, 702-710. Effects of magnetic fields on the coherent THz emission from mesas of single crystal Bi25/2CaCu2084F. Physica C: Superconductivity and Its Applications, 2013, 494, 117-120. Crossover from crossing to tilted vortex phase in Bi25/2CaCu2084F single crystals near ab plane. Physica C: Superconductivity and Its Applications, 2013, 484, 77-80. An analysis of three dimensional radiation patterns from intrinsic Josephson Junctions with hot spot. Physica C: Superconductivity and Its Applications, 2013, 491, 35-39. An analysis of three dimensional radiation patterns from intrinsic Josephson Junctions with hot spot. Physica C: Superconductivity and Its Applications, 2013, 491, 35-39. Tunable terahertz emission from the intrinsic Josephson Junctions in acute isosceles triangular Bi_Zsr_ZcaCu_Zo_8+i mesas. Optics Express, 2013, 21, 2171. Large low-temperature magnetoresistance in SrFe _{Zs/Sub> 2s sub>Zs/Sub> single crystals. 0.7 In Europhysics Letters, 2013, 104, 17002. Direct imaging of hot spots in Bi2Sr2CaCu_Zo_8+i mesa terahertz sources. Journal of Applied Physics, 2013, 103.}	38	activated flux flow activation energy in polycrystalline CeFeAsO 1- x F x superconductors. Physica C:	0.6	8
superconducting B125r/2caCu208+l' intrinsic Josephson Junctions. Physica C: Superconductivity and its Applications, 2013, 491, 2-6. Study of coherent and continuous terahertz wave emission in equilateral triangular mesas of superconducting B125r/2caCu208+l' intrinsic Josephson Junctions. Physica C: Superconductivity and its Applications, 2013, 491, 16-19. Modeling the electromagnetic cavity mode contributions to the THz emission from triangular B125r/2caCu208+l' mesas. Physica C: Superconductivity and its Applications, 2013, 491, 30-34. Modeling the electromagnetic cavity mode contributions to the THz emission from triangular B125r/2caCu208+l' mesas. Physica C: Superconductivity and its Applications, 2013, 491, 30-34. Cuperconducting emitters of THz radiation. Nature Photonics, 2013, 7, 702-710. Effects of magnetic fields on the coherent THz emission from mesas of single crystal B125r/2caCu208+l'. Physica C: Superconductivity and its Applications, 2013, 494, 117-120. Crossover from crossing to tilted vortex phase in B125r/2caCu208+l' single crystals near ab-plane. Physica C: Superconductivity and its Applications, 2013, 484, 77-80. An analysis of three dimensional radiation patterns from intrinsic Josephson Junctions with hot spot. Physica C: Superconductivity and its Applications, 2013, 491, 35-39. Tunable terahertz emission from the intrinsic Josephson Junctions in acute isosceles triangular B1_2Sr_2CaCu_20_8+l' mesas. Optics Express, 2013, 21, 2171. Large low-temperature magnetoresistance in Srife ₂ As ₂ Single crystals. O.7 11 Large low-temperature magnetoresistance in Srife ₂ As ₂ Single crystals. O.7 11 Large low-temperature magnetoresistance in Srife ₂ Single crystals. In 56 Continuous 3036%-NWW terahertz source by a high- <si>10-5 cylosub-sas structure. Applied Physics Letters, 2013, 103. Large low-temperature magnetoresistance in Srife ₂ Single crystals. In 67 Letters, 2013, 103. Large low-temperature magnetoresistance</si>	39	Magneto-resistance study of AFe _{2As_{2 (A = Sr, Ba) iron-based compounds. International Journal of Nanotechnology, 2014, 11, 403.}}	0.1	1
Applications, 2013, 491, 16-19. Modeling the electromagnetic cavity mode contributions to the THz emission from triangular BiZSrZCaCu2O8+i mesas. Physica C: Superconductivity and its Applications, 2013, 491, 30-34. Superconducting emitters of THz radiation. Nature Photonics, 2013, 7, 702-710. 15.6 228 Effects of magnetic fields on the coherent THz emission from mesas of single crystal BiZSrZCaCu2O8+i. Physica C: Superconductivity and its Applications, 2013, 494, 117-120. 16.9 9 Crossover from crossing to titled vortex phase in BiZSrZCaCu2O8+i. Single crystals near ab-plane. Physica C: Superconductivity and its Applications, 2013, 494, 117-120. 17.0 0.6 0 An analysis of three dimensional radiation patterns from intrinsic Josephson junctions with hot spot. Physica C: Superconductivity and its Applications, 2013, 494, 77-80. 18.1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	40	superconducting Bi2Sr2CaCu2O8+1' intrinsic Josephson junctions. Physica C: Superconductivity and Its	0.6	36
Superconducting emitters of THz radiation. Nature Photonics, 2013, 7, 702-710. Superconducting emitters of THz radiation. Nature Photonics, 2013, 7, 702-710. Effects of magnetic fields on the coherent THz emission from mesas of single crystal Bi2Sr2CaCu208+f. Physica C: Superconductivity and Its Applications, 2013, 494, 117-120. Crossover from crossing to tilted vortex phase in Bi2Sr2CaCu208+f single crystals near ab-plane. Physica C: Superconductivity and Its Applications, 2013, 484, 77-80. An analysis of three dimensional radiation patterns from intrinsic Josephson Junctions with hot spot. Physica C: Superconductivity and Its Applications, 2013, 491, 35-39. Tunable terahertz emission from the intrinsic Josephson Junctions in acute isosceles triangular Bi_2Sr_2CaCu_20_8+f mesas. Optics Express, 2013, 21, 2171. Large low-temperature magnetoresistance in SrFe ₂ As ₂ As ₂ single crystals. Europhysics Letters, 2013, 104, 17002. Direct imaging of hot spots in Bi2Sr2CaCu208+f mesa terahertz sources. Journal of Applied Physics, 2013, 113,. Continuous 308€%-fl/4W terahertz source by a high- <i>Tc</i> Direct imaging high-Tc superconductor Bi[sub 2]Sr[sub 2]CaCu[sub 2]O[sub 8+] Mesa Structures. Applied Physics Letters, 2013, 103, 103, 103, 103, 103, 103, 103,	41	superconducting Bi2Sr2CaCu2O8+l´ intrinsic Josephson junctions. Physica C: Šuperconductivity and Its	0.6	21
Effects of magnetic fields on the coherent THz emission from mesas of single crystal Bi2Sr2CaCu2O8+l². Physica C: Superconductivity and Its Applications, 2013, 494, 117-120. Crossover from crossing to tilted vortex phase in Bi2Sr2CaCu2O8+l² single crystals near ab-plane. Physica C: Superconductivity and Its Applications, 2013, 484, 77-80. An analysis of three dimensional radiation patterns from intrinsic Josephson Junctions with hot spot. Physica C: Superconductivity and Its Applications, 2013, 491, 35-39. Continuous Superconductivity and Its Applications, 2013, 491, 35-39. Direct imaging of hot spots in Bi2Sr2CaCu2O8+l² mesa terahertz sources. Journal of Applied Physics, 2013, 113,. Direct imaging of hot spots in Bi2Sr2CaCu2O8+l² mesa terahertz sources. Journal of Applied Physics, 2013, 113,. Continuous 30â6%ll/4W terahertz source by a high- <i>To THz LASER using high-Tc superconductor Bi[sub 2]Sr[sub 2]CaCu[sub 2]O[sub 8+] Mesa Structures. Journal of Respondent of Bissub 22 (sub > 2 (sub ></i>	42		0.6	20
Bi2Sr2CaCu2O8+l². Physica C: Superconductivity and Its Applications, 2013, 494, 117-120. Crossover from crossing to tilted vortex phase in Bi2Sr2CaCu2O8+l² single crystals near ab-plane. Physica C: Superconductivity and Its Applications, 2013, 484, 77-80. An analysis of three dimensional radiation patterns from intrinsic Josephson junctions with hot spot. Physica C: Superconductivity and Its Applications, 2013, 491, 35-39. 1.7 54 Tunable terahertz emission from the intrinsic Josephson junctions in acute Isosceles triangular Bi_2Sr_2CaCu_2O_8+l² mesas. Optics Express, 2013, 21, 2171. Large low-temperature magnetoresistance in SrFe ₂ As ₂ single crystals. Europhysics Letters, 2013, 104, 17002. Direct imaging of hot spots in Bi2Sr2CaCu2O8+l² mesa terahertz sources. Journal of Applied Physics, 2013, 113, . Continuous 30aE%l³/4W terahertz source by a high- <i>Tc Later Imaging of hot spots in Bi2Sr2CaCu2O8+l² mesa terahertz sources. Journal of Applied Physics, 2013, 113, . Continuous 30aE%l³/4W terahertz source by a high-<i>Tc</i> Later Imaging high-Tc superconductor Bi[sub 2]Sr[sub 2]CaCu[sub 2]O[sub 8+] Mesa Structures. On Interferometer measurements of terahertz waves from Bi(sub 2 2 < sub > 2 < s</i>	43	Superconducting emitters of THz radiation. Nature Photonics, 2013, 7, 702-710.	15.6	228
Physica C: Superconductivity and Its Applications, 2013, 484, 77-80. An analysis of three dimensional radiation patterns from intrinsic Josephson junctions with hot spot. Physica C: Superconductivity and Its Applications, 2013, 491, 35-39. 10.6 2 Tunable terahertz emission from the intrinsic Josephson junctions in acute isosceles triangular Bi_2Sr_2CaCu_2O_8+i' mesas. Optics Express, 2013, 21, 2171. Large low-temperature magnetoresistance in SrFe ₂ As ₂ single crystals. Europhysics Letters, 2013, 104, 17002. Direct imaging of hot spots in Bi2Sr2CaCu2O8+i' mesa terahertz sources. Journal of Applied Physics, 2013, 113,. Continuous 30a€‰il/4W terahertz source by a high- <i>Tc</i> Continuous 30a€‰il/4W terahertz source by a high- <i>Tc</i> THz LASER using high-Tc superconductor Bi[sub 2]Sr[sub 2]CaCu[sub 2]O[sub 8+] Mesa Structures., 2012.,. Interferometer measurements of terahertz waves from Bicsub>2	44		0.6	9
Physica C: Superconductivity and Its Applications, 2013, 491, 35-39. Tunable terahertz emission from the intrinsic Josephson junctions in acute isosceles triangular Bi_2Sr_2CaCu_2O_8+i^* mesas. Optics Express, 2013, 21, 2171. Large low-temperature magnetoresistance in SrFe ₂ As ₂ single crystals. Europhysics Letters, 2013, 104, 17002. 0.7 11 Direct imaging of hot spots in Bi2Sr2CaCu2O8+i^* mesa terahertz sources. Journal of Applied Physics, 2013, 113,. Continuous 30â€%il¼W terahertz source by a high- <i>Tc</i> Continuous 30â€%il¼W terahertz source by a high- <i>Tc</i> Letters, 2013, 103,. THz LASER using high-Tc superconductor Bi[sub 2]Sr[sub 2]CaCu[sub 2]O[sub 8+] Mesa Structures., 2012, Interferometer measurements of terahertz waves from Bi(sub>2 Science and Technology, 2012, 25, 125004. Three-dimensional numerical analysis of terahertz radiation emitted from intrinsic Josephson	45	Crossover from crossing to tilted vortex phase in Bi2Sr2CaCu2O8+δ single crystals near ab-plane. Physica C: Superconductivity and Its Applications, 2013, 484, 77-80.	0.6	O
Bi_2Sr_2CaCu_2O_8+i^ mesas. Optics Express, 2013, 21, 2171. Large low-temperature magnetoresistance in SrFe ₂ As ₂ single crystals. Europhysics Letters, 2013, 104, 17002. Direct imaging of hot spots in Bi2Sr2CaCu2O8+i mesa terahertz sources. Journal of Applied Physics, 2013, 113. Continuous 30 i¼W terahertz source by a high- <i>Tc</i> superconductor mesa structure. Applied Physics Letters, 2013, 103,. THz LASER using high-Tc superconductor Bi[sub 2]Sr[sub 2]CaCu[sub 2]O[sub 8+] Mesa Structures., 2012,,. Interferometer measurements of terahertz waves from Bi sub 2 \cdot 2 \sub \cdot 2 \cdot 2 \sub \cdot 2 \cdot 2 \sub	46	An analysis of three dimensional radiation patterns from intrinsic Josephson junctions with hot spot. Physica C: Superconductivity and Its Applications, 2013, 491, 35-39.	0.6	2
Europhysics Letters, 2013, 104, 17002. Direct imaging of hot spots in Bi2Sr2CaCu2O8+Î′ mesa terahertz sources. Journal of Applied Physics, 2013, 113,. Continuous 30 μW terahertz source by a high-⟨i⟩Tc⟨/i⟩ superconductor mesa structure. Applied Physics Letters, 2013, 103,. 1.5 67 THz LASER using high-Tc superconductor Bi[sub 2]Sr[sub 2]CaCu[sub 2]O[sub 8+] Mesa Structures., 2012,, Interferometer measurements of terahertz waves from Bi⟨sub⟩2⟨/sub⟩Sr⟨sub⟩Sr⟨sub⟩2⟨/sub⟩CaCu⟨sub⟩2⟨/sub⟩O⟨sub⟩8+⟨i⟩d⟨/i⟩⟨/sub⟩mesas. Superconductor Science and Technology, 2012, 25, 125004. Three-dimensional numerical analysis of terahertz radiation emitted from intrinsic Josephson	47	Tunable terahertz emission from the intrinsic Josephson junctions in acute isosceles triangular Bi_2Sr_2CaCu_2O_8+δ mesas. Optics Express, 2013, 21, 2171.	1.7	54
2013, 113,. Continuous 30 î¼W terahertz source by a high-⟨i⟩Tc⟨/i⟩ superconductor mesa structure. Applied Physics Letters, 2013, 103,. THz LASER using high-Tc superconductor Bi[sub 2]Sr[sub 2]CaCu[sub 2]O[sub 8+] Mesa Structures., [Interferometer measurements of terahertz waves from Bi⟨sub⟩2⟨/sub⟩Sr⟨sub⟩Sr⟨sub⟩2⟨/sub⟩CaCu⟨sub⟩2⟨/sub⟩O⟨sub⟩8+⟨i⟩d⟨/i⟩⟨/sub⟩mesas. Superconductor Science and Technology, 2012, 25, 125004. Three-dimensional numerical analysis of terahertz radiation emitted from intrinsic Josephson	48	Large low-temperature magnetoresistance in SrFe ₂ As ₂ single crystals. Europhysics Letters, 2013, 104, 17002.	0.7	11
Letters, 2013, 103, . THz LASER using high-Tc superconductor Bi[sub 2]Sr[sub 2]CaCu[sub 2]O[sub 8+] Mesa Structures. , 2012, , . Interferometer measurements of terahertz waves from Bi ₂ Sr ₂ CaCu ₂ O8+ <i>>dmesas. Superconductor Science and Technology, 2012, 25, 125004. Three-dimensional numerical analysis of terahertz radiation emitted from intrinsic Josephson</i>	49		1.1	56
Interferometer measurements of terahertz waves from Bi ₂ Sr ₂ CaCu ₂ O _{8+<i>d</i>} mesas. Superconductor Science and Technology, 2012, 25, 125004. Three-dimensional numerical analysis of terahertz radiation emitted from intrinsic Josephson	50		1.5	67
Bi ₂ Sr ₂ CaCu ₂ O _{8+<i>d</i>} mesas. Superconductor 1.8 40 Science and Technology, 2012, 25, 125004. Three-dimensional numerical analysis of terahertz radiation emitted from intrinsic Josephson	51			0
Three-dimensional numerical analysis of terahertz radiation emitted from intrinsic Josephson 1.1 42	52	Bi ₂ Sr ₂ CaCu ₂ O _{8+<i>d</i>} mesas. Superconductor	1.8	40
Broadly Tunable Subterahertz Emission from Internal Branches of the Current-Voltage	53	junctions with hot spots. Physical Review B, 2012, 85, .	1.1	42

Characteristics of Superconducting<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"

display="inline"><mml:msub><mml:mi>Bi</mml:mi><mml:mn>2</mml:mn></mml:msub><mml:mi>Sex/mml:mi>Sex/mml:mi>No</mml:mi><mml:mi><mml:mn></mml:mo>+</mml:mo><mml:mi>î'</mml:mi></mml:mi></mml:mi>No</mml:mi></mml:mi></mml:mi></mml:mo></mml:mo></mml:mi>î'</mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:mi></mml:m

#	Article	IF	CITATIONS
55	Numerical Study of Radiation Pattern from Intrinsic Josephson Junctions Attached to Finite Size Substrates. Journal of Physics: Conference Series, 2012, 400, 022002.	0.3	2
56	High Temperature Superconductor Terahertz Emitters: Fundamental Physics and Its Applications. Japanese Journal of Applied Physics, 2012, 51, 010113.	0.8	55
57	Terahertz Radiation Emitted from Intrinsic Josephson Junctions in High-Tc Superconductor Bi2Sr2CaCu2O8+Î. IEICE Transactions on Electronics, 2012, E95-C, 347-354.	0.3	23
58	Pairing Symmetry and Magnetic Relaxation in Topological Superconductor Cu _x Bi ₂ Se ₃ . Journal of Physics: Conference Series, 2012, 400, 022013.	0.3	0
59	THz emission from a triangular mesa structure of Bi-2212 intrinsic Josephson junctions. Journal of Physics: Conference Series, 2012, 400, 022014.	0.3	13
60	Terahertz imaging system using high- <i>Tc</i> superconducting oscillation devices. Journal of Applied Physics, 2012, 111, .	1.1	56
61	Effect of thermal inhomogeneity for terahertz radiation from intrinsic Josephson junction stacks of Bi2Sr2CaCu2O8+ <i<math>\hat{l}'. Applied Physics Letters, 2012, 100, .</i<math>	1.5	73
62	Proposal of terahertz patch antenna fed by intrinsic Josephson junctions. Applied Physics Letters, 2012, 101, 112602.	1.5	25
63	High Temperature Superconductor Terahertz Emitters: Fundamental Physics and Its Applications. Japanese Journal of Applied Physics, 2012, 51, 010113.	0.8	43
64	Surface superconductivity on SrFe ₂ As ₂ single crystals induced by ion implantation. Europhysics Letters, 2011, 94, 37009.	0.7	7
65	Emission of terahertz electromagnetic waves from intrinsic Josephson junction arrays embedded in resonance LCR circuits. Physical Review B, 2011, 83, .	1.1	34
66	High-power terahertz electromagnetic wave emission from high-T_c superconducting Bi_2Sr_2CaCu_2O_8+Î′ mesa structures. Optics Express, 2011, 19, 3193.	1.7	53
67	Geometry dependent resistivity behavior in mesoscopic Bi2Sr2CaCu2O8+δ single crystals. Physica C: Superconductivity and Its Applications, 2011, 471, 787-789.	0.6	1
68	Spin-triplet vortex state in the topological superconductor CuxBi2Se3. Physical Review B, 2011, 83, .	1.1	44
69	Electronic phase diagram of high-temperature copper oxide superconductors. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 9346-9349.	3.3	64
70	Cavity mode waves during terahertz radiation from rectangular Bi ₂ Sr ₂ CaCu ₂ O _{8 + δ} mesas. Journal of Physics Condensed Matter, 2011, 23, 025701.	0.7	32
71	Geometrical Full-Wavelength Resonance Mode Generating Terahertz Waves from a Single-Crystalline Bi $<$ sub $>$ 2 $<$ sub $>$ 5 $<$ sub $>$ 2 $<$ sub $>$ 60 $<$ sub $>$ 8 $+$ 1 $<$ 1 $<$ 80 $<$ 90 $<$ 90 $<$ 90 $<$ 90 $<$ 90 $<$ 90 $<$ 90 $<$ 9	0.7	37
72	Angular Dependence of the Radiation Power of a Josephson STAR-emitter. Journal of Superconductivity and Novel Magnetism, 2010, 23, 613-616.	0.8	37

#	Article	IF	CITATIONS
73	Terahertz radiation generated from cylindrical mesas of Bi2212. Physica C: Superconductivity and Its Applications, 2010, 470, S779-S781.	0.6	10
74	Properties of Ca-doped Bi2+Sr2â^'CuO6+. Physica C: Superconductivity and Its Applications, 2010, 470, S193-S194.	0.6	5
75	Inhomogeneity of initial flux penetration in MgB2 single crystals. Physica C: Superconductivity and Its Applications, 2010, 470, S932-S934.	0.6	4
76	Vortex phases in magnetic fields near ab-plane in Bi2Sr2CaCu2O8+ single crystal. Physica C: Superconductivity and Its Applications, 2010, 470, S790-S792.	0.6	0
77	Crossing vortex lattice and lock-in vortex state in mesoscopic Bi2Sr2CaCu2O8+ crystal. Physica C: Superconductivity and Its Applications, 2010, 470, S793-S794.	0.6	O
78	Continuous and reversible operation of Bi2212 based THz emitters just below Tc. Physica C: Superconductivity and Its Applications, 2010, 470, S822-S823.	0.6	17
79	Magnetic field effects on THz radiation from rectangular shape Bi2212 IJJ's. Physica C: Superconductivity and Its Applications, 2010, 470, S804-S805.	0.6	9
80	Synchronized operation of two serially connected Bi2212 THz emitters. Physica C: Superconductivity and Its Applications, 2010, 470, S786-S787.	0.6	28
81	Upper critical fields and critical current density of single crystal. Solid State Communications, 2010, 150, 1178-1181.	0.9	17
82	Observation of a d-wave nodal liquid in highly underdoped Bi2Sr2CaCu2O8+ \hat{l} . Nature Physics, 2010, 6, 99-103.	6. 5	71
83	Scanning SQUID microscopy of vortex clusters in multiband superconductors. Physical Review B, 2010, 81, .	1.1	64
84	Geometrical Resonance Conditions for THz Radiation from the Intrinsic Josephson Junctions in <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msub><mml:mi>Bi</mml:mi><mml:mn>2</mml:mn></mml:msub><mml:msub><mml:mi>mathvariant="bold">O</mml:mi><mml:mrow><mml:mn>8</mml:mn><mml:mo>+</mml:mo><mml:mo><mml:mi>i^</mml:mi></mml:mo></mml:mrow></mml:msub></mml:math>	Srzemml:r ni> <td>ni134nml:mn: :mrow></td>	ni 134 nml:mn: :mrow>
85	Physical Review Letters, 2010, 105, 037005. Evidence for a Dual-Source Mechanism of Terahertz Radiation from Rectangular Mesas of Single Crystalline Bi ₂ Sr ₂ CaCu ₂ O _{8+l} Intrinsic Josephson Junctions. Journal of the Physical Society of Japan, 2010, 79, 023703.	0.7	94
86	Output from a Josephson stimulated terahertz amplified radiation emitter. Journal of Physics Condensed Matter, 2010, 22, 375701.	0.7	78
87	Characteristics of terahertz radiation emitted from the intrinsic Josephson junctions in high-Tc superconductor Bi2Sr2CaCu2O8+δ. Applied Physics Letters, 2009, 95, .	1.5	108
88	Thermal Management in Large Bi2212 Mesas Used for Terahertz Sources. IEEE Transactions on Applied Superconductivity, 2009, 19, 428-431.	1.1	39
89	In-phase electrodynamics and terahertz wave emission in extended intrinsic Josephson junctions. Physical Review B, 2009, 79, .	1.1	62
90	Emission of Terahertz Waves From Stacks of Intrinsic Josephson Junctions. IEEE Transactions on Applied Superconductivity, 2009, 19, 886-890.	1.1	38

#	Article	IF	Citations
91	The radio-frequency impedance of individual intrinsic Josephson junctions. Applied Physics Letters, 2009, 95, .	1.5	2
92	Terahertz wave emission from intrinsic Josephson junctions in high- <i>T</i> _c superconductors. Superconductor Science and Technology, 2009, 22, 114009.	1.8	44
93	Vortex states in mesoscopic single crystals Bi2Sr2CaCu2O8+δ in high magnetic fields. Physica C: Superconductivity and Its Applications, 2009, 469, 1119-1121.	0.6	4
94	Small-number arrays of intrinsic Josephson junctions. Physica C: Superconductivity and Its Applications, 2008, 468, 674-678.	0.6	7
95	Quantum oscillation of the c-axis resistivity due to entrance of pancake vortices into micro-fabricated Bi2Sr2CaCu2O8+Î' intrinsic Josephson junctions. Physica C: Superconductivity and Its Applications, 2008, 468, 669-673.	0.6	11
96	Direct observation of tetrahertz electromagnetic waves emitted from intrinsic Josephson junctions in single crystalline Bi2Sr2CaCu2O8+. Physica C: Superconductivity and Its Applications, 2008, 468, 634-639.	0.6	148
97	Tailoring the magnetization behavior of Co-doped titanium dioxide nanobelts. Solid State Communications, 2008, 148, 345-349.	0.9	25
98	Observation of an extended magnetic field penetration in amorphous superconducting MoGe films. Physical Review B, 2008, 77, .	1.1	16
99	Interesting magnetic behavior from reduced titanium dioxide nanobelts. Applied Physics Letters, 2008, 92, 232502.	1.5	35
100	Evidence for Pairing above the Transition Temperature of Cuprate Superconductors from the Electronic Dispersion in the Pseudogap Phase. Physical Review Letters, 2008, 101, 137002.	2.9	118
101	Magnetic and Transport Studies on Electron-Doped CeFeAsO _{1-<i>x</i>} F _{<i>x</i>} Superconductor. Journal of the Physical Society of Japan, 2008, 77, 27-31.	0.7	10
102	Universality of Low-Energy Mass Renormalization in the Superconducting State of Hole-Doped High-Tc Superconductors. Journal of the Physical Society of Japan, 2007, 76, 103707.	0.7	4
103	Emission of Coherent THz Radiation from Superconductors. Science, 2007, 318, 1291-1293.	6.0	678
104	Single crystal growth of Bi2Sr2Ca2Cu3O10+ \hat{l} and physical properties. Physica C: Superconductivity and Its Applications, 2007, 460-462, 60-61.	0.6	1
105	Synthesis and superconducting properties of graphite compounds intercalated with Ca:C6Ca. Physica C: Superconductivity and Its Applications, 2007, 460-462, 152-153.	0.6	11
106	Normal-state magnetic susceptibilities in Bi2Sr2Ca(Cu1â^'xNix)2O8+Î' single crystals. Physica C: Superconductivity and Its Applications, 2007, 460-462, 799-800.	0.6	10
107	Nondispersive Fermi Arcs and the Absence of Charge Ordering in the Pseudogap Phase ofBi2Sr2CaCu2O8+l´. Physical Review Letters, 2006, 96, 107006.	2.9	75
108	Experimental Distinction Between Giant Vortex and Multivortex States in Mesoscopic Superconductors. AIP Conference Proceedings, 2006, , .	0.3	0

#	Article	IF	CITATIONS
109	Impurity effects on electron–mode coupling in high-temperature superconductors. Nature Physics, 2006, 2, 27-31.	6.5	52
110	Evolution of the pseudogap from Fermi arcs to the nodal liquid. Nature Physics, 2006, 2, 447-451.	6.5	393
111	Experimental study on giant vortex and multivortex states in mesoscopic superconductors. Physica C: Superconductivity and Its Applications, 2006, 437-438, 122-126.	0.6	1
112	Size dependence of the vortex states in mesoscopic superconductors. Physica C: Superconductivity and Its Applications, 2006, 445-448, 253-256.	0.6	2
113	Many-body interactions in Bi-based high-Tc cuprates studied by angle-resolved photoemission spectroscopy. Journal of Physics and Chemistry of Solids, 2006, 67, 628-631.	1.9	0
114	Structure phase transition in FeSr2YCu2O6+Î'. Physica B: Condensed Matter, 2006, 385-386, 561-563.	1.3	4
115	Electronic structure of impurity-substituted Bi2Sr2CaCu2O8+δ studied by angle-resolved photoemission spectroscopy. Journal of Physics and Chemistry of Solids, 2006, 67, 271-273.	1.9	1
116	Real-Time Imaging of Vortex–Antivortex Annihilation in Bi2Sr2CaCu2O8+ÎSingle Crystals by Low Temperature Scanning Hall Probe Microscopy. Japanese Journal of Applied Physics, 2006, 45, 2246-2250.	0.8	3
117	Melting of the vortex-solid in irradiated Bi2Sr2CaCu2O8+δsingle crystals in tilted magnetic fields. New Journal of Physics, 2006, 8, 226-226.	1.2	7
118	COALESCENCE AND REARRANGEMENT OF VORTICES IN MESOSCOPIC SUPERCONDUCTORS. , 2006, , .		0
119	Vortex states in high-Tc superconductors and superconductivity in modern nano-science and engineering. Science and Technology of Advanced Materials, 2005, 6, 589-603.	2.8	10
120	Peak Effect and Dynamic Melting of Vortex Matter inNbSe2Crystals. Physical Review Letters, 2005, 95, 177005.	2.9	58
121	Vortex Imaging in Microscopic Superconductors With a Scanning SQUID Microscope. IEEE Transactions on Applied Superconductivity, 2005, 15, 696-698.	1.1	14
122	Experimental Evidence for Giant Vortex States in a Mesoscopic Superconducting Disk. Physical Review Letters, 2004, 93, 257002.	2.9	235
123	High-resolution angle-resolved photoemission study of impurity-substituted Bi2Sr2CaCu2O8+δ. Physica B: Condensed Matter, 2004, 351, 280-282.	1.3	2
124	Penetration of vortices into micro-superconductors observed with a scanning SQUID microscope. Physica C: Superconductivity and Its Applications, 2004, 412-414, 379-384.	0.6	17
125	Order, disorder and superconductivity in FeSr2YCu2O6+δ. Physica C: Superconductivity and Its Applications, 2004, 415, 85-93.	0.6	12
126	Redistribution of Fe ion and superconductivity of FeSr2YCu2O6+y system. Physica C: Superconductivity and Its Applications, 2004, 417, 17-24.	0.6	17

#	Article	IF	CITATIONS
127	Flux quantization in a superconducting microdisk. Physica C: Superconductivity and Its Applications, 2003, 388-389, 719-720.	0.6	10
128	Lanthanoid substitution in Sr2YCu2FeO6+δ system. Physica C: Superconductivity and Its Applications, 2003, 388-389, 375-376.	0.6	3
129	Vortex phases in single crystals of Bi2Sr2CaCu2O8+Î′ near ab-plane studied by c-axis and in-plane resistivity measurements. Physica C: Superconductivity and Its Applications, 2003, 388-389, 757-758.	0.6	2
130	Elastic tensor of YNi2B2C. Physica C: Superconductivity and Its Applications, 2003, 397, 1-6.	0.6	9
131	The origin of multiple superconducting gaps in MgB2. Nature, 2003, 423, 65-67.	13.7	227
132	Phase diagram in highly anisotropic layered superconductors: crossing lattice melting transitions. Physica C: Superconductivity and Its Applications, 2003, 388-389, 721-722.	0.6	3
133	Suppression of surface barriers in single crystals of Bi2Sr2CaCu2O8+Î′ by in-plane magnetic fields. Physica C: Superconductivity and Its Applications, 2003, 388-389, 759-760.	0.6	0
134	Homogeneous samples of Bi2Sr2CaCu2O8+δ. Physica C: Superconductivity and Its Applications, 2003, 391, 376-380.	0.6	18
135	Atomic ordering in FeSr2LnCu2O6+ \hat{l} system (Ln=Nd, Y and Er). Physica C: Superconductivity and Its Applications, 2003, 400, 43-52.	0.6	25
136	Observation of Band Renormalization Effects in Hole-Doped High-TcSuperconductors. Physical Review Letters, 2003, 91, 157003.	2.9	100
137	Low Energy Excitation in Bi2Sr2Can-1CunO2n+4 (n = 1-3) Studied by High-Resolution Arpes. International Journal of Modern Physics B, 2003, 17, 3554-3558.	1.0	1
138	High-Field Magnetization Measurements and Crystalline Electric-Field Effect in HoNi2B2C. Journal of the Physical Society of Japan, 2003, 72, 2599-2603.	0.7	7
139	Neutron Powder Diffraction Study on Mg11B2Synthesized by Different Procedures. Journal of the Physical Society of Japan, 2002, 71, 2471-2476.	0.7	9
140	Crystal Structure of Magnetic Superconductor FeSr2YCu2O6+δ. Journal of the Physical Society of Japan, 2002, 71, 790-796.	0.7	43
141	The effect of pressure on the superconductivity and magnetism of RuSr2GdCu2O8. Journal of Physics Condensed Matter, 2002, 14, 10747-10751.	0.7	2
142	Effect of pressure on the superconductivity of RuSm1.4Ce0.6Sr2Cu2O10. Physica B: Condensed Matter, 2002, 312-313, 88-90.	1.3	4
143	Modification of vortex behavior through heavy ion lithography. Physica C: Superconductivity and Its Applications, 2002, 382, 137-141.	0.6	56
144	Influence of force-free current on vortex lattice melting transition. Physica C: Superconductivity and Its Applications, 2002, 378-381, 495-498.	0.6	2

#	Article	IF	CITATIONS
145	Elasticity of combined pancake and Josephson vortex lattice. Physica C: Superconductivity and Its Applications, 2002, 378-381, 580-583.	0.6	3
146	High-resolution photoemission study of FeSr2YCu2O7+δ. Journal of Physics and Chemistry of Solids, 2002, 63, 2329-2332.	1.9	0
147	Superconducting coherent quasiparticle weight in high-Tc superconductor from angle-resolved photoemission. Journal of Physics and Chemistry of Solids, 2002, 63, 2135-2139.	1.9	0
148	Zn-substitution effects on the low-energy quasiparticles in Bi2Sr2CaCu2O8+ $\hat{\Gamma}$ studied by angle-resolved photoemission spectroscopy. Journal of Physics and Chemistry of Solids, 2002, 63, 1069-1072.	1.9	2
149	Renormalization of Spectral Line Shape and Dispersion belowTcinBi2Sr2CaCu2O8+l´. Physical Review Letters, 2001, 86, 1070-1073.	2.9	325
150	The role of angle-resolved photoemission in understanding the high temperature superconductors. Journal of Physics and Chemistry of Solids, 2001, 62, 35-39.	1.9	11
151	Two different types of pseudogaps in high-Tc superconductors. Journal of Physics and Chemistry of Solids, 2001, 62, 41-45.	1.9	19
152	High-resolution angle-resolved photoemission study of Pb-substituted Bi2201. Journal of Physics and Chemistry of Solids, 2001, 62, 157-161.	1.9	1
153	Spin gap and superconducting fluctuations in Bi2Sr2CaCu2O8+Î′ probed by 63Cu NMR. Journal of Physics and Chemistry of Solids, 2001, 62, 167-170.	1.9	2
154	Anomalous static and dynamic behaviors of the vortex liquid phase in Bi2Sr2CaCu2O8+δ. Physica C: Superconductivity and Its Applications, 2001, 357-360, 442-445.	0.6	9
155	Scaling of vortex lattice melting transition in single crystals of Bi2Sr2CaCu2O8+l´. Physica C: Superconductivity and Its Applications, 2001, 357-360, 450-453.	0.6	15
156	The novel electrodynamics of combined pancake and Josephson vortex lattice. Physica C: Superconductivity and Its Applications, 2001, 357-360, 597-600.	0.6	4
157	Free energy of vortex system beyond the elastic approximation. Physica C: Superconductivity and Its Applications, 2001, 357-360, 601-603.	0.6	1
158	Superconducting plasma excitation at microwave frequencies in parallel magnetic fields in Bi2Sr2CaCu2O8+l´. Physica C: Superconductivity and Its Applications, 2001, 362, 71-77.	0.6	10
159	Josephson plasma resonance in solid and glass phases of Bi2Sr2CaCu2O8+δ. Physica C: Superconductivity and Its Applications, 2001, 362, 234-238.	0.6	1
160	Non-linear resistance behavior in parallel magnetic fields: indication of the vortex-smectic phase in Bi2Sr2CaCu2O8+l´. Physica C: Superconductivity and Its Applications, 2001, 364-365, 515-517.	0.6	7
161	Linear and Field-Independent Relation between Vortex Core State Energy and Gap inBi2Sr2CaCu2O8+δ. Physical Review Letters, 2001, 87, 267001.	2.9	42
162	Coherent Quasiparticle Weight and Its Connection to High-TcSuperconductivity from Angle-Resolved Photoemission. Physical Review Letters, 2001, 87, 227001.	2.9	175

#	Article	IF	CITATIONS
163	Stepwise Behavior of Vortex-Lattice Melting Transition in Tilted Magnetic Fields in Single Crystals ofBi2Sr2CaCu2O8+l´. Physical Review Letters, 2001, 86, 886-889.	2.9	89
164	Systematic study of Josephson plasma resonance in Bi2Sr2CaCu2O8+δwith columnar defects. Physica B: Condensed Matter, 2000, 284-288, 881-882.	1.3	1
165	Vortex lattice melting transition in oblique magnetic fields in single crystal Bi2Sr2CaCu2O8+δ. Physica B: Condensed Matter, 2000, 284-288, 733-734.	1.3	10
166	Weak pinning phenomena in liquid state in Bi2Sr2CaCu2O8+δ with columnar defects. Physica C: Superconductivity and Its Applications, 2000, 341-348, 1133-1134.	0.6	1
167	Josephson plasma mode in fields parallel to layers of Bi2Sr2CaCu2O8+δ. Physica C: Superconductivity and Its Applications, 2000, 341-348, 1173-1174.	0.6	0
168	Novel angular dependence of vortex melting transition in single crystal Bi2Sr2CaCu2O8+δ. Physica C: Superconductivity and Its Applications, 2000, 341-348, 1181-1182.	0.6	3
169	Vortex dynamics in low magnetic fields in single crystals Bi2Sr2CaCu2O8+δ. Physica C: Superconductivity and Its Applications, 2000, 341-348, 1273-1274.	0.6	1
170	Anomalous angular dependence of vortex melting transition in single crystal Bi2Sr2CaCu2O8+δ. Physica C: Superconductivity and Its Applications, 2000, 341-348, 1301-1302.	0.6	2
171	Temperature dependence of tunneling spectra in YBa2Cu3O7â^î^and Bi2Sr2CaCu2O8+Î^single crystals. Journal of Electron Spectroscopy and Related Phenomena, 2000, 109, 147-155.	0.8	12
172	TEMPERATURE DEPENDENCE OF JOSEPHSON PLASMA MODES IN Bi2Sr2CaCu2O8+δ NEAR Tc. International Journal of Modern Physics B, 2000, 14, 547-554.	1.0	3
173	PROXIMITY OF THE METAL-INSULATOR/MAGNETIC TRANSITION AND ITS IMPACT ON THE ONE-ELECTRON SPECTRAL FUNCTION: A DOPING-DEPENDENT ARPES STUDY. International Journal of Modern Physics B, 2000, 14, 3596-3601.	1.0	2
174	Quasiparticles in the Superconducting State ofBi2Sr2CaCu2O8+δ. Physical Review Letters, 2000, 84, 1788-1791.	2.9	188
175	Fermi Surface ofBi2Sr2CaCu2O8. Physical Review Letters, 2000, 84, 4449-4452.	2.9	98
176	In-plane Field Contribution for Josephson Plasma Mode in Under-doped Bi2Sr2CaCu2O8+δ., 2000, , 401-403.		0
177	Renneret al.Reply:. Physical Review Letters, 1999, 82, 3726-3726.	2.9	2
178	Electronic Spectra and Their Relation to the(Ï€,Ï€)Collective Mode in High-TcSuperconductors. Physical Review Letters, 1999, 83, 3709-3712.	2.9	319
179	Moving Vortex States Studied by Current Flow in Single CrystalBi2Sr2CaCu2O8+δ. Physical Review Letters, 1999, 82, 2374-2377.	2.9	9
180	CHANGES IN SUPERCONDUCTING GAP ANISOTROPY WITH DOPING AND IMPLICATIONS FOR THE PENETRATION DEPTH. International Journal of Modern Physics B, 1999, 13, 3709-3711.	1.0	1

#	Article	IF	Citations
181	Weak ferromagnetic ordering in the superconducting state of ErNi211B2C. Journal of Physics and Chemistry of Solids, 1999, 60, 1053-1057.	1.9	39
182	Josephson plasma resonance in Bi2Sr2CaCu2O8+ \hat{l}' under parallel magnetic field. Journal of Low Temperature Physics, 1999, 117, 611-615.	0.6	1
183	Systematic Magnetization Measurements on Single Crystalline Bi2Sr2CaCu2O8+Î' with Columnar Defects. Journal of Low Temperature Physics, 1999, 117, 1471-1475.	0.6	8
184	BSCCO Superconductors: Hole-Like Fermi Surface and Doping Dependence of the Gap Function. Journal of Low Temperature Physics, 1999, 117, 365-369.	0.6	5
185	Superconducting Gap Anisotropy and Quasiparticle Interactions: A Doping Dependent Photoemission Study. Physical Review Letters, 1999, 83, 840-843.	2.9	259
186	Superconducting Plasma Phenomena in Josephson Coupled High Tc Superconductors. ACS Symposium Series, 1999, , 245-277.	0.5	0
187	Destruction of the Fermi surface in underdoped high-Tc superconductors. Nature, 1998, 392, 157-160.	13.7	952
188	Relaxation of local magnetization of single-crystalline Bi2Sr2CaCu2O8 at low temperatures. Physica C: Superconductivity and Its Applications, 1998, 298, 289-298.	0.6	1
189	Scanning tunneling spectroscopy of Bi2Sr2CaCu2O8+δ. Physica C: Superconductivity and Its Applications, 1998, 298, 105-114.	0.6	19
190	Evolution of magnetic and superconducting fluctuations with doping of high-Tc superconductors: An electronic Raman scattering study. Journal of Physics and Chemistry of Solids, 1998, 59, 1932-1936.	1.9	36
191	ARPES study of the superconducting gap and pseudogap in Bi2Sr2CaCu2O8+x. Journal of Physics and Chemistry of Solids, 1998, 59, 1888-1891.	1.9	53
192	NMR OF YNi2B2C SINGLE CRYSTAL IN THE SUPERCONDUCTING STATE. Journal of Physics and Chemistry of Solids, 1998, 59, 2169-2172.	1.9	25
193	Pseudogap Precursor of the Superconducting Gap in Under- and OverdopedBi2Sr2CaCu2O8+δ. Physical Review Letters, 1998, 80, 149-152.	2.9	938
194	Observation of the Nambu-Goldstone mode in the high-temperature superconductor Bi 2 Sr 2 CaCu 2 O 8 + \hat{l} '. Europhysics Letters, 1998, 42, 203-208.	0.7	10
195	Observation of the Low Temperature Pseudogap in the Vortex Cores ofBi2Sr2CaCu2O8+δ. Physical Review Letters, 1998, 80, 3606-3609.	2.9	301
196	Mode separation of the Josephson plasma inBi2Sr2CaCu2O8+δ. Physical Review B, 1998, 57, 3108-3115.	1.1	47
197	Observations of Suppression of Static and Dynamic Disorder inBi2.15Sr1.85CaCu2O8+Î'Crystals by Columnar Defects. Physical Review Letters, 1998, 81, 5209-5212.	2.9	7
198	Precise magnetization measurements of single crystallineBi2Sr2CaCu2O8+δ. Physical Review B, 1998, 57, 11674-11683.	1.1	15

#	Article	IF	CITATIONS
199	Flux creep associated with bulk pinning and edge barriers in BSCCO-2212 single crystals. Superconductor Science and Technology, 1997, 10, 195-202.	1.8	15
200	Excitation of Josephson plasma and vortex oscillation modes inBi2Sr2CaCu2O8+Îîn parallel magnetic fields. Physical Review B, 1997, 55, R8685-R8688.	1.1	50
201	Longitudinal Josephson-plasma excitation inBi2Sr2CaCu2O8+δ:Direct observation of the Nambu-Goldstone mode in a superconductor. Physical Review B, 1997, 56, 5617-5621.	1.1	53
202	Evolution of the Fermi Surface with Carrier Concentration inBi2Sr2CaCu2O8+Î. Physical Review Letters, 1997, 78, 2628-2631.	2.9	235
203	Current Distribution in the Quantum Hall Regime Observed in a Distributed Magnetic Field. Journal of the Physical Society of Japan, 1997, 66, 413-418.	0.7	3
204	Unusual Dispersion and Line Shape of the Superconducting State Spectra ofBi2Sr2CaCu2O8+l´. Physical Review Letters, 1997, 79, 3506-3509.	2.9	224
205	Small superconducting gap on part of the Fermi surface ofYNi2B2Cfrom the de Haas–van Alphen effect. Physical Review B, 1997, 56, 5120-5123.	1.1	76
206	Evolution of Magnetic and Superconducting Fluctuations with Doping of High-Tc Superconductors. Science, 1997, 278, 1427-1432.	6.0	138
207	Effect of columnar defects on the vortex dynamics in BSCCO 2212 single crystals. Physica C: Superconductivity and Its Applications, 1997, 282-287, 2187-2188.	0.6	1
208	Collective electromagnetic wave excitation in Bi2Sr2CaCu2O8+ \hat{l} in magnetic field nearly parallel to the CuO2-planes. Physica C: Superconductivity and Its Applications, 1997, 282-287, 2429-2430.	0.6	1
209	Longitudinal Josephson plasma: A new aspect of superconductivity. Physica B: Condensed Matter, 1997, 239, 123-127.	1.3	5
210	Interlayer Josephson coupling in the vortex solid state of Bi2Sr2CaCu2O8+Î [*] from Josephson plasma resonance. Physica C: Superconductivity and Its Applications, 1997, 282-287, 2221-2222.	0.6	0
211	Josephson plasma excitation in high-Tc superconductors with finite dimensions. Physica C: Superconductivity and Its Applications, 1997, 293, 64-67.	0.6	7
212	Phase coherence and Josephson plasma in Bi2Sr2CaCu2O8+ \hat{l} . Physica C: Superconductivity and Its Applications, 1997, 293, 130-135.	0.6	8
213	Shubnikov-de Haas oscillation and magnetoresistance in YNi2B2C. Solid State Communications, 1997, 103, 5-7.	0.9	0
214	Anomalous magnetization behavior of single-crystallineCeRu2. Physical Review B, 1996, 54, 462-468.	1.1	43
215	A scaling for thec-axis resistivity of La1.86Sr0.14CuO4 as a function of temperature, field and field orientation. Applied Physics A: Materials Science and Processing, 1996, 62, 73-76.	1.1	0
216	Single crystal growth and physical properties of YNi2B2C and HoNi2B2C. Journal of Alloys and Compounds, 1996, 245, 94-99.	2.8	29

#	Article	IF	Citations
217	<title>ARPES studies of the superconducting gap in high-temperature superconductors</title> ., 1996, 2696, 496.		0
218	Josephson plasma resonance in the vortex state of high temperature superconductors. European Physical Journal D, 1996, 46, 3203-3210.	0.4	4
219	Crystal growth and electrical resistivity in magnetic fields in single crystalline Nd2â^'x Ce x CuO4â^'Î'. European Physical Journal D, 1996, 46, 1489-1490.	0.4	0
220	Longitudinal Josephson plasma excitation in vortex state of Bi2Sr2CaCu2O8+δ. European Physical Journal D, 1996, 46, 1625-1626.	0.4	4
221	Josephson plasma resonance in the vortex state of high temperature superconductors. European Physical Journal D, 1996, 46, 1637-1638.	0.4	2
222	Correlated disorder and scaling in single crystals of BSCCO 2212. European Physical Journal D, 1996, 46, 1685-1686.	0.4	1
223	High-field resistivity along the c-axis of single crystalline Bi2Sr2CaCu2O8 + δ. Physica B: Condensed Matter, 1996, 216, 269-273.	1.3	3
224	Single crystal growth of quaternary superconductor YNi2B2C by a floating zone method. Physica C: Superconductivity and Its Applications, 1996, 256, 220-226.	0.6	71
225	Spin correlations in the normal state of a Bi2Sr2CaCu2O8 single crystal. Physica C: Superconductivity and Its Applications, 1996, 263, 371-374.	0.6	9
226	Sudden disappearance of c-axis dissipation in single-crystalline Bi2Sr2CaCu2O8+ \hat{l} . Physica C: Superconductivity and Its Applications, 1996, 263, 164-171.	0.6	13
227	Microwave response in the vortex state of Bi2Sr2CaCu2O8+ \hat{l} . Physica C: Superconductivity and Its Applications, 1996, 263, 457-460.	0.6	0
228	Direct evidence for the STM observation of CuO2 plane in Bi2Sr2CaCu2O8 + x and possibility of new tunnel transistor operation. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1996, 41, 93-97.	1.7	4
229	Phonon anomalies in YNi2 11B2C. Journal of Low Temperature Physics, 1996, 105, 1635-1640.	0.6	2
230	Spectroscopic evidence for a pseudogap in the normal state of underdoped high-Tc superconductors. Nature, 1996, 382, 51-54.	13.7	1,273
231	aâ^'bPlane Microwave Surface Impedance of a High-Quality Bi2Sr2CaCu2O8Single Crystal. Physical Review Letters, 1996, 77, 735-738.	2.9	183
232	Local Electrodynamics in Heavy Ion IrradiatedBi2Sr2CaCu2O8+δ. Physical Review Letters, 1996, 77, 1155-1158.	2.9	54
233	Influence of columnar defects on vortex dynamics inBi2Sr2CaCu2O8from out-of-plane and flux transformer transport measurements. Physical Review B, 1996, 53, 14611-14620.	1.1	38
234	Direct observation of particle-hole mixing in the superconducting state by angle-resolved photoemission. Physical Review B, 1996, 53, R14737-R14740.	1.1	109

#	Article	IF	CITATIONS
235	Angle-resolved photoemission spectroscopy study of the superconducting gap anisotropy inBi2Sr2CaCu2O8+x. Physical Review B, 1996, 54, R9678-R9681.	1.1	266
236	Electronic Excitations inBi2Sr2CaCu2O8: Fermi Surface, Dispersion, and Absence of Bilayer Splitting. Physical Review Letters, 1996, 76, 1533-1536.	2.9	226
237	High-resolution angle-resolved photoemission spectroscopy of the momentum dependence of the superconducting gap inBi2Sr2CaCu2O8. Physical Review B, 1996, 53, 14055-14057.	1.1	5
238	High-resolution photoemission study of CeRu2: The dual character of4felectrons. Physical Review B, 1996, 53, R11946-R11948.	1.1	26
239	Thermal conductivity ofRNi2B2C (R=Y,Ho) single crystals. Physical Review B, 1996, 54, 3062-3065.	1.1	35
240	Anomalous Phonon Scattering BelowTcinYNi2B211C. Physical Review Letters, 1996, 77, 4628-4631.	2.9	88
241	Anomalies of The c-Axis Resistivity in Single Crystalline Bi2Sr2CaCu2O8+δ. , 1996, , 595-598.		0
242	Magnetic-field-induced non-linear effects of Josephson coupled superconductor Bi2Sr2CaCu2O8+?. Journal of Superconductivity and Novel Magnetism, 1995, 8, 461-464.	0.5	3
243	Magnetism and superconductivity in RET2B2C (REî—»Y and Tî—»Ni, Co) systems. Physica B: Condensed Matter, 1995, 206-207, 555-558.	1.3	12
244	Flux dynamics and c-axis resistive dissipation in the mixed state of high-temperature superconductors The case of (La1â^'xSrx)2CuO4. Physica C: Superconductivity and Its Applications, 1995, 248, 97-107.	0.6	3
245	Arpes studies in the normal and superconducting state of Bi2Sr2CaCu2O8. Journal of Physics and Chemistry of Solids, 1995, 56, 1863-1864.	1.9	0
246	Lorentz force independent out-of-plane resistive dissipation in single crystalline La1.86Sr0.14CuO4. Solid State Communications, 1995, 93, 933-937.	0.9	3
247	De Hass - van Alphen oscillations in the normal and superconducting states of the boro-carbide superconductor YNi2B2C. Solid State Communications, 1995, 96, 459-463.	0.9	50
248	Momentum Dependence of the Superconducting Gap inBi2Sr2CaCu2O8. Physical Review Letters, 1995, 74, 2784-2787.	2.9	236
249	First-Order Decoupling Transition in the Vortex Lattice ofBi2Sr2CaCu2O8from Local Mutual Inductance Measurements. Physical Review Letters, 1995, 75, 4520-4523.	2.9	60
250	Collective Josephson Plasma Resonance in the Vortex State ofBi2Sr2CaCu2O8+δ. Physical Review Letters, 1995, 75, 4512-4515.	2.9	361
251	Phenomenological model for thecâ€axis resistive dissipation in La2â°'xSrxCuO4as a function of temperature, magnetic field, and its orientation. Journal of Applied Physics, 1995, 77, 5278-5281.	1.1	O
252	Anisotropy of the electronic structure and superconducting gap inBi2Sr2CaCu2O8. Physical Review B, 1995, 51, 3945-3948.	1.1	11

#	Article	IF	CITATIONS
253	Vortex dynamics in La1.86Sr0. 14CuO4studied by magnetoresistivity. Philosophical Magazine Letters, 1995, 71, 169-177.	0.5	2
254	Momentum Distribution Sum Rule for Angle-Resolved Photoemission. Physical Review Letters, 1995, 74, 4951-4954.	2.9	149
255	Synthesis and Characterization of YNi2B2C Thin Films. , 1995, , 971-974.		O
256	Lorentz-force-independent dissipation in high-temperature superconductors. Superconductor Science and Technology, 1994, 7, 519-540.	1.8	58
257	Structure and Superconducting Properties of Y-Pd-B-C System. Japanese Journal of Applied Physics, 1994, 33, L590-L593.	0.8	32
258	Outâ€ofâ€plane magnetoresistivity for fields parallel to thecaxis in singleâ€crystalline (La1â^'xSrx)2CuO4. Journal of Applied Physics, 1994, 76, 1706-1710.	1.1	8
259	Origin of dissipation in high-Tcsuperconductors. Physical Review B, 1994, 50, 7230-7233.	1.1	14
260	Synthesis of YNi2B2C thin films by magnetron sputtering. Applied Physics Letters, 1994, 65, 1299-1301.	1.5	35
261	Anomalous band folding due to the BiO superstructure inBi2Sr2CaCu2O8studied by angle-resolved photoemission. Physical Review B, 1994, 50, 10225-10229.	1.1	9
262	Josephson junction character along the c-axis in Bi2Sr2CaCu2O8+δ. Physica B: Condensed Matter, 1994, 194-196, 2239-2240.	1.3	24
263	Structural certification and superconducting properties in artificially layered Bi2Sr2Canâ^'1CunO4+2n/Bi2Sr2CaÅ"â^'1CuÅ"O4+2Å" superlattice. Physica B: Condensed Matter, 1994, 194-196 2307-2308.	,1.3	1
264	Non-linear transport phenomena along the c-axis in single crystalline Bi2Sr2CaCu2O8+δ. Physica C: Superconductivity and Its Applications, 1994, 235-240, 3275-3276.	0.6	4
265	Complete Fermi surface mapping ofBi2Sr2CaCu2O8+x(001): Coexistence of short range antiferromagnetic correlations and metallicity in the same phase. Physical Review Letters, 1994, 72, 2757-2760.	2.9	367
266	Anomalous field dependent heat capacity in UPt3 below 1 K. Journal of Alloys and Compounds, 1994, 207-208, 337-339.	2.8	O
267	Cu NMR Study in Single Crystal Bi2Sr2CaCu2O8–Observation of Gapless Superconductivity–. Journal of the Physical Society of Japan, 1994, 63, 1104-1113.	0.7	67
268	Bi-2223/Bi-2234 superlattice: its structural analysis and superconducting transition temperature. , 1994, , .		2
269	Processing and fabrication of Bi2Sr2CaCu2Ov/Ag tapes and small scale coils. Applied Superconductivity, 1993, 1, 43-51.	0.5	43
270	Electrical resistivity of some uranium compounds. Physica B: Condensed Matter, 1993, 186-188, 727-729.	1.3	7

#	Article	IF	Citations
271	Magnetization behavior of single crystalline Bi2Sr2CaCu2Oy above 60 K. Physica C: Superconductivity and Its Applications, 1993, 212, 6-18.	0.6	1
272	Local epitaxy of Ag onBi2Sr2CaCu2O8+x(001). Physical Review B, 1993, 48, 6732-6735.	1.1	8
273	Crystal Structure of Pb2Sr2MCu3O8+Î'System (M=Nd, Sm, Eu, Gd, Dy, Y1-xCax, Ho and Er). Journal of the Physical Society of Japan, 1992, 61, 881-890.	0.7	7
274	Observation of anisotropic pinning effect in Bi2Sr2CaCu2O8+ \hat{l} single crystals. Physica C: Superconductivity and Its Applications, 1992, 195, 103-108.	0.6	27
275	Anomalous magnetization behavior of single crystalline Bi2Sr2CaCu2O8+δ. Physica C: Superconductivity and Its Applications, 1992, 195, 127-134.	0.6	84
276	Torque Study of Layered Superconducting OxideBi2Sr2CaCu2O8+Î'Single Crystal. Journal of the Physical Society of Japan, 1991, 60, 3226-3229.	0.7	42
277	Positron annihilation 2D-ACAR measurements in the incommensurately modulated high-Tc superconductor Bi2Sr2CaCu2O8+x. Physica C: Superconductivity and Its Applications, 1991, 176, 113-120.	0.6	14
278	Two dimensional superconducting properties in single crystalline Bi2Sr2CaCu2O8+ $\ddot{l}f$. Physica C: Superconductivity and Its Applications, 1991, 185-189, 1811-1812.	0.6	7
279	Magnetic anisotropy of layered superconducting oxide Bi2Sr2CaCu2O8+δ single crystals. Physica C: Superconductivity and Its Applications, 1991, 185-189, 1857-1858.	0.6	2
280	Superconducting diamagnetic magnetization of single crystalline Bi2Sr2CaCu2O8+ \hat{l} . Physica C: Superconductivity and Its Applications, 1991, 185-189, 2249-2250.	0.6	34
281	Flux-line lattice dynamics and irreversibility line in single crystalline Bi2Sr2CaCu2O8+ delta. Superconductor Science and Technology, 1991, 4, S88-S90.	1.8	10
282	Double anomaly in the specific heat of superconducting UPt3 and UPt3B0.11. Physica B: Condensed Matter, 1990, 163, 564-566.	1.3	22
283	High-field magnetization of single-crystalline YBa2Cu3O7. Physica C: Superconductivity and Its Applications, 1990, 169, 81-86.	0.6	46
284	Broadening phenomena of the resistive transition in single-crystalline YBa2Cu3O7 in magnetic fields. Physica C: Superconductivity and Its Applications, 1990, 170, 298-306.	0.6	32
285	The magnetic field dependence of the low temperature specific heat in single crystals of YBa2Cu3O7. Physica C: Superconductivity and Its Applications, 1990, 168, 363-369.	0.6	11
286	Soft-x-ray absorption spectroscopy of electron-doped (Nd,Sm)2â^'xCexCuO4â^'Î compounds. Physical Review B, 1990, 42, 1997-2002.	1.1	31
287	Antiferromagnetic Nuclear Resonance and Nuclear Quadrupole Resonance of Cu in Pb2Sr2RECu3O8+Î (RE=Y, Eu and Gd). Journal of the Physical Society of Japan, 1990, 59, 1549-1552.	0.7	16
288	High resolution electron microscopy on grain boundaries in Pb2Sr2â^'xLaxCu2O6+â^,, Pb2(Sr,) Tj ETQq0 0 0 rgB' 390-401.	T /Overloc 0.6	k 10 Tf 50 67 [°] 9

390-401.

#	Article	IF	CITATIONS
289	Synthesis, phase formation and high-Tc superconductivity at 78 K of Pb2Sr2Y1â^'xCaxCu3O8+Î'. Physica C: Superconductivity and Its Applications, 1989, 159, 165-172.	0.6	30
290	Irreversible magnetization and upper critical field of YBa2Cu3O7 single crystals in high magnetic fields. Physica B: Condensed Matter, 1989, 155, 136-139.	1.3	13
291	Electron microscopy on Pb2Sr2Ca0.5Y0.5Cu3O8+δ. Physica C: Superconductivity and Its Applications, 1989, 158, 155-172.	0.6	51
292	Resistive transition in single-crystalline YBa2Cu3O7 for various configurations of current and magnetic field directions. Physica C: Superconductivity and Its Applications, 1989, 161, 313-318.	0.6	60
293	Single crystal growth of the high-Tc superconductors REBa2Cu3O7â^'x (RE = Y, Er). Journal of Crystal Growth, 1989, 96, 1002-1009.	0.7	24
294	Investigations on the phase formations, properties and single crystal growth in the high-Tc superconducting Ca-Sr-Bi-Cu-O system. Physica C: Superconductivity and Its Applications, 1988, 152, 431-437.	0.6	22
295	New possibility of magnetic ripple shielding for specific heat measurements in hybrid magnets. Cryogenics, 1988, 28, 614-616.	0.9	5
296	Electron microscopy on the Tc = 110 K (midpoint) phase in the system Bi2O3–SrO–CaO–CuO. Nature, 1988, 332, 620-623.	13.7	213
297	Low-temperature specific heat of REBa2Cu3O7 in magnetic fields up to 5 T (RE = Y, Pr, Sm, Eu, Gd, Dy, Ho,) Tj ETC)q1,1 0.78	4314 rgBT
298	High-field magnetization of high-Tc REBa2Cu3O7 compounds. Physica C: Superconductivity and Its Applications, 1988, 152, 72-76.	0.6	15
299	Macroscopic quantum phenomena in point contacts with high-Tcsuperconducting material. Physica Scripta, 1988, 37, 840-842.	1.2	2
300	Electron Spin Resonance in CuSO45H2O down to 100 mK. Journal of the Physical Society of Japan, 1988, 57, 4366-4374.	0.7	1
301	Superconductivity and antiferromagnetic order in the U(Pt,Pd)3system. Journal of Applied Physics, 1987, 61, 3380-3382.	1.1	32
302	Macroscopic quantum phenomena in high-Tcsuperconducting material. Physical Review B, 1987, 35, 8858-8860.	1.1	31
303	High temperature characterization of the YBa2Cu3O9â^'y phase. Journal of the Less Common Metals, 1987, 136, 169-173.	0.9	10
304	The electrical resistivity of USix(1.8 \hat{a} © $\frac{1}{2}$ x \hat{a} © $\frac{1}{2}$ 2.0). Journal of the Less Common Metals, 1987, 127, 281-284.	0.9	2
305	Electrical resistivity of the heavy-fermion compounds (U, Th)Pt3. Journal of Magnetism and Magnetic Materials, 1987, 70, 403-404.	1.0	7
306	Effect of Substitutions on Heavy-Fermion UPt ₃ . Japanese Journal of Applied Physics, 1987, 26, 1243.	0.8	10

#	Article	IF	CITATIONS
307	Superconductivity at 93 K in Single-Phase YBa2Cu3O7. Japanese Journal of Applied Physics, 1987, 26, 1151.	0.8	О
308	Universal relationship of the resistivity and specific heat in heavy-Fermion compounds. Solid State Communications, 1986, 58, 507-509.	0.9	978
309	Hall effect of UPt3. Journal of Physics F: Metal Physics, 1986, 16, L63-L66.	1.6	14
310	Electron tunneling into superconducting YB6. Solid State Communications, 1984, 52, 659-661.	0.9	48
311	Magnetization and Magnetoresistance of MnSi. I. Journal of the Physical Society of Japan, 1982, 51, 2433-2438.	0.7	118
312	Superconducting phase transitions in ErcY1â^'cRh4B4. Solid State Communications, 1979, 32, 185-188.	0.9	30
313	Antiferromagnetic Resonance in CuCl2·2NC5H5 below 1 K. Journal of the Physical Society of Japan, 1979, 46, 45-52.	0.7	1
314	Electron Spin Resonance in the Itinerant-Electron Helical Magnet MnSi. Journal of the Physical Society of Japan, 1977, 42, 1555-1561.	0.7	50