

# Ying Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/713288/publications.pdf>

Version: 2024-02-01

127  
papers

5,241  
citations

76326

40  
h-index

106344

65  
g-index

139  
all docs

139  
docs citations

139  
times ranked

3478  
citing authors

#	ARTICLE	IF	CITATIONS
1	Bi <sub>2</sub> O <sub>3</sub> /TiO <sub>2</sub> @reduced graphene oxide with enzyme-like properties efficiently inactivates <i>Pseudomonas syringae</i> pv. tomato DC3000 and enhances abiotic stress tolerance in tomato. <i>Environmental Science: Nano</i> , 2022, 9, 118-132.	4.3	3
2	One-pot synthesis of Ca-based magnetic hydrochar derived from consecutive hydrothermal and pyrolysis processing of bamboo for high-performance scavenging of Pb(II) and tetracycline from water. <i>Bioresource Technology</i> , 2022, 343, 126046.	9.6	49
3	Effective lead passivation in soil by bone char/CMC-stabilized FeS composite loading with phosphate-solubilizing bacteria. <i>Journal of Hazardous Materials</i> , 2022, 423, 127043.	12.4	104
4	Nitrate removal by alkali-resistant <i>Pseudomonas</i> sp. XS-18 under aerobic conditions: Performance and mechanism. <i>Bioresource Technology</i> , 2022, 344, 126175.	9.6	32
5	Stabilization of lead and cadmium in soil by sulfur-iron functionalized biochar: Performance, mechanisms and microbial community evolution. <i>Journal of Hazardous Materials</i> , 2022, 425, 127876.	12.4	109
6	Distribution of rare earth elements (REEs) and their roles in plant growth: A review. <i>Environmental Pollution</i> , 2022, 298, 118540.	7.5	55
7	A stable biochar supported S-nZVI to activate persulfate for effective dichlorination of atrazine. <i>Chemical Engineering Journal</i> , 2022, 431, 133937.	12.7	39
8	Di(2-ethylhexyl) phthalate and dibutyl phthalate have a negative competitive effect on the nitrification of black soil. <i>Chemosphere</i> , 2022, 293, 133554.	8.2	14
9	Simultaneous scavenging of Cd(II) and Pb(II) from water by sulfide-modified magnetic pinecone-derived hydrochar. <i>Journal of Cleaner Production</i> , 2022, 341, 130758.	9.3	64
10	Sorption of Pb(II) onto biochar is enhanced through co-sorption of dissolved organic matter. <i>Science of the Total Environment</i> , 2022, 825, 153686.	8.0	30
11	Applications of functionalized magnetic biochar in environmental remediation: A review. <i>Journal of Hazardous Materials</i> , 2022, 434, 128841.	12.4	104
12	Microwave-assisted one-pot synthesis of $\beta$ -cyclodextrin modified biochar for stabilization of Cd and Pb in soil. <i>Journal of Cleaner Production</i> , 2022, 346, 131165.	9.3	41
13	Facile one-step synthesis of biochar supported iron nanoparticles for enhancing Pb(II) scavenging from water: Performance and mechanisms. <i>Journal of Molecular Liquids</i> , 2022, 353, 118815.	4.9	6
14	Concurrent elimination and stepwise recovery of Pb(II) and bisphenol A from water using $\beta$ -cyclodextrin modified magnetic cellulose: adsorption performance and mechanism investigation. <i>Journal of Hazardous Materials</i> , 2022, 432, 128758.	12.4	62
15	Efficient scavenging of aqueous Pb(II)/Cd(II) by sulfide-iron decorated biochar: Performance, mechanisms and reusability exploration. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107531.	6.7	21
16	Efficient preparation of P-doped carbon with ultra-high mesoporous ratio from furfural residue for dye removal. <i>Separation and Purification Technology</i> , 2022, 292, 120954.	7.9	17
17	Free radicals-triggered reductive and oxidative degradation of highly chlorinated compounds via regulation of heat-activated persulfate by low-molecular-weight organic acids. <i>Applied Catalysis B: Environmental</i> , 2022, 310, 121359.	20.2	66
18	Two-step ball milling-assisted synthesis of N-doped biochar loaded with ferrous sulfide for enhanced adsorptive removal of Cr(VI) and tetracycline from water. <i>Environmental Pollution</i> , 2022, 306, 119398.	7.5	25

#	ARTICLE	IF	CITATIONS
19	Passivation of lead and cerium in soil facilitated by biochar-supported phosphate-doped ferrihydrite: Mechanisms and microbial community evolution. <i>Journal of Hazardous Materials</i> , 2022, 436, 129090.	12.4	1
20	Interference between di(2-ethylhexyl) phthalate and heavy metals (Cd and Cu) in a Mollisol during aging and mobilization. <i>Science of the Total Environment</i> , 2022, 836, 155635.	8.0	3
21	Pyrogallic acid modified nanoscale zero-valent iron efficiently removed Cr(VI) by improving adsorption and electron selectivity. <i>Chemical Engineering Journal</i> , 2022, 443, 136510.	12.7	32
22	Pinecone-derived magnetic porous hydrochar co-activated by KHCO <sub>3</sub> and K <sub>2</sub> FeO <sub>4</sub> for Cr(VI) and anthracene removal from water. <i>Environmental Pollution</i> , 2022, 306, 119457.	7.5	9
23	Synchronization adsorption of Pb(II) and Ce(IV) by biochar supported phosphate-doped ferrihydrite in aqueous solution: Adsorption efficiency and mechanisms. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 648, 129230.	4.7	11
24	Leymus chinensis Adapts to Degraded Soil Environments by Changing Metabolic Pathways and Root Exudate Components. <i>Frontiers in Plant Science</i> , 2022, 13, .	3.6	1
25	Ball milling potassium ferrate activated biochar for efficient chromium and tetracycline decontamination: Insights into activation and adsorption mechanisms. <i>Bioresource Technology</i> , 2022, 360, 127407.	9.6	33
26	Ball milling-assisted preparation of N-doped biochar loaded with ferrous sulfide as persulfate activator for phenol degradation: Multiple active sites-triggered radical/non-radical mechanism. <i>Applied Catalysis B: Environmental</i> , 2022, 316, 121639.	20.2	107
27	Analysis of the performance of the efficient di-(2-ethylhexyl) phthalate-degrading bacterium <i>Rhodococcus pyridinovorans</i> DNHP-S2 and associated catabolic pathways. <i>Chemosphere</i> , 2022, 306, 135610.	8.2	6
28	Biodegradation of Di-n-butyl phthalate in rhizosphere and growth-promoting effect of <i>Cucumis sativus</i> Linn. by a novel <i>Pseudomonas</i> sp. DNB-S1. <i>Ecotoxicology</i> , 2021, 30, 1454-1464.	2.4	4
29	KOH-activated porous biochar with high specific surface area for adsorptive removal of chromium (VI) and naphthalene from water: Affecting factors, mechanisms and reusability exploration. <i>Journal of Hazardous Materials</i> , 2021, 401, 123292.	12.4	241
30	Green synthesis of hydrophilic activated carbon supported sulfide nZVI for enhanced Pb(II) scavenging from water: Characterization, kinetics, isotherms and mechanisms. <i>Journal of Hazardous Materials</i> , 2021, 403, 123607.	12.4	139
31	Graphene-like carbon sheet-supported nZVI for efficient atrazine oxidation degradation by persulfate activation. <i>Chemical Engineering Journal</i> , 2021, 403, 126309.	12.7	77
32	Microwave-assisted synthesis of $\beta$ -cyclodextrin functionalized celluloses for enhanced removal of Pb(II) from water: Adsorptive performance and mechanism exploration. <i>Science of the Total Environment</i> , 2021, 752, 141854.	8.0	60
33	Effects of C/N ratio variation in swine biogas slurry on soil dissolved organic matter: Content and fluorescence characteristics. <i>Ecotoxicology and Environmental Safety</i> , 2021, 209, 111804.	6.0	29
34	Enhanced phosphate scavenging with effective recovery by magnetic porous biochar supported La(OH) <sub>3</sub> : Kinetics, isotherms, mechanisms and applications for water and real wastewater. <i>Bioresource Technology</i> , 2021, 319, 124232.	9.6	104
35	Study on the community structure and function of anaerobic granular sludge under trichloroethylene stress. <i>Ecotoxicology</i> , 2021, 30, 1408-1418.	2.4	7
36	Nicosulfuron inhibits atrazine biodegradation by <i>Arthrobacter</i> sp. DNS10: Influencing mechanisms insight from bacteria viability, gene transcription and reactive oxygen species production. <i>Environmental Pollution</i> , 2021, 273, 116517.	7.5	10

#	ARTICLE	IF	CITATIONS
37	The oxidative stress caused by atrazine in root exudation of <i>Pennisetum americanum</i> (L.) K. Schum. <i>Ecotoxicology and Environmental Safety</i> , 2021, 211, 111943.	6.0	11
38	Hazards of phthalates (PAEs) exposure: A review of aquatic animal toxicology studies. <i>Science of the Total Environment</i> , 2021, 771, 145418.	8.0	144
39	Monobutyl phthalate can induce autophagy and metabolic disorders by activating the ire1a-xbp1 pathway in zebrafish liver. <i>Journal of Hazardous Materials</i> , 2021, 412, 125243.	12.4	10
40	Rapidly degradation of di-(2-ethylhexyl) phthalate by Z-scheme Bi <sub>2</sub> O <sub>3</sub> /TiO <sub>2</sub> @reduced graphene oxide driven by simulated solar radiation. <i>Chemosphere</i> , 2021, 272, 129631.	8.2	26
41	Facilitating effect of heavy metals on di(2-ethylhexyl) phthalate adsorption in soil: New evidence from adsorption experiment data and quantum chemical simulation. <i>Science of the Total Environment</i> , 2021, 772, 144980.	8.0	14
42	One-pot synthesis of a novel P-doped ferrihydrite nanoparticles for efficient removal of Pb(II) from aqueous solutions: Performance and mechanism. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105721.	6.7	12
43	One-step synthesis of biochar supported nZVI composites for highly efficient activating persulfate to oxidatively degrade atrazine. <i>Chemical Engineering Journal</i> , 2021, 420, 129868.	12.7	52
44	Characterization and mechanism analysis of tylosin biodegradation and simultaneous ammonia nitrogen removal with strain <i>Klebsiella pneumoniae</i> TN-1. <i>Bioresource Technology</i> , 2021, 336, 125342.	9.6	26
45	Removal of Cd(II) and anthracene from water by $\beta$ -cyclodextrin functionalized magnetic hydrochar: Performance, mechanism and recovery. <i>Bioresource Technology</i> , 2021, 337, 125428.	9.6	24
46	Mechanism for various phytotoxicity of atrazine in soils to soybean: Insights from soil sorption abilities and dissolved organic matter properties. <i>Journal of Environmental Management</i> , 2021, 297, 113220.	7.8	11
47	Magnetic porous biochar with high specific surface area derived from microwave-assisted hydrothermal and pyrolysis treatments of water hyacinth for Cr(VI) and tetracycline adsorption from water. <i>Bioresource Technology</i> , 2021, 340, 125692.	9.6	60
48	Exogenous Zn <sup>2+</sup> enhance the biodegradation of atrazine by regulating the chlorohydrolase gene trzN transcription and membrane permeability of the degrader <i>Arthrobacter</i> sp. DNS10. <i>Chemosphere</i> , 2020, 238, 124594.	8.2	12
49	The removal of butachlor from soil by wastewater-derived <i>Rhodopseudomonas marshesii</i> . <i>Soil Use and Management</i> , 2020, 36, 153-156.	4.9	0
50	Effects of humic acid on the biodegradation of di-n-butyl phthalate in mollisol. <i>Journal of Cleaner Production</i> , 2020, 249, 119404.	9.3	26
51	Multi-component adsorption of Pb(II), Cd(II) and Ni(II) onto microwave-functionalized cellulose: Kinetics, isotherms, thermodynamics, mechanisms and application for electroplating wastewater purification. <i>Journal of Hazardous Materials</i> , 2020, 387, 121718.	12.4	127
52	Monobutyl phthalate (MBP) can dysregulate the antioxidant system and induce apoptosis of zebrafish liver. <i>Environmental Pollution</i> , 2020, 257, 113517.	7.5	33
53	Physiological responses of <i>Arthrobacter</i> sp. JQ-1 $\Delta$ cell interfaces to co-existed di-(2-ethylhexyl) phthalate (DEHP) and copper. <i>Ecotoxicology and Environmental Safety</i> , 2020, 205, 111163.	6.0	11
54	A composite of Ni-Fe-Zn layered double hydroxides/biochar for atrazine removal from aqueous solution. <i>Biochar</i> , 2020, 2, 455-464.	12.6	20

#	ARTICLE	IF	CITATIONS
55	Monobutyl phthalate (MBP) induces energy metabolism disturbances in the gills of adult zebrafish ( <i>Danio rerio</i> ). <i>Environmental Pollution</i> , 2020, 266, 115288.	7.5	11
56	Microwave-assisted one pot synthesis of $\beta$ -cyclodextrin modified biochar for concurrent removal of Pb(II) and bisphenol a in water. <i>Carbohydrate Polymers</i> , 2020, 250, 117003.	10.2	50
57	Trichloroethylene inhibits nitrogen transformation and microbial community structure in Mollisol. <i>Ecotoxicology</i> , 2020, 29, 801-813.	2.4	6
58	Simultaneously enhanced removal and stepwise recovery of atrazine and Pb(II) from water using $\beta$ -cyclodextrin functionalized cellulose: Characterization, adsorptive performance and mechanism exploration. <i>Journal of Hazardous Materials</i> , 2020, 400, 123142.	12.4	67
59	Cadmium resistance mechanisms of a functional strain <i>Enterobacter</i> sp. DNB-S2, isolated from black soil in Northeast China. <i>Environmental Pollution</i> , 2020, 263, 114612.	7.5	15
60	Enhancing the atrazine tolerance of <i>Pennisetum americanum</i> (L.) K. Schum by inoculating with indole-3-acetic acid producing strain <i>Pseudomonas chlororaphis</i> PAS18. <i>Ecotoxicology and Environmental Safety</i> , 2020, 202, 110854.	6.0	13
61	<i>Rhodopseudomonas sphaeroides</i> treating mesosulfuron-methyl waste-water. <i>Environmental Pollution</i> , 2020, 262, 114166.	7.5	6
62	Removal of atrazine by biochar-supported zero-valent iron catalyzed persulfate oxidation: Reactivity, radical production and transformation pathway. <i>Environmental Research</i> , 2020, 184, 109260.	7.5	95
63	Application of biochar with functional microorganisms for enhanced atrazine removal and phosphorus utilization. <i>Journal of Cleaner Production</i> , 2020, 257, 120535.	9.3	39
64	Anthraquinone-2,6-disulfonate enhanced biodegradation of dibutyl phthalate: Reducing membrane damage and oxidative stress in bacterial degradation. <i>Bioresource Technology</i> , 2020, 302, 122845.	9.6	16
65	One-pot hydrothermal synthesis of NaLa(CO <sub>3</sub> ) <sub>2</sub> decorated magnetic biochar for efficient phosphate removal from water: Kinetics, isotherms, thermodynamics, mechanisms and reusability exploration. <i>Chemical Engineering Journal</i> , 2020, 394, 124915.	12.7	152
66	Complete metabolic study by dibutyl phthalate degrading <i>Pseudomonas</i> sp. DNB-S1. <i>Ecotoxicology and Environmental Safety</i> , 2020, 194, 110378.	6.0	26
67	Fabrication and characterization of a hierarchical porous carbon from corn straw derived hydrochar for atrazine removal: efficiency and interface mechanisms. <i>Environmental Science and Pollution Research</i> , 2019, 26, 30268-30278.	5.3	13
68	New insight into chemical changes between dissolved organic matter and environmental nano-CuO pollutants binding experiment using multi-spectroscopic techniques. <i>Journal of Molecular Liquids</i> , 2019, 291, 111278.	4.9	11
69	Feasibility of cultivation of <i>Spinibarbus sinensis</i> with coconut oil and its effect on disease resistance (nonspecific immunity, antioxidation and mTOR and NF- $\kappa$ B signaling pathways). <i>Fish and Shellfish Immunology</i> , 2019, 93, 726-731.	3.6	22
70	Effect of <i>Rhodopseudomonas sphaeroides</i> Treated Wastewater on Yield, Digestive Enzymes, Antioxidants, Nonspecific Immunity, and Intestinal Microbiota of Common Carp. <i>North American Journal of Aquaculture</i> , 2019, 81, 385-398.	1.4	6
71	Metabolic process of di-n-butyl phthalate (DBP) by <i>Enterobacter</i> sp. DNB-S2, isolated from Mollisol region in China. <i>Environmental Pollution</i> , 2019, 255, 113344.	7.5	30
72	Effects of trichloroethylene stress on the microbiological characteristics of Mollisol. <i>Ecotoxicology and Environmental Safety</i> , 2019, 184, 109595.	6.0	18

#	ARTICLE	IF	CITATIONS
73	Enhanced adsorption of Pb(II) onto modified hydrochar by polyethyleneimine or H <sub>3</sub> PO <sub>4</sub> : An analysis of surface property and interface mechanism. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 583, 123962.	4.7	75
74	Effect of swine biogas slurry application on soil dissolved organic matter (DOM) content and fluorescence characteristics. <i>Ecotoxicology and Environmental Safety</i> , 2019, 184, 109616.	6.0	37
75	The biodegradation of carbaryl in soil with <i>Rhodopseudomonas capsulata</i> in wastewater treatment effluent. <i>Journal of Environmental Management</i> , 2019, 249, 109226.	7.8	9
76	<i>Rhodopseudomonas palustris</i> wastewater treatment: Cyhalofop-butyl removal, biochemicals production and mathematical model establishment. <i>Bioresource Technology</i> , 2019, 282, 390-397.	9.6	38
77	Effects of temperature, time and acidity of hydrothermal carbonization on the hydrochar properties and nitrogen recovery from corn stover. <i>Biomass and Bioenergy</i> , 2019, 122, 175-182.	5.7	108
78	Enhanced biodegradation of atrazine by <i>Arthrobacter</i> sp. DNS10 during co-culture with a phosphorus solubilizing bacteria: <i>Enterobacter</i> sp. P1. <i>Ecotoxicology and Environmental Safety</i> , 2019, 172, 159-166.	6.0	53
79	Effects of bok choy on the dissipation of dibutyl phthalate (DBP) in mollisol and its possible mechanisms of biochemistry and microorganisms. <i>Ecotoxicology and Environmental Safety</i> , 2019, 181, 284-291.	6.0	26
80	Alleviation of atrazine toxicity to maize seedlings grown in soils with amendment of biochar derived from wheat under different temperatures. <i>Environmental Science and Pollution Research</i> , 2019, 26, 24362-24371.	5.3	2
81	A combined system of microwave-functionalized rice husk and poly-aluminium chloride for trace cadmium-contaminated source water purification: Exploration of removal efficiency and mechanism. <i>Journal of Hazardous Materials</i> , 2019, 379, 120804.	12.4	21
82	Enhanced nitrogen removal in an aerobic granular sequencing batch reactor under low DO concentration: Role of extracellular polymeric substances and microbial community structure. <i>Bioresource Technology</i> , 2019, 289, 121651.	9.6	30
83	Efficient removal of atrazine by iron-modified biochar loaded <i>Acinetobacter lwoffii</i> DNS32. <i>Science of the Total Environment</i> , 2019, 682, 59-69.	8.0	61
84	A comparison of the characteristics and atrazine adsorption capacity of co-pyrolysed and mixed biochars generated from corn straw and sawdust. <i>Environmental Research</i> , 2019, 172, 561-568.	7.5	60
85	The drivers of bacterial community underlying biogeographical pattern in Mollisol area of China. <i>Ecotoxicology and Environmental Safety</i> , 2019, 177, 93-99.	6.0	14
86	Metabolism of diethyl phthalate (DEP) and identification of degradation intermediates by <i>Pseudomonas</i> sp. DNE-S1. <i>Ecotoxicology and Environmental Safety</i> , 2019, 173, 411-418.	6.0	46
87	Improved performance of simultaneous nitrification and denitrification via nitrite in an oxygen-limited SBR by alternating the DO. <i>Bioresource Technology</i> , 2019, 275, 153-162.	9.6	127
88	Development of a novel bio-organic fertilizer for the removal of atrazine in soil. <i>Journal of Environmental Management</i> , 2019, 233, 553-560.	7.8	36
89	The bio-mitigation of acetochlor in soil using <i>Rhodopseudomonas capsulata</i> in effluent after wastewater treatment. <i>Journal of Soils and Sediments</i> , 2019, 19, 2927-2933.	3.0	6
90	The organophosphorus pesticides in soil was degraded by <i>Rhodobacter sphaeroides</i> after wastewater treatment. <i>Biochemical Engineering Journal</i> , 2019, 141, 247-251.	3.6	38

#	ARTICLE	IF	CITATIONS
91	Facile synthesis of highly porous carbon sponge with adsorption and co-adsorption behavior of lead ions and atrazine. <i>Environmental Science and Pollution Research</i> , 2018, 25, 18705-18716.	5.3	4
92	Effective sorption of atrazine by biochar colloids and residues derived from different pyrolysis temperatures. <i>Environmental Science and Pollution Research</i> , 2018, 25, 18528-18539.	5.3	30
93	Physiological and molecular responses of pearl millet seedling to atrazine stress. <i>International Journal of Phytoremediation</i> , 2018, 20, 343-351.	3.1	6
94	Toxicological sensitivity of <i>Pennisetum americanum</i> (L.) K. Schum to atrazine exposure. <i>International Journal of Phytoremediation</i> , 2018, 20, 635-642.	3.1	5
95	Characterization of modified biochars prepared at low pyrolysis temperature as an efficient adsorbent for atrazine removal. <i>Environmental Science and Pollution Research</i> , 2018, 25, 1405-1417.	5.3	23
96	Biochar-supported reduced graphene oxide composite for adsorption and coadsorption of atrazine and lead ions. <i>Applied Surface Science</i> , 2018, 427, 147-155.	6.1	144
97	Different dissolved organic matter (DOM) characteristics lead to diverse atrazine adsorption traits on the non-rhizosphere and rhizosphere soil of <i>Pennisetum americanum</i> (L.) K. Schum. <i>Chemosphere</i> , 2018, 209, 608-616.	8.2	27
98	Competitive sorption of lead and methylene blue onto black soil and their interaction with dissolved organic matter using two-dimensional correlation analyses. <i>Ecotoxicology and Environmental Safety</i> , 2018, 164, 484-492.	6.0	16
99	How do root exudates of bok choy promote dibutyl phthalate adsorption on mollisol?. <i>Ecotoxicology and Environmental Safety</i> , 2018, 161, 129-136.	6.0	16
100	One-pot synthesis of porous carbon foam derived from corn straw: atrazine adsorption equilibrium and kinetics. <i>Environmental Science: Nano</i> , 2017, 4, 625-635.	4.3	56
101	Characterization of spectral responses of dissolved organic matter (DOM) for atrazine binding during the sorption process onto black soil. <i>Chemosphere</i> , 2017, 180, 531-539.	8.2	99
102	The enhancement of atrazine sorption and microbial transformation in biochars amended black soils. <i>Chemosphere</i> , 2017, 189, 507-516.	8.2	25
103	Investigating the behavior of binding properties between dissolved organic matter (DOM) and Pb(II) during the soil sorption process using parallel factor analysis (PARAFAC) and two-dimensional correlation spectroscopy (2D-COS). <i>Environmental Science and Pollution Research</i> , 2017, 24, 25156-25165.	5.3	37
104	Nitrogen-functionalization biochars derived from wheat straws via molten salt synthesis: An efficient adsorbent for atrazine removal. <i>Science of the Total Environment</i> , 2017, 607-608, 1391-1399.	8.0	77
105	Effects of multi-walled carbon nanotubes with various diameters on bacterial cellular membranes: Cytotoxicity and adaptive mechanisms. <i>Chemosphere</i> , 2017, 185, 162-170.	8.2	34
106	Effects of biochars and MWNTs on biodegradation behavior of atrazine by <i>Acinetobacter lwoffii</i> DNS32. <i>Science of the Total Environment</i> , 2017, 577, 54-60.	8.0	26
107	Variation in the Humification Degree of Dissolved Organic Matter from Cattle Manure during Composting as Analyzed by Ultraviolet-Visible and Fluorescence Spectroscopy. <i>Journal of Environmental Quality</i> , 2017, 46, 1489-1499.	2.0	16
108	Exogenous calcium induces tolerance to atrazine stress in <i>Pennisetum</i> seedlings and promotes photosynthetic activity, antioxidant enzymes and psbA gene transcripts. <i>Ecotoxicology and Environmental Safety</i> , 2016, 132, 403-412.	6.0	35

#	ARTICLE	IF	CITATIONS
109	Effect of di-n-butyl phthalate (DBP) on the fruit quality of cucumber and the health risk. <i>Environmental Science and Pollution Research</i> , 2016, 23, 24298-24304.	5.3	28
110	Insight into the roles of tightly and loosely bound extracellular polymeric substances on a granular sludge in ammonium nitrogen removal. <i>Bioresource Technology</i> , 2016, 222, 408-412.	9.6	36
111	The microbiome and functions of black soils are altered by dibutyl phthalate contamination. <i>Applied Soil Ecology</i> , 2016, 99, 51-61.	4.3	62
112	Enzymatic antioxidant defense in resistant plant: <i>Pennisetum americanum</i> (L.) K. Schum during long-term atrazine exposure. <i>Pesticide Biochemistry and Physiology</i> , 2016, 133, 59-66.	3.6	41
113	Lycopene protects against atrazine-induced hepatic ionic homeostasis disturbance by modulating ion-transporting ATPases. <i>Journal of Nutritional Biochemistry</i> , 2016, 27, 249-256.	4.2	37
114	Role and significance of extracellular polymeric substances from granular sludge for simultaneous removal of organic matter and ammonia nitrogen. <i>Bioresource Technology</i> , 2015, 179, 460-466.	9.6	87
115	Effect of di-n-butyl phthalate on root physiology and rhizosphere microbial community of cucumber seedlings. <i>Journal of Hazardous Materials</i> , 2015, 289, 9-17.	12.4	46
116	Interaction between Microbes DNA and Atrazine in Black Soil Analyzed by Spectroscopy. <i>Clean - Soil, Air, Water</i> , 2015, 43, 867-871.	1.1	10
117	Physical and chemical indices of cucumber seedling leaves under dibutyl phthalate stress. <i>Environmental Science and Pollution Research</i> , 2015, 22, 3477-3488.	5.3	48
118	Effect of hydraulic retention time (HRT) on the biodegradation of trichloroethylene wastewater and anaerobic bacterial community in the UASB reactor. <i>Applied Microbiology and Biotechnology</i> , 2015, 99, 1977-1987.	3.6	87
119	The influence of facility agriculture production on phthalate esters distribution in black soils of northeast China. <i>Science of the Total Environment</i> , 2015, 506-507, 118-125.	8.0	105
120	Acclimation of the trichloroethylene-degrading anaerobic granular sludge and the degradation characteristics in an upflow anaerobic sludge blanket reactor. <i>Water Science and Technology</i> , 2014, 69, 120-127.	2.5	7
121	Effects of diethylphthalate and di-(2-ethyl)hexylphthalate on the physiology and ultrastructure of cucumber seedlings. <i>Environmental Science and Pollution Research</i> , 2014, 21, 1020-1028.	5.3	21
122	Combined bioremediation of atrazine-contaminated soil by <i>Pennisetum</i> and <i>Arthrobacter</i> sp. strain DNS10. <i>Environmental Science and Pollution Research</i> , 2014, 21, 6234-6238.	5.3	40
123	Effects of di-n-butyl phthalate on the physiology and ultrastructure of cucumber seedling roots. <i>Environmental Science and Pollution Research</i> , 2014, 21, 6662-6670.	5.3	17
124	Research on Three Resistant Plants Remediating Atropine Contaminated Soil. <i>Procedia Environmental Sciences</i> , 2012, 12, 238-242.	1.4	1
125	Metabolic ability and individual characteristics of an atrazine-degrading consortium DNC5. <i>Journal of Hazardous Materials</i> , 2012, 237-238, 376-381.	12.4	35
126	Metabolic ability and gene characteristics of <i>Arthrobacter</i> sp. strain DNS10, the sole atrazine-degrading strain in a consortium isolated from black soil. <i>International Biodeterioration and Biodegradation</i> , 2011, 65, 1140-1144.	3.9	73



#	ARTICLE	IF	CITATIONS
127	Influence of humic acid on the trichloroethene degradation by Dehalococcoides-containing consortium. <i>Journal of Hazardous Materials</i> , 2011, 190, 1074-1078.	12.4	12