

Mohamed Saoud

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7134145/publications.pdf>

Version: 2024-02-01

83
papers

4,215
citations

87723

38
h-index

114278

63
g-index

91
all docs

91
docs citations

91
times ranked

4947
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Examining Transcranial Direct-Current Stimulation (tDCS) as a Treatment for Hallucinations in Schizophrenia. <i>American Journal of Psychiatry</i> , 2012, 169, 719-724. | 4.0 | 434 |
| 2 | Consensus paper of the WFSBP Task Force on Biological Markers: Biological Markers in Depression. <i>World Journal of Biological Psychiatry</i> , 2007, 8, 141-174. | 1.3 | 219 |
| 3 | Effects of Fronto-Temporal Transcranial Direct Current Stimulation on Auditory Verbal Hallucinations and Resting-State Functional Connectivity of the Left Temporo-Parietal Junction in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2016, 42, 318-326. | 2.3 | 170 |
| 4 | Slow transcranial magnetic stimulation can rapidly reduce resistant auditory hallucinations in schizophrenia. <i>Biological Psychiatry</i> , 2005, 57, 188-191. | 0.7 | 153 |
| 5 | Emotion recognition and genetic vulnerability to schizophrenia. <i>British Journal of Psychiatry</i> , 2007, 191, 126-130. | 1.7 | 138 |
| 6 | Low frequency repetitive transcranial magnetic stimulation improves source monitoring deficit in hallucinating patients with schizophrenia. <i>Schizophrenia Research</i> , 2006, 81, 41-45. | 1.1 | 132 |
| 7 | Attention, motor control and motor imagery in schizophrenia: implications for the role of the parietal cortex. <i>Schizophrenia Research</i> , 2004, 70, 241-261. | 1.1 | 126 |
| 8 | Cannabis use correlates with schizotypal personality traits in healthy students. <i>Psychiatry Research</i> , 2002, 109, 27-35. | 1.7 | 122 |
| 9 | Neuropsychological Deficit in Siblings Discordant for Schizophrenia. <i>Schizophrenia Bulletin</i> , 2000, 26, 893-902. | 2.3 | 113 |
| 10 | Effects of emotion and identity on facial affect processing in schizophrenia. <i>Psychiatry Research</i> , 2005, 133, 149-157. | 1.7 | 113 |
| 11 | Comorbidity between temporal lobe epilepsy and depression: a [18 F]MPPF PET study. <i>Brain</i> , 2008, 131, 2765-2782. | 3.7 | 95 |
| 12 | Attentional deficits in patients with schizophrenia and in their non-psychotic first-degree relatives. <i>Psychiatry Research</i> , 1999, 89, 147-159. | 1.7 | 89 |
| 13 | A randomized, controlled trial of computer-assisted cognitive remediation for schizophrenia. <i>Schizophrenia Research</i> , 2011, 125, 284-290. | 1.1 | 85 |
| 14 | How can cognitive remediation therapy modulate brain activations in schizophrenia?. <i>Psychiatry Research - Neuroimaging</i> , 2011, 192, 160-166. | 0.9 | 75 |
| 15 | Facial Expression and Sex Recognition in Schizophrenia and Depression. <i>Canadian Journal of Psychiatry</i> , 2005, 50, 525-533. | 0.9 | 74 |
| 16 | Transcranial direct current stimulation in treatment-resistant obsessive-compulsive disorder: An open-label pilot study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 65, 153-157. | 2.5 | 73 |
| 17 | Left temporo-limbic and orbital dysfunction in schizophrenia during odor familiarity and hedonicity judgments. <i>NeuroImage</i> , 2006, 29, 302-313. | 2.1 | 70 |
| 18 | Transcranial Direct Current Stimulation for Obsessive-Compulsive Disorder: A Systematic Review. <i>Brain Sciences</i> , 2018, 8, 37. | 1.1 | 70 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Alteration of event related potentials in siblings discordant for schizophrenia. <i>Schizophrenia Research</i> , 2000, 41, 325-334. | 1.1 | 69 |
| 20 | Source monitoring deficits in hallucinating compared to non-hallucinating patients with schizophrenia. <i>European Psychiatry</i> , 2006, 21, 259-261. | 0.1 | 66 |
| 21 | Effects of acute metabolic stress on the dopaminergic and pituitary-adrenal axis activity in patients with schizophrenia, their unaffected siblings and controls. <i>Schizophrenia Research</i> , 2008, 100, 206-211. | 1.1 | 65 |
| 22 | Schizophrenia: From the brain to peripheral markers. A consensus paper of the WFSBP task force on biological markers. <i>World Journal of Biological Psychiatry</i> , 2009, 10, 127-155. | 1.3 | 64 |
| 23 | Validity of the depressive dimension extracted from principal component analysis of the PANSS in drug-free patients with schizophrenia. <i>Schizophrenia Research</i> , 2002, 56, 121-127. | 1.1 | 63 |
| 24 | Gaze discrimination is unimpaired in schizophrenia. <i>Psychiatry Research</i> , 1998, 81, 67-75. | 1.7 | 61 |
| 25 | Poor performance in smooth pursuit and antisaccadic eye-movement tasks in healthy siblings of patients with schizophrenia. <i>Psychiatry Research</i> , 2001, 101, 209-219. | 1.7 | 61 |
| 26 | Impaired verbal source monitoring in schizophrenia: An intermediate trait vulnerability marker?. <i>Schizophrenia Research</i> , 2007, 89, 287-292. | 1.1 | 60 |
| 27 | Ratings of Different Olfactory Judgements in Schizophrenia. <i>Chemical Senses</i> , 2002, 27, 407-416. | 1.1 | 58 |
| 28 | Auditory event-related potentials and clinical scores in unmedicated schizophrenic patients. <i>Psychiatry Research</i> , 1999, 86, 229-238. | 1.7 | 56 |
| 29 | Reduced Expression of STOP/MAP6 in Mice Leads to Cognitive Deficits. <i>Schizophrenia Bulletin</i> , 2013, 39, 969-978. | 2.3 | 51 |
| 30 | Efficacy of Cathodal Transcranial Direct Current Stimulation Over the Left Orbitofrontal Cortex in a Patient With Treatment-Resistant Obsessive-Compulsive Disorder. <i>Journal of ECT</i> , 2015, 31, 271-272. | 0.3 | 47 |
| 31 | A Comparison of Facial Emotion Processing in Neurological and Psychiatric Conditions. <i>Frontiers in Psychology</i> , 2012, 3, 98. | 1.1 | 45 |
| 32 | Exploring imagined movements in patients with schizophrenia. <i>NeuroReport</i> , 2002, 13, 605-609. | 0.6 | 44 |
| 33 | Repetitive transcranial magnetic stimulation does not potentiate antidepressant treatment. <i>European Psychiatry</i> , 2004, 19, 382-383. | 0.1 | 42 |
| 34 | Efficacy and safety of bifocal tDCS as an interventional treatment for refractory schizophrenia. <i>Brain Stimulation</i> , 2012, 5, 431-432. | 0.7 | 42 |
| 35 | Neuropsychological functioning among non-psychotic siblings and parents of schizophrenic patients. <i>Psychiatry Research</i> , 1999, 87, 147-157. | 1.7 | 41 |
| 36 | Impaired fronto-temporal processing of emotion in schizophrenia. <i>Neurophysiologie Clinique</i> , 2007, 37, 77-87. | 1.0 | 41 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | A case report of cTBS for the treatment of auditory hallucinations in a patient with schizophrenia. <i>Brain Stimulation</i> , 2009, 2, 118-119. | 0.7 | 39 |
| 38 | Finding centre: Ocular and fMRI investigations of bisection and landmark task performance. <i>Brain Research</i> , 2012, 1437, 89-103. | 1.1 | 39 |
| 39 | Neurological soft signs and schizotypal dimensions in unaffected siblings of patients with schizophrenia. <i>Psychiatry Research</i> , 2010, 175, 22-26. | 1.7 | 38 |
| 40 | Low- vs High-Frequency Repetitive Transcranial Magnetic Stimulation as an Add-On Treatment for Refractory Depression. <i>Frontiers in Psychiatry</i> , 2012, 3, 13. | 1.3 | 38 |
| 41 | Disrupting Pre-SMA Activity Impairs Facial Happiness Recognition: An Event-Related TMS Study. <i>Cerebral Cortex</i> , 2013, 23, 1517-1525. | 1.6 | 37 |
| 42 | Increased left striatal dopamine transmission in unaffected siblings of schizophrenia patients in response to acute metabolic stress. <i>Psychiatry Research - Neuroimaging</i> , 2010, 181, 130-135. | 0.9 | 36 |
| 43 | Maintenance Treatment With Transcranial Magnetic Stimulation in a Patient With Late-Onset Schizophrenia. <i>American Journal of Psychiatry</i> , 2008, 165, 537-538. | 4.0 | 33 |
| 44 | Olfactory identification deficiency and WCST performance in men with schizophrenia. <i>Psychiatry Research</i> , 1998, 81, 251-257. | 1.7 | 32 |
| 45 | Is rTMS efficient as a maintenance treatment for auditory verbal hallucinations? A case report. <i>Schizophrenia Research</i> , 2006, 84, 183-184. | 1.1 | 31 |
| 46 | Thalamus abnormalities during working memory in schizophrenia. An fMRI study. <i>Schizophrenia Research</i> , 2011, 125, 49-53. | 1.1 | 31 |
| 47 | Visual-perceptual abilities in healthy controls, depressed patients, and schizophrenia patients. <i>Brain and Cognition</i> , 2007, 64, 257-264. | 0.8 | 30 |
| 48 | Consensus paper of the WFSBP Task Force on Biological Markers: Criteria for biomarkers and endophenotypes of schizophrenia part II: Cognition, neuroimaging and genetics. <i>World Journal of Biological Psychiatry</i> , 2016, 17, 406-428. | 1.3 | 30 |
| 49 | Pseudoneglect in schizophrenia: A line bisection study with cueing. <i>Cognitive Neuropsychiatry</i> , 2007, 12, 222-234. | 0.7 | 27 |
| 50 | Reducing Delusional Conviction through a Cognitive-Based Group Training Game: A Multicentre Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2015, 6, 66. | 1.3 | 26 |
| 51 | Predictors of response to repetitive transcranial magnetic stimulation (rTMS) in the treatment of major depressive disorder. <i>L'Encephale</i> , 2017, 43, 3-9. | 0.3 | 26 |
| 52 | Transcranial direct current stimulation in patients with obsessive compulsive disorder: A randomized controlled trial. <i>European Psychiatry</i> , 2019, 62, 38-44. | 0.1 | 26 |
| 53 | Exaggerated leftward bias in the mental number line of patients with schizophrenia. <i>Brain and Cognition</i> , 2007, 63, 85-90. | 0.8 | 24 |
| 54 | Theta burst stimulation in the negative symptoms of schizophrenia and striatal dopamine release.. <i>Schizophrenia Research</i> , 2011, 131, 264-265. | 1.1 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Effects of theta burst stimulation on glutamate levels in a patient with negative symptoms of schizophrenia. <i>Schizophrenia Research</i> , 2009, 111, 196-197. | 1.1 | 22 |
| 56 | Effects of Aripiprazole, Risperidone, and Olanzapine on 5-HT1A Receptors in Patients With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 84-89. | 0.7 | 22 |
| 57 | Efficacy and safety of fronto-temporal transcranial random noise stimulation (tRNS) in drug-free patients with schizophrenia: A case study. <i>Schizophrenia Research</i> , 2014, 159, 251-252. | 1.1 | 22 |
| 58 | N-Acetyl-Aspartate Level is Decreased in the Prefrontal Cortex in Subjects At-Risk for Schizophrenia. <i>Frontiers in Psychiatry</i> , 2013, 4, 99. | 1.3 | 18 |
| 59 | Longitudinal MRI monitoring of brain damage in the neonatal ventral hippocampal lesion rat model of schizophrenia. <i>Hippocampus</i> , 2010, 20, 264-278. | 0.9 | 17 |
| 60 | Post-pubertal emergence of alterations in locomotor activity in stop null mice. <i>Synapse</i> , 2007, 61, 689-697. | 0.6 | 16 |
| 61 | Abnormalities of auditory event-related potentials in students with high scores on the Schizotypal Personality Questionnaire. <i>Psychiatry Research</i> , 2006, 144, 117-122. | 1.7 | 14 |
| 62 | 5-HT1A receptor binding changes in patients with major depressive disorder before and after antidepressant treatment: A pilot [¹⁸ F]MPPF positron emission tomography study. <i>Psychiatry Research - Neuroimaging</i> , 2012, 203, 103-104. | 0.9 | 14 |
| 63 | Schizophrenia and the Neglect Syndrome: Parietal Contributions to Cognitive Dysfunction in Schizophrenia. <i>Current Psychiatry Reviews</i> , 2006, 2, 439-451. | 0.9 | 11 |
| 64 | Serotonergic response to stress: A protective factor against abnormal dopaminergic reactivity in schizophrenia?. <i>European Psychiatry</i> , 2007, 22, 362-364. | 0.1 | 11 |
| 65 | Well-informed but not aware: The P.A.C.T.® psychoeducation program for schizophrenia improves knowledge about, but not insight into, the illness. <i>Asian Journal of Psychiatry</i> , 2019, 46, 15-18. | 0.9 | 11 |
| 66 | Visual pointing and speed / accuracy trade-off in schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2000, 5, 123-134. | 0.7 | 10 |
| 67 | Un déficit de mémoire de la source spatiale chez les patients schizophréniques comparés à des volontaires sains et des patients présentant un épisode dépressif majeur. <i>Revue Européenne De Psychologie Appliquée</i> , 2008, 58, 105-110. | 0.4 | 10 |
| 68 | L'analyse des visages dans la dépression. <i>Evolution Psychiatrique</i> , 2009, 74, 79-91. | 0.1 | 10 |
| 69 | Visuospatial processing in schizophrenia: Does it share common mechanisms with pseudoneglect?. <i>Laterality</i> , 2011, 16, 433-461. | 0.5 | 10 |
| 70 | Successful switch to maintenance rTMS after maintenance ECT in refractory bipolar disorder. <i>Brain Stimulation</i> , 2010, 3, 238-239. | 0.7 | 7 |
| 71 | Summer birth and deficit schizophrenia in Tunisia. <i>Psychiatry Research</i> , 2007, 152, 273-275. | 1.7 | 5 |
| 72 | Pramipexole-responsive acute restless arms syndrome after surgery under general anesthesia: Case report and literature review. <i>Revue Neurologique</i> , 2017, 173, 234-236. | 0.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Does the Beck Cognitive Insight Scale predict change in delusional beliefs?. Psychology and Psychotherapy: Theory, Research and Practice, 2020, 93, 690-704. | 1.3 | 4 |
| 74 | Schizophrenia: From prediction to prevention. American Journal of Medical Genetics Part A, 2002, 114, 891-892. | 2.4 | 3 |
| 75 | Left auditory cortex dysfunction in hallucinating patients with schizophrenia: An MEG study. Clinical Neurophysiology, 2013, 124, 823-824. | 0.7 | 3 |
| 76 | Does Change over Time in Delusional Beliefs as Measured with PDI Predict Change over Time in Belief Flexibility Measured with MADS?. Psychiatric Quarterly, 2019, 90, 693-702. | 1.1 | 3 |
| 77 | Persistent auditory hallucinations in out-patients with schizophrenia. Tunisie Medicale, 2016, 94, 390-396. | 0.2 | 3 |
| 78 | Comments on Cornblatt recognition and prevention program. American Journal of Medical Genetics Part A, 2002, 114, 967-968. | 2.4 | 2 |
| 79 | From Theory to PrACTice: A Cognitive Remediation Program Based on a Neuropsychological Model of Schizophrenia. Frontiers in Psychiatry, 2015, 6, 169. | 1.3 | 1 |
| 80 | Management of psychiatric complications in unrelated donor before unrelated peripheral hematopoietic stem cell collections. Journal of Blood Medicine, 2016, Volume 8, 1-4. | 0.7 | 1 |
| 81 | Personality but not Eating Behavior Is Different in Revisional Bariatric Surgery Candidates. Bariatric Surgical Patient Care, 2016, 11, 183-188. | 0.1 | 1 |
| 82 | Approche dimensionnelle de la personnalité schizotypique: Étude comparative de deux populations étudiantes françaises et tunisiennes. Annales Medico-Psychologiques, 2006, 164, 377-382. | 0.2 | 0 |
| 83 | Déficit de control de la fuente en pacientes con esquizofrenia que tienen alucinaciones comparado con los que no las tienen. European Psychiatry (Ed España), 2006, 13, 409-411. | 0.0 | 0 |