

# Mohamed Saoud

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7134145/mohamed-saoud-publications-by-citations.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84  
papers

3,498  
citations

34  
h-index

58  
g-index

91  
ext. papers

3,910  
ext. citations

4.2  
avg, IF

4.71  
L-index

#	Paper	IF	Citations
84	Human milk mineral intake and serum concentrations of calcium and phosphorus in newborn term infants: influence of intrauterine growth restriction. <i>American Journal of Psychiatry</i> , <b>2000</b> , 89, 1093-7	11.9	338
83	Consensus paper of the WFSBP Task Force on Biological Markers: biological markers in depression. <i>World Journal of Biological Psychiatry</i> , <b>2007</b> , 8, 141-74	3.8	175
82	Effects of Fronto-Temporal Transcranial Direct Current Stimulation on Auditory Verbal Hallucinations and Resting-State Functional Connectivity of the Left Temporo-Parietal Junction in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2016</b> , 42, 318-26	1.3	135
81	Slow transcranial magnetic stimulation can rapidly reduce resistant auditory hallucinations in schizophrenia. <i>Biological Psychiatry</i> , <b>2005</b> , 57, 188-91	7.9	125
80	Emotion recognition and genetic vulnerability to schizophrenia. <i>British Journal of Psychiatry</i> , <b>2007</b> , 191, 126-30	5.4	122
79	Attention, motor control and motor imagery in schizophrenia: implications for the role of the parietal cortex. <i>Schizophrenia Research</i> , <b>2004</b> , 70, 241-61	3.6	116
78	Cannabis use correlates with schizotypal personality traits in healthy students. <i>Psychiatry Research</i> , <b>2002</b> , 109, 27-35	9.9	112
77	Low frequency repetitive transcranial magnetic stimulation improves source monitoring deficit in hallucinating patients with schizophrenia. <i>Schizophrenia Research</i> , <b>2006</b> , 81, 41-5	3.6	108
76	Neuropsychological deficit in siblings discordant for schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2000</b> , 26, 893-902	3.2	106
75	Effects of emotion and identity on facial affect processing in schizophrenia. <i>Psychiatry Research</i> , <b>2005</b> , 133, 149-57	9.9	102
74	Comorbidity between temporal lobe epilepsy and depression: a [18F]MPPF PET study. <i>Brain</i> , <b>2008</b> , 131, 2765-82	11.2	83
73	Attentional deficits in patients with schizophrenia and in their non-psychotic first-degree relatives. <i>Psychiatry Research</i> , <b>1999</b> , 89, 147-59	9.9	81
72	Transcranial direct current stimulation in treatment-resistant obsessive-compulsive disorder: An open-label pilot study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2016</b> , 65, 153-7	5.5	66
71	Facial expression and sex recognition in schizophrenia and depression. <i>Canadian Journal of Psychiatry</i> , <b>2005</b> , 50, 525-33	4.8	66
70	A randomized, controlled trial of computer-assisted cognitive remediation for schizophrenia. <i>Schizophrenia Research</i> , <b>2011</b> , 125, 284-90	3.6	64
69	Left temporo-limbic and orbital dysfunction in schizophrenia during odor familiarity and hedonicity judgments. <i>NeuroImage</i> , <b>2006</b> , 29, 302-13	7.9	63
68	Alteration of event related potentials in siblings discordant for schizophrenia. <i>Schizophrenia Research</i> , <b>2000</b> , 41, 325-34	3.6	62

67	How can cognitive remediation therapy modulate brain activations in schizophrenia? An fMRI study. <i>Psychiatry Research - Neuroimaging</i> , <b>2011</b> , 192, 160-6	2.9	60
66	Effects of acute metabolic stress on the dopaminergic and pituitary-adrenal axis activity in patients with schizophrenia, their unaffected siblings and controls. <i>Schizophrenia Research</i> , <b>2008</b> , 100, 206-11	3.6	58
65	Source monitoring deficits in hallucinating compared to non-hallucinating patients with schizophrenia. <i>European Psychiatry</i> , <b>2006</b> , 21, 259-61	6	57
64	Poor performance in smooth pursuit and antisaccadic eye-movement tasks in healthy siblings of patients with schizophrenia. <i>Psychiatry Research</i> , <b>2001</b> , 101, 209-19	9.9	56
63	Gaze discrimination is unimpaired in schizophrenia. <i>Psychiatry Research</i> , <b>1998</b> , 81, 67-75	9.9	55
62	Validity of the depressive dimension extracted from principal component analysis of the PANSS in drug-free patients with schizophrenia. <i>Schizophrenia Research</i> , <b>2002</b> , 56, 121-7	3.6	55
61	Schizophrenia: from the brain to peripheral markers. A consensus paper of the WFSBP task force on biological markers. <i>World Journal of Biological Psychiatry</i> , <b>2009</b> , 10, 127-55	3.8	54
60	Impaired verbal source monitoring in schizophrenia: an intermediate trait vulnerability marker?. <i>Schizophrenia Research</i> , <b>2007</b> , 89, 287-92	3.6	51
59	Auditory event-related potentials and clinical scores in unmedicated schizophrenic patients. <i>Psychiatry Research</i> , <b>1999</b> , 86, 229-38	9.9	50
58	Ratings of different olfactory judgements in schizophrenia. <i>Chemical Senses</i> , <b>2002</b> , 27, 407-16	4.8	48
57	Transcranial Direct Current Stimulation for Obsessive-Compulsive Disorder: A Systematic Review. <i>Brain Sciences</i> , <b>2018</b> , 8,	3.4	47
56	Efficacy of Cathodal Transcranial Direct Current Stimulation Over the Left Orbitofrontal Cortex in a Patient With Treatment-Resistant Obsessive-Compulsive Disorder. <i>Journal of ECT</i> , <b>2015</b> , 31, 271-2	2	46
55	Impaired fronto-temporal processing of emotion in schizophrenia. <i>Neurophysiologie Clinique</i> , <b>2007</b> , 37, 77-87	2.7	40
54	Exploring imagined movements in patients with schizophrenia. <i>NeuroReport</i> , <b>2002</b> , 13, 605-9	1.7	39
53	Neuropsychological functioning among non-psychotic siblings and parents of schizophrenic patients. <i>Psychiatry Research</i> , <b>1999</b> , 87, 147-57	9.9	38
52	Increased left striatal dopamine transmission in unaffected siblings of schizophrenia patients in response to acute metabolic stress. <i>Psychiatry Research - Neuroimaging</i> , <b>2010</b> , 181, 130-5	2.9	36
51	Reduced expression of STOP/MAP6 in mice leads to cognitive deficits. <i>Schizophrenia Bulletin</i> , <b>2013</b> , 39, 969-78	1.3	35
50	A comparison of facial emotion processing in neurological and psychiatric conditions. <i>Frontiers in Psychology</i> , <b>2012</b> , 3, 98	3.4	34

49	Finding centre: ocular and fMRI investigations of bisection and landmark task performance. <i>Brain Research</i> , <b>2012</b> , 1437, 89-103	3.7	33
48	Efficacy and safety of bifocal tDCS as an interventional treatment for refractory schizophrenia. <i>Brain Stimulation</i> , <b>2012</b> , 5, 431-432	5.1	33
47	Disrupting pre-SMA activity impairs facial happiness recognition: an event-related TMS study. <i>Cerebral Cortex</i> , <b>2013</b> , 23, 1517-25	5.1	31
46	Neurological soft signs and schizotypal dimensions in unaffected siblings of patients with schizophrenia. <i>Psychiatry Research</i> , <b>2010</b> , 175, 22-6	9.9	31
45	Repetitive transcranial magnetic stimulation does not potentiate antidepressant treatment. <i>European Psychiatry</i> , <b>2004</b> , 19, 382-3	6	31
44	A case report of cTBS for the treatment of auditory hallucinations in a patient with schizophrenia. <i>Brain Stimulation</i> , <b>2009</b> , 2, 118-9	5.1	30
43	Olfactory identification deficiency and WCST performance in men with schizophrenia. <i>Psychiatry Research</i> , <b>1998</b> , 81, 251-7	9.9	29
42	Thalamus abnormalities during working memory in schizophrenia. An fMRI study. <i>Schizophrenia Research</i> , <b>2011</b> , 125, 49-53	3.6	28
41	Low- vs High-Frequency Repetitive Transcranial Magnetic Stimulation as an Add-On Treatment for Refractory Depression. <i>Frontiers in Psychiatry</i> , <b>2012</b> , 3, 13	5	27
40	Visual-perceptual abilities in healthy controls, depressed patients, and schizophrenia patients. <i>Brain and Cognition</i> , <b>2007</b> , 64, 257-64	2.7	26
39	Is rTMS efficient as a maintenance treatment for auditory verbal hallucinations? A case report. <i>Schizophrenia Research</i> , <b>2006</b> , 84, 183-4	3.6	24
38	Consensus paper of the WFSBP Task Force on Biological Markers: Criteria for biomarkers and endophenotypes of schizophrenia part II: Cognition, neuroimaging and genetics. <i>World Journal of Biological Psychiatry</i> , <b>2016</b> , 17, 406-28	3.8	23
37	Reducing Delusional Conviction through a Cognitive-Based Group Training Game: A Multicentre Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , <b>2015</b> , 6, 66	5	22
36	Maintenance treatment with transcranial magnetic stimulation in a patient with late-onset schizophrenia. <i>American Journal of Psychiatry</i> , <b>2008</b> , 165, 537-8	11.9	22
35	Pseudoneglect in schizophrenia: a line bisection study with cueing. <i>Cognitive Neuropsychiatry</i> , <b>2007</b> , 12, 222-34	2	22
34	Exaggerated leftward bias in the mental number line of patients with schizophrenia. <i>Brain and Cognition</i> , <b>2007</b> , 63, 85-90	2.7	21
33	Effects of aripiprazole, risperidone, and olanzapine on 5-HT <sub>1A</sub> receptors in patients with schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , <b>2013</b> , 33, 84-9	1.7	18
32	Theta burst stimulation in the negative symptoms of schizophrenia and striatal dopamine release. An iTBS-[ <sup>11</sup> C]raclopride PET case study. <i>Schizophrenia Research</i> , <b>2011</b> , 131, 264-5	3.6	16

31	Longitudinal MRI monitoring of brain damage in the neonatal ventral hippocampal lesion rat model of schizophrenia. <i>Hippocampus</i> , <b>2010</b> , 20, 264-78	3.5	16
30	Post-pubertal emergence of alterations in locomotor activity in stop null mice. <i>Synapse</i> , <b>2007</b> , 61, 689-97.	2.4	15
29	Transcranial direct current stimulation in patients with obsessive compulsive disorder: A randomized controlled trial. <i>European Psychiatry</i> , <b>2019</b> , 62, 38-44	6	14
28	Efficacy and safety of fronto-temporal transcranial random noise stimulation (trNS) in drug-free patients with schizophrenia: a case study. <i>Schizophrenia Research</i> , <b>2014</b> , 159, 251-2	3.6	14
27	N-Acetyl-Aspartate Level is Decreased in the Prefrontal Cortex in Subjects At-Risk for Schizophrenia. <i>Frontiers in Psychiatry</i> , <b>2013</b> , 4, 99	5	14
26	Effects of theta burst stimulation on glutamate levels in a patient with negative symptoms of schizophrenia. <i>Schizophrenia Research</i> , <b>2009</b> , 111, 196-7	3.6	14
25	5-HT(1A) receptor binding changes in patients with major depressive disorder before and after antidepressant treatment: a pilot [ <sup>18</sup> F]MPPF positron emission tomography study. <i>Psychiatry Research - Neuroimaging</i> , <b>2012</b> , 203, 103-4	2.9	13
24	Predictors of response to repetitive transcranial magnetic stimulation (rTMS) in the treatment of major depressive disorder. <i>L'Encephale</i> , <b>2017</b> , 43, 3-9	2.9	12
23	Abnormalities of auditory event-related potentials in students with high scores on the Schizotypal Personality Questionnaire. <i>Psychiatry Research</i> , <b>2006</b> , 144, 117-22	9.9	12
22	Un déficit de mémoire de la source spécifique chez les patients schizophréniques comparé à des volontaires sains et des patients présentant un épisode dépressif majeur. <i>Revue Européenne De Psychologie Appliquée</i> , <b>2008</b> , 58, 105-110	0.9	9
21	Serotonergic response to stress: a protective factor against abnormal dopaminergic reactivity in schizophrenia?. <i>European Psychiatry</i> , <b>2007</b> , 22, 362-4	6	9
20	Visuospatial processing in schizophrenia: does it share common mechanisms with pseudoneglect?. <i>Laterality</i> , <b>2011</b> , 16, 433-61	2	8
19	Schizophrenia and the Neglect Syndrome: Parietal Contributions to Cognitive Dysfunction in Schizophrenia. <i>Current Psychiatry Reviews</i> , <b>2006</b> , 2, 439-451	0.9	8
18	Visual pointing and speed / accuracy trade-off in schizophrenia. <i>Cognitive Neuropsychiatry</i> , <b>2000</b> , 5, 123-134	134	8
17	L'analyse des visages dans la dépression. <i>Evolution Psychiatrique</i> , <b>2009</b> , 74, 79-91	0.4	6
16	Well-informed but not aware: The P.A.C.T. psychoeducation program for schizophrenia improves knowledge about, but not insight into, the illness. <i>Asian Journal of Psychiatry</i> , <b>2019</b> , 46, 15-18	6.7	5
15	Stimulation magnétique transcrânienne répétitive (rTMS) et symptômes négatifs de la schizophrénie. <i>Annales Medico-Psychologiques</i> , <b>2010</b> , 168, 422-427	0.2	5
14	Successful switch to maintenance rTMS after maintenance ECT in refractory bipolar disorder. <i>Brain Stimulation</i> , <b>2010</b> , 3, 238-9	5.1	5

13	Summer birth and deficit schizophrenia in Tunisia. <i>Psychiatry Research</i> , <b>2007</b> , 152, 273-5	9.9	5
12	Pramipexole-responsive acute restless arms syndrome after surgery under general anesthesia: Case report and literature review. <i>Revue Neurologique</i> , <b>2017</b> , 173, 234-236	3	3
11	Left auditory cortex dysfunction in hallucinating patients with schizophrenia: an MEG study. <i>Clinical Neurophysiology</i> , <b>2013</b> , 124, 823-4	4.3	3
10	Does Change over Time in Delusional Beliefs as Measured with PDI Predict Change over Time in Belief Flexibility Measured with MADS?. <i>Psychiatric Quarterly</i> , <b>2019</b> , 90, 693-702	4.1	2
9	Personality but not Eating Behavior Is Different in Revisional Bariatric Surgery Candidates. <i>Bariatric Surgical Patient Care</i> , <b>2016</b> , 11, 183-188	0.4	1
8	Does the Beck Cognitive Insight Scale predict change in delusional beliefs?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , <b>2020</b> , 93, 690-704	3.5	1
7	From Theory to PrACTice: A Cognitive Remediation Program Based on a Neuropsychological Model of Schizophrenia. <i>Frontiers in Psychiatry</i> , <b>2015</b> , 6, 169	5	1
6	Schizophrenia: From prediction to prevention. <i>American Journal of Medical Genetics Part A</i> , <b>2002</b> , 114, 891-892		1
5	Schizotaxie, schizotypie, personnalité schizotypique et vulnérabilité à la schizophrénie. <i>Psn</i> , <b>2003</b> , 1, 20-26		1
4	Comments on Cornblatt recognition and prevention program. <i>American Journal of Medical Genetics Part A</i> , <b>2002</b> , 114, 967-8		0
3	Management of psychiatric complications in unrelated donor before unrelated peripheral hematopoietic stem cell collections. <i>Journal of Blood Medicine</i> , <b>2017</b> , 8, 1-4	2.3	0
2	Approche dimensionnelle de la personnalité schizotypique : Étude comparative de deux populations estudiantines française et tunisienne. <i>Annales Medico-Psychologiques</i> , <b>2006</b> , 164, 377-382	0.2	
1	Déficit de control de la fuente en pacientes con esquizofrenia que tienen alucinaciones comparado con los que no las tienen. <i>European Psychiatry (Ed Española)</i> , <b>2006</b> , 13, 409-411		