

# Mohamed Saoud

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7134145/mohamed-saoud-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84  
papers

3,498  
citations

34  
h-index

58  
g-index

91  
ext. papers

3,910  
ext. citations

4.2  
avg, IF

4.71  
L-index

#	Paper	IF	Citations
84	Does the Beck Cognitive Insight Scale predict change in delusional beliefs?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , <b>2020</b> , 93, 690-704	3.5	1
83	Transcranial direct current stimulation in patients with obsessive compulsive disorder: A randomized controlled trial. <i>European Psychiatry</i> , <b>2019</b> , 62, 38-44	6	14
82	Well-informed but not aware: The P.A.C.T.□ psychoeducation program for schizophrenia improves knowledge about, but not insight into, the illness. <i>Asian Journal of Psychiatry</i> , <b>2019</b> , 46, 15-18	6.7	5
81	Does Change over Time in Delusional Beliefs as Measured with PDI Predict Change over Time in Belief Flexibility Measured with MADS?. <i>Psychiatric Quarterly</i> , <b>2019</b> , 90, 693-702	4.1	2
80	Transcranial Direct Current Stimulation for Obsessive-Compulsive Disorder: A Systematic Review. <i>Brain Sciences</i> , <b>2018</b> , 8,	3.4	47
79	Predictors of response to repetitive transcranial magnetic stimulation (rTMS) in the treatment of major depressive disorder. <i>LiEncephale</i> , <b>2017</b> , 43, 3-9	2.9	12
78	Pramipexole-responsive acute restless arms syndrome after surgery under general anesthesia: Case report and literature review. <i>Revue Neurologique</i> , <b>2017</b> , 173, 234-236	3	3
77	Management of psychiatric complications in unrelated donor before unrelated peripheral hematopoietic stem cell collections. <i>Journal of Blood Medicine</i> , <b>2017</b> , 8, 1-4	2.3	0
76	Transcranial direct current stimulation in treatment-resistant obsessive-compulsive disorder: An open-label pilot study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2016</b> , 65, 153-7	5.5	66
75	Effects of Fronto-Temporal Transcranial Direct Current Stimulation on Auditory Verbal Hallucinations and Resting-State Functional Connectivity of the Left Temporo-Parietal Junction in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2016</b> , 42, 318-26	1.3	135
74	Personality but not Eating Behavior Is Different in Revisional Bariatric Surgery Candidates. <i>Bariatric Surgical Patient Care</i> , <b>2016</b> , 11, 183-188	0.4	1
73	Consensus paper of the WFSBP Task Force on Biological Markers: Criteria for biomarkers and endophenotypes of schizophrenia part II: Cognition, neuroimaging and genetics. <i>World Journal of Biological Psychiatry</i> , <b>2016</b> , 17, 406-28	3.8	23
72	Efficacy of Cathodal Transcranial Direct Current Stimulation Over the Left Orbitofrontal Cortex in a Patient With Treatment-Resistant Obsessive-Compulsive Disorder. <i>Journal of ECT</i> , <b>2015</b> , 31, 271-2	2	46
71	Reducing Delusional Conviction through a Cognitive-Based Group Training Game: A Multicentre Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , <b>2015</b> , 6, 66	5	22
70	From Theory to PrACTice: A Cognitive Remediation Program Based on a Neuropsychological Model of Schizophrenia. <i>Frontiers in Psychiatry</i> , <b>2015</b> , 6, 169	5	1
69	Efficacy and safety of fronto-temporal transcranial random noise stimulation (tRNS) in drug-free patients with schizophrenia: a case study. <i>Schizophrenia Research</i> , <b>2014</b> , 159, 251-2	3.6	14
68	Left auditory cortex dysfunction in hallucinating patients with schizophrenia: an MEG study. <i>Clinical Neurophysiology</i> , <b>2013</b> , 124, 823-4	4.3	3

67	N-Acetyl-Aspartate Level is Decreased in the Prefrontal Cortex in Subjects At-Risk for Schizophrenia. <i>Frontiers in Psychiatry</i> , <b>2013</b> , 4, 99	5	14
66	Disrupting pre-SMA activity impairs facial happiness recognition: an event-related TMS study. <i>Cerebral Cortex</i> , <b>2013</b> , 23, 1517-25	5.1	31
65	Effects of aripiprazole, risperidone, and olanzapine on 5-HT1A receptors in patients with schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , <b>2013</b> , 33, 84-9	1.7	18
64	Reduced expression of STOP/MAP6 in mice leads to cognitive deficits. <i>Schizophrenia Bulletin</i> , <b>2013</b> , 39, 969-78	1.3	35
63	Finding centre: ocular and fMRI investigations of bisection and landmark task performance. <i>Brain Research</i> , <b>2012</b> , 1437, 89-103	3.7	33
62	5-HT(1A) receptor binding changes in patients with major depressive disorder before and after antidepressant treatment: a pilot [ <sup>18</sup> F]MPPF positron emission tomography study. <i>Psychiatry Research - Neuroimaging</i> , <b>2012</b> , 203, 103-4	2.9	13
61	Efficacy and safety of bifocal tDCS as an interventional treatment for refractory schizophrenia. <i>Brain Stimulation</i> , <b>2012</b> , 5, 431-432	5.1	33
60	A comparison of facial emotion processing in neurological and psychiatric conditions. <i>Frontiers in Psychology</i> , <b>2012</b> , 3, 98	3.4	34
59	Low- vs High-Frequency Repetitive Transcranial Magnetic Stimulation as an Add-On Treatment for Refractory Depression. <i>Frontiers in Psychiatry</i> , <b>2012</b> , 3, 13	5	27
58	Thalamus abnormalities during working memory in schizophrenia. An fMRI study. <i>Schizophrenia Research</i> , <b>2011</b> , 125, 49-53	3.6	28
57	A randomized, controlled trial of computer-assisted cognitive remediation for schizophrenia. <i>Schizophrenia Research</i> , <b>2011</b> , 125, 284-90	3.6	64
56	Theta burst stimulation in the negative symptoms of schizophrenia and striatal dopamine release. An iTBS-[ <sup>11</sup> C]raclopride PET case study. <i>Schizophrenia Research</i> , <b>2011</b> , 131, 264-5	3.6	16
55	How can cognitive remediation therapy modulate brain activations in schizophrenia? An fMRI study. <i>Psychiatry Research - Neuroimaging</i> , <b>2011</b> , 192, 160-6	2.9	60
54	Visuospatial processing in schizophrenia: does it share common mechanisms with pseudoneglect?. <i>Laterality</i> , <b>2011</b> , 16, 433-61	2	8
53	Neurological soft signs and schizotypal dimensions in unaffected siblings of patients with schizophrenia. <i>Psychiatry Research</i> , <b>2010</b> , 175, 22-6	9.9	31
52	Stimulation magnétique transcrânienne répétitive (rTMS) et symptômes négatifs de la schizophrénie. <i>Annales Medico-Psychologiques</i> , <b>2010</b> , 168, 422-427	0.2	5
51	Longitudinal MRI monitoring of brain damage in the neonatal ventral hippocampal lesion rat model of schizophrenia. <i>Hippocampus</i> , <b>2010</b> , 20, 264-78	3.5	16
50	Increased left striatal dopamine transmission in unaffected siblings of schizophrenia patients in response to acute metabolic stress. <i>Psychiatry Research - Neuroimaging</i> , <b>2010</b> , 181, 130-5	2.9	36

49	Successful switch to maintenance rTMS after maintenance ECT in refractory bipolar disorder. <i>Brain Stimulation</i> , <b>2010</b> , 3, 238-9	5.1	5
48	A case report of cTBS for the treatment of auditory hallucinations in a patient with schizophrenia. <i>Brain Stimulation</i> , <b>2009</b> , 2, 118-9	5.1	30
47	L'analyse des visages dans la dépression. <i>Evolution Psychiatrique</i> , <b>2009</b> , 74, 79-91	0.4	6
46	Effects of theta burst stimulation on glutamate levels in a patient with negative symptoms of schizophrenia. <i>Schizophrenia Research</i> , <b>2009</b> , 111, 196-7	3.6	14
45	Schizophrenia: from the brain to peripheral markers. A consensus paper of the WFSBP task force on biological markers. <i>World Journal of Biological Psychiatry</i> , <b>2009</b> , 10, 127-55	3.8	54
44	Un déficit de mémoire de la source spécifique chez les patients schizophréniques comparé à des volontaires sains et des patients présentant un épisode dépressif majeur. <i>Revue Européenne De Psychologie Appliquée</i> , <b>2008</b> , 58, 105-110	0.9	9
43	Effects of acute metabolic stress on the dopaminergic and pituitary-adrenal axis activity in patients with schizophrenia, their unaffected siblings and controls. <i>Schizophrenia Research</i> , <b>2008</b> , 100, 206-11	3.6	58
42	Comorbidity between temporal lobe epilepsy and depression: a [18F]MPPF PET study. <i>Brain</i> , <b>2008</b> , 131, 2765-82	11.2	83
41	Maintenance treatment with transcranial magnetic stimulation in a patient with late-onset schizophrenia. <i>American Journal of Psychiatry</i> , <b>2008</b> , 165, 537-8	11.9	22
40	Pseudoneglect in schizophrenia: a line bisection study with cueing. <i>Cognitive Neuropsychiatry</i> , <b>2007</b> , 12, 222-34	2	22
39	Impaired verbal source monitoring in schizophrenia: an intermediate trait vulnerability marker?. <i>Schizophrenia Research</i> , <b>2007</b> , 89, 287-92	3.6	51
38	Post-pubertal emergence of alterations in locomotor activity in stop null mice. <i>Synapse</i> , <b>2007</b> , 61, 689-97	2.4	15
37	Emotion recognition and genetic vulnerability to schizophrenia. <i>British Journal of Psychiatry</i> , <b>2007</b> , 191, 126-30	5.4	122
36	Summer birth and deficit schizophrenia in Tunisia. <i>Psychiatry Research</i> , <b>2007</b> , 152, 273-5	9.9	5
35	Exaggerated leftward bias in the mental number line of patients with schizophrenia. <i>Brain and Cognition</i> , <b>2007</b> , 63, 85-90	2.7	21
34	Visual-perceptual abilities in healthy controls, depressed patients, and schizophrenia patients. <i>Brain and Cognition</i> , <b>2007</b> , 64, 257-64	2.7	26
33	Impaired fronto-temporal processing of emotion in schizophrenia. <i>Neurophysiologie Clinique</i> , <b>2007</b> , 37, 77-87	2.7	40
32	Serotonergic response to stress: a protective factor against abnormal dopaminergic reactivity in schizophrenia?. <i>European Psychiatry</i> , <b>2007</b> , 22, 362-4	6	9

31	Consensus paper of the WFSBP Task Force on Biological Markers: biological markers in depression. <i>World Journal of Biological Psychiatry</i> , <b>2007</b> , 8, 141-74	3.8	175
30	Schizophrenia and the Neglect Syndrome: Parietal Contributions to Cognitive Dysfunction in Schizophrenia. <i>Current Psychiatry Reviews</i> , <b>2006</b> , 2, 439-451	0.9	8
29	Left temporo-limbic and orbital dysfunction in schizophrenia during odor familiarity and hedonicity judgments. <i>NeuroImage</i> , <b>2006</b> , 29, 302-13	7.9	63
28	Source monitoring deficits in hallucinating compared to non-hallucinating patients with schizophrenia. <i>European Psychiatry</i> , <b>2006</b> , 21, 259-61	6	57
27	Low frequency repetitive transcranial magnetic stimulation improves source monitoring deficit in hallucinating patients with schizophrenia. <i>Schizophrenia Research</i> , <b>2006</b> , 81, 41-5	3.6	108
26	Is rTMS efficient as a maintenance treatment for auditory verbal hallucinations? A case report. <i>Schizophrenia Research</i> , <b>2006</b> , 84, 183-4	3.6	24
25	Approche dimensionnelle de la personnalité schizotypique : Étude comparative de deux populations estudiantines française et tunisienne. <i>Annales Medico-Psychologiques</i> , <b>2006</b> , 164, 377-382	0.2	
24	Abnormalities of auditory event-related potentials in students with high scores on the Schizotypal Personality Questionnaire. <i>Psychiatry Research</i> , <b>2006</b> , 144, 117-22	9.9	12
23	Déficit de control de la fuente en pacientes con esquizofrenia que tienen alucinaciones comparado con los que no las tienen. <i>European Psychiatry (Ed Española)</i> , <b>2006</b> , 13, 409-411		
22	Effects of emotion and identity on facial affect processing in schizophrenia. <i>Psychiatry Research</i> , <b>2005</b> , 133, 149-57	9.9	102
21	Slow transcranial magnetic stimulation can rapidly reduce resistant auditory hallucinations in schizophrenia. <i>Biological Psychiatry</i> , <b>2005</b> , 57, 188-91	7.9	125
20	Facial expression and sex recognition in schizophrenia and depression. <i>Canadian Journal of Psychiatry</i> , <b>2005</b> , 50, 525-33	4.8	66
19	Attention, motor control and motor imagery in schizophrenia: implications for the role of the parietal cortex. <i>Schizophrenia Research</i> , <b>2004</b> , 70, 241-61	3.6	116
18	Repetitive transcranial magnetic stimulation does not potentiate antidepressant treatment. <i>European Psychiatry</i> , <b>2004</b> , 19, 382-3	6	31
17	Schizotaxie, schizotypie, personnalité schizotypique et vulnérabilité à la schizophrénie. <i>Psn</i> , <b>2003</b> , 1, 20-26		1
16	Comments on Cornblatt recognition and prevention program. <i>American Journal of Medical Genetics Part A</i> , <b>2002</b> , 114, 967-8		0
15	Schizophrenia: From prediction to prevention. <i>American Journal of Medical Genetics Part A</i> , <b>2002</b> , 114, 891-892		1
14	Ratings of different olfactory judgements in schizophrenia. <i>Chemical Senses</i> , <b>2002</b> , 27, 407-16	4.8	48

13	Exploring imagined movements in patients with schizophrenia. <i>NeuroReport</i> , <b>2002</b> , 13, 605-9	1.7	39
12	Validity of the depressive dimension extracted from principal component analysis of the PANSS in drug-free patients with schizophrenia. <i>Schizophrenia Research</i> , <b>2002</b> , 56, 121-7	3.6	55
11	Cannabis use correlates with schizotypal personality traits in healthy students. <i>Psychiatry Research</i> , <b>2002</b> , 109, 27-35	9.9	112
10	Poor performance in smooth pursuit and antisaccadic eye-movement tasks in healthy siblings of patients with schizophrenia. <i>Psychiatry Research</i> , <b>2001</b> , 101, 209-19	9.9	56
9	Human milk mineral intake and serum concentrations of calcium and phosphorus in newborn term infants: influence of intrauterine growth restriction. <i>American Journal of Psychiatry</i> , <b>2000</b> , 89, 1093-7	11.9	338
8	Visual pointing and speed / accuracy trade-off in schizophrenia. <i>Cognitive Neuropsychiatry</i> , <b>2000</b> , 5, 123-134		8
7	Neuropsychological deficit in siblings discordant for schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2000</b> , 26, 893-902		106
6	Alteration of event related potentials in siblings discordant for schizophrenia. <i>Schizophrenia Research</i> , <b>2000</b> , 41, 325-34	3.6	62
5	Auditory event-related potentials and clinical scores in unmedicated schizophrenic patients. <i>Psychiatry Research</i> , <b>1999</b> , 86, 229-38	9.9	50
4	Neuropsychological functioning among non-psychotic siblings and parents of schizophrenic patients. <i>Psychiatry Research</i> , <b>1999</b> , 87, 147-57	9.9	38
3	Attentional deficits in patients with schizophrenia and in their non-psychotic first-degree relatives. <i>Psychiatry Research</i> , <b>1999</b> , 89, 147-59	9.9	81
2	Gaze discrimination is unimpaired in schizophrenia. <i>Psychiatry Research</i> , <b>1998</b> , 81, 67-75	9.9	55
1	Olfactory identification deficiency and WCST performance in men with schizophrenia. <i>Psychiatry Research</i> , <b>1998</b> , 81, 251-7	9.9	29