

Aileen Davis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7135154/publications.pdf>

Version: 2024-02-01

237
papers

20,467
citations

14655

66
h-index

11308

136
g-index

242
all docs

242
docs citations

242
times ranked

15124
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of an upper extremity outcome measure: The DASH (disabilities of the arm, shoulder, and hand). <i>Quality of Life Research</i> , 1999, 8, 1086-1092.	10.784314	4,181
2	Preoperative versus postoperative radiotherapy in soft-tissue sarcoma of the limbs: a randomised trial. <i>Lancet</i> , 2002, 359, 2235-2241.	13.7	1,340
3	The Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC): a review of its utility and measurement properties. <i>Arthritis and Rheumatism</i> , 2001, 45, 453-461.	6.7	768
4	Late radiation morbidity following randomization to preoperative versus postoperative radiotherapy in extremity soft tissue sarcoma. <i>Radiotherapy and Oncology</i> , 2005, 75, 48-53.	0.6	583
5	OARSI recommended performance-based tests to assess physical function in people diagnosed with hip or knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1042-1052.	1.3	545
6	Development of a measure of physical function for patients with bone and soft tissue sarcoma. <i>Quality of Life Research</i> , 1996, 5, 508-516.	3.1	458
7	Prognostic factors in osteosarcoma: a critical review. <i>Journal of Clinical Oncology</i> , 1994, 12, 423-431.	1.6	387
8	Giant Cell Tumor of Long Bone: A Canadian Sarcoma Group Study. <i>Clinical Orthopaedics and Related Research</i> , 2002, 397, 248-258.	1.5	302
9	Malignant Gastrointestinal Stromal Tumors of the Small Intestine: A Review of 50 Cases From a Prospective Database. <i>Annals of Surgical Oncology</i> , 2001, 8, 50-59.	1.5	292
10	Development and preliminary psychometric testing of a new OA pain measure – an OARSI/OMERACT initiative. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 409-414.	1.3	245
11	Residual Disease following Unplanned Excision of a Soft-Tissue Sarcoma of an Extremity*. <i>Journal of Bone and Joint Surgery - Series A</i> , 1996, 78, 650-5.	3.0	244
12	Function and Health Status Outcomes in a Randomized Trial Comparing Preoperative and Postoperative Radiotherapy in Extremity Soft Tissue Sarcoma. <i>Journal of Clinical Oncology</i> , 2002, 20, 4472-4477.	1.6	243
13	A longitudinal study to explain the pain-depression link in older adults with osteoarthritis. <i>Arthritis Care and Research</i> , 2011, 63, 1382-1390.	3.4	243
14	Fresh osteochondral allografts for post-traumatic osteochondral defects of the knee. <i>Journal of Bone and Joint Surgery: British Volume</i> , 1997, 79, 1008-1013.	3.4	238
15	Comparing Patient Outcomes After THA and TKA: Is There a Difference?. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 542-546.	1.5	236
16	The development of a short measure of physical function for knee OA KOOS-Physical Function Shortform (KOOS-PS) – an OARSI/OMERACT initiative. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 542-550.	1.3	219
17	Neuropathic pain symptoms in a community knee OA cohort. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 647-654.	1.3	219
18	Inpatient Compared with Home-Based Rehabilitation Following Primary Unilateral Total Hip or Knee Replacement: A Randomized Controlled Trial. <i>Journal of Bone and Joint Surgery - Series A</i> , 2008, 90, 1673-1680.	3.0	194

#	ARTICLE	IF	CITATIONS
19	Wound-Healing Complications after Soft-Tissue Sarcoma Surgery. <i>Plastic and Reconstructive Surgery</i> , 1994, 93, 980-987.	1.4	186
20	Outcome following radiation treatment for high-risk pigmented villonodular synovitis. <i>International Journal of Radiation Oncology Biology Physics</i> , 1995, 32, 777-786.	0.8	184
21	Long-Term Followup of Fresh Femoral Osteochondral Allografts for Posttraumatic Knee Defects. <i>Clinical Orthopaedics and Related Research</i> , 2001, 391, S318-S327.	1.5	183
22	“What do you expect? You're just getting older” A comparison of perceived osteoarthritis-related and aging-related health experiences in middle- and older-age adults. <i>Arthritis and Rheumatism</i> , 2006, 55, 905-912.	6.7	177
23	Classification of positive margins after resection of soft-tissue sarcoma of the limb predicts the risk of local recurrence. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2001, 83, 1149-1155.	3.4	176
24	Functional outcome in amputation versus limb sparing of patients with lower extremity sarcoma: A matched case-control study. <i>Archives of Physical Medicine and Rehabilitation</i> , 1999, 80, 615-618.	0.9	169
25	Which Patients Are Most Likely to Benefit From Total Joint Arthroplasty?. <i>Arthritis and Rheumatism</i> , 2013, 65, 1243-1252.	6.7	163
26	The role of pain and functional impairment in the decision to recommend total joint replacement in hip and knee osteoarthritis: an international cross-sectional study of 1909 patients. Report of the OARSI-OMERACT Task Force on total joint replacement. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 147-154.	1.3	162
27	The development of a short measure of physical function for hip OA HOOS-Physical Function Shortform (HOOS-PS): an OARSI/OMERACT initiative. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 551-559.	1.3	156
28	A Clinical Prediction Model for Long-Term Functional Outcome after Traumatic Spinal Cord Injury Based on Acute Clinical and Imaging Factors. <i>Journal of Neurotrauma</i> , 2012, 29, 2263-2271.	3.4	156
29	Exploring disability from the perspective of adults living with HIV/AIDS: Development of a conceptual framework. <i>Health and Quality of Life Outcomes</i> , 2008, 6, 76.	2.4	146
30	The impact of residual disease on local recurrence in patients treated by initial unplanned resection for soft tissue sarcoma of the extremity. , 1997, 66, 81-87.		143
31	Comparative, validity and responsiveness of the HOOS-PS and KOOS-PS to the WOMAC physical function subscale in total joint replacement for Osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 843-847.	1.3	135
32	Diagnosis of Recurrent Meniscal Tears: Prospective Evaluation of Conventional MR Imaging, Indirect MR Arthrography, and Direct MR Arthrography. <i>Radiology</i> , 2002, 222, 421-429.	7.3	131
33	Evaluating Functional Outcome in Patients With Lower Extremity Sarcoma. <i>Clinical Orthopaedics and Related Research</i> , 1999, 358, 83-100.	1.5	129
34	Measuring disability of the upper extremity: A rationale supporting the use of a regional outcome measure. <i>Journal of Hand Therapy</i> , 1999, 12, 269-274.	1.5	128
35	Uncemented Tumor Endoprostheses at the Knee. <i>Clinical Orthopaedics and Related Research</i> , 2005, &NA;, 71-79.	1.5	125
36	Predictors of functional outcomes following limb salvage surgery for lower-extremity soft tissue sarcoma. , 2000, 73, 206-211.		123

#	ARTICLE	IF	CITATIONS
37	TP53 Mutations and Outcome in Osteosarcoma: A Prospective, Multicenter Study. <i>Journal of Clinical Oncology</i> , 2005, 23, 1483-1490.	1.6	123
38	Does body mass index affect clinical outcome post-operatively and at five years after primary unilateral total hip replacement performed for osteoarthritis?. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 1178-1182.	3.4	123
39	Osteoarthritis: Models for appropriate care across the disease continuum. <i>Best Practice and Research in Clinical Rheumatology</i> , 2016, 30, 503-535.	3.3	123
40	Reconstruction of Massive Bone Defects with Allograft in Revision Total Knee Arthroplasty*. <i>Journal of Bone and Joint Surgery - Series A</i> , 1997, 79, 17-25.	3.0	122
41	Willingness to go through surgery again validated the WOMAC clinically important difference from THR/TKR surgery. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 907-918.	5.0	116
42	Development of a clinical definition for acute respiratory distress syndrome using the Delphi technique. <i>Journal of Critical Care</i> , 2005, 20, 147-154.	2.2	114
43	ICRS Recommendation Document. <i>Cartilage</i> , 2011, 2, 122-136.	2.7	114
44	Reliability and Intraoperative Validity of Preoperative Assessment of Standardized Plain Radiographs in Predicting Bone Loss at Revision Hip Surgery. <i>Journal of Bone and Joint Surgery - Series A</i> , 2001, 83, 1040-1046.	3.0	104
45	A comparison of staging systems for localized extremity soft tissue sarcoma. <i>Cancer</i> , 2000, 88, 2721-2730.	4.1	103
46	Comparison of two methods of reconstruction for primary malignant tumors at the knee: A sequential cohort study. <i>Journal of Surgical Oncology</i> , 2001, 77, 89-99.	1.7	98
47	Long-term follow-up of efficacy and safety of megavoltage radiotherapy in high-risk giant cell tumors of bone. <i>International Journal of Radiation Oncology Biology Physics</i> , 1995, 33, 689-694.	0.8	97
48	The Surgical and Functional Outcome of Limb-Salvage Surgery With Vascular Reconstruction for Soft Tissue Sarcoma of the Extremity. <i>Annals of Surgical Oncology</i> , 2005, 12, 1102-1110.	1.5	92
49	The trajectory of recovery and the inter-relationships of symptoms, activity and participation in the first year following total hip and knee replacement. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 1413-1421.	1.3	89
50	Role of Magnetic Resonance Imaging in Predicting Surgical Outcome in Patients With Cervical Spondylotic Myelopathy. <i>Spine</i> , 2015, 40, 171-178.	2.0	87
51	Soft tissue sarcoma of the extremity. Limb salvage after failure of combined conservative therapy. <i>Radiotherapy and Oncology</i> , 1996, 41, 209-214.	0.6	86
52	Factors associated with prognosis of lateral epicondylitis after 8 weeks of physical therapy. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 308-318.	0.9	86
53	The Indications for and the Prognostic Significance of Amputation as the Primary Surgical Procedure for Localized Soft Tissue Sarcoma of the Extremity. <i>Annals of Surgical Oncology</i> , 2005, 12, 10-17.	1.5	84
54	Evaluating Function and Health Related Quality of Life in Patients Treated for Extremity Soft Tissue Sarcoma. <i>Quality of Life Research</i> , 2006, 15, 1439-1446.	3.1	84

#	ARTICLE	IF	CITATIONS
55	Predictors of Surgical Outcome in Cervical Spondylotic Myelopathy. <i>Spine</i> , 2013, 38, 392-400.	2.0	84
56	Functional outcome in patients treated with surgery and irradiation for soft tissue tumours. <i>Journal of Surgical Oncology</i> , 1991, 48, 224-231.	1.7	83
57	Neurogenic Sarcomas: Experience at the University of Toronto. <i>Neurosurgery</i> , 1998, 43, 56-64.	1.1	81
58	Putting episodic disability into context: a qualitative study exploring factors that influence disability experienced by adults living with HIV/AIDS. <i>Journal of the International AIDS Society</i> , 2009, 12, 30-30.	3.0	81
59	Expanding roles in orthopaedic care: a comparison of physiotherapist and orthopaedic surgeon recommendations for triage. <i>Journal of Evaluation in Clinical Practice</i> , 2009, 15, 178-183.	1.8	81
60	MDR1 Gene Expression and Outcome in Osteosarcoma: A Prospective, Multicenter Study. <i>Journal of Clinical Oncology</i> , 2000, 18, 2685-2694.	1.6	80
61	Classification of positive margins after resection of soft-tissue sarcoma of the limb predicts the risk of local recurrence. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2001, 83-B, 1149-1155.	3.4	79
62	Development, test reliability and validation of a classification for revision hip arthroplasty. <i>Journal of Orthopaedic Research</i> , 2001, 19, 50-56.	2.3	78
63	The Influence of Anatomic Location on Functional Outcome in Lower-Extremity Soft-Tissue Sarcoma. <i>Annals of Surgical Oncology</i> , 2004, 11, 476-482.	1.5	76
64	Children's perspective of quality of life in epilepsy. <i>Neurology</i> , 2015, 84, 1830-1837.	1.1	76
65	Predictors of Functional Outcome Two Years Following Revision Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 685-691.	3.0	74
66	Return to work and workplace activity limitations following total hip or knee replacement. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1485-1493.	1.3	74
67	The influence of anatomic location on outcome in patients with soft tissue sarcoma of the extremity. <i>Cancer</i> , 2003, 97, 485-492.	4.1	70
68	Putting episodic disability into context: a qualitative study exploring factors that influence disability experienced by adults living with HIV/AIDS. <i>Journal of the International AIDS Society</i> , 2009, 2, 5.	3.0	70
69	“So, are you back to work yet?” Re-conceptualizing “work”™ and “return to work”™ in the context of primary bone cancer. <i>Social Science and Medicine</i> , 2008, 67, 1826-1836.	3.8	68
70	Health care utilization for musculoskeletal disorders. <i>Arthritis Care and Research</i> , 2010, 62, 161-169.	3.4	67
71	Limb salvage surgery and adjuvant radiotherapy for soft tissue sarcomas of the forearm and hand. <i>Journal of Hand Surgery</i> , 1997, 22, 495-503.	1.6	65
72	Multiple joint involvement in total knee replacement for osteoarthritis: Effects on patient-reported outcomes. <i>Arthritis Care and Research</i> , 2012, 64, 838-846.	3.4	65

#	ARTICLE	IF	CITATIONS
73	Long-term clinical experience with fresh osteochondral allografts for articular knee defects in high demand patients. <i>Cell and Tissue Banking</i> , 2002, 3, 175-182.	1.1	61
74	Function and Health Status Outcomes Following Soft Tissue Reconstruction for Limb Preservation in Extremity Soft Tissue Sarcoma. <i>Annals of Surgical Oncology</i> , 2010, 17, 1052-1062.	1.5	60
75	Complex acetabular reconstruction for metastatic tumor. <i>Journal of Arthroplasty</i> , 1995, 10, 301-306.	3.1	58
76	Defining age-related differences in outcome after traumatic spinal cord injury: analysis of a combined, multicenter dataset. <i>Spine Journal</i> , 2014, 14, 1192-1198.	1.3	58
77	Understanding social role participation: what matters to people with arthritis?. <i>Journal of Rheumatology</i> , 2008, 35, 1655-63.	2.0	57
78	Evaluation of patient-centered rehabilitation model targeting older persons with a hip fracture, including those with cognitive impairment. <i>BMC Geriatrics</i> , 2013, 13, 136.	2.7	56
79	Social role participation and the life course in healthy adults and individuals with osteoarthritis: Are we overlooking the impact on the middle-aged?. <i>Social Science and Medicine</i> , 2013, 81, 87-93.	3.8	55
80	Developmental switch in the expression of GABAA receptor subunits $\alpha 1$ and $\alpha 2$ in the hypothalamus and limbic system of the rat. <i>Developmental Brain Research</i> , 2000, 119, 127-138.	1.7	53
81	Bone invasion in extremity soft-tissue sarcoma. <i>Cancer</i> , 2006, 106, 2692-2700.	4.1	53
82	Large segment allograft survival is improved with intramedullary cement. <i>Journal of Surgical Oncology</i> , 2003, 84, 198-208.	1.7	52
83	A fresh osteochondral allograft alternative. <i>Journal of Arthroplasty</i> , 2002, 17, 50-53.	3.1	51
84	Sciatic Nerve Resection in the Thigh. <i>Clinical Orthopaedics and Related Research</i> , 2001, 382, 34-41.	1.5	50
85	A systematic review of estimates of the minimal clinically important difference and patient acceptable symptom state of the Western Ontario and McMaster Universities Osteoarthritis Index in patients who underwent total hip and total knee replacement. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 1408-1419.	1.3	49
86	Functional Evaluation in Distal Femoral Endoprosthetic Replacement for Bone Sarcoma. <i>Clinical Orthopaedics and Related Research</i> , 2001, 389, 173-180.	1.5	48
87	Reliability of Quantitative Magnetic Resonance Imaging Methods in the Assessment of Spinal Canal Stenosis and Cord Compression in Cervical Myelopathy. <i>Spine</i> , 2013, 38, 245-252.	2.0	47
88	Factors Influencing Outcomes of Older Adults After Undergoing Rehabilitation for Hip Fracture. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 1601-1609.	2.6	46
89	Rating scales for behavioral symptoms in Huntington's disease: Critique and recommendations. <i>Movement Disorders</i> , 2016, 31, 1466-1478.	3.9	44
90	Pathologic Fractures of the Proximal Femur Secondary to Benign Bone Tumors. <i>Clinical Orthopaedics and Related Research</i> , 2001, 393, 279-286.	1.5	43

#	ARTICLE	IF	CITATIONS
91	Rasch analysis of the western ontariomcmaster (WOMAC) osteoarthritis index: results from community and arthroplasty samples. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 1076-1083.	5.0	43
92	Implementation of musculoskeletal Models of Care in primary care settings: Theory, practice, evaluation and outcomes for musculoskeletal health in high-income economies. <i>Best Practice and Research in Clinical Rheumatology</i> , 2016, 30, 375-397.	3.3	43
93	Development and validation of the Myasthenia Gravis Impairment Index. <i>Neurology</i> , 2016, 87, 879-886.	1.1	43
94	Do women have poorer outcomes following total knee replacement?. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1476-1482.	1.3	42
95	Assessment of Spinal Cord Compression by Magnetic Resonance Imagingâ€”Can It Predict Surgical Outcomes in Degenerative Compressive Myelopathy? A Systematic Review. <i>Spine</i> , 2013, 38, 1409-1421.	2.0	41
96	GLA:D to have a high-value option for patients with knee and hip arthritis across four continents: Good Life with osteoArthritis from Denmark. <i>British Journal of Sports Medicine</i> , 2018, 52, 1544-1545.	6.7	40
97	Immediate outcomes following the GLA:DÂ® program in Denmark, Canada and Australia. A longitudinal analysis including 28,370 patients with symptomatic knee or hip osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 502-506.	1.3	40
98	Functional Outcome in Limb-Salvage Surgery for Soft Tissue Tumours of the Foot and Ankle. <i>Sarcoma</i> , 1997, 1, 67-74.	1.3	39
99	Understanding why people do or do not engage in activities following total joint replacement: a longitudinal qualitative study. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 860-867.	1.3	39
100	Evaluating the responsiveness of the ICOAP following hip or knee replacement. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 1043-1045.	1.3	38
101	A qualitative study of the consequences of knee symptoms: â€”It's like you're an athlete and you go to a couch potatoâ€”™. <i>BMJ Open</i> , 2014, 4, e006006.	1.9	37
102	Assessment of health-related quality of life in arthritis: conceptualization and development of five item banks using item response theory. <i>Health and Quality of Life Outcomes</i> , 2006, 4, 33.	2.4	36
103	Patient expectations for surgical outcome in extremity soft tissue sarcoma. <i>Journal of Surgical Oncology</i> , 2009, 100, 375-381.	1.7	36
104	A cross-sectional look at patient concerns in the first six weeks following primary total knee arthroplasty. <i>Health and Quality of Life Outcomes</i> , 2007, 5, 48.	2.4	35
105	Myasthenia Gravis Impairment Index. <i>Neurology</i> , 2017, 89, 2357-2364.	1.1	35
106	Effectiveness of the primary therapist model for rheumatoid arthritis rehabilitation: A randomized controlled trial. <i>Arthritis and Rheumatism</i> , 2006, 55, 42-52.	6.7	34
107	Outcomes for older adults in an inpatient rehabilitation facility following hip fracture (HF) surgery. <i>Archives of Gerontology and Geriatrics</i> , 2009, 49, e23-e31.	3.0	34
108	Outcomes of squamous cell cancer of the oral tongue managed at the princess margaret hospital. <i>Head and Neck</i> , 2013, 35, 632-641.	2.0	34

#	ARTICLE	IF	CITATIONS
109	Stewardship Practices of U.S. Biobanks. <i>Science Translational Medicine</i> , 2013, 5, 215cm7.	12.4	34
110	Cross-cultural adaptation and implementation of Good Life with osteoarthritis in Denmark (GLA:D _{DK}): group education and exercise for hip and knee osteoarthritis is feasible in Canada. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 211-219.	1.3	34
111	Function after subtotal scapulectomy for neoplasm of bone and soft tissue. <i>Journal of Bone and Joint Surgery: British Volume</i> , 1998, 80, 38-42.	3.4	34
112	Functional outcome in extremity soft tissue sarcoma. <i>Seminars in Radiation Oncology</i> , 1999, 9, 360-368.	2.2	33
113	Rehabilitating Patients With Dementia Who Have Had a Hip Fracture. <i>Topics in Geriatric Rehabilitation</i> , 2007, 23, 174-182.	0.4	33
114	In-hospital mortality following hip fracture care in southern Ontario. <i>Canadian Journal of Surgery</i> , 2010, 53, 294-8.	1.2	33
115	Psychometric properties of the French translation of the reduced KOOS and HOOS (KOOS-PS and Tj ETQq1 1 0.784314 rgBT /Overlock	1.3	32
116	OARSI/OMERACT Criteria of Being Considered a Candidate for Total Joint Replacement in Knee/Hip Osteoarthritis as an Endpoint in Clinical Trials Evaluating Potential Disease Modifying Osteoarthritic Drugs. <i>Journal of Rheumatology</i> , 2009, 36, 2097-2099.	2.0	32
117	Visits to Rheumatologists for Arthritis: The Role of Access to Primary Care Physicians, Geographic Availability of Rheumatologists, and Socioeconomic Status. <i>Arthritis Care and Research</i> , 2015, 67, 230-239.	3.4	32
118	Measuring postirradiation subcutaneous soft-tissue fibrosis: state-of-the-art and future directions. <i>Seminars in Radiation Oncology</i> , 2003, 13, 203-213.	2.2	31
119	Psychometric properties of the Neck OutcOme Score, Neck Disability Index, and Short Form [®] 36 were evaluated in patients with neck pain. <i>Journal of Clinical Epidemiology</i> , 2016, 79, 31-40.	5.0	31
120	Rehabilitation and quality-of-life issues in patients with extremity soft tissue sarcoma. <i>Current Treatment Options in Oncology</i> , 2004, 5, 477-488.	3.0	30
121	Osteoarthritis year in review: outcome of rehabilitation. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1414-1424.	1.3	30
122	Evaluating functional outcome in patients with lower extremity sarcoma. <i>Clinical Orthopaedics and Related Research</i> , 1999, , 90-100.	1.5	30
123	The Clinically Important Difference and Patient Acceptable Symptomatic State for Commonly Used Patient-Reported Outcomes After Knee Cartilage Repair. <i>American Journal of Sports Medicine</i> , 2021, 49, 193-199.	4.2	29
124	Rehabilitating Patients With Dementia Who Have Had a Hip Fracture. <i>Topics in Geriatric Rehabilitation</i> , 2007, 23, 161-173.	0.4	28
125	A scoping review of rehabilitation interventions for survivors of head and neck cancer. <i>Disability and Rehabilitation</i> , 2019, 41, 2093-2107.	1.8	28
126	A population-based study of ambulatory and surgical services provided by orthopaedic surgeons for musculoskeletal conditions. <i>BMC Health Services Research</i> , 2009, 9, 56.	2.2	27

#	ARTICLE	IF	CITATIONS
127	Outcomes of total joint arthroplasty in academic versus community hospitals. <i>Canadian Journal of Surgery</i> , 2009, 52, 413-6.	1.2	27
128	Test of Visual Perceptual Skills--Revised: An Overview and Critique. <i>Scandinavian Journal of Occupational Therapy</i> , 2003, 10, 3-15.	1.7	26
129	Evaluating physical function in an adolescent bone tumor population. <i>Pediatric Blood and Cancer</i> , 2005, 45, 635-643.	1.5	26
130	Function, disability, and health-related quality of life after allograft-prosthesis composite reconstructions of the proximal femur. <i>Journal of Surgical Oncology</i> , 2008, 97, 210-215.	1.7	26
131	Physical Activity and Experience of Total Knee Replacement in Patients One to Four Years Postsurgery in the Dominican Republic: A Qualitative Study. <i>Arthritis Care and Research</i> , 2015, 67, 65-73.	3.4	26
132	A Comparison of Outcome of Osteoarticular Allograft Reconstruction and Shoulder Arthrodesis Following Resection of Primary Tumours of the Proximal Humerus. <i>Sarcoma</i> , 1998, 2, 163-170.	1.3	25
133	Cultural adaptation, translation and validation of a functional outcome questionnaire (TESS) to Portuguese with application to patients with lower extremity osteosarcoma. <i>Pediatric Blood and Cancer</i> , 2008, 50, 1039-1042.	1.5	25
134	Cross-cultural adaptation and validation of the Japanese version of the Toronto Extremity Salvage Score (TESS) for patients with malignant musculoskeletal tumors in the lower extremities. <i>Journal of Orthopaedic Science</i> , 2015, 20, 1098-1105.	1.1	25
135	Change in patient concerns following total knee arthroplasty described with the International Classification of Functioning, Disability and Health: a repeated measures design. <i>Health and Quality of Life Outcomes</i> , 2008, 6, 112.	2.4	24
136	Where is the patient in models of patient-centred care: a grounded theory study of total joint replacement patients. <i>BMC Health Services Research</i> , 2013, 13, 531.	2.2	23
137	Quality of Life in Huntington's Disease: Critique and Recommendations for Measures Assessing Patient Health-Related Quality of Life and Caregiver Quality of Life. <i>Movement Disorders</i> , 2018, 33, 742-749.	3.9	23
138	Factors associated with the orthopaedic surgeon's decision to recommend total joint replacement in hip and knee osteoarthritis: an international cross-sectional study of 1905 patients. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 1311-1318.	1.3	23
139	A Conceptual Framework for Evaluating Impairments in Myasthenia Gravis. <i>PLoS ONE</i> , 2014, 9, e98089.	2.5	23
140	Comparison between a 2- and 3-grade system in predicting metastatic-free survival in extremity soft-tissue sarcoma. , 1999, 72, 77-82.		22
141	How do existing HIV-specific instruments measure up? Evaluating the ability of instruments to describe disability experienced by adults living with HIV. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 88.	2.4	22
142	Patient Disease Perceptions and Coping Strategies for Arthritis in a Developing Nation: A Qualitative Study. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 228.	1.9	22
143	Rating Scales and Performance-based Measures for Assessment of Functional Ability in Huntington's Disease: Critique and Recommendations. <i>Movement Disorders Clinical Practice</i> , 2018, 5, 361-372.	1.5	22
144	An inpatient rehabilitation model of care targeting patients with cognitive impairment. <i>BMC Geriatrics</i> , 2012, 12, 21.	2.7	21

#	ARTICLE	IF	CITATIONS
145	Minimally clinically important improvement: all non-responders are not really non-responders an illustration from total knee replacement. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 364-367.	1.3	21
146	Gender issues in patients with extremity soft-tissue sarcoma: A pilot study. <i>Cancer Nursing</i> , 1999, 22, 111-118.	1.5	21
147	Wound healing morbidity in STS patients treated with preoperative radiotherapy in relation to in vitro skin fibroblast radiosensitivity, proliferative capacity and TGF- β activity. <i>Radiotherapy and Oncology</i> , 2006, 78, 17-26.	0.6	20
148	Measuring participation in people with spondyloarthritis using the social role participation questionnaire. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1765-1769.	0.9	20
149	“We’re All Looking for Solutions” A Qualitative Study of the Management of Knee Symptoms. <i>Arthritis Care and Research</i> , 2014, 66, 1033-1040.	3.4	20
150	Periprosthetic bone remodelling around a prosthesis for distal femoral tumours. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2000, 82, 120-125.	3.4	20
151	Computer Use Associated With Poor Long-Term Prognosis of Conservatively Managed Lateral Epicondylalgia. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2004, 34, 770-780.	3.5	19
152	The effect of intramedullary cement on intercalary allograft reconstruction of bone defects after tumour resection: a pilot study. <i>Canadian Journal of Surgery</i> , 1995, 38, 521-7.	1.2	19
153	Meeting the challenge of the ageing of the population: Issues in access to specialist care for arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2012, 26, 599-609.	3.3	18
154	Osteoarthritis year 2011 in review: rehabilitation and outcomes. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 201-206.	1.3	18
155	Performance of individual items of the quantitative myasthenia gravis score. <i>Neuromuscular Disorders</i> , 2013, 23, 413-417.	0.6	18
156	Evaluating a community-based exercise intervention with adults living with HIV: protocol for an interrupted time series study. <i>BMJ Open</i> , 2016, 6, e013618.	1.9	18
157	The Multiligament Quality of Life Questionnaire. <i>American Journal of Sports Medicine</i> , 2014, 42, 2906-2916.	4.2	17
158	Primary care physicians' perceptions about and confidence in deciding which patients to refer for total joint arthroplasty of the hip and knee. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 451-457.	1.3	17
159	Disease-specific pain and function predict future pain impact in hip and knee osteoarthritis. <i>Clinical Rheumatology</i> , 2016, 35, 2999-3005.	2.2	17
160	Cross-cultural validation of the ICOAP and physical function short forms of the HOOS and KOOS in a multi-country study of patients with hip and knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 2077-2081.	1.3	17
161	Postoperative Pain Management Among Dominican and American Health-Care Providers. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, e50.	3.0	17
162	Primary therapist model for patients referred for rheumatoid arthritis rehabilitation: A cost-effectiveness analysis. <i>Arthritis and Rheumatism</i> , 2006, 55, 402-410.	6.7	16

#	ARTICLE	IF	CITATIONS
163	The long-term outcome of patients treated operatively and non-operatively for scoliosis deformity secondary to spina bifida. <i>Bone and Joint Journal</i> , 2014, 96-B, 1244-1251.	4.4	16
164	Health-related quality of life following treatment for extremity soft tissue sarcoma. <i>Journal of Surgical Oncology</i> , 2016, 114, 821-827.	1.7	16
165	Cross-cultural adaptation and validation of the Japanese version of the Toronto Extremity Salvage Score (TESS) for patients with malignant musculoskeletal tumors in the upper extremities. <i>Journal of Orthopaedic Science</i> , 2017, 22, 127-132.	1.1	15
166	Parent Proxy Discrepancy Groups of Quality of Life in Childhood Epilepsy. <i>Value in Health</i> , 2019, 22, 822-828.	0.3	15
167	Fundamentals of osteoarthritis: outcome evaluation with patient-reported measures and functional tests. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 775-785.	1.3	15
168	Understanding recovery: Changes in the relationships of the International Classification of Functioning (ICF) components over time. <i>Social Science and Medicine</i> , 2012, 75, 1999-2006.	3.8	14
169	The pathway to orthopaedic surgery: a population study of the role of access to primary care and availability of orthopaedic services in Ontario, Canada. <i>BMJ Open</i> , 2014, 4, e004472-e004472.	1.9	14
170	An institutional ethnography of chronic pain management in family medicine (COPE) study protocol. <i>BMC Health Services Research</i> , 2015, 15, 494.	2.2	14
171	Development and preliminary evaluation of a rehabilitation consult for survivors of head and neck cancer: an intervention mapping protocol. <i>Implementation Science</i> , 2015, 10, 6.	6.9	14
172	Symptoms and their Relationship to Disability Following Treatment for Lower Extremity Tumours. <i>Sarcoma</i> , 1999, 3, 73-77.	1.3	13
173	Proliferative Activity (Ki-67 Expression) and Outcome in High Grade Osteosarcoma: A Study of 27 Cases. <i>Sarcoma</i> , 2000, 4, 47-55.	1.3	13
174	Classifying Failed Hip Arthroplasty: Generalizability of Reliability and Validity. <i>Clinical Orthopaedics and Related Research</i> , 2003, 415, 171-179.	1.5	13
175	Factors influencing inpatient rehabilitation length of stay following revision hip replacements: a retrospective study. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 252.	1.9	13
176	Key Preoperative Clinical Factors Predicting Outcome in Surgically Treated Patients with Metastatic Epidural Spinal Cord Compression: Results from a Survey of 438 AOSpine International Members. <i>World Neurosurgery</i> , 2016, 93, 436-448.e15.	1.3	13
177	Waiting for hip revision surgery: the impact on patient disability. <i>Canadian Journal of Surgery</i> , 2008, 51, 92-6.	1.2	13
178	Normal Values for the Childhood Signal-Averaged ECG. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996, 19, 793-801.	1.2	12
179	Work status after distal femoral Kotz reconstruction for malignant tumors of bone. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, 62-68.	0.9	12
180	Provision of Orthopaedic Workforce and Implications for Access to Orthopaedic Services in Ontario. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 863-870.	3.0	12

#	ARTICLE	IF	CITATIONS
181	Function after subtotal scapulectomy for neoplasm of bone and soft tissue. <i>Journal of Bone and Joint Surgery: British Volume</i> , 1998, 80-B, 38-42.	3.4	11
182	Motor-Free Visual Perception Test "Revised: An Overview and Critique. <i>British Journal of Occupational Therapy</i> , 2003, 66, 159-167.	0.9	11
183	Clinical classes of injured workers with chronic low back pain: a latent class analysis with relationship to working status. <i>European Spine Journal</i> , 2018, 27, 117-124.	2.2	11
184	Examining the impact of a community-based exercise intervention on cardiorespiratory fitness, cardiovascular health, strength, flexibility and physical activity among adults living with HIV: A three-phased intervention study. <i>PLoS ONE</i> , 2021, 16, e0257639.	2.5	11
185	Developmental increase in 3H-muscimol binding to the $\hat{1}^3$ -aminobutyric acidA receptor in hypothalamic and limbic areas of the rat: why is the ventromedial nucleus of the hypothalamus an exception?. <i>Neuroscience Letters</i> , 2000, 288, 223-227.	2.1	10
186	Surgery or Consultation: A Population-Based Cohort Study of Use of Orthopaedic Surgeon Services. <i>PLoS ONE</i> , 2013, 8, e65560.	2.5	10
187	Evaluation of clinical utility of BTC-2000 for measuring soft tissue fibrosis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004, 60, 286-294.	0.8	9
188	Clonogenic survival and cytokinesis-blocked binucleation of skin fibroblasts and normal tissue complications in soft tissue sarcoma patients treated with preoperative radiotherapy. <i>Radiotherapy and Oncology</i> , 2004, 72, 103-112.	0.6	9
189	Can the Toronto Extremity Salvage Score Produce Reliable Results When Used Online?. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 1750-1756.	1.5	9
190	Measures for Pain and Function Assessments for Patients With Osteoarthritis. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2016, 24, e148-e162.	2.5	9
191	Awaiting knee joint replacement surgery: An occupational perspective on the experience of osteoarthritis. <i>Journal of Occupational Science</i> , 2017, 24, 216-224.	1.3	9
192	A Systematic Review and Standardized Comparison of Available Evidence for Outcome Measures Used to Evaluate Proximal Humerus Fracture Patients. <i>Journal of Orthopaedic Trauma</i> , 2019, 33, e256-e262.	1.4	9
193	Validation process of Toronto Extremity Salvage Score in Italian: A quality of life measure for patients with extremity bone and soft tissue tumors. <i>Journal of Surgical Oncology</i> , 2020, 121, 630-637.	1.7	9
194	Developing a short-form version of the HIV Disability Questionnaire (SF-HDQ) for use in clinical practice: a Rasch analysis. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 6.	2.4	9
195	Paraspinal Soft-Tissue Sarcoma Classification of 14 Cases. <i>Spine</i> , 1993, 18, 1292-1297.	2.0	8
196	Periprosthetic Bone Remodeling Around a Prosthesis for Distal Femoral Tumors. <i>Journal of Arthroplasty</i> , 2005, 20, 219-224.	3.1	8
197	A single group follow-up study of non-surgical patients seen by physiotherapists working in expanded roles in orthopaedic departments: recall of recommendations, change in exercise and self-efficacy. <i>BMC Research Notes</i> , 2012, 5, 669.	1.4	8
198	Public opinion on community-based education and exercise programs for managing hip and knee osteoarthritis-like symptoms: results of a survey. <i>Patient Preference and Adherence</i> , 2016, 10, 283.	1.8	8

#	ARTICLE	IF	CITATIONS
199	Commonalities and differences in the implementation of models of care for arthritis: key informant interviews from Canada. <i>BMC Health Services Research</i> , 2016, 16, 415.	2.2	8
200	Development and content validation of the Muscular Dystrophy Child Health Index of Life with Disabilities questionnaire for children with Duchenne muscular dystrophy. <i>Developmental Medicine and Child Neurology</i> , 2019, 61, 75-81.	2.1	8
201	There's more to life than everyday function: the challenge of measuring social role participation in ankylosing spondylitis. <i>Nature Clinical Practice Rheumatology</i> , 2009, 5, 46-51.	3.2	7
202	Preliminary Development and Validation of a Paediatric Cardiopulmonary Physiotherapy Discharge Tool. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2011, 63, 34-44.	0.6	7
203	An Examination of Adolescent Bone Tumor Patient Responses on the Activities Scale for Kids (ASK). <i>Physical and Occupational Therapy in Pediatrics</i> , 2014, 34, 213-228.	1.3	7
204	Validated Measures of Illness Perception and Behavior in People with Knee Pain and Knee Osteoarthritis: A Scoping Review. <i>Pain Practice</i> , 2017, 17, 99-114.	1.9	7
205	Bodyâ€Self Unity With a New Hip or Knee: Understanding Total Joint Replacement Within an Embodiment Framework. <i>ACR Open Rheumatology</i> , 2019, 1, 90-96.	2.1	7
206	Periprosthetic bone remodelling around a prosthesis for distal femoral tumours. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2000, 82-B, 120-125.	3.4	7
207	Age and drug therapy are key prognostic factors for first clinical fracture in patients with primary osteoporosis. <i>Osteoporosis International</i> , 2007, 18, 1091-1100.	3.1	6
208	Study protocol for a pilot, randomised, double-blinded, placebo controlled trial of perineural local anaesthetics and steroids for chronic post-traumatic neuropathic pain in the ankle and foot: the PREPLANS study. <i>BMJ Open</i> , 2016, 6, e012293.	1.9	6
209	Development, Sensibility, and Validity of a Systemic Autoimmune Rheumatic Disease Case Ascertainment Tool. <i>Journal of Rheumatology</i> , 2017, 44, 18-23.	2.0	6
210	Systematic Review and Appraisal of the Crossâ€Cultural Validity of Functional Status Assessment Measures in Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2020, 72, 798-805.	3.4	6
211	Experiences of People Living With HIV in Community Based Exercise: A Qualitative Longitudinal Study. <i>Journal of the International Association of Providers of AIDS Care</i> , 2021, 20, 232595822199534.	1.5	6
212	The Geometric Osteotomy: Joint Preservation in Juxta-Articular Surface Bone Neoplasms. <i>Sarcoma</i> , 1997, 1, 167-174.	1.3	5
213	Using Exploratory Focus Groups to Establish a Sampling Strategy to Investigate Disability Experienced by Adults Living with HIV. <i>Current HIV Research</i> , 2009, 7, 626-633.	0.5	5
214	Development of a paper-and-pencil semi-adaptive questionnaire for 5 domains of health-related quality of life (PAT-5D-QOL). <i>Quality of Life Research</i> , 2013, 22, 2829-2842.	3.1	5
215	The influence of patient factors on patient-reported outcomes of orthopedic surgery involving implantable devices: A systematic review. <i>Seminars in Arthritis and Rheumatism</i> , 2015, 44, 461-471.	3.4	5
216	A prospective cohort study examining medical and social factors associated with engagement in life activities following total hip replacement. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1032-1039.	1.3	5

#	ARTICLE	IF	CITATIONS
217	Evaluation of a rehabilitation planning consult for survivors of head and neck cancer. <i>Head and Neck</i> , 2018, 40, 1415-1424.	2.0	5
218	Factors That Influence the Reintegration to Normal Living for Older Adults 2 Years Post Hip Fracture. <i>Journal of Applied Gerontology</i> , 2020, 39, 1323-1331.	2.0	5
219	Malignant Gastrointestinal Stromal Tumors of the Small Intestine: A Review of 50 Cases From a Prospective Database. <i>Annals of Surgical Oncology</i> , 2001, 8, 50-59.	1.5	5
220	Disability and self-care living strategies among adults living with HIV during the COVID-19 pandemic. <i>AIDS Research and Therapy</i> , 2021, 18, 87.	1.7	5
221	Developing the Breast Utility Instrument, a preference-based instrument to measure health-related quality of life in women with breast cancer: Confirmatory factor analysis of the EORTC QLQ-C30 and BR45 to establish dimensions. <i>PLoS ONE</i> , 2022, 17, e0262635.	2.5	5
222	Multiattribute health utility scoring for the computerized adaptive measure CAT-5D-QOL was developed and validated. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 1213-1220.e6.	5.0	4
223	Why Is Exercise Effective in Reducing Pain in People with Osteoarthritis?. <i>Current Treatment Options in Rheumatology</i> , 2020, 6, 146-159.	1.4	4
224	Validity of the Motor-Free Visual Perceptual Testâ€”Revised (MVPT-R): An Item Response Analysis. <i>Journal of Occupational Therapy, Schools, and Early Intervention</i> , 2008, 1, 33-60.	0.7	3
225	Limiting the Risk of Osteoarthritis After Anterior Cruciate Ligament Injury: Are Health Care Providers Missing the Opportunity to Intervene?. <i>Arthritis Care and Research</i> , 2021, 73, 1754-1762.	3.4	3
226	Treating Heel Pain in Adults: A Randomized Controlled Trial of Hard vs Modified Soft Custom Orthotics and Heel Pads. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 363-370.	0.9	3
227	A concept analysis and overview of outcome measures used for evaluating patients with proximal humerus fractures. <i>Disability and Rehabilitation</i> , 2021, 43, 1450-1462.	1.8	3
228	Factors influencing pain response following GLA:DÂ® patient education and supervised exercise in males and females with hip osteoarthritis. <i>Arthritis Care and Research</i> , 2022, , .	3.4	3
229	Analgesic effect of perineural local anesthetics, steroids, and conventional medical management for trauma and compression-related peripheral neuropathic pain: a retrospective cohort study. <i>Pain Reports</i> , 2021, 6, e945.	2.7	2
230	Development of an Intervention to Manage Knee Osteoarthritis Risk and Symptoms Following Anterior Cruciate Ligament Injury. <i>Osteoarthritis and Cartilage</i> , 2021, , .	1.3	2
231	A Qualitative Study of Fitness Coachesâ€™ Experiences in Community Based Exercise with People Living with HIV. <i>Journal of the International Association of Providers of AIDS Care</i> , 2021, 20, 232595822110467.	1.5	2
232	PREDICTORS OF FUNCTIONAL OUTCOME TWO YEARS FOLLOWING REVISION HIP ARTHROPLASTY. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 685-691.	3.0	2
233	Presurgery osteoarthritis severity over 10 years in 2 Ontario prospective total knee replacement cohorts: a cohort study. <i>CMAJ Open</i> , 2018, 6, E269-E275.	2.4	1
234	Comparison of two methods of reconstruction for primary malignant tumors at the knee: A sequential cohort study. <i>Journal of Surgical Oncology</i> , 2001, 77, 89-99.	1.7	1

#	ARTICLE	IF	CITATIONS
235	Response to letter by Saenz-Farret et al. on "Rating scales for behavioral symptoms in Huntington's disease: Critique and recommendations". Movement Disorders, 2017, 32, 482-482.	3.9	0
236	Does the person's context influence engagement in life activities following primary knee replacement? Results from a Canadian prospective cohort study. BMJ Open, 2017, 7, e015737.	1.9	0
237	Assessment of the patient with osteoarthritis and measurement of outcomes. , 2015, , 1492-1497.		0