

Cristina Ponti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7135179/publications.pdf>

Version: 2024-02-01

30
papers

1,465
citations

430754

18
h-index

454834

30
g-index

30
all docs

30
docs citations

30
times ranked

2412
citing authors

#	ARTICLE	IF	CITATIONS
1	Ecotoxicological Impact of the Marine Toxin Palytoxin on the Micro-Crustacean <i>Artemia franciscana</i> . <i>Marine Drugs</i> , 2022, 20, 81.	2.2	2
2	Functional and Structural Biological Methods for Palytoxin Detection. <i>Journal of Marine Science and Engineering</i> , 2022, 10, 916.	1.2	1
3	Skin irritation potential of graphene-based materials using a non-animal test. <i>Nanoscale</i> , 2020, 12, 610-622.	2.8	42
4	Partial Reversibility of the Cytotoxic Effect Induced by Graphene-Based Materials in Skin Keratinocytes. <i>Nanomaterials</i> , 2020, 10, 1602.	1.9	8
5	Interferon gamma inducible protein 16 (IFI16) expression is reduced in mantle cell lymphoma. <i>Heliyon</i> , 2019, 5, e02643.	1.4	5
6	IFI16 reduced expression is correlated with unfavorable outcome in chronic lymphocytic leukemia. <i>Apmis</i> , 2017, 125, 511-522.	0.9	8
7	Pro-inflammatory effects of palytoxin: an in vitro study on human keratinocytes and inflammatory cells. <i>Toxicology Research</i> , 2016, 5, 1172-1181.	0.9	7
8	Calcaneal quantitative ultrasound (QUS) and dual X-ray absorptiometry (DXA) bone analysis in adult HIV-positive patients. <i>New Microbiologica</i> , 2015, 38, 345-56.	0.1	12
9	Oxidative stress induced by palytoxin in human keratinocytes is mediated by a H ⁺ -dependent mitochondrial pathway. <i>Toxicology and Applied Pharmacology</i> , 2013, 266, 1-8.	1.3	20
10	HIV-related mechanisms in atherosclerosis and cardiovascular diseases. <i>Journal of Cardiovascular Medicine</i> , 2013, 14, 780-790.	0.6	28
11	Effects of human immunodeficiency virus on the erythrocyte and megakaryocyte lineages. <i>World Journal of Virology</i> , 2013, 2, 91.	1.3	40
12	Analysis of the effects of HIV-1 Tat on the survival and differentiation of vessel wall-derived mesenchymal stem cells. <i>Journal of Cellular Biochemistry</i> , 2012, 113, 1132-1141.	1.2	11
13	Lignan Derivatives from <i>Krameria lappacea</i> Roots Inhibit Acute Inflammation in Vivo and Pro-inflammatory Mediators in Vitro. <i>Journal of Natural Products</i> , 2011, 74, 1779-1786.	1.5	56
14	HIV-1 Tat protein enhances RANKL/M-CSF-mediated osteoclast differentiation. <i>Biochemical and Biophysical Research Communications</i> , 2010, 401, 429-434.	1.0	27
15	Topical Anti-inflammatory Activity of Eupatilin, A Lipophilic Flavonoid from Mountain Wormwood (<i>Artemisia umbelliformis</i> Lam.). <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 7726-7730.	2.4	27
16	HIV-1 triggers apoptosis in primary osteoblasts and HOBIT cells through TNF α activation. <i>Journal of Medical Virology</i> , 2008, 80, 1507-1514.	2.5	89
17	Sparc localizes to the blebs of hobit cells and human primary osteoblasts. <i>Journal of Cellular Biochemistry</i> , 2008, 104, 2310-2323.	1.2	7
18	NK Cells and Cancer. <i>Journal of Immunology</i> , 2007, 178, 4011-4016.	0.4	248

#	ARTICLE	IF	CITATIONS
19	HIV-1 negatively affects the survival/maturation of cord blood CD34+ hematopoietic progenitor cells differentiated towards megakaryocytic lineage by HIV-1 gp120/CD4 membrane interaction. <i>Journal of Cellular Physiology</i> , 2007, 210, 315-324.	2.0	19
20	PKC μ controls protection against TRAIL in erythroid progenitors. <i>Blood</i> , 2006, 107, 508-513.	0.6	52
21	HIV-1 Tat protein concomitantly down-regulates apical caspase-10 and up-regulates c-FLIP in lymphoid T cells: A potential molecular mechanism to escape TRAIL cytotoxicity. <i>Journal of Cellular Physiology</i> , 2005, 203, 547-556.	2.0	54
22	Different levels of the neuronal nitric oxide synthase isoform modulate the rate of osteoclastic differentiation of TIB-71 and CRL-2278 RAW 264.7 murine cell clones. <i>The Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology</i> , 2005, 286A, 945-954.	2.0	14
23	Activated human NK and CD8+ T cells express both TNF-related apoptosis-inducing ligand (TRAIL) and TRAIL receptors but are resistant to TRAIL-mediated cytotoxicity. <i>Blood</i> , 2004, 104, 2418-2424.	0.6	422
24	Quantitative detection of human immunodeficiency virus type 1 (HIV-1) proviral DNA in peripheral blood mononuclear cells by SYBR green real-time PCR technique. <i>Journal of Clinical Virology</i> , 2004, 29, 282-289.	1.6	85
25	Role of CREB transcription factor in c-fos activation in natural killer cells. <i>European Journal of Immunology</i> , 2002, 32, 3358-3365.	1.6	34
26	NK-active cytokines IL-2, IL-12, and IL-15 selectively modulate specific protein kinase C (PKC) isoforms in primary human NK cells. <i>The Anatomical Record</i> , 2002, 266, 87-92.	2.3	32
27	Extracellular Tat activates c-fos promoter in low serum-starved CD4+ T cells. <i>British Journal of Haematology</i> , 2001, 112, 663-670.	1.2	11
28	HIV-1 Tat Protects CD4+ Jurkat T Lymphoblastoid Cells from Apoptosis Mediated by TNF-Related Apoptosis-Inducing Ligand. <i>Cellular Immunology</i> , 2001, 207, 89-99.	1.4	31
29	Distinct epitopes on formiminotransferase cyclodeaminase induce autoimmune liver cytosol antibody type 1. <i>Hepatology</i> , 2001, 34, 494-501.	3.6	59
30	Chitosan-Indomethacin Conjugates. Effect of Different Substituents on the Polysaccharide Molecule on Drug Release. <i>Archiv Der Pharmazie</i> , 1996, 329, 245-250.	2.1	14