

Jayanta Sarkar

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7136049/jayanta-sarkar-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

44
papers

1,217
citations

20
h-index

34
g-index

48
ext. papers

1,390
ext. citations

4.3
avg, IF

4.2
L-index

#	Paper	IF	Citations
44	CXCR4 intracellular protein promotes drug resistance and tumorigenic potential by inversely regulating the expression of Death Receptor 5. <i>Cell Death and Disease</i> , 2021 , 12, 464	9.8	5
43	Salinomycin inhibits epigenetic modulator EZH2 to enhance death receptors in colon cancer stem cells. <i>Epigenetics</i> , 2021 , 16, 144-161	5.7	10
42	Gedunin isolated from the mangrove plant <i>Xylocarpus granatum</i> exerts its anti-proliferative activity in ovarian cancer cells through G2/M-phase arrest and oxidative stress-mediated intrinsic apoptosis. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2020 , 25, 481-499	5.4	10
41	Microtubule disrupting agent-mediated inhibition of cancer cell growth is associated with blockade of autophagic flux and simultaneous induction of apoptosis. <i>Cell Proliferation</i> , 2020 , 53, e12749	7.9	6
40	Infectivity, virulence, pathogenicity, host-pathogen interactions of SARS and SARS-CoV-2 in experimental animals: a systematic review. <i>Veterinary Research Communications</i> , 2020 , 44, 101-110	2.9	16
39	3-Arylindanones and related compounds as antiproliferative agents against colorectal cancer. <i>Chemical Biology and Drug Design</i> , 2019 , 94, 1694-1705	2.9	
38	7-hydroxyfrullanolide, isolated from <i>Sphaeranthus indicus</i> , inhibits colorectal cancer cell growth by p53-dependent and -independent mechanism. <i>Carcinogenesis</i> , 2019 , 40, 791-804	4.6	2
37	Ormeloxifene-induced unfolded protein response contributes to autophagy-associated apoptosis via disruption of Akt/mTOR and activation of JNK. <i>Scientific Reports</i> , 2018 , 8, 2303	4.9	21
36	Antiproliferative efficacy of curcumin mimics through microtubule destabilization. <i>European Journal of Medicinal Chemistry</i> , 2018 , 151, 51-61	6.8	33
35	(22 β 5R)-3 β -Hydroxy-spirost-5-en-7-iminoxy-heptanoic acid exhibits anti-prostate cancer activity through caspase pathway. <i>Steroids</i> , 2017 , 119, 43-52	2.8	24
34	Coumarin-chalcone hybrid instigates DNA damage by minor groove binding and stabilizes p53 through post translational modifications. <i>Scientific Reports</i> , 2017 , 7, 45287	4.9	18
33	Synthesis, SAR and biological studies of sugar amino acid-based almiramide analogues: N-methylation leads the way. <i>Organic and Biomolecular Chemistry</i> , 2017 , 15, 3337-3352	3.9	9
32	Synthesis of pharmacologically important naphthoquinones and anticancer activity of 2-benzylawsone through DNA topoisomerase-II inhibition. <i>Bioorganic and Medicinal Chemistry</i> , 2017 , 25, 1364-1373	3.4	34
31	Bioguided chemical characterization of the antiproliferative fraction of edible pseudo bulbs of <i>Malaxis acuminata</i> D. Don by HPLC-ESI-QTOF-MS. <i>Medicinal Chemistry Research</i> , 2017 , 26, 3307-3314	2.2	5
30	New orally active DNA minor groove binding small molecule CT-1 acts against breast cancer by targeting tumor DNA damage leading to p53-dependent apoptosis. <i>Molecular Carcinogenesis</i> , 2017 , 56, 1266-1280	5	8
29	Dual targeting of MDM2 with a novel small-molecule inhibitor overcomes TRAIL resistance in cancer. <i>Carcinogenesis</i> , 2016 , 37, 1027-1040	4.6	14
28	Synthesis of 3,5-dihydroxy-7,8-dimethoxy-2-(4-methoxyphenyl)benzopyran-4-one derivatives as anticancer agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016 , 26, 5322-5327	2.9	16

27	Induction of targeted osteogenesis with 3-aryl-2H-benzopyrans and 3-aryl-3H-benzopyrans: Novel osteogenic agents. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016 , 158, 63-75	5.1	7
26	Synthesis of 4-phenyl-5,6-dihydrobenzo[h]quinazolines and their evaluation as growth inhibitors of carcinoma cells. <i>RSC Advances</i> , 2016 , 6, 18607-18618	3.7	5
25	Mycobacterium tuberculosis can gain access to adipose depots of mice infected via the intra-nasal route and to lungs of mice with an infected subcutaneous fat implant. <i>Microbial Pathogenesis</i> , 2016 , 93, 32-7	3.8	8
24	Identification of gallic acid based glycoconjugates as a novel tubulin polymerization inhibitors. <i>Organic and Biomolecular Chemistry</i> , 2016 , 14, 1338-58	3.9	22
23	Recent Advances in chemistry and pharmacology of 2-methoxyestradiol: An anticancer investigational drug. <i>Steroids</i> , 2016 , 110, 9-34	2.8	36
22	Rapid screening and quantitative determination of bioactive compounds from fruit extracts of Myristica species and their in vitro antiproliferative activity. <i>Food Chemistry</i> , 2016 , 211, 483-93	8.5	20
21	Natural antitubulin agents: importance of 3,4,5-trimethoxyphenyl fragment. <i>Bioorganic and Medicinal Chemistry</i> , 2015 , 23, 373-89	3.4	90
20	Synthesis, photophysical and anticancer study of D-ring extended estrone analogues. <i>RSC Advances</i> , 2015 , 5, 68843-68851	3.7	2
19	Anticancer activity and toxicity profiles of 2-benzylidene indanone lead molecule. <i>European Journal of Pharmaceutical Sciences</i> , 2015 , 76, 57-67	5.1	29
18	Quantification of multianalyte by UPLC-Qq-LIT-MS/MS and in-vitro anti-proliferative screening in Cassia species. <i>Industrial Crops and Products</i> , 2015 , 76, 1133-1141	5.9	10
17	Anti-tumour activity of a novel coumarin-chalcone hybrid is mediated through intrinsic apoptotic pathway by inducing PUMA and altering Bax/Bcl-2 ratio. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2014 , 19, 1017-28	5.4	43
16	The prophage-encoded hyaluronate lyase has broad substrate specificity and is regulated by the N-terminal domain. <i>Journal of Biological Chemistry</i> , 2014 , 289, 35225-36	5.4	13
15	Syntheses of 2-methoxyestradiol and eugenol template based diarylpropenes as non-steroidal anticancer agents. <i>RSC Advances</i> , 2014 , 4, 35171	3.7	10
14	Synthesis of novel carboline based chalcones with high cytotoxic activity against breast cancer cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014 , 24, 2820-4	2.9	43
13	Synthesis of novel anticancer agents through opening of spiroacetal ring of diosgenin. <i>Steroids</i> , 2014 , 87, 108-18	2.8	31
12	Modeling gene-environment interactions in oral cavity and esophageal cancers demonstrates a role for the p53 R72P polymorphism in modulating susceptibility. <i>Molecular Carcinogenesis</i> , 2014 , 53, 648-58 ⁵		10
11	Melatonin Reverses Fas, E2F-1 and Endoplasmic Reticulum Stress Mediated Apoptosis and Dysregulation of Autophagy Induced by the Herbicide Atrazine in Murine Splenocytes. <i>PLoS ONE</i> , 2014 , 9, e108602	3.7	23
10	An efficient combinatorial synthesis of allocolchicine analogues via a triple cascade reaction and their evaluation as inhibitors of insulin aggregation. <i>ChemMedChem</i> , 2013 , 8, 1767-72	3.7	15

9	Oral cancer: risk factors and molecular pathogenesis. <i>Journal of Maxillofacial and Oral Surgery</i> , 2011 , 10, 132-7	0.9	99
8	Antiproliferative action of <i>Xylopia aethiopica</i> fruit extract on human cervical cancer cells. <i>Phytotherapy Research</i> , 2011 , 25, 1558-63	6.7	47
7	Synthesis of 2-(pyrimidin-2-yl)-1-phenyl-2,3,4,9-tetrahydro-1H-beta-carbolines as antileishmanial agents. <i>European Journal of Medicinal Chemistry</i> , 2010 , 45, 3274-80	6.8	29
6	Cytotoxic cycloartane triterpene and rare isomeric bisclerodane diterpenes from the leaves of <i>Polyalthia longifolia</i> var. <i>pendula</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 5767-71	2.9	26
5	Synthesis and in vitro evaluation of novel coumarin-chalcone hybrids as potential anticancer agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 7205-11	2.9	207
4	Synthesis and cytotoxicity evaluation of (tetrahydro-beta-carboline)-1,3,5-triazine hybrids as anticancer agents. <i>European Journal of Medicinal Chemistry</i> , 2010 , 45, 2265-76	6.8	58
3	Staurosporine induces apoptosis in human papillomavirus positive oral cancer cells at G2/M phase by disrupting mitochondrial membrane potential and modulation of cell cytoskeleton. <i>Oral Oncology</i> , 2009 , 45, 974-9	4.4	20
2	Cassane diterpenes from <i>Caesalpinia bonduc</i> . <i>Phytochemistry</i> , 2009 , 70, 256-61	4	53
1	Synthesis and biological evaluation of novel 4-(hetero) aryl-2-piperazino quinazolines as anti-leishmanial and anti-proliferative agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 2542-5 ⁹	2.9	30