

Ricardo Gomez-Huelgas

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7137761/ricardo-gomez-huelgas-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

1,689
citations

22
h-index

36
g-index

185
ext. papers

2,461
ext. citations

3.4
avg, IF

4.74
L-index

#	Paper	IF	Citations
140	Elevated circulating levels of succinate in human obesity are linked to specific gut microbiota. <i>ISME Journal</i> , 2018 , 12, 1642-1657	11.9	132
139	Glucocorticoid-induced hyperglycemia. <i>Journal of Diabetes</i> , 2014 , 6, 9-20	3.8	120
138	Hemoglobin A1c versus oral glucose tolerance test in postpartum diabetes screening. <i>Diabetes Care</i> , 2012 , 35, 1648-53	14.6	88
137	Adipose tissue gene expression of factors related to lipid processing in obesity. <i>PLoS ONE</i> , 2011 , 6, e24783	3.7	74
136	Impact of dementia on hospitalization. <i>Neuroepidemiology</i> , 2010 , 35, 101-8	5.4	61
135	Survival of a cohort of elderly patients with advanced dementia: nasogastric tube feeding as a risk factor for mortality. <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 363-70	3.9	54
134	Mortality and other adverse outcomes in patients with type 2 diabetes mellitus admitted for COVID-19 in association with glucose-lowering drugs: a nationwide cohort study. <i>BMC Medicine</i> , 2020 , 18, 359	11.4	53
133	Admission hyperglycaemia as a predictor of mortality in patients hospitalized with COVID-19 regardless of diabetes status: data from the Spanish SEMI-COVID-19 Registry. <i>Annals of Medicine</i> , 2021 , 53, 103-116	1.5	48
132	Frequency of hypoglycemia and its impact on length of stay, mortality, and short-term readmission in patients with diabetes hospitalized in internal medicine wards. <i>Endocrine Practice</i> , 2014 , 20, 870-5	3.2	46
131	Association of Hypertension with All-Cause Mortality among Hospitalized Patients with COVID-19. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	46
130	Caspase induction and BCL2 inhibition in human adipose tissue: a potential relationship with insulin signaling alteration. <i>Diabetes Care</i> , 2013 , 36, 513-21	14.6	44
129	Association between type-2 diabetes mellitus and post-discharge outcomes in heart failure patients: findings from the RICA registry. <i>Diabetes Research and Clinical Practice</i> , 2014 , 104, 410-9	7.4	39
128	Effects of a long-term lifestyle intervention program with Mediterranean diet and exercise for the management of patients with metabolic syndrome in a primary care setting. <i>European Journal of Internal Medicine</i> , 2015 , 26, 317-23	3.9	35
127	Metformin-induced hepatotoxicity. <i>Diabetes Care</i> , 2012 , 35, e21	14.6	32
126	Calcifediol Treatment and Hospital Mortality Due to COVID-19: A Cohort Study. <i>Nutrients</i> , 2021 , 13,	6.7	30
125	Predicting Clinical Outcome with Phenotypic Clusters in COVID-19 Pneumonia: An Analysis of 12,066 Hospitalized Patients from the Spanish Registry SEMI-COVID-19. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	29
124	Predictive Value of Admission Hemoglobin A1c on Inpatient Glycemic Control and Response to Insulin Therapy in Medicine and Surgery Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2015 , 38, e202-3	14.6	29

123	Inverse relation between FASN expression in human adipose tissue and the insulin resistance level. <i>Nutrition and Metabolism</i> , 2010 , 7, 3	4.6	28
122	Inappropriate antibiotic use in the COVID-19 era: Factors associated with inappropriate prescribing and secondary complications. Analysis of the registry SEMI-COVID. <i>PLoS ONE</i> , 2021 , 16, e0251340	3.7	27
121	Clinical Characteristics and Risk Factors for Mortality in Very Old Patients Hospitalized With COVID-19 in Spain. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, e28-e37	6.4	26
120	Hyperglycemia management in patients admitted to internal medicine in Spain: A point-prevalence survey examining adequacy of glycemic control and guideline adherence. <i>European Journal of Internal Medicine</i> , 2015 , 26, 392-8	3.9	22
119	Treatment of type 2 diabetes mellitus in elderly patients. <i>Revista Clinica Espanola</i> , 2018 , 218, 74-88	0.7	22
118	Impact of Arterial Stiffness on All-Cause Mortality in Patients Hospitalized With COVID-19 in Spain. <i>Hypertension</i> , 2021 , 77, 856-867	8.5	21
117	Use of Linagliptin for the Management of Medicine Department Inpatients with Type 2 Diabetes in Real-World Clinical Practice (Lina-Real-World Study). <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	17
116	Glycaemic efficacy and safety of linagliptin for the management of non-cardiac surgery patients with type 2 diabetes in a real-world setting: Lina-Surg study. <i>Annals of Medicine</i> , 2019 , 51, 252-261	1.5	15
115	The frequency and impact of hypoglycemia among hospitalized patients with diabetes: A population-based study. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 1050-5	3.2	14
114	National trends in diabetes mellitus hospitalization in Spain 1997-2010: Analysis of over 5.4 millions of admissions. <i>European Journal of Internal Medicine</i> , 2019 , 60, 83-89	3.9	14
113	Physical functional performance and prognosis in patients with heart failure: a systematic review and meta-analysis. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 512	2.3	13
112	Association of HbA1c and cardiovascular and renal disease in an adult Mediterranean population. <i>BMC Nephrology</i> , 2013 , 14, 151	2.7	13
111	Prior Treatment with Statins is Associated with Improved Outcomes of Patients with COVID-19: Data from the SEMI-COVID-19 Registry. <i>Drugs</i> , 2021 , 81, 685-695	12.1	13
110	Combination Therapy With Glucagon-Like Peptide-1 Receptor Agonists and Sodium-Glucose Cotransporter 2 Inhibitors in Older Patients With Type 2 Diabetes: A Real-World Evidence Study. <i>Canadian Journal of Diabetes</i> , 2019 , 43, 186-192	2.1	13
109	Efficacy and safety of lixisenatide in patients with type 2 diabetes and renal impairment. <i>Diabetes, Obesity and Metabolism</i> , 2017 , 19, 1594-1601	6.7	12
108	Thromboprophylaxis with the low-molecular-weight heparin bemparin sodium in elderly medical patients in usual clinical practice: the ANCIANOS study. <i>Clinical Drug Investigation</i> , 2010 , 30, 337-45	3.2	12
107	Effects of a long-term lifestyle intervention on metabolically healthy women with obesity: Metabolite profiles according to weight loss response. <i>Clinical Nutrition</i> , 2020 , 39, 215-224	5.9	12
106	Severity Scores in COVID-19 Pneumonia: a Multicenter, Retrospective, Cohort Study. <i>Journal of General Internal Medicine</i> , 2021 , 36, 1338-1345	4	12

105	Impact of Intensive Lifestyle Modification on Levels of Adipokines and Inflammatory Biomarkers in Metabolically Healthy Obese Women. <i>Mediators of Inflammation</i> , 2019 , 2019, 4165260	4.3	11
104	Early prevention of diabetes microvascular complications in people with hyperglycaemia in Europe. ePREDICE randomized trial. Study protocol, recruitment and selected baseline data. <i>PLoS ONE</i> , 2020 , 15, e0231196	3.7	11
103	Brain Functional Connectivity Is Modified by a Hypocaloric Mediterranean Diet and Physical Activity in Obese Women. <i>Nutrients</i> , 2017 , 9,	6.7	11
102	Modulation of human monocyte CD36 by type 2 diabetes mellitus and other atherosclerotic risk factors. <i>European Journal of Clinical Investigation</i> , 2011 , 41, 854-62	4.6	11
101	Association Between Lifestyle and Hypertriglyceridemic Waist Phenotype in the PREDIMED-Plus Study. <i>Obesity</i> , 2020 , 28, 537-543	8	10
100	Impact in Plasma Metabolome as Effect of Lifestyle Intervention for Weight-Loss Reveals Metabolic Benefits in Metabolically Healthy Obese Women. <i>Journal of Proteome Research</i> , 2018 , 17, 2600-2610	5.6	10
99	Position statement of the SEMI, SED, redGDPS, SEC, SEEDO, SEEN, SEMERGEN y SEMFYC. <i>Revista Clinica Espanola</i> , 2015 , 215, 505-14	0.7	10
98	Derivation and validation model for hospital hypoglycemia. <i>European Journal of Internal Medicine</i> , 2018 , 47, 43-48	3.9	9
97	Assessment of an educational intervention in the management of non-critical inpatient glycemic control. <i>Acta Diabetologica</i> , 2014 , 51, 377-83	3.9	9
96	Characterization of lipid profile by nuclear magnetic resonance spectroscopy (1H NMR) of metabolically healthy obese women after weight loss with Mediterranean diet and physical exercise. <i>Medicine (United States)</i> , 2017 , 96, e7040	1.8	9
95	Metabolic syndrome and vascular risk estimation in a Mediterranean non-diabetic population without cardiovascular disease. <i>European Journal of Internal Medicine</i> , 2012 , 23, 558-63	3.9	9
94	Epigenetic approach in obesity: DNA methylation in a prepubertal population which underwent a lifestyle modification. <i>Clinical Epigenetics</i> , 2020 , 12, 144	7.7	9
93	Cardiometabolic Therapy and Mortality in Very Old Patients With Diabetes Hospitalized due to COVID-19. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, e102-e109	6.4	9
92	Unanswered clinical questions in the management of cardiometabolic risk in the elderly: a statement of the Spanish Society of Internal Medicine. <i>BMC Cardiovascular Disorders</i> , 2014 , 14, 193	2.3	8
91	Antioxidized LDL antibodies are associated with different metabolic pathways in patients with atherosclerotic plaque and type 2 diabetes. <i>Diabetes Care</i> , 2013 , 36, 1006-11	14.6	8
90	Why not use the HbA1c as a criterion of dysglycemia in the new definition of the metabolic syndrome? Impact of the new criteria in the prevalence of the metabolic syndrome in a Mediterranean urban population from Southern Europe (IMAP study. Multidisciplinary intervention in primary care). <i>Diabetes Research and Clinical Practice</i> , 2011 , 93, e57-e60	7.4	8
89	Bronchiolitis obliterans organizing pneumonia in patients with autoimmune rheumatic diseases. <i>Immunologic Research</i> , 2015 , 61, 97-103	4.3	7
88	Frequency, risk factors, and outcomes of hospital readmissions of COVID-19 patients. <i>Scientific Reports</i> , 2021 , 11, 13733	4.9	7

87	Tendencias nacionales en hospitalización por insuficiencia cardiaca de pacientes con diabetes mellitus: periodo 1997-2010. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 408-410	1.5	6
86	Bleeding and venous thromboembolism arising in acutely ill hospitalized medical patients. Findings from the Spanish national discharge database. <i>European Journal of Internal Medicine</i> , 2014 , 25, 137-41	3.9	6
85	Educational inequalities and cardiovascular risk factors. A cross-sectional population-based study in southern Spain. <i>Public Health Nursing</i> , 2013 , 30, 202-12	1.8	6
84	Angiotensin-Converting Enzyme Inhibitors and Angiotensin Receptor Blockers Withdrawal Is Associated with Higher Mortality in Hospitalized Patients with COVID-19. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	6
83	Safety and efficacy of a basal-plus regimen with insulin glargine and insulin glulisine for elderly patients with high cardiovascular risk and type 2 diabetes mellitus. <i>Revista Clinica Espanola</i> , 2017 , 217, 201-206	0.7	5
82	Seasonal variability of glycated hemoglobin in a diabetic population from southern Europe. <i>Journal of Diabetes and Its Complications</i> , 2013 , 27, 618-20	3.2	5
81	Real-World Data on the Adverse Metabolic Effects of Second-Generation Antipsychotics and Their Potential Determinants in Adult Patients: A Systematic Review of Population-Based Studies. <i>Advances in Therapy</i> , 2021 , 38, 2491-2512	4.1	5
80	Indicator performance after the implementation of the Spanish Consensus Document for the control of hyperglycemia in the hospital and at discharge. <i>Revista Clinica Espanola</i> , 2019 , 219, 18-25	0.7	4
79	Implications of the Mediterranean diet and physical exercise on the lipid profile of metabolically healthy obese women as measured by nuclear magnetic resonance spectroscopy (H NMR). <i>Chemistry and Physics of Lipids</i> , 2018 , 213, 68-75	3.7	4
78	Prevalence of metabolically discordant phenotypes in a mediterranean population-The IMAP study. <i>Endocrine Practice</i> , 2013 , 19, 758-68	3.2	4
77	Statins improve visual field alterations related to hypercholesterolemia. <i>Atherosclerosis</i> , 2010 , 209, 510-4.1	4.1	4
76	Decrease in FASN expression in adipose tissue of hypertensive individuals. <i>American Journal of Hypertension</i> , 2009 , 22, 1258-62	2.3	4
75	Adiponectina, un factor de riesgo cardiovascular emergente. Estudio REFERENCE. <i>Revista Espanola De Cardiologia</i> , 2008 , 61, 1159-1167	1.5	4
74	Metabolically Healthy Obesity: Presence of Arterial Stiffness in the Prepubescent Population. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4
73	Efficacy and safety of insulin glargine 300 U/mL (Gla-300) during hospitalization and therapy intensification at discharge in patients with insufficiently controlled type 2 diabetes: results of the phase IV COBALTA trial. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	4
72	RECALMIN: The association between management of Spanish National Health Service Internal Medical Units and health outcomes. <i>International Journal for Quality in Health Care</i> , 2017 , 29, 507-511	1.9	3
71	Cilostazol does not improve peripheral arterial disease-linked oxidative stress. <i>Cardiovascular Therapeutics</i> , 2015 , 33, 15-9	3.3	3
70	Management of patients with type 2 diabetes and multiple chronic conditions: A Delphi consensus of the Spanish Society of Internal Medicine. <i>European Journal of Internal Medicine</i> , 2016 , 27, 31-6	3.9	3

69	Clinical decisions in patients with diabetes and other cardiovascular risk factors. A statement of the Spanish Society of Internal Medicine. <i>Revista Clinica Espanola</i> , 2014 , 214, 209-15	0.7	3
68	Glucagon-like peptide-1 receptor agonists as insulin add-on therapy in patients with inadequate glycemic control in type 2 diabetes mellitus: lixisenatide as a new therapeutic option. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2015 , 53, 230-40	2	3
67	Expert consensus on the use of liraglutide in the treatment of diabetes in internal medicine. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2016 , 54, 880-890	2	3
66	Corticosteroid therapy in patients with heart failure hospitalized for COVID-19: a multicenter retrospective study. <i>Internal and Emergency Medicine</i> , 2021 , 16, 2301-2305	3.7	3
65	Autoimmune Diseases and COVID-19 as Risk Factors for Poor Outcomes: Data on 13,940 Hospitalized Patients from the Spanish Nationwide SEMI-COVID-19 Registry. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
64	Simplified glycaemic management for patients with type 2 diabetes admitted for acute decompensated heart failure using linagliptin. <i>Medicina Clínica</i> , 2021 ,	1	3
63	Functional objective parameters which may discriminate patients with mild cognitive impairment from cognitively healthy individuals: a systematic review and meta-analysis using an instrumented kinematic assessment. <i>Age and Ageing</i> , 2021 , 50, 380-393	3	3
62	The mechanism of action of sodium-glucose co-transporter 2 inhibitors is similar to carbonic anhydrase inhibitors. <i>European Journal of Heart Failure</i> , 2018 , 20, 409	12.3	3
61	In-hospital mortality among immunosuppressed patients with COVID-19: Analysis from a national cohort in Spain. <i>PLoS ONE</i> , 2021 , 16, e0255524	3.7	3
60	Trends in Diabetes-Related Potentially Preventable Hospitalizations in Adult Population in Spain, 1997-2015: A Nation-Wide Population-Based Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	2
59	Research Long-term Cognitive Impairment After Off-Pump Versus On-Pump Cardiac Surgery: Involved Risk Factors. <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 639-640.e1	5.9	2
58	Weight and type 2 diabetes: new recommendations. <i>Medicina Clínica</i> , 2016 , 147 Suppl 1, 17-21	1	2
57	Prioritization of patient-related factors according to renal function in antidiabetic drug selection: the REDIM Project. <i>Diabetes Research and Clinical Practice</i> , 2014 , 105, 199-205	7.4	2
56	Histiocytic necrotizing lymphadenitis (Kikuchi-Fujimoto disease) after laparoscopic Roux-en-Y gastric bypass for morbid obesity: a case report. <i>Journal of Medical Case Reports</i> , 2012 , 6, 340	1.2	2
55	The importance of association of comorbidities on COVID-19 outcomes: a machine learning approach.. <i>Current Medical Research and Opinion</i> , 2022 , 1-32	2.5	2
54	Clinical benefits of empagliflozin in very old patients with type 2 diabetes hospitalized for acute heart failure. <i>Journal of the American Geriatrics Society</i> , 2021 ,	5.6	2
53	Statin Therapy in Very Old Patients: Lights and Shadows.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 779044	5.4	2
52	Management of older hospitalized patients with type 2 diabetes using linagliptin: Lina-Older Study. <i>Panminerva Medica</i> , 2021 ,	2	2

51	Differences between Clinical Protocols for the Treatment of Coronavirus Disease 2019 (COVID-19) in Andalusia, Spain. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
50	Estimation of Admission D-dimer Cut-off Value to Predict Venous Thrombotic Events in Hospitalized COVID-19 Patients: Analysis of the SEMI-COVID-19 Registry. <i>Journal of General Internal Medicine</i> , 2021 , 36, 3478-3486	4	2
49	Screening Versus Brief Domain-specific Tests to Assess Long-term Postoperative Cognitive Dysfunction After Concomitant Aortic Valve Replacement and Coronary Artery Bypass Grafting. <i>Journal of Cardiovascular Nursing</i> , 2019 , 34, 511-516	2.1	2
48	The Association Between Elevated Foot Skin Temperature and the Incidence of Diabetic Foot Ulcers: A Meta-Analysis. <i>International Journal of Lower Extremity Wounds</i> , 2021 , 20, 111-118	1.6	2
47	COMMENTSTime to Stop the Tragedy in Spanish Nursing Homes During the COVID-19 Pandemic. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 320-322	5.6	2
46	Efficacy and Safety of Empagliflozin Continuation in Patients with Type 2 Diabetes Hospitalised for Acute Decompensated Heart Failure. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
45	Narrative review on clinical considerations for patients with diabetes and COVID-19: More questions than answers. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14833	2.9	2
44	Physical Activity and Social Cognition in the Elderly. <i>Sustainability</i> , 2020 , 12, 4687	3.6	1
43	National Trends in Heart Failure Hospitalization Rates in Patients With Diabetes Mellitus: 1997-2010. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018 , 71, 408-410	0.7	1
42	Chronic Ischemic Heart Disease in the Elderly. Consensus Document of the Spanish Societies of Cardiology, Internal Medicine, Primary Care, and Geriatrics. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016 , 69, 710-1	0.7	1
41	Analysis of the healthcare process of patients with type 2 diabetes mellitus and associated comorbidity treated in Spain's National Health System: A perspective of medical professionals. IMAGINE study. <i>Revista Clinica Espanola</i> , 2016 , 216, 113-20	0.7	1
40	Prevalence of postprandial hyperglycaemia in basal insulin-treated patients with type 2 diabetes mellitus with controlled fasting glycaemia and elevated glycosylated haemoglobin. <i>Diabetology and Metabolic Syndrome</i> , 2019 , 11, 59	5.6	1
39	Familial aortic coarctation: a rare cause of refractory hypertension in the elderly: a case report. <i>Medicine (United States)</i> , 2015 , 94, e467	1.8	1
38	Characterization and localization of the endothelin receptors in human end-stage heart failure: ETA/ETB receptor systemRole in the failing human heart. <i>Process Biochemistry</i> , 2009 , 44, 661-667	4.8	1
37	Atheromatous plaque from human carotid artery: Potential involvement of the endothelin-1 and their receptors. <i>Process Biochemistry</i> , 2009 , 44, 1231-1236	4.8	1
36	Does admission acetylsalicylic acid uptake in hospitalized COVID-19 patients have a protective role? Data from the Spanish SEMI-COVID-19 Registry. <i>Internal and Emergency Medicine</i> , 2021 , 1	3.7	1
35	Real-Life Impact of Glucocorticoid Treatment in COVID-19 Mortality: A Multicenter Retrospective Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
34	Clinical features and risk factors for mortality among long-term care facility residents hospitalized due to COVID-19 in Spain. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 ,	6.4	1

33	Evolution of the Use of Corticosteroids for the Treatment of Hospitalised COVID-19 Patients in Spain between March and November 2020: SEMI-COVID National Registry. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
32	Management of elderly patients with type 2 diabetes in long-term care and skilled nursing facilities. <i>Polish Archives of Internal Medicine</i> , 2019 , 129, 137-140	1.9	1
31	Management of type 2 diabetes in very old patients according to glycemic control and health status. <i>Polish Archives of Internal Medicine</i> , 2019 , 129, 567-570	1.9	1
30	<i>Borrelia hispanica</i> as a cause of recurrent fever. <i>Medicina Clínica</i> , 2020 , 154, 380	1	1
29	Lifestyle Modification Improves Insulin Resistance and Carotid Intima-Media Thickness in a Metabolically Healthy Obese Prepubescent Population. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021 , 72, 127-134	2.8	1
28	Functional parameters indicative of mild cognitive impairment: a systematic review using instrumented kinematic assessment. <i>BMC Geriatrics</i> , 2020 , 20, 282	4.1	1
27	Cost Analysis of FreeStyle Libre 2 System in Type 2 Diabetes Mellitus Population. <i>Diabetes Therapy</i> , 2021 , 12, 2329-2342	3.6	1
26	De-Intensification of Antidiabetic Treatment Using Canagliflozin in Patients with Heart Failure and Type 2 Diabetes: Cana-Switch-HF Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
25	Minimizing Selection and Classification Biases. Comment on "Clinical Characteristics and Prognostic Factors for Intensive Care Unit Admission of Patients With COVID-19: Retrospective Study Using Machine Learning and Natural Language Processing". <i>Journal of Medical Internet Research</i> , 2021 , 23, e27142	7.6	1
24	Aquagenic keratoderma and cystic fibrosis screening. <i>Medicina Clínica</i> , 2021 , 157, 97	1	1
23	Comorbidities and their implications in patients with and without type 2 diabetes mellitus and heart failure with preserved ejection fraction. Findings from the rica registry. <i>International Journal of Clinical Practice</i> , 2021 , 75, e13661	2.9	1
22	Phototoxic reaction caused by contact with topic ketoprofen. <i>Medicina Clínica</i> , 2021 , 156, 153	1	1
21	Lowering Blood Pressure with the Combination of a Sodium-Glucose Cotransporter 2 Inhibitor and a Glucagon-like Peptide-1 Receptor Agonist in Type 2 Diabetic Patients: A Clinical Evidence. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2018 , 25, 417-420	2.9	1
20	Early biomarkers of diabetic kidney disease. A focus on albuminuria and a new combination of antidiabetic agents. <i>International Journal of Clinical Practice</i> , 2020 , 74, e13586	2.9	0
19	Perspectives of European internists on multimorbidity. A multinational survey.. <i>European Journal of Internal Medicine</i> , 2022 ,	3.9	0
18	Prescription patterns of antihyperglycemic drugs in elderly patients in Spain: A national cross-sectional study. <i>Revista Clínica Española</i> , 2020 , 220, 155-161	0.7	0
17	Obesity and COVID-19. A necessary position statement. <i>Endocrinología Diabetes Y Nutrición (English Ed)</i> , 2021 , 68, 573-576	0.1	0
16	Executive summary: Updates to the dietary treatment of prediabetes and type 2 diabetes mellitus. <i>Endocrinología Diabetes Y Nutrición (English Ed)</i> , 2021 , 68, 277-287	0.1	0

15	Obesity and COVID-19. A necessary position statement. <i>Endocrinología, Diabetes Y Nutrición</i> , 2021 , 68, 573-573	1.3	0
14	Clusters of inflammation in COVID-19: descriptive analysis and prognosis on more than 15,000 patients from the Spanish SEMI-COVID-19 Registry.. <i>Internal and Emergency Medicine</i> , 2022 , 1	3.7	0
13	Are There Different Viewpoints About the Management of Type 2 Diabetes Mellitus and Comorbidities? A Multidisciplinary Spanish Qualitative Research.. <i>Diabetes Therapy</i> , 2021 , 13, 189	3.6	0
12	Estimation of Functional Aerobic Capacity Using the Sit-to-Stand Test in Older Adults with Heart Failure with Preserved Ejection Fraction. <i>Journal of Clinical Medicine</i> , 2022 , 11, 2692	5.1	0
11	Comprehensive Geriatric Assessment and Transcatheter Aortic Valve Replacement. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 469-470	15.1	
10	Hydration and obesity among outpatient-based population: H2Ob study. <i>Journal of Investigative Medicine</i> , 2018 , 66, 780-783	2.9	
9	Painless Diabetic Myonecrosis: A Case Report. <i>Canadian Journal of Diabetes</i> , 2012 , 36, 93-94	2.1	
8	The Relationship Between Physical Activity And Inflammatory Markers In Youth With Overweight/obesity. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 570-570	1.2	
7	1907-P: GLP-1RA and iSGLT2 Combination Treatment Effects over Fatty Liver Index. <i>Diabetes</i> , 2019 , 68, 1907-P	0.9	
6	Examining the Relationship Between Physical Activity and Cardiometabolic Biomarkers in Youth with Overweight or Obesity. <i>Medicine and Science in Sports and Exercise</i> , 2019 , 51, 819-820	1.2	
5	523-P: Different Effect on UACR According to Predetermined Treatment Schedule Groups (GLP1RA or SGLT2i) Therapy in T2DM. <i>Diabetes</i> , 2020 , 69, 523-P	0.9	
4	Executive summary: Updates to the dietary treatment of prediabetes and type 2 diabetes mellitus. <i>Endocrinología, Diabetes Y Nutrición</i> , 2021 , 68, 277-287	1.3	
3	Chronic ischaemic heart disease in the elderly. <i>Medicina Clínica (English Edition)</i> , 2016 , 146, 372.e1-372.e10.3		
2	Simplified glycaemic management for patients with type 2 diabetes admitted for acute decompensated heart failure using linagliptin. <i>Medicina Clínica (English Edition)</i> , 2022 , 158, 173-177	0.3	
1	Reply to: Comment on: Clinical benefits of empagliflozin in very old patients with type 2 diabetes hospitalized for acute heart failure.. <i>Journal of the American Geriatrics Society</i> , 2022 ,	5.6	