

Ricardo Gomez-Huelgas

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7137761/ricardo-gomez-huelgas-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

1,689
citations

22
h-index

36
g-index

185
ext. papers

2,461
ext. citations

3.4
avg, IF

4.74
L-index

#	Paper	IF	Citations
140	The importance of association of comorbidities on COVID-19 outcomes: a machine learning approach.. <i>Current Medical Research and Opinion</i> , 2022 , 1-32	2.5	2
139	Perspectives of European internists on multimorbidity. A multinational survey.. <i>European Journal of Internal Medicine</i> , 2022 ,	3.9	0
138	Simplified glycaemic management for patients with type 2 diabetes admitted for acute decompensated heart failure using linagliptin. <i>Medicina Clínica (English Edition)</i> , 2022 , 158, 173-177	0.3	
137	Reply to: Comment on: Clinical benefits of empagliflozin in very old patients with type 2 diabetes hospitalized for acute heart failure.. <i>Journal of the American Geriatrics Society</i> , 2022 ,	5.6	
136	Clusters of inflammation in COVID-19: descriptive analysis and prognosis on more than 15,000 patients from the Spanish SEMI-COVID-19 Registry.. <i>Internal and Emergency Medicine</i> , 2022 , 1	3.7	0
135	Estimation of Functional Aerobic Capacity Using the Sit-to-Stand Test in Older Adults with Heart Failure with Preserved Ejection Fraction. <i>Journal of Clinical Medicine</i> , 2022 , 11, 2692	5.1	0
134	Obesity and COVID-19. A necessary position statement. <i>Endocrinología y Nutrición (English Ed)</i> , 2021 , 68, 573-576	0.1	0
133	Does admission acetylsalicylic acid uptake in hospitalized COVID-19 patients have a protective role? Data from the Spanish SEMI-COVID-19 Registry. <i>Internal and Emergency Medicine</i> , 2021 , 1	3.7	1
132	Clinical benefits of empagliflozin in very old patients with type 2 diabetes hospitalized for acute heart failure. <i>Journal of the American Geriatrics Society</i> , 2021 ,	5.6	2
131	Statin Therapy in Very Old Patients: Lights and Shadows.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 779044	5.4	2
130	Management of older hospitalized patients with type 2 diabetes using linagliptin: Lina-Older Study. <i>Panminerva Medica</i> , 2021 ,	2	2
129	Real-Life Impact of Glucocorticoid Treatment in COVID-19 Mortality: A Multicenter Retrospective Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
128	Clinical features and risk factors for mortality among long-term care facility residents hospitalized due to COVID-19 in Spain. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 ,	6.4	1
127	Evolution of the Use of Corticosteroids for the Treatment of Hospitalised COVID-19 Patients in Spain between March and November 2020: SEMI-COVID National Registry. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
126	Corticosteroid therapy in patients with heart failure hospitalized for COVID-19: a multicenter retrospective study. <i>Internal and Emergency Medicine</i> , 2021 , 16, 2301-2305	3.7	3
125	Lifestyle Modification Improves Insulin Resistance and Carotid Intima-Media Thickness in a Metabolically Healthy Obese Prepubescent Population. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021 , 72, 127-134	2.8	1
124	Prior Treatment with Statins is Associated with Improved Outcomes of Patients with COVID-19: Data from the SEMI-COVID-19 Registry. <i>Drugs</i> , 2021 , 81, 685-695	12.1	13

123	Impact of Arterial Stiffness on All-Cause Mortality in Patients Hospitalized With COVID-19 in Spain. <i>Hypertension</i> , 2021 , 77, 856-867	8.5	21
122	Autoimmune Diseases and COVID-19 as Risk Factors for Poor Outcomes: Data on 13,940 Hospitalized Patients from the Spanish Nationwide SEMI-COVID-19 Registry. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
121	Executive summary: Updates to the dietary treatment of prediabetes and type 2 diabetes mellitus. <i>Endocrinología Diabetes Y Nutrición (English Ed)</i> , 2021 , 68, 277-287	0.1	0
120	Simplified glycaemic management for patients with type 2 diabetes admitted for acute decompensated heart failure using linagliptin. <i>Medicina Clínica</i> , 2021 ,	1	3
119	Executive summary: Updates to the dietary treatment of prediabetes and type 2 diabetes mellitus. <i>Endocrinología, Diabetes Y Nutrición</i> , 2021 , 68, 277-287	1.3	
118	Real-World Data on the Adverse Metabolic Effects of Second-Generation Antipsychotics and Their Potential Determinants in Adult Patients: A Systematic Review of Population-Based Studies. <i>Advances in Therapy</i> , 2021 , 38, 2491-2512	4.1	5
117	Cost Analysis of FreeStyle Libre 2 System in Type 2 Diabetes Mellitus Population. <i>Diabetes Therapy</i> , 2021 , 12, 2329-2342	3.6	1
116	De-Intensification of Antidiabetic Treatment Using Canagliflozin in Patients with Heart Failure and Type 2 Diabetes: Cana-Switch-HF Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
115	Calcifediol Treatment and Hospital Mortality Due to COVID-19: A Cohort Study. <i>Nutrients</i> , 2021 , 13,	6.7	30
114	Minimizing Selection and Classification Biases. Comment on "Clinical Characteristics and Prognostic Factors for Intensive Care Unit Admission of Patients With COVID-19: Retrospective Study Using Machine Learning and Natural Language Processing". <i>Journal of Medical Internet Research</i> , 2021 , 23, e27142	7.6	1
113	Inappropriate antibiotic use in the COVID-19 era: Factors associated with inappropriate prescribing and secondary complications. Analysis of the registry SEMI-COVID. <i>PLoS ONE</i> , 2021 , 16, e0251340	3.7	27
112	Cardiometabolic Therapy and Mortality in Very Old Patients With Diabetes Hospitalized due to COVID-19. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, e102-e109	6.4	9
111	Angiotensin-Converting Enzyme Inhibitors and Angiotensin Receptor Blockers Withdrawal Is Associated with Higher Mortality in Hospitalized Patients with COVID-19. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	6
110	Aquagenic keratoderma and cystic fibrosis screening. <i>Medicina Clínica</i> , 2021 , 157, 97	1	1
109	Estimation of Admission D-dimer Cut-off Value to Predict Venous Thrombotic Events in Hospitalized COVID-19 Patients: Analysis of the SEMI-COVID-19 Registry. <i>Journal of General Internal Medicine</i> , 2021 , 36, 3478-3486	4	2
108	The Association Between Elevated Foot Skin Temperature and the Incidence of Diabetic Foot Ulcers: A Meta-Analysis. <i>International Journal of Lower Extremity Wounds</i> , 2021 , 20, 111-118	1.6	2
107	Functional objective parameters which may discriminate patients with mild cognitive impairment from cognitively healthy individuals: a systematic review and meta-analysis using an instrumented kinematic assessment. <i>Age and Ageing</i> , 2021 , 50, 380-393	3	3
106	Comorbidities and their implications in patients with and without type 2 diabetes mellitus and heart failure with preserved ejection fraction. Findings from the rica registry. <i>International Journal of Clinical Practice</i> , 2021 , 75, e13661	2.9	1

105	Admission hyperglycaemia as a predictor of mortality in patients hospitalized with COVID-19 regardless of diabetes status: data from the Spanish SEMI-COVID-19 Registry. <i>Annals of Medicine</i> , 2021 , 53, 103-116	1.5	48
104	COMMENTSTime to Stop the Tragedy in Spanish Nursing Homes During the COVID-19 Pandemic. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 320-322	5.6	2
103	Clinical Characteristics and Risk Factors for Mortality in Very Old Patients Hospitalized With COVID-19 in Spain. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, e28-e37	6.4	26
102	Phototoxic reaction caused by contact with topic ketoprofen. <i>Medicina Clínica</i> , 2021 , 156, 153	1	1
101	Severity Scores in COVID-19 Pneumonia: a Multicenter, Retrospective, Cohort Study. <i>Journal of General Internal Medicine</i> , 2021 , 36, 1338-1345	4	12
100	Frequency, risk factors, and outcomes of hospital readmissions of COVID-19 patients. <i>Scientific Reports</i> , 2021 , 11, 13733	4.9	7
99	Efficacy and Safety of Empagliflozin Continuation in Patients with Type 2 Diabetes Hospitalised for Acute Decompensated Heart Failure. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
98	In-hospital mortality among immunosuppressed patients with COVID-19: Analysis from a national cohort in Spain. <i>PLoS ONE</i> , 2021 , 16, e0255524	3.7	3
97	Narrative review on clinical considerations for patients with diabetes and COVID-19: More questions than answers. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14833	2.9	2
96	Obesity and COVID-19. A necessary position statement. <i>Endocrinología, Diabetes Y Nutrición</i> , 2021 , 68, 573-573	1.3	0
95	Are There Different Viewpoints About the Management of Type 2 Diabetes Mellitus and Comorbidities? A Multidisciplinary Spanish Qualitative Research.. <i>Diabetes Therapy</i> , 2021 , 13, 189	3.6	0
94	Physical functional performance and prognosis in patients with heart failure: a systematic review and meta-analysis. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 512	2.3	13
93	Predicting Clinical Outcome with Phenotypic Clusters in COVID-19 Pneumonia: An Analysis of 12,066 Hospitalized Patients from the Spanish Registry SEMI-COVID-19. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	29
92	Early biomarkers of diabetic kidney disease. A focus on albuminuria and a new combination of antidiabetic agents. <i>International Journal of Clinical Practice</i> , 2020 , 74, e13586	2.9	0
91	Physical Activity and Social Cognition in the Elderly. <i>Sustainability</i> , 2020 , 12, 4687	3.6	1
90	Association Between Lifestyle and Hypertriglyceridemic Waist Phenotype in the PREDIMED-Plus Study. <i>Obesity</i> , 2020 , 28, 537-543	8	10
89	Early prevention of diabetes microvascular complications in people with hyperglycaemia in Europe. ePREDICE randomized trial. Study protocol, recruitment and selected baseline data. <i>PLoS ONE</i> , 2020 , 15, e0231196	3.7	11
88	Prescription patterns of antihyperglycemic drugs in elderly patients in Spain: A national cross-sectional study. <i>Revista Clínica Española</i> , 2020 , 220, 155-161	0.7	0

87	The Relationship Between Physical Activity And Inflammatory Markers In Youth With Overweight/obesity. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 570-570	1.2	
86	Association of Hypertension with All-Cause Mortality among Hospitalized Patients with COVID-19. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	46
85	<i>Borrelia hispanica</i> as a cause of recurrent fever. <i>Medicina Clínica</i> , 2020 , 154, 380	1	1
84	523-P: Different Effect on UACR According to Predetermined Treatment Schedule Groups (GLP1RA or SGLT2i) Therapy in T2DM. <i>Diabetes</i> , 2020 , 69, 523-P	0.9	
83	Metabolically Healthy Obesity: Presence of Arterial Stiffness in the Prepubescent Population. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4
82	Mortality and other adverse outcomes in patients with type 2 diabetes mellitus admitted for COVID-19 in association with glucose-lowering drugs: a nationwide cohort study. <i>BMC Medicine</i> , 2020 , 18, 359	11.4	53
81	Functional parameters indicative of mild cognitive impairment: a systematic review using instrumented kinematic assessment. <i>BMC Geriatrics</i> , 2020 , 20, 282	4.1	1
80	Differences between Clinical Protocols for the Treatment of Coronavirus Disease 2019 (COVID-19) in Andalusia, Spain. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
79	Epigenetic approach in obesity: DNA methylation in a prepubertal population which underwent a lifestyle modification. <i>Clinical Epigenetics</i> , 2020 , 12, 144	7.7	9
78	Efficacy and safety of insulin glargine 300 U/mL (Gla-300) during hospitalization and therapy intensification at discharge in patients with insufficiently controlled type 2 diabetes: results of the phase IV COBALTA trial. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	4
77	Effects of a long-term lifestyle intervention on metabolically healthy women with obesity: Metabolite profiles according to weight loss response. <i>Clinical Nutrition</i> , 2020 , 39, 215-224	5.9	12
76	Indicator performance after the implementation of the Spanish Consensus Document for the control of hyperglycemia in the hospital and at discharge. <i>Revista Clínica Española</i> , 2019 , 219, 18-25	0.7	4
75	Impact of Intensive Lifestyle Modification on Levels of Adipokines and Inflammatory Biomarkers in Metabolically Healthy Obese Women. <i>Mediators of Inflammation</i> , 2019 , 2019, 4165260	4.3	11
74	Glycaemic efficacy and safety of linagliptin for the management of non-cardiac surgery patients with type 2 diabetes in a real-world setting: Lina-Surg study. <i>Annals of Medicine</i> , 2019 , 51, 252-261	1.5	15
73	Trends in Diabetes-Related Potentially Preventable Hospitalizations in Adult Population in Spain, 1997-2015: A Nation-Wide Population-Based Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	2
72	National trends in diabetes mellitus hospitalization in Spain 1997-2010: Analysis of over 5.4 millions of admissions. <i>European Journal of Internal Medicine</i> , 2019 , 60, 83-89	3.9	14
71	Prevalence of postprandial hyperglycaemia in basal insulin-treated patients with type 2 diabetes mellitus with controlled fasting glycaemia and elevated glycosylated haemoglobin. <i>Diabetology and Metabolic Syndrome</i> , 2019 , 11, 59	5.6	1
70	Management of elderly patients with type 2 diabetes in long-term care and skillednursing facilities. <i>Polish Archives of Internal Medicine</i> , 2019 , 129, 137-140	1.9	1

69	1907-P: GLP-1RA and iSGLT2 Combination Treatment Effects over Fatty Liver Index. <i>Diabetes</i> , 2019 , 68, 1907-P	0.9	
68	Management of type 2 diabetes in very old patients according to glycemic control and health status. <i>Polish Archives of Internal Medicine</i> , 2019 , 129, 567-570	1.9	1
67	Examining the Relationship Between Physical Activity and Cardiometabolic Biomarkers in Youth with Overweight or Obesity. <i>Medicine and Science in Sports and Exercise</i> , 2019 , 51, 819-820	1.2	
66	Screening Versus Brief Domain-specific Tests to Assess Long-term Postoperative Cognitive Dysfunction After Concomitant Aortic Valve Replacement and Coronary Artery Bypass Grafting. <i>Journal of Cardiovascular Nursing</i> , 2019 , 34, 511-516	2.1	2
65	Combination Therapy With Glucagon-Like Peptide-1 Receptor Agonists and Sodium-Glucose Cotransporter 2 Inhibitors in Older Patients With Type 2 Diabetes: A Real-World Evidence Study. <i>Canadian Journal of Diabetes</i> , 2019 , 43, 186-192	2.1	13
64	Research Long-term Cognitive Impairment After Off-Pump Versus On-Pump Cardiac Surgery: Involved Risk Factors. <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 639-640.e1	5.9	2
63	Treatment of type 2 diabetes mellitus in elderly patients. <i>Revista Clinica Espanola</i> , 2018 , 218, 74-88	0.7	22
62	Hydration and obesity among outpatient-based population: H2Ob study. <i>Journal of Investigative Medicine</i> , 2018 , 66, 780-783	2.9	
61	Elevated circulating levels of succinate in human obesity are linked to specific gut microbiota. <i>ISME Journal</i> , 2018 , 12, 1642-1657	11.9	132
60	Implications of the Mediterranean diet and physical exercise on the lipid profile of metabolically healthy obese women as measured by nuclear magnetic resonance spectroscopy (H NMR). <i>Chemistry and Physics of Lipids</i> , 2018 , 213, 68-75	3.7	4
59	National Trends in Heart Failure Hospitalization Rates in Patients With Diabetes Mellitus: 1997-2010. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018 , 71, 408-410	0.7	1
58	Tendencias nacionales en hospitalizaci3n por insuficiencia cardiaca de ́pacientes con ́diabetes mellitus: periodo 1997-2010. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 408-410	1.5	6
57	Derivation and validation model for hospital hypoglycemia. <i>European Journal of Internal Medicine</i> , 2018 , 47, 43-48	3.9	9
56	Impact in Plasma Metabolome as Effect of Lifestyle Intervention for Weight-Loss Reveals Metabolic Benefits in Metabolically Healthy Obese Women. <i>Journal of Proteome Research</i> , 2018 , 17, 2600-2610	5.6	10
55	The mechanism of action of sodium-glucose co-transporter 2 inhibitors is similar to carbonic anhydrase inhibitors. <i>European Journal of Heart Failure</i> , 2018 , 20, 409	12.3	3
54	Lowering Blood Pressure with the Combination of a Sodium-Glucose Cotransporter 2 Inhibitor and a Glucagon-like Peptide-1 Receptor Agonist in Type 2 Diabetic Patients: A Clinical Evidence. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2018 , 25, 417-420	2.9	1
53	Use of Linagliptin for the Management of Medicine Department Inpatients with Type 2 Diabetes in Real-World Clinical Practice (Lina-Real-World Study). <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	17
52	Comprehensive Geriatric Assessment and Transcatheter Aortic Valve Replacement. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 469-470	15.1	

51	Efficacy and safety of lixisenatide in patients with type 2 diabetes and renal impairment. <i>Diabetes, Obesity and Metabolism</i> , 2017 , 19, 1594-1601	6.7	12
50	RECALMIN: The association between management of Spanish National Health Service Internal Medical Units and health outcomes. <i>International Journal for Quality in Health Care</i> , 2017 , 29, 507-511	1.9	3
49	Safety and efficacy of a basal-plus regimen with insulin glargine and insulin glulisine for elderly patients with high cardiovascular risk and type 2 diabetes mellitus. <i>Revista Clinica Espanola</i> , 2017 , 217, 201-206	0.7	5
48	Characterization of lipid profile by nuclear magnetic resonance spectroscopy (1H NMR) of metabolically healthy obese women after weight loss with Mediterranean diet and physical exercise. <i>Medicine (United States)</i> , 2017 , 96, e7040	1.8	9
47	Brain Functional Connectivity Is Modified by a Hypocaloric Mediterranean Diet and Physical Activity in Obese Women. <i>Nutrients</i> , 2017 , 9,	6.7	11
46	Chronic Ischemic Heart Disease in the Elderly. Consensus Document of the Spanish Societies of Cardiology, Internal Medicine, Primary Care, and Geriatrics. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016 , 69, 710-1	0.7	1
45	Weight and type 2 diabetes: new recommendations. <i>Medicina Clínica</i> , 2016 , 147 Suppl 1, 17-21	1	2
44	Analysis of the healthcare process of patients with type 2 diabetes mellitus and associated comorbidity treated in Spain's National Health System: A perspective of medical professionals. IMAGINE study. <i>Revista Clinica Espanola</i> , 2016 , 216, 113-20	0.7	1
43	Management of patients with type 2 diabetes and multiple chronic conditions: A Delphi consensus of the Spanish Society of Internal Medicine. <i>European Journal of Internal Medicine</i> , 2016 , 27, 31-6	3.9	3
42	Expert consensus on the use of liraglutide in the treatment of diabetes in internal medicine. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2016 , 54, 880-890	2	3
41	Chronic ischaemic heart disease in the elderly. <i>Medicina Clínica (English Edition)</i> , 2016 , 146, 372.e1-372.e10.3		
40	Bronchiolitis obliterans organizing pneumonia in patients with autoimmune rheumatic diseases. <i>Immunologic Research</i> , 2015 , 61, 97-103	4.3	7
39	Hyperglycemia management in patients admitted to internal medicine in Spain: A point-prevalence survey examining adequacy of glycemic control and guideline adherence. <i>European Journal of Internal Medicine</i> , 2015 , 26, 392-8	3.9	22
38	Cilostazol does not improve peripheral arterial disease-linked oxidative stress. <i>Cardiovascular Therapeutics</i> , 2015 , 33, 15-9	3.3	3
37	The frequency and impact of hypoglycemia among hospitalized patients with diabetes: A population-based study. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 1050-5	3.2	14
36	Effects of a long-term lifestyle intervention program with Mediterranean diet and exercise for the management of patients with metabolic syndrome in a primary care setting. <i>European Journal of Internal Medicine</i> , 2015 , 26, 317-23	3.9	35
35	Familial aortic coarctation: a rare cause of refractory hypertension in the elderly: a case report. <i>Medicine (United States)</i> , 2015 , 94, e467	1.8	1
34	Predictive Value of Admission Hemoglobin A1c on Inpatient Glycemic Control and Response to Insulin Therapy in Medicine and Surgery Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2015 , 38, e202-3	14.6	29

33	Position statement of the SEMI, SED, redGDPS, SEC, SEEDO, SEEN, SEMERGEN y SEMFYC. <i>Revista Clinica Espanola</i> , 2015 , 215, 505-14	0.7	10
32	Glucagon-like peptide-1 receptor agonists as insulin add-on therapy in patients with inadequate glycemic control in type 2 diabetes mellitus: lixisenatide as a new therapeutic option. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2015 , 53, 230-40	2	3
31	Glucocorticoid-induced hyperglycemia. <i>Journal of Diabetes</i> , 2014 , 6, 9-20	3.8	120
30	Assessment of an educational intervention in the management of non-critical inpatient glycemic control. <i>Acta Diabetologica</i> , 2014 , 51, 377-83	3.9	9
29	Bleeding and venous thromboembolism arising in acutely ill hospitalized medical patients. Findings from the Spanish national discharge database. <i>European Journal of Internal Medicine</i> , 2014 , 25, 137-41	3.9	6
28	Association between type-2 diabetes mellitus and post-discharge outcomes in heart failure patients: findings from the RICA registry. <i>Diabetes Research and Clinical Practice</i> , 2014 , 104, 410-9	7.4	39
27	Prioritization of patient-related factors according to renal function in antidiabetic drug selection: the REDIM Project. <i>Diabetes Research and Clinical Practice</i> , 2014 , 105, 199-205	7.4	2
26	Frequency of hypoglycemia and its impact on length of stay, mortality, and short-term readmission in patients with diabetes hospitalized in internal medicine wards. <i>Endocrine Practice</i> , 2014 , 20, 870-5	3.2	46
25	Unanswered clinical questions in the management of cardiometabolic risk in the elderly: a statement of the Spanish Society of Internal Medicine. <i>BMC Cardiovascular Disorders</i> , 2014 , 14, 193	2.3	8
24	Clinical decisions in patients with diabetes and other cardiovascular risk factors. A statement of the Spanish Society of Internal Medicine. <i>Revista Clinica Espanola</i> , 2014 , 214, 209-15	0.7	3
23	Association of HbA1c and cardiovascular and renal disease in an adult Mediterranean population. <i>BMC Nephrology</i> , 2013 , 14, 151	2.7	13
22	Seasonal variability of glycosylated hemoglobin in a diabetic population from southern Europe. <i>Journal of Diabetes and Its Complications</i> , 2013 , 27, 618-20	3.2	5
21	Caspase induction and BCL2 inhibition in human adipose tissue: a potential relationship with insulin signaling alteration. <i>Diabetes Care</i> , 2013 , 36, 513-21	14.6	44
20	Antioxidized LDL antibodies are associated with different metabolic pathways in patients with atherosclerotic plaque and type 2 diabetes. <i>Diabetes Care</i> , 2013 , 36, 1006-11	14.6	8
19	Educational inequalities and cardiovascular risk factors. A cross-sectional population-based study in southern Spain. <i>Public Health Nursing</i> , 2013 , 30, 202-12	1.8	6
18	Prevalence of metabolically discordant phenotypes in a mediterranean population-The IMAP study. <i>Endocrine Practice</i> , 2013 , 19, 758-68	3.2	4
17	Painless Diabetic Myonecrosis: A Case Report. <i>Canadian Journal of Diabetes</i> , 2012 , 36, 93-94	2.1	
16	Metabolic syndrome and vascular risk estimation in a Mediterranean non-diabetic population without cardiovascular disease. <i>European Journal of Internal Medicine</i> , 2012 , 23, 558-63	3.9	9

15	Histiocytic necrotizing lymphadenitis (Kikuchi-Fujimoto disease) after laparoscopic Roux-en-Y gastric bypass for morbid obesity: a case report. <i>Journal of Medical Case Reports</i> , 2012 , 6, 340	1.2	2
14	Hemoglobin A1c versus oral glucose tolerance test in postpartum diabetes screening. <i>Diabetes Care</i> , 2012 , 35, 1648-53	14.6	88
13	Metformin-induced hepatotoxicity. <i>Diabetes Care</i> , 2012 , 35, e21	14.6	32
12	Why not use the HbA1c as a criterion of dysglycemia in the new definition of the metabolic syndrome? Impact of the new criteria in the prevalence of the metabolic syndrome in a Mediterranean urban population from Southern Europe (IMAP study. Multidisciplinary intervention in primary care). <i>Diabetes Research and Clinical Practice</i> , 2011 , 93, e57-e60	7.4	8
11	Adipose tissue gene expression of factors related to lipid processing in obesity. <i>PLoS ONE</i> , 2011 , 6, e24783	9.7	74
10	Modulation of human monocyte CD36 by type 2 diabetes mellitus and other atherosclerotic risk factors. <i>European Journal of Clinical Investigation</i> , 2011 , 41, 854-62	4.6	11
9	Impact of dementia on hospitalization. <i>Neuroepidemiology</i> , 2010 , 35, 101-8	5.4	61
8	Thromboprophylaxis with the low-molecular-weight heparin bemparin sodium in elderly medical patients in usual clinical practice: the ANCIANOS study. <i>Clinical Drug Investigation</i> , 2010 , 30, 337-45	3.2	12
7	Statins improve visual field alterations related to hypercholesterolemia. <i>Atherosclerosis</i> , 2010 , 209, 510-4	3.1	4
6	Inverse relation between FASN expression in human adipose tissue and the insulin resistance level. <i>Nutrition and Metabolism</i> , 2010 , 7, 3	4.6	28
5	Characterization and localization of the endothelin receptors in human end-stage heart failure: ETA/ETB receptor system Role in the failing human heart. <i>Process Biochemistry</i> , 2009 , 44, 661-667	4.8	1
4	Atheromatous plaque from human carotid artery: Potential involvement of the endothelin-1 and their receptors. <i>Process Biochemistry</i> , 2009 , 44, 1231-1236	4.8	1
3	Decrease in FASN expression in adipose tissue of hypertensive individuals. <i>American Journal of Hypertension</i> , 2009 , 22, 1258-62	2.3	4
2	Adiponectina, un factor de riesgo cardiovascular emergente. Estudio REFERENCE. <i>Revista Espanola De Cardiologia</i> , 2008 , 61, 1159-1167	1.5	4
1	Survival of a cohort of elderly patients with advanced dementia: nasogastric tube feeding as a risk factor for mortality. <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 363-70	3.9	54