

# Ubon Cha'on

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7138011/publications.pdf>

Version: 2024-02-01

17  
papers

362  
citations

840119

11  
h-index

940134

16  
g-index

17  
all docs

17  
docs citations

17  
times ranked

471  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Monosodium glutamate (MSG) intake is associated with the prevalence of metabolic syndrome in a rural Thai population. <i>Nutrition and Metabolism</i> , 2012, 9, 50.  | 1.3 | 82        |
| 2  | Targeting hexokinase II as a possible therapy for cholangiocarcinoma. <i>Biochemical and Biophysical Research Communications</i> , 2017, 484, 409-415.  | 1.0 | 32        |
| 3  | Monosodium Glutamate (MSG) Consumption Is Associated with Urolithiasis and Urinary Tract Obstruction in Rats. <i>PLoS ONE</i> , 2013, 8, e75546.  | 1.1 | 30        |
| 4  | Monosodium Glutamate Dietary Consumption Decreases Pancreatic $\beta$ -Cell Mass in Adult Wistar Rats. <i>PLoS ONE</i> , 2015, 10, e0131595.  | 1.1 | 30        |
| 5  | Improve discrimination power of serum markers for diagnosis of cholangiocarcinoma using data mining-based approach. <i>Clinical Biochemistry</i> , 2015, 48, 668-673.   | 0.8 | 27        |
| 6  | Overexpression of lactate dehydrogenase A in cholangiocarcinoma is correlated with poor prognosis. <i>Histology and Histopathology</i> , 2017, 32, 503-510.   | 0.5 | 27        |
| 7  | Proteomic Analysis of Kidney in Rats Chronically Exposed to Monosodium Glutamate. <i>PLoS ONE</i> , 2014, 9, e116233.   | 1.1 | 26        |
| 8  | Antitumor Effect of Shikonin, a PKM2 Inhibitor, in Cholangiocarcinoma Cell Lines. <i>Anticancer Research</i> , 2020, 40, 5115-5124.   | 0.5 | 23        |
| 9  | A combination of monosodium glutamate and high-fat and high-fructose diets increases the risk of kidney injury, gut dysbiosis and host-microbial co-metabolism. <i>PLoS ONE</i> , 2020, 15, e0231237.               | 1.1 | 18        |
| 10 | Improved agar plate culture conditions for diagnosis of <i>Strongyloides stercoralis</i> . <i>Acta Tropica</i> , 2020, 203, 105291.   | 0.9 | 14        |
| 11 | Increase of MAL-II Binding Alpha2,3-Sialylated Glycan Is Associated with 5-FU Resistance and Short Survival of Cholangiocarcinoma Patients. <i>Medicina (Lithuania)</i> , 2019, 55, 761.                            | 0.8 | 13        |
| 12 | Monosodium Glutamate Induces Changes in Hepatic and Renal Metabolic Profiles and Gut Microbiome of Wistar Rats. <i>Nutrients</i> , 2021, 13, 1865.  | 1.7 | 13        |
| 13 | <i>Opisthorchis viverrini</i> Infection Induces Metabolic and Fecal Microbial Disturbances in Association with Liver and Kidney Pathologies in Hamsters. <i>Journal of Proteome Research</i> , 2021, 20, 3940-3951. | 1.8 | 12        |
| 14 | Clinical significance of GalNAcylated glycans in cholangiocarcinoma: Values for diagnosis and prognosis. <i>Clinica Chimica Acta</i> , 2018, 477, 66-71.  | 0.5 | 8         |
| 15 | Monosodium Glutamate (MSG) Renders Alkalinizing Properties and Its Urinary Metabolic Markers of MSG Consumption in Rats. <i>Biomolecules</i> , 2019, 9, 542.  | 1.8 | 6         |
| 16 | Artesunate and chloroquine induce cytotoxic activity on cholangiocarcinoma cells via different cell death mechanisms. <i>Cellular and Molecular Biology</i> , 2018, 64, 113-118.                                    | 0.3 | 1         |
| 17 | CKDNET: a program for fighting with chronic kidney disease in the Northeast Thailand. <i>FASEB Journal</i> , 2020, 34, 1-1.   | 0.2 | 0         |